

ECE 361E: Machine Learning and Data Analytics for Edge AI HW1 Assigned: Jan 21 DUE: Jan 30 (11:59:59pm CST)

Work in teams of two students. At the end of the PDF file, insert a paragraph where you describe each member's contribution and two valuable things you learned from this homework.

Only *one* submission per group is required.

Introduction

This is the main document of the homework assignment with all problems and afferent questions. If you have clarifications, read the *HW1_README* file which can help you. Finally, the *Appendix_A1* contains more practical things such as code examples to run and debug.

This assignment is meant to be an introduction to training and testing Machine Learning (ML) models on the MNIST dataset¹ in the Cloud. Specifically, you will be working with <u>PyTorch</u>, one of the most popular frameworks for developing ML models. By working on this assignment, you will learn:

- The basics of ML techniques (e.g., training and testing a model, handling overfitting, comparing and contrasting optimizers, evaluating the complexity of a model and fine-tuning the hyperparameter of a model);
- How to visualize various metrics and parameters and their impact on different design decisions;
- How to interpret and discuss the significance of your experimental results.

Problem 1 [20p]: Logistic Regression (using TACC Machines)

Question 1: [5p] Modify *starter.py* by specifying the target device for your model (by adding *model* = *model.to(torch.device('cuda'))* at line 66) to train the model on GPU. Run *starter.py* on Lonestar6 (see Appendix A1.1 for environment setup, Appendix A1.2 to run your code, and Appendix A1.3 for more information).

Question 2: [6p] Draw a plot with two curves: the *training loss* and the *test loss* of your model for each *epoch* (this is the *loss plot*). Draw a second plot with two curves: the *training accuracy* and *test accuracy* of your model for each *epoch* (this is the *accuracy plot*).

Question 3: [9p] Complete *Table 1* (use accuracy values from the final epoch):

Table 1

Training accuracy [%]	Testing accuracy [%]	Total time for training [s]	Total time for inference [s]	Average time for inference per image [ms]	GPU memory during training [MB]

Problem 2 [40p]: Overfitting, Dropout and Normalization

Question 1: [8p] Run the code from *simpleFC.py* after specifying the target device for the model, images and labels. Draw the loss and accuracy plots (like in **Problem 1, Question 2** above). Does this model overfit? Explain.

Question 2: [14p] In the __init__() method from the SimpleFC class, define once nn.Dropout(probability) and apply this new operation in the forward() method after every layer of the model except the last one. Run four different experiments using the values [0.0, 0.2, 0.5, 0.8] as

¹ Modified National Institute of Standards and Technology database (MNIST)

probabilities for dropout. Draw one loss plot for each experiment. What do you observe from these plots? Which dropout probability gives the best/worst results (the best results have no overfitting, i.e., almost equal train and test loss values)? Explain.

Question 3: [18p]. Complete *Table 2* by running the same code as in **Problem 2, Question 2**, but using only the best dropout rate. In *Table 2*, replace X with the dropout rate which led to the best results in *Problem 2, Question 2*. For the row with "+ norm", keep the same dropout probability and add normalization to both training and testing datasets. Compare and contrast these normalized and unnormalized experiments and explain the differences.

Table 2

Dropout	Training accuracy [%]	Testing accuracy [%]	Total time for training [s]	First epoch when the model reaches 96% training accuracy
X				
X + norm				

Problem 3 [40p + 10Bp]: CNNs and Model Complexity

Question 1: [20p] Implement the normalized MNIST dataset from **Problem 2, Question 3** in *simpleCNN.py*. In the same file, write the necessary code to complete *Table 3* and then run it. Is there any difference between the estimated (total) size of the model from *torchsummary* and the saved version of the model (i.e., file size on disk)? Explain.

Table 3

Model name	MACs	FLOPs	# parameters	torchsummary (total) size [KB]	Saved model size [KB]
SimpleCNN					

Question 2: [20p] Create your own CNN with at least two convolutional layers and train it for 25 epochs on the normalized MNIST dataset. Try making this model more efficient (e.g., smaller number of parameters and/or smaller model size) compared to the SimpleCNN model from **Problem 3, Question 1**. Plot the loss and accuracy curves as a function of the #epochs. Extend *Table 3* further with a new row with your model name (e.g., "myCNN") and show the new results.

BONUS Question 3: [10Bp] Explain your choice for the model architecture. Does your model overfit? How does your proposed model compare against SimpleCNN in terms of training and testing accuracy? In a real scenario, would you prefer using your proposed model or SimpleCNN? Why or why not?

Submission Instructions

Include your solutions into a single zip file named <**Team#>.zip**. The zip file should contain:

- 1. A single PDF file containing all your results and discussions.
- 2. Your code files, named suggestively (e.g., p1 q1.py for Problem 1 Question 1 code).
- 3. A readme.txt file describing all your items in the zip file.

Good luck!