



NAME OF STUDENT: _____ **DATE:** _____

INTRADERMAL INJECTION
Performance Checklist

Equipment:

- Medication administration record (MAR)
- Medication
- Medicine ticket
- Sterile water for injection
- Sterile tuberculin syringe and short bevel, 25-27 gauge, 3/8- to 1/2-inch needle.
- Disposable gloves
- Alcohol swab
- sterile 2 × 2 gauze pad

PROCEDURE:

STEPS	1	2	3	4	5	Rationale
1. Check with the client and the chart for any known allergies.						
2. Wash hands.						
3. Follow the five rights.						
4. Prepare the medication from an ampule or vial. Withdraw 0.9 cc sterile water for injection and add 0.1 cc from the ordered medicine. Compare to medicine ticket.						
5. Place the prepared medication with the medicine ticket on a tray and bring to the client's room and place on a clean surface.						
6. Ask the Client to state his/her name and compare to the client's identification armband.						

7. Explain the procedure to the client.						
8. Place the client in a comfortable position; Provide Privacy						
9. Wash hands and don non-sterile gloves.						
10. Select and clean the site.						
11. Assess the client's skin for bruises, redness, or broken tissue.						
12. Select an appropriate site using appropriate anatomic landmarks.						
13. Cleanse the site with an alcohol wipe using a firm circular motion; cleanse from inside to outside; allow alcohol to dry.						
Prepare the syringe for injection. 14. Remove the needle guard.						
15. Check the amount of solution in the syringe.						
16. Inject the medication.						
17. Hold the syringe in dominant hand.						
18. With non-dominant hand, grasp the client's dorsal forearm and gently pull the skin taut on ventral forearm.						
19. Administer the medication slowly; observe the development of a bleb (large flaccid vesicle that resembles a mosquito bite). If none appears, withdraw the						

needle slightly.						
20. Withdraw the needle.						
21. Pat area gently with a dry 2 × 2 sterile gauze pad/ dry cotton ball.						
22. Remove gloves, dispose into appropriate receptacle, and wash hands.						
23. Draw a circle around the perimeter of the bleb with a ballpoint pen and write the due time. Instruct the Client not to scratch the site.						
24. Observe for signs of an allergic reaction. Inform the Physician of the due time for reading and document the result.						
25. Document medication and site of injection on the MAR and medicine ticket.						

Evaluated by: _____