OGC® DOCUMENT: 21-038

External identifier of this OGC® document: http://www.opengis.net/doc/is/ogcapi-dggs/{m.n}



OGC API - DISCRETE GLOBAL GRID SYSTEMS - PART 1: CORE

STANDARD Implementation

CANDIDATE SWG DRAFT

Version: 1.0

Submission Date: 2029-03-30 Approval Date: 2029-03-30 Publication Date: 2029-03-30

Editor: Dr. Matthew Brian John Purss, Jérôme Jacovella-St-Louis

Notice for Drafts: This document is not an OGC Standard. This document is distributed for review and comment. This document is subject to change without notice and may not be referred to as an OGC Standard.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.



License Agreement

Permission is hereby granted by the Open Geospatial Consortium, ("Licensor"), free of charge and subject to the terms set forth below, to any person obtaining a copy of this Intellectual Property and any associated documentation, to deal in the Intellectual Property without restriction (except as set forth below), including without limitation the rights to implement, use, copy, modify, merge, publish, distribute, and/or sublicense copies of the Intellectual Property, and to permit persons to whom the Intellectual Property is furnished to do so, provided that all copyright notices on the intellectual property are retained intact and that each person to whom the Intellectual Property is furnished agrees to the terms of this Agreement.

If you modify the Intellectual Property, all copies of the modified Intellectual Property must include, in addition to the above copyright notice, a notice that the Intellectual Property includes modifications that have not been approved or adopted by LICENSOR.

THIS LICENSE IS A COPYRIGHT LICENSE ONLY, AND DOES NOT CONVEY ANY RIGHTS UNDER ANY PATENTS THAT MAY BE IN FORCE ANYWHERE IN THE WORLD. THE INTELLECTUAL PROPERTY IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE DO NOT WARRANT THAT THE FUNCTIONS CONTAINED IN THE INTELLECTUAL PROPERTY WILL MEET YOUR REQUIREMENTS OR THAT THE OPERATION OF THE INTELLECTUAL PROPERTY WILL BE UNINTERRUPTED OR ERROR FREE. ANY USE OF THE INTELLECTUAL PROPERTY SHALL BE MADE ENTIRELY AT THE USER'S OWN RISK. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR ANY CONTRIBUTOR OF INTELLECTUAL PROPERTY RIGHTS TO THE INTELLECTUAL PROPERTY BE LIABLE FOR ANY CLAIM, OR ANY DIRECT, SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM ANY ALLEGED INFRINGEMENT OR ANY LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR UNDER ANY OTHER LEGAL THEORY, ARISING OUT OF OR IN CONNECTION WITH THE IMPLEMENTATION, USE, COMMERCIALIZATION OR PERFORMANCE OF THIS INTELLECTUAL PROPERTY.

This license is effective until terminated. You may terminate it at any time by destroying the Intellectual Property together with all copies in any form. The license will also terminate if you fail to comply with any term or condition of this Agreement. Except as provided in the following sentence, no such termination of this license shall require the termination of any third party end-user sublicense to the Intellectual Property which is in force as of the date of notice of such termination. In addition, should the Intellectual Property, or the operation of the Intellectual Property, infringe, or in LICENSOR's sole opinion be likely to infringe, any patent, copyright, trademark or other right of a third party, you agree that LICENSOR, in its sole discretion, may terminate this license without any compensation or liability to you, your licensees or any other party. You agree upon termination of any kind to destroy or cause to be destroyed the Intellectual Property together with all copies in any form, whether held by you or by any third party.

Except as contained in this notice, the name of LICENSOR or of any other holder of a copyright in all or part of the Intellectual Property shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Intellectual Property without prior written authorization of LICENSOR or such copyright holder. LICENSOR is and shall at all times be the sole entity that may authorize you or any third party to use certification marks, trademarks or other special designations to indicate compliance with any LICENSOR standards or specifications. This Agreement is governed by the laws of the Commonwealth of Massachusetts. The application to this Agreement of the United Nations Convention on Contracts for the International Sale of Goods is hereby expressly excluded. In the event any provision of this Agreement shall be deemed unenforceable, void or invalid, such provision shall be modified so as to make it valid and enforceable, and as so modified the entire Agreement shall remain in full force and effect. No decision, action or inaction by LICENSOR shall be construed to be a waiver of any rights or remedies available to it.

None of the Intellectual Property or underlying information or technology may be downloaded or otherwise exported or reexported in violation of U.S. export laws and regulations. In addition, you are responsible for complying with any local laws in your jurisdiction which may impact your right to import, export or use the Intellectual Property, and you represent that you have complied with any regulations or registration procedures required by applicable law to make this license enforceable.

Suggested additions, changes and comments on this document are welcome and encouraged. Such suggestions may be submitted using the online change request form on OGC web site: http://portal.opengeospatial.org/public_ogc/change_request.php

Copyright notice

Copyright © 2022 Open Geospatial Consortium To obtain additional rights of use, visit http://www.ogc.org/legal/

Note

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. The Open Geospatial Consortium shall not be held responsible for identifying any or all such patent rights.

Recipients of this document are requested to submit, with their comments, notification of any relevant patent claims or other intellectual property rights of which they may be aware that might be infringed by any implementation of the standard set forth in this document, and to provide supporting documentation.

CONTENTS

l.	ABSTRACT	۰۰۰۰۰۰۰۰۰۰۰۷
II.	KEYWORDS	V
III.	PREFACE	V
IV.	SECURITY CONSIDERATIONS	vi
V.	SUBMITTING ORGANIZATIONS	vii
VI.	SUBMITTERS	vii
1.	SCOPE	2
2.	CONFORMANCE	4
3.	NORMATIVE REFERENCES	6
4.	TERMS AND DEFINITIONS	9
5.	CONVENTIONS	
6.	DGGS — CORE CONFORMANCE CLASS	13
7.	DGGS — DATA RETRIEVAL CONFORMANCE CLASSES	15
8.	DGGS — ZONE QUERY CONFORMANCE CLASS	
9.	MEDIA TYPES FOR ANY DATA ENCODING(S)	26
AN	NEX A (INFORMATIVE) CONFORMANCE CLASS ABSTRACT TEST SUITE (NORMATIVE)	
ΔN	NEX B (INFORMATIVE) TITLE	30

	ANNEX C (INFORMATIVE) REVISION HISTORY	32
	BIBLIOGRAPHY	34
LIST	Γ OF TABLES	
	Table C.1	32
LIST	OF RECOMMENDATIONS	
	REQUIREMENTS CLASS 1	15
	REQUIREMENTS CLASS 2	17
	REQUIREMENTS CLASS 3	20
	REQUIREMENT 1	15
	REQUIREMENT 2	16
	REQUIREMENT 3	17
	REQUIREMENT 4	17
	REQUIREMENT 5	20
	REQUIREMENT 6	21
	REQUIREMENT 7	21
	REQUIREMENT 8	22
	REQUIREMENT 9	22
	REQUIREMENT 10	23
	REQUIREMENT 11	23
	REQUIREMENT 12	23
	REQUIREMENT A.1	28

ABSTRACT

This specification defines building blocks which can be used as part of a Web API to retrieve geospatial data for a specific area, time and resolution of interest, based on a specific Discrete Global Grid System (DGGS) and indexing scheme, as defined in OGC Abstract Topic 21, as well to query the list of DGGS zones from which data is available and/or matching a specify query (in combination with other building blocks defining queries, such as a filter defined using the OGC Common Query Language (CQL2).



KEYWORDS

The following are keywords to be used by search engines and document catalogues.

ogcdoc, OGC document, API, openapi, html, ogcapi

PREFACE

NOTE: OGC API standards define modular API building blocks to spatially enable Web APIs in a consistent way. The OpenAPI specification is used to define the API building blocks.

OGC API — Discrete Global Grid Systems provides API building blocks to retrieve data and query zones based on Discrete Global Grid Systems (DGGS) concepts defined in <u>OGC Abstract Topic</u> <u>21</u>. Additional parts for OGC API — Discrete Global Grid Systems may be defined in the future to provide additional capabilities.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. The Open Geospatial Consortium shall not be held responsible for identifying any or all such patent rights.

Recipients of this document are requested to submit, with their comments, notification of any relevant patent claims or other intellectual property rights of which they may be aware that might be infringed by any implementation of the standard set forth in this document, and to provide supporting documentation.



SECURITY CONSIDERATIONS

No security considerations have been made for this document.



SUBMITTING ORGANIZATIONS

The following organizations submitted this Document to the Open Geospatial Consortium (OGC):

- Pangaea Innovations Pty. Ltd.
- Ecere Corporation



SUBMITTERS

All questions regarding this submission should be directed to the editors or the submitters:

Name	Affiliation
Matthew Brian John Purss (editor)	Pangaea Innovations Pty. Ltd.
Jérôme Jacovella-St-Louis (editor)	Ecere Corporation

1 SCOPE

1 SCOPE

NOTE: Insert Scope text here. Give the subject of the document and the aspects of that scope covered by the document.

CONFORMANCE

CONFORMANCE

This standard defines XXXX.

Requirements for N standardization target types are considered:

- AAAA
- BBBB

Conformance with this standard shall be checked using all the relevant tests specified in Annex A (normative) of this document. The framework, concepts, and methodology for testing, and the criteria to be achieved to claim conformance are specified in the OGC Compliance Testing Policies and Procedures and the OGC Compliance Testing web site.

In order to conform to this OGC® interface standard, a software implementation shall choose to implement:

- Any one of the conformance levels specified in Annex A (normative).
- Any one of the Distributed Computing Platform profiles specified in Annexes TBD through TBD (normative).

All requirements-classes and conformance-classes described in this document are owned by the standard(s) identified.

NORMATIVE REFERENCES

NORMATIVE REFERENCES

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

- Identification of Common Molecular Subsequences. Smith, T.F., Waterman, M.S., J. Mol. Biol. 147, 195–197 (1981)
- ZIB Structure Prediction Pipeline: Composing a Complex Biological Workflow through Web Services.

 May, P., Ehrlich, H.C., Steinke, T. In: Nagel, W.E., Walter, W.V., Lehner, W. (eds.)

 Euro-Par 2006. LNCS, vol. 4128, pp. 1148–1158. Springer, Heidelberg (2006)
- The Grid: Blueprint for a New Computing Infrastructure., Foster, I., Kesselman, C.. Morgan Kaufmann, San Francisco (1999).
- Grid Information Services for Distributed Resource Sharing. Czajkowski, K., Fitzgerald, S., Foster, I., Kesselman, C. In: 10th IEEE International Symposium on High Performance Distributed Computing, pp. 181–184. IEEE Press, New York (2001)
- The Physiology of the Grid: an Open Grid Services Architecture for Distributed Systems Integration. Foster, I., Kesselman, C., Nick, J., Tuecke, S. Technical report, Global Grid Forum (2002)
- National Center for Biotechnology Information, http://www.ncbi.nlm.nih.gov
- ISO: ISO 19101-1:2014, Geographic information Reference model Part 1: Fundamentals. International Organization for Standardization, Geneva (2014). https://www.iso.org/standard/59164.html.
- ISO: ISO 19115-1:2014, *Geographic information Metadata Part 1: Fundamentals.* International Organization for Standardization, Geneva (2014). https://www.iso.org/standard/53798.html.
- ISO: ISO 19157:2013, *Geographic information Data quality*. International Organization for Standardization, Geneva (2013). https://www.iso.org/standard/32575.html.
- ISO: ISO/TS 19139:2007, *Geographic information Metadata XML schema implementation*. International Organization for Standardization, Geneva (2007). https://www.iso.org/standard/32557.html.
- ISO: ISO/TS 19115-3, Geographic information Metadata Part 3: XML schema implementation for fundamental concepts. International Organization for Standardization, Geneva https://www.iso.org/standard/32579.html.
- OGC Geospatial User Feedback Standard: Conceptual Model (2016)

- Gerhard Gröger, Thomas H. Kolbe, Claus Nagel, Karl-Heinz Häfele: OGC 12-019, OGC City Geography Markup Language (CityGML) Encoding Standard. Open Geospatial Consortium (2012). https://portal.ogc.org/files/?artifact id=47842.
- Jiyeong Lee, Ki-Joune Li, Sisi Zlatanova, Thomas H. Kolbe, Claus Nagel, Thomas Becker: OGC 14-005r3, OGC® IndoorGML. Open Geospatial Consortium (2014). https://docs.ogc.org/is/14-005r3/14-005r3/14-005r3.html.
- Arliss Whiteside Jim Greenwood: OGC 06-121r9, OGC Web Service Common Implementation Specification. Open Geospatial Consortium (2010). https://portal.ogc.org/files/? artifact id=38867.

TERMS AND DEFINITIONS



TERMS AND DEFINITIONS

This document uses the terms defined in <u>OGC Policy Directive 49</u>, which is based on the ISO/IEC Directives, Part 2, Rules for the structure and drafting of International Standards. In particular, the word "shall" (not "must") is the verb form used to indicate a requirement to be strictly followed to conform to this document and OGC documents do not use the equivalent phrases in the ISO/IEC Directives, Part 2.

This document also uses terms defined in the OGC Standard for Modular specifications (OGC 08-131r3), also known as the 'ModSpec'. The definitions of terms such as standard, specification, requirement, and conformance test are provided in the ModSpec.

For the purposes of this document, the following additional terms and definitions apply.

This document uses the terms defined in Sub-clause 5.3 of [OGC06-121r9], which is based on the ISO/IEC Directives, Part 2, Rules for the structure and drafting of International Standards. In particular, the word "shall" (not "must") is the verb form used to indicate a requirement to be strictly followed to conform to this standard.

For the purposes of this document, the following additional terms and definitions apply.

4.1. example term

term used for exemplary purposes

Note 1 to entry: An example note.

Example Here's an example of an example term.

[**SOURCE**: ISO 19101-1:2014]

CONVENTIONS

CONVENTIONS

This sections provides details and examples for any conventions used in the document. Examples of conventions are symbols, abbreviations, use of XML schema, or special notes regarding how to read the document.

5.1. Identifiers

The normative provisions in this standard are denoted by the URI

http://www.opengis.net/spec/{standard}/{m.n}

All requirements and conformance tests that appear in this document are denoted by partial URIs which are relative to this base.

DGGS — CORE CONFORMANCE CLASS

DGGS - CORE CONFORMANCE CLASS

Paragraph

6.1. Clauses not containing normative material sub-clause 1

Paragraph

6.2. Clauses not containing normative material sub-clause 2

DGGS — DATA RETRIEVAL CONFORMANCE CLASSES

DGGS — DATA RETRIEVAL CONFORMANCE CLASSES

7.1. Requirement Class DGGS — Data Retrieval

The Data Retrieval conformance class allows to retrieve data from a specific Discrete Global Grid System (DGGS) in a particular indexing scheme from either an individual zone, or a list of zones referenced by ID. It describes an HTTP GET operation, as well as its response. The selected DGGS is listed as available and described in the Core conformance class, and conforms to OGC Topic 21. The conformance makes use of URI templates for a variable representing the Zone ID. The data retrieved from a Web API using this conformance class can either be for a particular collection of geospatial data, for a dataset as a whole, or in connection with OGC API — Processes — Part 3: Workflows & Chaining, the output of a processing workflow.

REQUIREMENTS CLASS 1	
TARGET TYPE	DGGS Data Retrieval
PREREQUISITE	http://www.opengis.net/spec/ogcapi-common-1/1.0/req/core
LABEL	http://www.opengis.net/spec/ogcapi-dggs-1/0.0/req/data-retrieval

7.1.1. Retrieve data from single zone

The following requirements describe how a client can retrieve data from a single DGGS zone at the resource path .../dggs/{dggsId}/zones/{zoneId}/data.

7.1.1.1. Operation

REQUIREMENT 1	
LABEL	/req/data-retrieval/single-zone-data-op
STATEME	N For retrieving data for a single DGGS zone:

REQUIREMENT 1

- A The Implementation SHALL support an HTTP GET operation at a resource path ending with .../dggs/ {dggsId}/zones/{zoneId}/data.
- B The Implementation SHALL provide a templated link to this resource path using the link relation type http://www.opengis.net/def/rel/ogc/1.0/dggs-zone-data.

7.1.1.2. Response

REQUIREMENT 2 LABEL /req/data-retrieval/single-zone-data-response **STATEMEN** For the response to a query retrieving data for a single DGGS zone: Α The response of the HTTP GET operation SHALL have a status code of 200. The content of the response SHALL be a data packet corresponding precisely to the area covered by the В DGGS zone. The content of the response SHALL be a data packet whose resolution / scale correspond to that zone's hierarchy level. This would usually imply more than a single value being returned for each zone request. The data packet would include values for descendent zones at x levels deeper than the requested C zone's level, where x may be defined by the indexing scheme or data packet encoding, or otherwise be specified. e.g., requesting data for a level 10 zones might be returning individual values for each level 18 zones contained within that level 10 zone for which data is being requested. The selection of an encoding for the response SHALL be consistent with HTTP content negotiation. D

7.2. Requirement Class DGGS — Multi-Zone Data Retrieval

The Multi-Zone Data Retrieval conformance class allows to retrieve data from a specific Discrete Global Grid System (DGGS) in a particular indexing scheme from a list of zones referenced by ID. It describes an HTTP GET operation, as well as its response. The selected DGGS is listed as available and described in the Core conformance class, and conforms to OGC Topic 21. The conformance makes use of URI templates for a variable representing the Zone ID. The data retrieved from a Web API using this conformance class can either be for a particular collection of geospatial data, for a dataset as a whole, or in connection with OGC API — Processes — Part 3: Workflows & Chaining, the output of a processing workflow.

REQUIREMENTS CLASS 2

TARGET TYPE DGGS Multi-Zone Data Retrieval

PREREQUISITE http://www.opengis.net/spec/ogcapi-common-1/1.0/req/core

LABEL http://www.opengis.net/spec/ogcapi-dggs-1/0.0/req/multi-zone-data-retrieval

7.2.1. Retrieve data from multiple zones

The following requirements describe how a client can retrieve data from a single DGGS zone at the resource path .../dggs/{dggsId}/data?zones={zoneId},....

7.2.1.1. Operation

REQUIREMENT 3

LABEL /req/data-retrieval/multi-zone-data-op

STATEMEN For retrieving data for multiple DGGS zones:

- The Implementation SHALL support an HTTP GET operation at a resource path ending with .../dggs/dggsId}/zones/data.
- B The Implementation SHALL support a zones query parameter, consisting of a list of zone IDs in a format consistent with the indexing scheme for the selected DGGS ID.
- The Implementation SHALL provide a link to this resource path using the link relation type http://www.opengis.net/def/rel/ogc/1.0/dggs-zone-data and the variable {zoneID} in the template URL.

7.2.1.2. Response

REQUIREMENT 4

LABEL /req/data-retrieval/multi-zone-data-response

STATEMEN For the response to a query retrieving data for multiple DGGS zones:

A The response of the HTTP GET operation SHALL have a status code of 200.

REQUIREMENT 4

- B The content of the response SHALL package data packets corresponding precisely to the area covered by each of the DGGS zones being requested.
- The content of the response SHALL package data packets whose resolution / scale correspond to those zones' hierarchy levels. This would usually imply more than a single value being returned for each zone returned. The data packet would include values for descendent zones at x levels deeper than the requested zone's level, where x may be defined by the indexing scheme or data packet encoding, or otherwise be specified. e.g., requesting data for a level 10 zones might be returning individual values for each level 18 zones contained within that level 10 zone for which data is being requested.
- **D** The selection of an encoding for the response SHALL be consistent with HTTP content negotiation.

DGGS – ZONE QUERY CONFORMANCE CLASS

DGGS - ZONE QUERY CONFORMANCE CLASS

8.1. Requirement Class DGGS—Zone Query

The Zone Query conformance class allows to request the list of DGGS zones from a specific Discrete Global Grid System (DGGS) in a particular indexing scheme for which there is data available, or matching a particular query (e.g., using a filtering parameter). It describes an HTTP GET operation, as well as its response. The selected DGGS is listed as available and described in the Core conformance class, and conforms to OGC Topic 21. The list of zones from a Web API using this conformance class can either be for a particular collection of geospatial data, for a dataset as a whole, or in connection with OGC API — Processes — Part 3: Workflows & Chaining, the output of a processing workflow.

REQUIREMENTS CLASS 3	
TARGET TYPE	Implementation Specification
PREREQUISITES	http://www.example.org/req/blah /req/data-retrieval
LABEL	http://www.opengis.net/spec/ABCD/m.n/req/zone-query

8.1.1. Retrieve the list of zones

The following requirements describe how a client can retrieve the list of zones from which data is available at the resource path .../dggs/{dggsId}/zones.

8.1.1.1. Operation

REQUIREMENT 5	
LABEL	/req/zone-query/list-zones-op
STATEMEN For retrieving a list of DGGS zones:	
Α	The Implementation SHALL support an HTTP GET operation at a resource path ending with/dggs/{dggsId}/zones.

REQUIREMENT 5

B The Implementation SHALL provide a link to this resource path using the link relation type $\frac{\text{http://www.}}{\text{opengis.net/def/rel/ogc/1.0/dggs-zone-query.}}$

8.1.1.2. Response

REQUIREMENT 6		
LABEL	/req/zone-query/zones-list-response	
STATEMEN For the response to a query requesting a list of DGGS zones:		
Α	The response of the HTTP GET operation SHALL have a status code of 200.	
В	The content of the response SHALL be a list of zones fully covering where data is available (in the case where the resource is associated with a particular dataset), and matching any additional query parameters specified by the client (e.g., a filtering query parameter), without any redundancy.	
С	Unless the zones is a compact list of zones (see compact-zones parameter), the zones returned SHALL all be of the same DGGS hierarchy level.	
D	The selection of an encoding for the returned list of zones SHALL be consistent with HTTP content negotiation.	
Е	The implementation SHALL support at minimum a JSON encoding (media type application/json) where each zone ID is specified as a string within an array of zones assigned to a zones property within a JSON object (eg, { "zones": ["1-E-14", "1-E-15", "1-F-14", "1-F-15", "1-F-16"] }.	

8.1.2. zone-level parameter

The following requirements describe how a client can specify the DGGS hierarchy level at which to retrieve the list of zones.

8.1.2.1. Parameter

REQUIREMENT 7

LABEL /req/zone-query/zone-level-parameter

STATEMEN For specifying a level at which to return a list of DGGS zones:

REQUIREMENT 7

Α

The Implementation SHALL support a zone-level query parameter for the zone query operation (resource path ending with .../dggs/{dggsId}/zones).

8.1.2.2. Response

REQUIREMENT 8		
LABEL	/req/zone-query/zones-list-response	
STATEMEN For the response to querying a list of DGGS zones using zone-level query parameter:		
А	If a compact zones list is used (the default), the zones returned in the response SHALL be of the DGGS hierarchy level specified by the zone-level query parameter, or of a lower hierarchy level standing in for a compact representation of multiple zones at the requested hierarchy level.	
В	If a compact zones list is not used, the zones returned in the response SHALL be of the DGGS hierarchy level specified by the zone-level guery parameter.	

8.1.3. compact-zones parameter

By default, implementations return a compact list of zones where children zones fully covering a parent are recursively replaced by the parent zones, allowing to express large areas in a much more compact list of zones. The following requirements describe how a client can disable returning a compact list of zones.

8.1.3.1. Parameter

LABEL /req/zone-query/compact-zones-parameter STATEMEN For specifying whether to return a compact list of zones: The Implementation SHALL support a boolean compact-zones query parameter for the zone query operation (resource path ending with .../dggs/{dggsId}/zones), where a value of true corresponds to the default behavior when the paramter is not specified, and a value of false disables the use of compact-zones in the response.

8.1.3.2. Response

REQUIREMENT 10		
LABEL	/req/zone-query/compact-zones-response	
STATEME	No For the response to querying a list of DGGS zones using compact-zones query parameter:	
Α	When the compact-zones parameter is to false, the zones list response SHALL NOT be a compact list, and SHALL explicitly list every individual zone at the requested or default DGGS hierarchy level.	
B	When the compact-zones parameter is to true (or unspecified), the zones list response SHALL be a	

8.1.4. Paging capability and limit parameter

The following requirements describe how a client can specify a limit to the number of zones to be returned and page through large list of zones as multiple requests and responses.

that parent zone, in a recursive manner all the way to the lowest DGGS hierarchy level.

8.1.4.1. Parameter

REQUIREMENT 11	
LABEL	/req/zone-query/limit-parameter
STATEME	For specifying a limit to how many zones should be returned in a zone query:
Α	The Implementation SHALL support a parameter limit integer query parameter, with a minimum value of 1.

8.1.4.2. Response

REQUIREMENT 12	
LABEL	/req/zone-query/limit-response
STATEMEN For the response to a zone query:	

A The response SHALL not contain more zones than specified by the optional limit parameter (if specified). B If the API definition specifies a maximum value for the limit parameter, the response SHALL not contain more zones than this maximum value. C If the value of the limit parameter is larger than the maximum value, this SHALL NOT result in an error (but instead be replaced by the maximum as the parameter value). D If using compact zones, the parent zones SHALL count as a single zone, rather than the number of shildren zones than stored in few

- D children zones they stand in for.
- If an implementation does not return the full list of zones for the request, a link with relation type next SHALL be included in a links array property of the response, which a client can request to resume listing the zones.

MEDIA TYPES FOR ANY DATA ENCODING(S)



MEDIA TYPES FOR ANY DATA ENCODING(S)

A section describing the MIME-types to be used is mandatory for any standard involving data encodings. If no suitable MIME type exists in http://www.iana.org/assignments/media-types/ index.html then this section may be used to define a new MIME type for registration with IANA.



ANNEX A (INFORMATIVE) CONFORMANCE CLASS ABSTRACT TEST SUITE (NORMATIVE)

A

ANNEX A (INFORMATIVE) CONFORMANCE CLASS ABSTRACT TEST SUITE (NORMATIVE)

NOTE: Ensure that there is a conformance class for each requirements class and a test for each requirement (identified by requirement name and number)

A.1. Conformance Class A

A.1.1. Requirement 1

REQUIREMENT A.1	
TEST PURPOSE	Verify that
TEST METHOD	Inspect

A.1.2. Requirement 2

В

ANNEX B (INFORMATIVE) TITLE

В

ANNEX B (INFORMATIVE) TITLE

NOTE: Place other Annex material in sequential annexes beginning with "B" and leave final two annexes for the Revision History and Bibliography



ANNEX C (INFORMATIVE) REVISION HISTORY

C ANNEX C (INFORMATIVE) **REVISION HISTORY**

Table C.1

DATE	RELEASE	EDITOR	PRIMARY CLAUSES MODIFIED	DESCRIPTION
2021-05-17	0.1	Matthew Purss	all	initial version



BIBLIOGRAPHY



NOTE: The TC has approved Springer LNCS as the official document citation type.

Springer LNCS is widely used in technical and computer science journals and other publications

- Actual References:

[n] Journal: Author Surname, A.: Title. Publication Title. Volume number, Issue number, Pages Used (Year Published)

[n] Web: Author Surname, A.: Title, http://website-Url

1. OGC: OGC Testbed 12 Annex B: Architecture (2015).