



2022 WEB MAPPING CODE SPRINT SUMMARY ENGINEERING REPORT

ENGINEERING REPORT

DRAFT

Submission Date: 2018-12-20

Approval Date: 2018-07-10

Publication Date: 2028-06-12

Editor: Gobe Hobona, Joana Simoes

Notice: This document is not an OGC Standard. This document is an OGC Public Engineering Report created as a deliverable in an OGC Interoperability Initiative and is *not an official position* of the OGC membership. It is distributed for review and comment. It is subject to change without notice and may not be referred to as an OGC Standard.

Further, any OGC Engineering Report should not be referenced as required or mandatory technology in procurements. However, the discussions in this document could very well lead to the definition of an OGC Standard.

License Agreement

Permission is hereby granted by the Open Geospatial Consortium, ("Licensor"), free of charge and subject to the terms set forth below, to any person obtaining a copy of this Intellectual Property and any associated documentation, to deal in the Intellectual Property without restriction (except as set forth below), including without limitation the rights to implement, use, copy, modify, merge, publish, distribute, and/or sublicense copies of the Intellectual Property, and to permit persons to whom the Intellectual Property is furnished to do so, provided that all copyright notices on the intellectual property are retained intact and that each person to whom the Intellectual Property is furnished agrees to the terms of this Agreement.

If you modify the Intellectual Property, all copies of the modified Intellectual Property must include, in addition to the above copyright notice, a notice that the Intellectual Property includes modifications that have not been approved or adopted by LICENSOR.

THIS LICENSE IS A COPYRIGHT LICENSE ONLY, AND DOES NOT CONVEY ANY RIGHTS UNDER ANY PATENTS THAT MAY BE IN FORCE ANYWHERE IN THE WORLD. THE INTELLECTUAL PROPERTY IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE DO NOT WARRANT THAT THE FUNCTIONS CONTAINED IN THE INTELLECTUAL PROPERTY WILL MEET YOUR REQUIREMENTS OR THAT THE OPERATION OF THE INTELLECTUAL PROPERTY WILL BE UNINTERRUPTED OR ERROR FREE. ANY USE OF THE INTELLECTUAL PROPERTY SHALL BE MADE ENTIRELY AT THE USER'S OWN RISK. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR ANY CONTRIBUTOR OF INTELLECTUAL PROPERTY RIGHTS TO THE INTELLECTUAL PROPERTY BE LIABLE FOR ANY CLAIM, OR ANY DIRECT, SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM ANY ALLEGED INFRINGEMENT OR ANY LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR UNDER ANY OTHER LEGAL THEORY, ARISING OUT OF OR IN CONNECTION WITH THE IMPLEMENTATION, USE, COMMERCIALIZATION OR PERFORMANCE OF THIS INTELLECTUAL PROPERTY.

This license is effective until terminated. You may terminate it at any time by destroying the Intellectual Property together with all copies in any form. The license will also terminate if you fail to comply with any term or condition of this Agreement. Except as provided in the following sentence, no such termination of this license shall require the termination of any third party end-user sublicense to the Intellectual Property which is in force as of the date of notice of such termination. In addition, should the Intellectual Property, or the operation of the Intellectual Property, infringe, or in LICENSOR's sole opinion be likely to infringe, any patent, copyright, trademark or other right of a third party, you agree that LICENSOR, in its sole discretion, may terminate this license without any compensation or liability to you, your licensees or any other party. You agree upon termination of any kind to destroy or cause to be destroyed the Intellectual Property together with all copies in any form, whether held by you or by any third party.

Except as contained in this notice, the name of LICENSOR or of any other holder of a copyright in all or part of the Intellectual Property shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Intellectual Property without prior written authorization of LICENSOR or such copyright holder. LICENSOR is and shall at all times be the sole entity that may authorize you or any third party to use certification marks, trademarks or other special designations to indicate compliance with any LICENSOR standards or specifications. This Agreement is governed by the laws of the Commonwealth of Massachusetts. The application to this Agreement of the United Nations Convention on Contracts for the International Sale of Goods is hereby expressly excluded. In the event any provision of this Agreement shall be deemed unenforceable, void or invalid, such provision shall be modified so as to make it valid and enforceable, and as so modified the entire Agreement shall remain in full force and effect. No decision, action or inaction by LICENSOR shall be construed to be a waiver of any rights or remedies available to it.

None of the Intellectual Property or underlying information or technology may be downloaded or otherwise exported or reexported in violation of U.S. export laws and regulations. In addition, you are responsible for complying with any local laws in your jurisdiction which may impact your right to import, export or use the Intellectual Property, and you represent that you have complied with any regulations or registration procedures required by applicable law to make this license enforceable.

Copyright notice

Copyright © 2022 Open Geospatial Consortium
To obtain additional rights of use, visit <http://www.ogc.org/legal/>

Note

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. The Open Geospatial Consortium shall not be held responsible for identifying any or all such patent rights.

Recipients of this document are requested to submit, with their comments, notification of any relevant patent claims or other intellectual property rights of which they may be aware that might be infringed by any implementation of the standard set forth in this document, and to provide supporting documentation.

CONTENTS

- I. EXECUTIVE SUMMARYiv
- II. KEYWORDSiv
- III. SECURITY CONSIDERATIONSvi
- IV. SUBMITTERSvi
- V. ABSTRACTvii
- 1. SCOPE2
- 2. NORMATIVE REFERENCES4
- 3. TERMS, DEFINITIONS AND ABBREVIATED TERMS6
 - 3.17. Abbreviated terms10
- 4. HIGH-LEVEL ARCHITECTURE12
 - 4.1. Approved and Draft Standards12
 - 4.2. Open Source Software Projects13
 - 4.3. Proprietary products14
- 5. RESULTS17
 - 5.1. MariaDB CubeWerx CubeSERV17
 - 5.2. Idproxy17
 - 5.3. pygeoapi17
- ANNEX A (NORMATIVE) ANNEX TITLE19
- ANNEX B (INFORMATIVE) REVISION HISTORY21
- BIBLIOGRAPHY23

LIST OF FIGURES

- Figure 1 – High Level Overview of the Sprint Architecture12



EXECUTIVE SUMMARY

The code sprint focused on the following group of specifications:

- [OGC API – Maps](#) candidate Standard
- [OGC API – Tiles](#) Standard
- [OGC API – Styles](#) candidate Standard
- [OGC Symbology Conceptual Model: Core Part](#)

The sprint objectives for the Standards Working Groups (SWGs) were to:

- Develop prototype implementations of OGC Standards, including implementations of draft OGC Application Programming Interface (API) Standards;
- Test the prototype implementations;
- Provide feedback to the Editor about what worked and what did not; and
- Provide feedback about the specification document.

This engineering report makes the following recommendations for future innovation work items:

- TBA
- TBA
- TBA

The engineering report also makes the following recommendations for things that the Standards Working Groups should consider:

- TBA
- TBA
- TBA



KEYWORDS

The following are keywords to be used by search engines and document catalogues.

hackathon, application-to-the-cloud, testbed, docker, web service



SECURITY CONSIDERATIONS

No security considerations have been made for this document.



SUBMITTERS

All questions regarding this document should be directed to the editor or the contributors:

NAME	ORGANIZATION	ROLE
Gobe Hobona	Open Geospatial Consortium	Editor
Joana Simoes	Open Geospatial Consortium	Editor
Keith Pomakis	MariaDB	Contributor
Núria Julià Selvas	UAB-CREAF	Contributor
Joan Maso	UAB-CREAF	Contributor
Clemens Portele	interactive instruments GmbH	Contributor
Tom Kralidis	Meteorological Service of Canada	Contributor
Andreas Matheus	Secure Dimensions	Contributor
Add Name	Add Name	Contributor
Add Name	Add Name	Contributor
Add Name	Add Name	Contributor
Add Name	Add Name	Contributor
Add Name	Add Name	Contributor



ABSTRACT

The subject of this Engineering Report (ER) is a code sprint that was held from November 29th to December 1st, 2022 to advance OGC API Standards that relate to web mapping, and others that relate to styling and symbology encoding standards. The code sprint was hosted by the Open Geospatial Consortium (OGC) and EuroGeographics. The code sprint was sponsored by Ordnance Survey (OS), and held as a hybrid event with the face-to-face element hosted at the Mundo Madou centre in Brussels, Belgium.



1

SCOPE

The code sprint described in this engineering report was organized to provide a collaborative environment that enables software developers, users, and architects to work together on open standards that relate to web mapping, styles, and symbology. The engineering report presents the sprint architecture, the results of the prototyping, and a discussion resulting from the prototyping.

A Code Sprint is a collaborative and inclusive event driven by innovative and rapid programming with minimal process and organization constraints to support the development of new applications and open standards. Code Sprints experiment with emerging ideas in the context of geospatial standards, help improve interoperability of existing standards by experimenting with new extensions or profiles, and are used for building proofs of concept to support standards development activities and enhancement of software products.



2

NORMATIVE REFERENCES

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

Joan Masó , Jérôme Jacovella-St-Louis: OGC 17-083r4, *OGC Two Dimensional Tile Matrix Set and Tile Set Metadata*. Open Geospatial Consortium (2022). <https://docs.ogc.org/is/17-083r4/17-083r4.html>.

Charles Heazel: OGC API — Common — Part 1: Core (Draft). OGC 19-072, Open Geospatial Consortium, <http://docs.ogc.org/DRAFTS/19-072.html>

Charles Heazel: OGC API — Common — Part 2: Geospatial Data (Draft). OGC 20-024, Open Geospatial Consortium, <http://docs.ogc.org/DRAFTS/20-024.html>



3

TERMS, DEFINITIONS AND ABBREVIATED TERMS

TERMS, DEFINITIONS AND ABBREVIATED TERMS

This document uses the terms defined in OGC Policy Directive 49, which is based on the ISO/IEC Directives, Part 2, Rules for the structure and drafting of International Standards. In particular, the word “shall” (not “must”) is the verb form used to indicate a requirement to be strictly followed to conform to this document and OGC documents do not use the equivalent phrases in the ISO/IEC Directives, Part 2.

This document also uses terms defined in the OGC Standard for Modular specifications (OGC 08-131r3), also known as the ‘ModSpec’. The definitions of terms such as standard, specification, requirement, and conformance test are provided in the ModSpec.

For the purposes of this document, the following additional terms and definitions apply.

3.1. API

An Application Programming Interface (API) is a standard set of documented and supported functions and procedures that expose the capabilities or data of an operating system, application, or service to other applications [adapted from ISO/IEC TR 13066-2:2016].

3.2. coordinate reference system

A coordinate system that is related to the real world by a datum term name [source: ISO 19111]

3.3. dataset

a set of data, published or curated by a single agent, and available for access or download in one or more representations (modified from DCAT: <https://www.w3.org/TR/vocab-dcat-2/#dcat-scope>).

Note 1 to entry: A Web API implementing OGC API — Common often gives access to a single dataset which may be comprised of one or more *geospatial data resources*.

3.4. geospatial data resource

web accessible resource that consists of a set of geospatial data

Note 1 to entry: In Web APIs implementing *OGC API – Common – Part 2: Geospatial Data*, geospatial data resources are referred to as collections and are defined in the *collections* conformance class.

Note 2 to entry: *geodata* is sometimes used in this document as an abbreviation of *geospatial data*

3.5. geospatial resource aspect

web accessible resource that represents a component of geospatial information (metadata, schemas...) or geospatial data accessed using a particular mechanism and data model (e.g., feature items, tiles, maps, coverages,...) of a more generic geospatial data resource (e.g., a collection)

Note 1 to entry: Not to be confused with a web accessible resource representation. While resource representations share the same path and are selected by format negotiation, geospatial aspects use different paths. Commonly a geospatial aspect is a subpath of a geospatial data resource.

3.6. map tile

tile that contains information in a raster form where the values of cells are colors which can be readily displayed on rendering devices

Note 1 to entry: Map tiles are generated in combination with *OGC API – Maps*.

3.7. OpenAPI Document

A document (or set of documents) that defines or describes an API. An OpenAPI definition uses and conforms to the OpenAPI Specification (<https://www.openapis.org>)

3.8. geographic information

information concerning phenomena implicitly or explicitly associated with a location relative to the Earth (source: ISO 19101)

3.9. map

portrayal of geographic information as a digital image file suitable for display on a computer screen (source: OGC 06-042)

3.10. portrayal

presentation of information to humans (source: ISO 19117)

3.11. map tile

tile that contains information in a raster form where the values of cells are colors which can be readily displayed on rendering devices

Note 1 to entry: Map tiles are generated in combination with *OGC API – Maps*.

3.12. tile

geometric shape with known properties that may or may not be the result of a tiling (tessellation) process. A tile consists of a single connected “piece” without “holes” or “lines” (topological disc).

In the context of a 2D *tile matrix*, a *tile* is one of the rectangular regions of space, which can be uniquely identified by row and column integer indices, making up the tile matrix.

In the context of a geospatial data *tile set*, a *tile* contains data for such a partition of space as part of an overall set of tiles for that tiled geospatial data.

Note 1 to entry: From OGC 19-014r1: Core Tiling Conceptual and Logical Models for 2D Euclidean Space

Note 2 to entry: From OGC 17-083r4: OGC Two Dimensional Tile Matrix Set and Tile Set Metadata standard

Note 3 to entry: Tiles are useful to efficiently request, transfer, cache, display, store and process geospatial data for a specific resolution and area of interest, providing deterministic performance and scalability for arbitrarily large datasets.

Note 4 to entry: Tiles can contain a variety of data types, such as grid-based pictorial representations (map tiles), coverage subsets (coverage tiles), or feature-based representations (vector tiles).

3.13. tile matrix

tiling grid in a given 2D coordinate reference system, associated to a specific scale and partitioning space into regular conterminous *tiles*, each of which being assigned a unique identifier

Note 1 to entry: From OGC 17-083r4: OGC Two Dimensional Tile Matrix Set and Tile Set Metadata standard

Note 2 to entry: Each tile of a tile matrix is uniquely identifiable by a row and a column integer index. The number of rows is referred to as the *matrix height*, while the maximum number of columns is referred to as the *matrix width* (the number of columns can vary for different rows in *variable width tile matrices*).

3.14. tile matrix set

tiling scheme consisting of a set of *tile matrices* defined at different scales covering approximately the same area and having a common coordinate reference system.

Note 1 to entry: From OGC 17-083r4: OGC Two Dimensional Tile Matrix Set and Tile Set Metadata standard

3.15. tile set

a set of *tiles* resulting from tiling data according to a particular *tiling scheme*

Note 1 to entry: From OGC 19-014r1: Core Tiling Conceptual and Logical Models for 2D Euclidean Space, but adapted to clarify that in the context of this document, a tile set refers specifically to a set of tiles containing data and following a common tiling scheme.

3.16. Web API

API using an architectural style that is founded on the technologies of the Web [source: OGC API – Features – Part 1: Core]

3.17. Abbreviated terms

API	Application Programming Interface
CRS	Coordinate Reference System
GIS	Geographic Information System
OGC	Open Geospatial Consortium
OWS	OGC Web Services
REST	Representational State Transfer



4

HIGH-LEVEL ARCHITECTURE

HIGH-LEVEL ARCHITECTURE

As illustrated in Figure 1, the sprint architecture was designed with the view of enabling client applications to connect to different servers that implement open geospatial standards that relate to web mapping, styles and symbology. Implementations of OGC API – Maps, OGC API – Tiles, and OGC API – Styles were deployed in participants' own infrastructure in order to build a solution with the architecture shown below in Figure 1.




Figure 1 – High Level Overview of the Sprint Architecture

The rest of this section describes the software deployed and standards implemented during the code sprint.

4.1. Approved and Draft Standards

This section describes the approved and draft standards implemented during the code sprint.

4.1.1. OGC API – Maps

OGC API – Maps is a draft API standard that provides maps representing geospatial data. These building blocks can be combined with several origins such as the ones suggested in the Origin Conformance Classes.

4.1.2. OGC API – Tiles

OGC API – Tiles specifies a standard for Web APIs that provide tiles of geospatial information.

Different forms of geospatial information are supported, such as tiles of vector features (“vector tiles”), coverages, maps (or imagery) and potentially eventually additional types of tiles of geospatial information.

Vector data represents geospatial objects such as points, lines, and polygons. Tiles of vector feature data (i.e. Vector Tiles) represent partitions of vector data covering a large area (e.g. lines representing rivers in a country).

In this context, a map is essentially an image representing at least one type of geospatial information. Tiles of maps (i.e. Map Tiles) represent subsets of maps covering a large area (e.g. a satellite image).

4.1.3. OGC API – Styles

OGC API – Styles specifies building blocks for Web APIs that enable map servers and clients as well as visual style editors to manage and fetch styles.

4.2. Open Source Software Projects

This section describes open source software products that were deployed during the code sprint.

4.2.1. Idproxy

Idproxy is an implementation of the OGC API family of specifications, inspired by the W3C/OGC Spatial Data on the Web Best Practices. Idproxy is developed by interactive instruments GmbH, written in Java (Source Code), and is typically deployed using docker (DockerHub). In addition to supporting commonly used data formats for geospatial data, an emphasis is placed on an intuitive HTML representation.

The current version supports PostgreSQL/PostGIS databases, GeoPackages and WFS 2.0 instances as backends for feature data. MBTiles is supported for tilesets.

Idproxy implements all conformance classes and recommendations of “OGC API – Features – Part 1: Core” and “OGC API – Features – Part 2: Coordinate Reference Systems By Reference” and is an OGC Reference Implementation for the two standards. Idproxy also supports the OGC API Records draft as well as the draft extensions of OGC API – Features (that is Part 3, CQL2, Part 4 and most of the current proposals discussed by the Features API working group).

It supports GeoJSON, JSON-FG, HTML, FlatGeoBuf, CityJSON, gITF 2.0 and GML as feature encodings.

Idproxy also has implementations for additional resource types: Vector and Map Tiles, Styles, Routes, 3D Tilesets.

Idproxy is distributed under the Mozilla Public License 2.0.

4.2.2. OSGeo pygeoapi

[pygeoapi](#) is a Python server implementation of the OGC API suite of standards. The project emerged as part of the next generation OGC API efforts in 2018 and provides the capability for organizations to deploy a RESTful OGC API endpoint using OpenAPI, GeoJSON, and HTML. pygeoapi is open source and released under an MIT license. pygeoapi is an official OSGeo Project as well as an OGC Reference Implementation.

pygeoapi supports numerous OGC API Standards. The [official documentation](#) provides an overview of all supported standards.

4.3. Proprietary products

This section describes proprietary software products that were deployed during the code sprint.

4.3.1. MariaDB CubeWerx CubeServ

The [CubeWerx server](#) (“cubeserv”) is implemented in C and currently implements the following OGC Standards and draft specifications.

- All conformance classes and recommendations of the OGC API – Features – Part 1: Core Standard.
- Multiple conformance classes and recommendations of the OGC API – Records – Part 1: Core candidate Standard.
- Multiple conformance classes and recommendations of the OGC API – Coverages – Part 1: Core candidate Standard.
- Multiple conformance classes and recommendations of the OGC API – Processes – Part 1: Core Standard.
- Multiple versions of the Web Map Service (WMS), Web Processing Service (WPS), Web Map Tile Service (WMTS) and Web Feature Service (WFS) Standards.
- A number of other “un-adopted” OGC Web Service draft specifications including the Testbed-12 Web Integration Service, OWS-7 Engineering Report – GeoSynchronization Service, and the Web Object Service prototype.

The cubeserv executable supports a wide variety of back ends including Oracle, MariaDB, SHAPE files, etc. It also supports a wide array of service-dependent output formats (e.g., GML, GeoJSON, Mapbox Vector Tiles, MapMP, etc.) and coordinate reference systems.



5

RESULTS

The code sprint included multiple software products and implementations of OGC and ISO Standards. This section presents some of the results from the code sprint.

5.1. MariaDB CubeWerx CubeSERV

TBA

5.2. Idproxy

TBA

5.3. pygeoapi

TBA



ANNEX A (NORMATIVE)

ANNEX TITLE



ANNEX A (NORMATIVE) ANNEX TITLE

Annex content.

NOTE: Place annex material in sequential order and set obligation attribute as “normative” (default) or “informative” according to the case.



B

ANNEX B (INFORMATIVE) REVISION HISTORY



ANNEX B

(INFORMATIVE)

REVISION HISTORY

DATE	RELEASE	AUTHOR	PRIMARY CLAUSES MODIFIED	DESCRIPTION
2016-04-28	0.1	G. Editor	all	initial version



BIBLIOGRAPHY





BIBLIOGRAPHY

1. Ben Domenico: OGC 10-092r3, *NetCDF Binary Encoding Extension Standard: NetCDF Classic and 64-bit Offset Format*. Open Geospatial Consortium (2011). https://portal.ogc.org/files/?artifact_id=43734.
2. Akinori Asahara, Ryosuke Shibasaki, Nobuhiro Ishimaru, David Burggraf: OGC 14-084r2, *OGC® Moving Features Encoding Extension: Simple Comma Separated Values (CSV)*. Open Geospatial Consortium (2015). <https://docs.ogc.org/is/14-084r2/14-084r2.html>.
3. Akinori Asahara, Ryosuke Shibasaki, Nobuhiro Ishimaru, David Burggraf: OGC 14-083r2, *OGC® Moving Features Encoding Part I: XML Core*. Open Geospatial Consortium (2015). <https://docs.ogc.org/is/14-083r2/14-083r2.html>.
4. OGC: OGC 11-165r2: CF-netCDF3 Data Model Extension standard, 2012
5. Standardized Big Data Processing in Hybrid Clouds. In: Proceedings of the 4th International Conference on Geographical Information Systems Theory, Applications and Management – Volume 1: GISTAM, pp. 205–210. SciTePress (2018).
6. Lawrence Livermore National Laboratory: NetCDF CF Metadata Conventions – <http://cfconventions.org/>
7. ESIP: Attribute Convention for Data Discovery (ACDD) – <http://wiki.esipfed.org/index.php/>