

STRIX DAILY COCKPIT

Kubuntu 26.04 - a calm, keyboard-first map for daily work

Everyday shortcut deck

READY

- Meta** Open KRunner: apps, files, calculations, agents, SSH, and repos.
- Meta+Enter** Open Ghostty.
- Meta+W** Open the Plasma overview.
- Meta+V** Open clipboard history.
- Meta+Shift+S** Capture a rectangular region with Spectacle.
- Meta+E** Open Dolphin.
- Meta+.** Open the emoji picker.

Five-workspace map

READY

- Meta+1 - CODE** VS Code, Ghostty, Cursor; edit, test, Git, and agents.
- Meta+2 - WEB** Browser, documentation, papers, and dashboards.
- Meta+3 - SCIENCE** Positron, RStudio, Jupyter; analyze and report.
- Meta+4 - COMM** Zoom, Teams, WhatsApp; meetings and collaboration.
- Meta+5 - MISC** Dolphin, Obsidian, and administrative utilities.

Window rules place the common apps automatically. Edit existing rules in System Settings; the repo will not overwrite them.

Fast window placement

READY

- Meta+Left / Right** Tile to half the screen.
- Meta+Up** Maximize.
- Meta+Left, then Up** Tile to the upper-left quarter.
- Meta+T** Edit Plasma's native tiling zones.
- Meta+Ctrl+Left / Right** Move between virtual desktops.

Plasma's native zones are the baseline. Polonium stays installed but off; enable one auto-tiler only if the native workflow feels limiting after a week.

Where work lives

READY

- ~/work** Git repositories and source code.
- /data** Large datasets and durable project data on the Samsung 860.
- ~/Documents or /data/notes** Notes and writing.
- /backup** Restic repository on the HGST drive; never a working folder.

LAUNCH, SPEAK, ASK

Review before Enter: fast automation still keeps a human confirmation boundary

KRunner agent prefixes

READY

- cc fix the failing test** Open Claude Code in Ghostty.
- cx review this repo** Open Codex in Ghostty.
- agy draft an analysis** Open Antigravity in Ghostty.
- ssh isaac** Open the named HPC host.
- repo seed** Open a matching repository in VS Code.
- setup 90** Run workstation verification in a terminal.

AI clipboard actions

FIRST RUN

- Install** Run `./productivity.sh` install handlers once.
- Summarize** Copy text, press Meta, search AI Clipboard - Summarize.
- Rewrite** Copy text, launch AI Clipboard - Rewrite Clearly.
- Explain** Copy an error, launch AI Clipboard - Explain.
- Actions** Turn meeting notes into a checklist.

Each action shows provider, size, and a preview before sending. Output is copied but never pasted or executed.

Speech Note first run

FIRST RUN

- Repair** Run `./productivity.sh` install dictation, then log out and in.
- Check** Run `./productivity.sh` doctor dictation.
- Model** Choose Whisper.cpp Small English first; try Medium for accuracy.
- GPU** Use the base Flatpak on Intel Arc; do not add AMD/NVIDIA packs.
- Shortcut** Enable global shortcuts and active-window insertion in Speech Note.
- Test** Dictate first into an empty Kate document.

If typing is unreliable, dictate to the clipboard and paste manually. Never voice-submit a shell command or agent prompt.

Dictation quick diagnosis

READY

- Service** `systemctl --user status ydotool.service`
- Socket** `ls -l "$XDG_RUNTIME_DIR/ydotool/socket"`
- Journal** `journalctl --user -u ydotool.service -n 30`
- Doctor** `./productivity.sh` doctor dictation

The doctor does not record audio or synthesize keys.

Before sending text to AI

SAFETY

- Never send** Passwords, tokens, private keys, patient data, or sensitive unpublished research.
- Always inspect** The preview and the returned text.
- Remember** Clipboard text leaves this machine when you approve the request.

RESEARCH AND HANDOFF LOOP

Capture once, organize deliberately, automate the boring transitions

Research loop

FIRST RUN

- Capture** Browser, PDFs, screenshots, dictation, and phone share.
- Organize** Zotero for sources; Obsidian for thinking; /data for datasets.
- Analyze** Positron, RStudio, or Jupyter with a per-project environment.
- Scale** Docker locally; Apptainer and ssh isaac for HPC.
- Publish** Quarto or Markdown to HTML/PDF; commit code and sources with Git.
- Protect** Verify mounts, then run backupnow.

Run `./productivity.sh install research`; import the staged Better BibTeX XPI through Zotero's Plugins window. Keep an `automatic references.bib` export beside a Quarto manuscript when useful.

Fast terminal moves

READY

- z NAME** Jump with zoxide.
- fzf / rg / fd** Find interactively, search text, and find files.
- bat / eza / yazi** Read, list, and browse with context.
- lg** Open lazygit.
- uv run ...** Run Python in the project environment.
- run-notify -- CMD** Add a completion alert after installing handlers.

Screenshot to editable text

FIRST RUN

- Install** Handlers add Tesseract English data.
- Capture** Press Meta+Shift+S and select only what matters.
- Extract** In Spectacle, use Extract Text.
- Clean** Copy the OCR result; optionally run an AI rewrite or table action.

OCR stays local. Only the later AI step transmits text, and only after consent.

KDE Connect bridge

FIRST RUN

- Pair** Put phone and strix on the same LAN and approve both screens.
- Use** Share links/files, presentation control, notifications, and clipboard where Android permits.
- Check** `kdeconnect-cli -l`
- Network** Keep traffic inside TCP/UDP 1714-1764; do not open broader ports.

Android clipboard permissions vary, so file/link sharing is the dependable baseline.

Kando trial

OPTIONAL

- Install** `./productivity.sh install kando`
- Rule** Do not bind it to Meta; KRunner owns that key.
- Trial** Give one pie menu one week. Keep it only if it replaces repeated travel.

ActivityWatch is deferred: its official watcher does not yet support KWin Wayland well enough for this workstation.

SAFETY AND QUICK RECOVERY

Current system: ext4 root, restic backup, disk identity before convenience

Machine storage truth

SAFETY

- Root** Samsung 990 PRO 1 TB, /dev/nvme0n1p2, ext4.
- Root UUID** 1e0539dd-c9b4-4222-9076-48a11c6154d9.
- Data** Samsung 860 EVO 500 GB at /data; never root.
- Rescue/backup** 8 TB HGST at WINRESCUE and /backup; never root.

Never identify the SATA SSD or HDD by /dev/sdX. Use filesystem UUIDs and the serial-backed /dev/disk/by-id facts in config/storage.conf.

Before backup, restore, or large copy

SAFETY

- Root** findmnt -no SOURCE,FSTYPE,UUID /
- Data** mountpoint -q /data && findmnt /data
- Backup** mountpoint -q /backup && findmnt /backup
- Inventory** lsblk -o NAME,MODEL,SERIAL,SIZE,FSTYPE,UUID,MOUNTPOINTS

Stop if a mount check fails. A plain /data or /backup directory on root is not a substitute.

ext4 recovery model

READY

- Daily protection** Restic backs up normal files; ext4 has no root snapshots.
- Backup now** Verify /data and /backup, then run backupnow.
- Restore** Restore into a temporary directory, inspect, then copy selected files.
- Root loss** Reinstall only on the 990 PRO, bootstrap, verify mounts, then restore.
- Btrfs later** Optional future Btrfs may add Timeshift; snapshots still are not backups.

snapnow deliberately refuses on the current ext4 root.

Health commands

READY

- Workstation** ./bootstrap.sh 90
- Productivity** ./productivity.sh doctor
- Agent runner** journalctl --user -u org.kde.agentrunner
- Restart KRunner** kquitapp6 krunner
- Backup** systemctl status restic-backup

Hard stops

SAFETY

- No formatting** Never use --format in the current workstation flow.
- No repartitioning** Never repartition the Samsung 860 or HGST rescue drive.
- No blind paste** Read AI-generated commands before pressing Enter.
- No auto-submit** Voice and clipboard helpers stop before execution.
- No duplicate stack** One launcher, one tiler, one dictation daemon.