

lista 4

Alejandro Figueiredo 230532

```
library(DBI)
```

Warning: pacote 'DBI' foi compilado no R versão 4.5.3

```
library(RSQLite)
```

Warning: pacote 'RSQLite' foi compilado no R versão 4.5.3

```
# Conecta/Cria o arquivo
con <- dbConnect(RSQLite::SQLite(), "datasets/me315.sqlite")
```

```
--1
SELECT * FROM PRESERVE WHERE PNO IN (2,4,6,8,10)
```

Table 1: 3 records

PNO	PNAME	STATE	ACRES	FEE
2	PINE BUTTE SWAMP	MT	15000	0
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3
10	HOFT FARM	MA	90	0

```
--2
SELECT * FROM PRESERVE WHERE PNAME NOT IN ('DANCING PRAIRIE', 'MULESHOE RANCH', 'MCELWAIN-OL
```

Table 2: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
40	SOUTH FORK MADISON	MT	121	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
80	RAMSEY CANYON	AZ	380	3
10	HOFT FARM	MA	90	0
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3

--3

```
SELECT * FROM PRESERVE WHERE PNO BETWEEN 3 AND 10
```

Table 3: 6 records

PNO	PNAME	STATE	ACRES	FEE
3	DANCING PRAIRIE	MT	680	0
5	HASSAYAMPA RIVER	AZ	660	3
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3
7	MULESHOE RANCH	AZ	49120	0
9	DAVID H. SMITH	MA	830	0
10	HOFT FARM	MA	90	0

--4

```
SELECT * FROM PRESERVE WHERE PNO < 3 OR PNO > 10
```

Table 4: 8 records

PNO	PNAME	STATE	ACRES	FEE
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
13	TATKON	MA	40	0
14	MCELWAIN-OLSEN	MA	66	0

PNO	PNAME	STATE	ACRES	FEE
40	SOUTH FORK MADISON	MT	121	0
80	RAMSEY CANYON	AZ	380	3

--5

```
SELECT STATE, PNO, ACRES
FROM PRESERVE
WHERE STATE NOT IN ('MT','AZ') AND (ACRES < 50 OR ACRES > 800)
ORDER BY PNO DESC;
```

Table 5: 3 records

STATE	PNO	ACRES
MA	13	40
MA	11	4
MA	9	830

--6

```
SELECT PNAME FROM PRESERVE WHERE PNAME LIKE 'D%'
```

Table 6: 2 records

PNAME
DANCING PRAIRIE
DAVID H. SMITH

--7

```
SELECT PNAME FROM PRESERVE WHERE PNAME LIKE '%TOWN%'
```

Table 7: 1 records

PNAME
COMERTOWN PRAIRIE

--8

```
SELECT PNAME FROM PRESERVE WHERE PNAME LIKE '%PRAIRIE'
```

Table 8: 2 records

PNAME
DANCING PRAIRIE
COMERTOWN PRAIRIE

```
--9
SELECT PNAME FROM PRESERVE WHERE PNAME LIKE '%ING%'
```

Table 9: 1 records

PNAME
DANCING PRAIRIE

```
--10
SELECT PNAME FROM PRESERVE WHERE PNAME LIKE '%E'
```

Table 10: 2 records

PNAME
DANCING PRAIRIE
COMERTOWN PRAIRIE

```
--11
SELECT PNAME FROM PRESERVE WHERE PNAME LIKE '%ME%'
```

Table 11: 2 records

PNAME
MIACOMET MOORS
COMERTOWN PRAIRIE

```
--12
SELECT PNAME FROM PRESERVE WHERE PNAME LIKE '%M%E%'
```

Table 12: 6 records

PNAME
HASSAYAMPA RIVER
MULESHOE RANCH
MCELWAIN-OLSEN
MIACOMET MOORS
COMERTOWN PRAIRIE
RAMSEY CANYON

--13

```
SELECT PNAME FROM PRESERVE WHERE PNAME LIKE '_A%'
```

Table 13: 6 records

PNAME
HASSAYAMPA RIVER
DANCING PRAIRIE
TATKON
DAVID H. SMITH
RAMSEY CANYON
PAPAGONIA-SONOITA CREEK

--14

```
SELECT PNAME FROM PRESERVE WHERE PNAME LIKE '% %'
```

Table 14: Displaying records 1 - 10

PNAME
HASSAYAMPA RIVER
DANCING PRAIRIE
MULESHOE RANCH
SOUTH FORK MADISON
DAVID H. SMITH
MIACOMET MOORS
MOUNT PLANTAIN
COMERTOWN PRAIRIE
PINE BUTTE SWAMP
RAMSEY CANYON

```
--15
SELECT PNAME FROM PRESERVE WHERE
  PNAME LIKE '%FARM%' OR
  PNAME LIKE '%SWAMP%' OR
  PNAME LIKE '%PRAIRIE%'
```

Table 15: 4 records

PNAME
DANCING PRAIRIE
COMERTOWN PRAIRIE
PINE BUTTE SWAMP
HOFT FARM

```
--16
SELECT PNAME FROM PRESERVE WHERE PNAME LIKE '%-%' OR PNAME LIKE '%.%'
```

Table 16: 3 records

PNAME
MCELWAIN-OLSEN
DAVID H. SMITH
PAPAGONIA-SONOITA CREEK

```
--17
SELECT PNAME FROM PRESERVE WHERE PNAME LIKE '____R%' AND PNAME LIKE '%PRAIRIE'
```

Table 17: 1 records

PNAME
COMERTOWN PRAIRIE

```
--18
SELECT * FROM EMPLOYEE WHERE DNO IN (10,40)
```

Table 18: 3 records

ENO	ENAME	SALARY	DNO
2000	LARRY	2000	10
4000	SHEMP	500	40
5000	JOE	400	10

```
--19
```

```
SELECT * FROM EMPLOYEE WHERE DNO NOT IN (10,40)
```

Table 19: 3 records

ENO	ENAME	SALARY	DNO
1000	MOE	2000	20
3000	CURLY	3000	20
6000	GEORGE	9000	20

```
--20
```

```
SELECT * FROM EMPLOYEE WHERE SALARY BETWEEN 500 AND 2000
```

Table 20: 3 records

ENO	ENAME	SALARY	DNO
1000	MOE	2000	20
2000	LARRY	2000	10
4000	SHEMP	500	40

```
--21
```

```
SELECT * FROM EMPLOYEE WHERE SALARY NOT BETWEEN 500 AND 2000
```

Table 21: 3 records

ENO	ENAME	SALARY	DNO
3000	CURLY	3000	20
5000	JOE	400	10
6000	GEORGE	9000	20

```
Sys.setenv(TZ = "America/Sao_Paulo")  
Sys.time()
```

```
[1] "2026-09-06 16:28:55 -03"
```