

lista5_230532

Alejandro Figueiredo

```
library(DBI)
```

Warning: pacote 'DBI' foi compilado no R versão 4.6.1

```
library(RSQLite)
```

Warning: pacote 'RSQLite' foi compilado no R versão 4.6.1

```
# Conecta/Cria o arquivo
con <- dbConnect(RSQLite::SQLite(), "datasets/me315.sqlite")
```

```
-- 1
SELECT PNAME, ACRES, (ACRES * 1.20) AS NEWACRES FROM PRESERVE
```

Table 1: Displaying records 1 - 10

PNAME	ACRES	NEWACRES
HASSAYAMPA RIVER	660	792.0
DANCING PRAIRIE	680	816.0
MULESHOE RANCH	49120	58944.0
SOUTH FORK MADISON	121	145.2
MCELWAIN-OLSEN	66	79.2
TATKON	40	48.0
DAVID H. SMITH	830	996.0
MIACOMET MOORS	4	4.8
MOUNT PLANTAIN	730	876.0
COMERTOWN PRAIRIE	1130	1356.0

```
-- 2
SELECT PNAME, ACRES, (ACRES / 3) AS NEWACRES FROM PRESERVE
```

Table 2: Displaying records 1 - 10

PNAME	ACRES	NEWACRES
HASSAYAMPA RIVER	660	220
DANCING PRAIRIE	680	226
MULESHOE RANCH	49120	16373
SOUTH FORK MADISON	121	40
MCELWAIN-OLSEN	66	22
TATKON	40	13
DAVID H. SMITH	830	276
MIACOMET MOORS	4	1
MOUNT PLANTAIN	730	243
COMERTOWN PRAIRIE	1130	376

```
-- 3
SELECT PNAME, FEE, ((FEE + 50)/2) AS NEWFEE FROM PRESERVE
```

Table 3: Displaying records 1 - 10

PNAME	FEE	NEWFEE
HASSAYAMPA RIVER	3	26
DANCING PRAIRIE	0	25
MULESHOE RANCH	0	25
SOUTH FORK MADISON	0	25
MCELWAIN-OLSEN	0	25
TATKON	0	25
DAVID H. SMITH	0	25
MIACOMET MOORS	0	25
MOUNT PLANTAIN	0	25
COMERTOWN PRAIRIE	0	25

```
-- 4
SELECT AVG(ACRES), MIN(ACRES), MAX(ACRES) FROM PRESERVE WHERE STATE == 'AZ'
```

Table 4: 1 records

AVG(ACRES)	MIN(ACRES)	MAX(ACRES)
12840	380	49120

```
-- 5
SELECT MIN(PNAME) FROM PRESERVE
```

Table 5: 1 records

MIN(PNAME)
COMERTOWN PRAIRIE

```
-- 6
SELECT COUNT(DISTINCT FEE) FROM PRESERVE WHERE FEE != 0
```

Table 6: 1 records

COUNT(DISTINCT FEE)
1

```
-- 7
SELECT DISTINCT PNAME FROM PRESERVE
```

Table 7: Displaying records 1 - 10

PNAME
HASSAYAMPA RIVER
DANCING PRAIRIE
MULESHOE RANCH
SOUTH FORK MADISON
MCELWAIN-OLSEN
TATKON
DAVID H. SMITH
MIACOMET MOORS
MOUNT PLANTAIN
COMERTOWN PRAIRIE

```
-- 8
SELECT AVG((ACRES * 0.02)) FROM PRESERVE WHERE STATE = "AZ"
```

Table 8: 1 records

AVG((ACRES * 0.02))
256.8

```
-- 9
SELECT ENO, ENAME, SALARY, (SALARY * 1.10) AS NEWSALARY FROM EMPLOYEE ORDER BY NEWSALARY
```

Table 9: 6 records

ENO	ENAME	SALARY	NEWSALARY
5000	JOE	400	440
4000	SHEMP	500	550
1000	MOE	2000	2200
2000	LARRY	2000	2200
3000	CURLY	3000	3300
6000	GEORGE	9000	9900

```
-- 10
SELECT ENO, ENAME, SALARY, (SALARY * 1.10) AS NEWSALARY FROM EMPLOYEE WHERE (SALARY * 1.10) > 2200
```

Table 10: 4 records

ENO	ENAME	SALARY	NEWSALARY
1000	MOE	2000	2200
2000	LARRY	2000	2200
3000	CURLY	3000	3300
6000	GEORGE	9000	9900

```
-- 11
SELECT SUM(SALARY), AVG(SALARY), MAX(SALARY), MIN(SALARY) FROM EMPLOYEE
```

Table 11: 1 records

SUM(SALARY)	AVG(SALARY)	MAX(SALARY)	MIN(SALARY)
16900	2816.667	9000	400

```
-- 12
SELECT COUNT(ENAME) FROM EMPLOYEE WHERE DNO == 20
```

Table 12: 1 records

COUNT(ENAME)
3

```
--13
SELECT COUNT(DISTINCT DNO) FROM EMPLOYEE
```

Table 13: 1 records

COUNT(DISTINCT DNO)
3

```
Sys.setenv(TZ = "America/Sao_Paulo")
Sys.time()
```

```
[1] "2026-09-15 21:01:37 -03"
```