

lista6_230532

Alejandro Figueiredo 230532

```
library(DBI)
```

Warning: pacote 'DBI' foi compilado no R versão 4.6.1

```
library(RSQLite)
```

Warning: pacote 'RSQLite' foi compilado no R versão 4.6.1

```
knitr::opts_chunk$set(max.print = Inf)
```

```
# Conecta/Cria o arquivo
```

```
con <- dbConnect(RSQLite::SQLite(), "datasets/purchase.sqlite")
```

```
-- 1
```

```
SELECT PNO, SUM(COST) FROM PURCHASE GROUP BY PNO
```

Table 1: 8 records

PNO	SUM(COST)
P1	1450
P2	3200
P3	6150
P4	6700
P5	8400
P6	1800
P7	5400
P8	600

```
-- 2
SELECT ENO, SUM(COST) FROM PURCHASE GROUP BY ENO
```

Table 2: 4 records

ENO	SUM(COST)
E1	11700
E2	6600
E3	7800
E4	7600

```
-- 3
SELECT PJNO, ENO, SUM(COST) FROM PURCHASE GROUP BY PJNO, ENO ORDER BY PJNO, ENO
```

Table 3: 9 records

PJNO	ENO	SUM(COST)
PJ1	E1	9500
PJ1	E3	3900
PJ1	E4	3500
PJ2	E1	1200
PJ2	E2	6000
PJ2	E3	3900
PJ2	E4	4100
PJ3	E1	1000
PJ3	E2	600

```
-- 4
SELECT PNO, SNO, SUM(COST) FROM PURCHASE GROUP BY PNO, SNO ORDER BY PNO, SNO
```

Table 4: 19 records

PNO	SNO	SUM(COST)
P1	S1	1150
P1	S2	300
P2	S1	3200
P3	S1	1550
P3	S3	2400

PNO	SNO	SUM(COST)
P3	S4	2200
P4	S1	900
P4	S2	1000
P4	S3	2400
P4	S4	2400
P5	S1	3900
P5	S3	3000
P5	S4	1500
P6	S2	300
P6	S4	1500
P7	S3	2000
P7	S4	3400
P8	S1	500
P8	S2	100

```
-- 5
```

```
SELECT PJNO, ENO, SNO, SUM(COST) FROM PURCHASE GROUP BY PJNO, ENO, SNO ORDER BY PJNO, ENO, SNO
```

Table 5: 14 records

PJNO	ENO	SNO	SUM(COST)
PJ1	E1	S1	6500
PJ1	E1	S3	2000
PJ1	E1	S4	1000
PJ1	E3	S3	3900
PJ1	E4	S4	3500
PJ2	E1	S1	1100
PJ2	E1	S2	100
PJ2	E2	S1	2600
PJ2	E2	S2	1000
PJ2	E2	S4	2400
PJ2	E3	S3	3900
PJ2	E4	S4	4100
PJ3	E1	S1	1000
PJ3	E2	S2	600

```
-- 6
```

```
SELECT PNO, SNO, ENO, SUM(COST) FROM PURCHASE GROUP BY PNO, SNO, ENO ORDER BY PNO, SNO, ENO
```

Table 6: 23 records

PNO	SNO	ENO	SUM(COST)
P1	S1	E1	1150
P1	S2	E2	300
P2	S1	E1	1000
P2	S1	E2	2200
P3	S1	E1	1550
P3	S3	E3	2400
P3	S4	E4	2200
P4	S1	E1	600
P4	S1	E2	300
P4	S2	E2	1000
P4	S3	E3	2400
P4	S4	E4	2400
P5	S1	E1	3900
P5	S3	E3	3000
P5	S4	E4	1500
P6	S2	E2	300
P6	S4	E4	1500
P7	S3	E1	2000
P7	S4	E1	1000
P7	S4	E2	2400
P8	S1	E1	400
P8	S1	E2	100
P8	S2	E1	100

```
-- 7
```

```
SELECT PJNO, ENO, SNO, SUM(COST) FROM PURCHASE WHERE PJNO != 'PJ2' GROUP BY PJNO, ENO, SNO
```

Table 7: 7 records

PJNO	ENO	SNO	SUM(COST)
PJ1	E1	S1	6500
PJ1	E1	S3	2000
PJ1	E1	S4	1000
PJ1	E3	S3	3900
PJ1	E4	S4	3500
PJ3	E1	S1	1000
PJ3	E2	S2	600

```
-- 8
SELECT PNO, SNO, ENO, SUM(COST) FROM PURCHASE GROUP BY PNO, SNO, ENO HAVING SUM(COST) >= 2000
```

Table 8: 9 records

PNO	SNO	ENO	SUM(COST)
P2	S1	E2	2200
P3	S3	E3	2400
P3	S4	E4	2200
P4	S3	E3	2400
P4	S4	E4	2400
P5	S1	E1	3900
P5	S3	E3	3000
P7	S3	E1	2000
P7	S4	E2	2400

```
Sys.setenv(TZ = "America/Sao_Paulo")
Sys.time()
```

```
[1] "2026-10-01 07:04:39 -03"
```