free42 Simple Math Functions

Mitch Richling

2021-04-30

Author:	Mitch Richling
Updated:	2021-05-14 18:16:08

Contents

1 Metadata

The home for this HTML file is: `https://richmit.github.io/hp42/sfun.html`
   A PDF version of this file may be found here: `https://richmit.github.io/hp42/sfun.pdf`
   Files related to this document may be found on github: `https://github.com/richmit/hp42`
   Directory contents:

`src`	-	The org-mode file that generated this HTML document
`src_42s`	-	Ready to convert source listings for 42s code in this document
`docs`	-	This html document
`bin`	-	Importable RAW program files

2 Introduction

This org-mode file collects together a handful simple mathematical functions that I find useful.

3 SFUN Menu

Menu		Description
L&P:lnYX	lnYX	Base Y Logarithm of X
L&P:▢▢▢▢		
L&P:ln2	ln2	Base 2 logarithm
L&P:LN		Base 3 logarithm
L&P:LOG		Base 10 logarithm
L&P:▢▢▢▢		
L&P:Y↑X		Raise Y to the power of X
L&P:▢▢▢▢		
L&P:2↑X	LBL 58	Raise 2 to the power of X
L&P:EXP		Raise e to the power of X
L&P:10↑X		Raise 10 to the power of X
L&P:▢▢▢▢		
L&P:Y√X	YROOT	Yth roots prefering real & pure imaginary answers
L&P:▢▢▢▢		
L&P:2√X	LBL 57	Square root prefering real & pure imaginary answers
L&P:3√X	LBL 56	Cube root prefering real & pure imaginary answers
L&P:5√X	LBL 55	Fifth root prefering real & pure imaginary answers
L&P:7√X	LBL 54	Seventh root prefering real & pure imaginary answers
CPLX:RPART		Real Part of anumber or matrix
CPLX:IPART		Imaginary Part of a number or matrix
CPLX:CONJ		Complex conjugate of a number or matrix
CPLX:CABS		Magnitude of a number or matrix (built in ABS fails on a complex matrix)
CPLX:CARG		Complex argument of a number or matrix
TRIG:SIN		
TRIG:COS		
TRIG:TAN		
TRIG:ASIN		
TRIG:ACOS		
TRIG:ATAN		
TRIG:CSC		1/SIN(X)
TRIG:SEC		1/COS(X)
TRIG:COT		1/TAN(X)
TRIG:ACSC		SIN(1/X)
TRIG:ASEC		COS(1/X)
TRIG:ACOT		TAN(1/X)
TRIG:TAN2		
TRIG:HYPOT		
TRIG:HAV		Haversine = 1/2-cos(X)/2
TRIG:AHAV		Inverse Haversine = 2*asin(sqrt(X))
TRIG:▢▢▢▢		
TRIG:▢▢▢▢		
HYP:SINH		
HYP:COSH		
HYP:TANH		
HYP:ASINH		
HYP:ACOSH		
HYP:ATANH		
HYP:CSCH		1/SINH(X)
HYP:SECH		1/COSH(X)
HYP:COTH		1/TANH(X)
HYP:ACSCH		SINH(1/X)

Menu		Description		
Continued from previous page				
HYP:ASECH		COSH(1/X)		
HYP:ACOTH		TANH(1/X)		
PERC:%T		Percentage of total	Y: TOTAL X: PART	X: % of Total
PERC:%CH		percentage of change from Y to X	Y: OLD X: New	X: % Change
PERC:%		Percentage	Y: Y X: X	Y: Y X: X% of Y
INT:FLOR	FLOOR	Truncate toward negative infinity		
INT:CEIL		Truncate toward positive infinity		
INT:ROND	ROUND	Truncate toward nearest integer (even rule)		
INT:TRUN	IP	Truncate toward zero		
INT:□□□□				
INT:FP				
INT:GCD		Greatest Common Denominator		
INT:LCM		Least Common Multiple		
INT:□□□□				
INT:□□□□				
INT:DIV	BASE÷			
INT:REM	MOD			
BINO:COMB				
BINO:PERM				
BINO:!	N!			
BINO:PSI	DIGAMM			
BINO:GAM	GAMMA			
BINO:BETA		Beta function		
ERR:ERF		Error Function		
ERR:ERFC		Complementary Error Function		
ERR:□□□□				
ERR:NPDF		Standard Normal Probablity Density FUnction		
ERR:NCDF		Standard Normal Cumulative Distribution FUnction		
ERR:□□□□				
MISC:∥		Parallel Operator	Y X	X: 1/(1/X+1/Y)

4 Menu Code

```
(MJR-generate-42-menu-code "SFUN" 0 tbl 0 1 'stay 'up 'auto #'MJR-custom-gen-lab #'MJR-custom-gen-sub)

@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@        (SFUN)
@@@@ DSC: Auto-generated menu program
LBL "SFUN"
LBL 01              @@@@ Page 1 of menu SFUN
CLMENU
"L&P"
KEY 1 GTO 03
"CPLX"
KEY 2 GTO 04
"TRIG"
KEY 3 GTO 05
"HYP"
KEY 4 GTO 06
"PERC"
KEY 5 GTO 07
"INT"
KEY 6 GTO 08
KEY 7 GTO 02
KEY 8 GTO 02
```

```
KEY 9 GTO 00
MENU
STOP
GTO 01
LBL 02          @@@@ Page 2 of menu SFUN
CLMENU
"BINO"
KEY 1 GTO 09
"ERR"
KEY 2 GTO 10
"MISC"
KEY 3 GTO 11
KEY 7 GTO 01
KEY 8 GTO 01
KEY 9 GTO 00
MENU
STOP
GTO 02
LBL 03          @@@@ Page 1 of menu L&P
CLMENU
"lnYX"
KEY 1 XEQ "lnYX"
"ln2"
KEY 3 XEQ "ln2"
"LN"
KEY 4 XEQ 14
"LOG"
KEY 5 XEQ 15
KEY 7 GTO 13
KEY 8 GTO 12
KEY 9 GTO 01
MENU
STOP
GTO 03
LBL 12          @@@@ Page 2 of menu L&P
CLMENU
"Y↑X"
KEY 1 XEQ 16
"2↑X"
KEY 3 XEQ 58
"EXP"
KEY 4 XEQ "EXP"
"10↑X"
KEY 5 XEQ 17
KEY 7 GTO 03
KEY 8 GTO 13
KEY 9 GTO 01
MENU
STOP
GTO 12
LBL 13          @@@@ Page 3 of menu L&P
CLMENU
"Y√X"
KEY 1 XEQ "YROOT"
"2√X"
KEY 3 XEQ 57
"3√X"
```

```
KEY 4 XEQ 56
"5√X̄"
KEY 5 XEQ 55
"7√X̄"
KEY 6 XEQ 54
KEY 7 GTO 12
KEY 8 GTO 03
KEY 9 GTO 01
MENU
STOP
GTO 13
LBL 04              @@@@ Page 1 of menu CPLX
CLMENU
"RPART"
KEY 1 XEQ "RPART"
"IPART"
KEY 2 XEQ "IPART"
"CONJ"
KEY 3 XEQ "CONJ"
"CABS"
KEY 4 XEQ "CABS"
"CARG"
KEY 5 XEQ "CARG"
KEY 9 GTO 01
MENU
STOP
GTO 04
LBL 05              @@@@ Page 1 of menu TRIG
CLMENU
"SIN"
KEY 1 XEQ 20
"COS"
KEY 2 XEQ 21
"TAN"
KEY 3 XEQ 22
"ASIN"
KEY 4 XEQ 23
"ACOS"
KEY 5 XEQ 24
"ATAN"
KEY 6 XEQ 25
KEY 7 GTO 19
KEY 8 GTO 18
KEY 9 GTO 01
MENU
STOP
GTO 05
LBL 18              @@@@ Page 2 of menu TRIG
CLMENU
"CSC"
KEY 1 XEQ "CSC"
"SEC"
KEY 2 XEQ "SEC"
"COT"
KEY 3 XEQ "COT"
"ACSC"
KEY 4 XEQ "ACSC"
```

```
"ASEC"
KEY 5 XEQ "ASEC"
"ACOT"
KEY 6 XEQ "ACOT"
KEY 7 GTO 05
KEY 8 GTO 19
KEY 9 GTO 01
MENU
STOP
GTO 18
LBL 19          @@@@ Page 3 of menu TRIG
CLMENU
"TAN2"
KEY 1 XEQ "TAN2"
"HYPOT"
KEY 2 XEQ "HYPOT"
"HAV"
KEY 3 XEQ "HAV"
"AHAV"
KEY 4 XEQ "AHAV"
KEY 7 GTO 18
KEY 8 GTO 05
KEY 9 GTO 01
MENU
STOP
GTO 19
LBL 06          @@@@ Page 1 of menu HYP
CLMENU
"SINH"
KEY 1 XEQ 27
"COSH"
KEY 2 XEQ 28
"TANH"
KEY 3 XEQ 29
"ASINH"
KEY 4 XEQ 30
"ACOSH"
KEY 5 XEQ 31
"ATANH"
KEY 6 XEQ 32
KEY 7 GTO 26
KEY 8 GTO 26
KEY 9 GTO 01
MENU
STOP
GTO 06
LBL 26          @@@@ Page 2 of menu HYP
CLMENU
"CSCH"
KEY 1 XEQ "CSCH"
"SECH"
KEY 2 XEQ "SECH"
"COTH"
KEY 3 XEQ "COTH"
"ACSCH"
KEY 4 XEQ "ACSCH"
"ASECH"
```

```
KEY 5 XEQ "ASECH"
"ACOTH"
KEY 6 XEQ "ACOTH"
KEY 7 GTO 06
KEY 8 GTO 06
KEY 9 GTO 01
MENU
STOP
GTO 26
LBL 07           @@@@ Page 1 of menu PERC
CLMENU
"%T"
KEY 1 XEQ "%T"
"%CH"
KEY 2 XEQ 33
"%"
KEY 3 XEQ 34
KEY 9 GTO 01
MENU
STOP
GTO 07
LBL 08           @@@@ Page 1 of menu INT
CLMENU
"FLOR"
KEY 1 XEQ "FLOOR"
"CEIL"
KEY 2 XEQ "CEIL"
"ROND"
KEY 3 XEQ "ROUND"
"TRUN"
KEY 4 XEQ 36
"FP"
KEY 6 XEQ 37
KEY 7 GTO 35
KEY 8 GTO 35
KEY 9 GTO 01
MENU
STOP
GTO 08
LBL 35           @@@@ Page 2 of menu INT
CLMENU
"GCD"
KEY 1 XEQ "GCD"
"LCM"
KEY 2 XEQ "LCM"
"DIV"
KEY 5 XEQ 38
"REM"
KEY 6 XEQ 39
KEY 7 GTO 08
KEY 8 GTO 08
KEY 9 GTO 01
MENU
STOP
GTO 35
LBL 09           @@@@ Page 1 of menu BINO
CLMENU
```

```
"COMB"
KEY 1 XEQ 40
"PERM"
KEY 2 XEQ 41
"!"
KEY 3 XEQ 42
"PSI"
KEY 4 XEQ "DIGAMM"
"GAM"
KEY 5 XEQ 43
"BETA"
KEY 6 XEQ "BETA"
KEY 9 GTO 02
MENU
STOP
GTO 09
LBL 10           @@@@ Page 1 of menu ERR
CLMENU
"ERF"
KEY 1 XEQ "ERF"
"ERFC"
KEY 2 XEQ "ERFC"
"NPDF"
KEY 4 XEQ "NPDF"
"NCDF"
KEY 5 XEQ "NCDF"
KEY 9 GTO 02
MENU
STOP
GTO 10
LBL 11           @@@@ Page 1 of menu MISC
CLMENU
"||"
KEY 1 XEQ "||"
KEY 9 GTO 02
MENU
STOP
GTO 11
LBL 00 @@@@ Application Exit
EXITALL
RTN
LBL 14    @@@@ Action for menu key LN
LN
RTN
LBL 15    @@@@ Action for menu key LOG
LOG
RTN
LBL 16    @@@@ Action for menu key Y↑X
Y↑X
RTN
LBL 17    @@@@ Action for menu key 10↑X
10↑X
RTN
LBL 20    @@@@ Action for menu key SIN
SIN
RTN
LBL 21    @@@@ Action for menu key COS
```

```
COS
RTN
LBL 22     @@@@ Action for menu key TAN
TAN
RTN
LBL 23     @@@@ Action for menu key ASIN
ASIN
RTN
LBL 24     @@@@ Action for menu key ACOS
ACOS
RTN
LBL 25     @@@@ Action for menu key ATAN
ATAN
RTN
LBL 27     @@@@ Action for menu key SINH
SINH
RTN
LBL 28     @@@@ Action for menu key COSH
COSH
RTN
LBL 29     @@@@ Action for menu key TANH
TANH
RTN
LBL 30     @@@@ Action for menu key ASINH
ASINH
RTN
LBL 31     @@@@ Action for menu key ACOSH
ACOSH
RTN
LBL 32     @@@@ Action for menu key ATANH
ATANH
RTN
LBL 33     @@@@ Action for menu key %CH
%CH
RTN
LBL 34     @@@@ Action for menu key %
%
RTN
LBL 36     @@@@ Action for menu key TRUN
IP
RTN
LBL 37     @@@@ Action for menu key FP
FP
RTN
LBL 38     @@@@ Action for menu key DIV
BASE÷
RTN
LBL 39     @@@@ Action for menu key REM
MOD
RTN
LBL 40     @@@@ Action for menu key COMB
COMB
RTN
LBL 41     @@@@ Action for menu key PERM
PERM
RTN
LBL 42     @@@@ Action for menu key !
```

```
N!
RTN
LBL 43     @@@@ Action for menu key GAM
GAMMA
RTN
@@@@ Free labels start at: 44
```

5   Functions

5.1   Complex Numbers

```
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@      (RPART)
@@@@ DSC: Real part
@@@@ IN:  X: Number or numeric matrix (element-wise)
@@@@ OUT: X: rpart(x)
@@@@ LBL: 69-72
@@@@ TST: free42_3.0.2
@@@@ UPD: 2021-04-22
LBL "RPART"
FUNC 11        @@## REQ:free42>=2.5.24
L4STK          @@## REQ:free42>=3.0
ENTER
XEQ 89         @@@@ ATYP
X=0?
RTNERR 4       @@## REQ:free42>=2.5.24
1/X            @@## REQ:free42<2.5.24
68
+
GTO IND ST X
LBL 69         @@@@ Real Number
LBL 70         @@@@ Real Matrix
R↓
RTN
LBL 71         @@@@ Complex Number
LBL 72         @@@@ Complex Matrix
R↓
XEQ 98         @@@@ C→R&I
X<>Y
RTN


@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@      (IPART)
@@@@ DSC: Imaginary Part
@@@@ IN:  X: Number or numeric matrix (element-wise)
@@@@ OUT: X: ipart(x)
@@@@ LBL: 73-76
@@@@ TST: free42_3.0.2
@@@@ UPD: 2021-04-22
LBL "IPART"
FUNC 11        @@## REQ:free42>=2.5.24
L4STK          @@## REQ:free42>=3.0
ENTER
XEQ 89         @@@@ ATYP
X=0?
RTNERR 4       @@## REQ:free42>=2.5.24
1/X            @@## REQ:free42<2.5.24
72
+
```

```
GTO IND ST X
LBL 73          @@@@ Real Number
0
RTN
LBL 74          @@@@ Real Matrix
R↓
DIM?
NEWMAT
RTN
LBL 75          @@@@ Complex Number
LBL 76          @@@@ Complex Matrix
R↓
XEQ 98          @@@@ C→R&I
RTN


@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@          (CONJ)
@@@@ DSC: Complex Conjugate
@@@@ IN:  X: Number or numeric matrix (element-wise)
@@@@ OUT: X: conj(x)
@@@@ TST: free42_3.0.2
@@@@ LBL: 77-80
@@@@ BUG: Fails on alpha string matrix
@@@@ UPD: 2021-04-22
LBL "CONJ"
FUNC 11         @@## REQ:free42>=2.5.24
L4STK           @@## REQ:free42>=3.0
ENTER
XEQ 89          @@@@ ATYP
X=0?
RTNERR 4        @@## REQ:free42>=2.5.24
1/X             @@## REQ:free42<2.5.24
76
+
GTO IND ST X
LBL 77          @@@@ Real Number
LBL 78          @@@@ Real Matrix
R↓
RTN
LBL 79          @@@@ Complex Number
LBL 80          @@@@ Complex Matrix
R↓
COMPLEX
+/-
COMPLEX
RTN


@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@          (CABS)
@@@@ DSC: Magnitude/absolute value
@@@@ IN:  X: Number or numeric matrix (element-wise) -- built in ABS won't work with a complex matrix
@@@@ OUT: X: |x|
@@@@ TST: CPXRES free42_3.0
@@@@ LBL: 81-84
@@@@ BUG: Returns 0 for real 0 input
@@@@ UPD: 2021-04-22
LBL "CABS"
FUNC 11         @@## REQ:free42>=2.5.24
L4STK           @@## REQ:free42>=3.0
```

```
ENTER
XEQ 89          @@@@ ATYP
X=0?
RTNERR 4        @@## REQ:free42>=2.5.24
1/X             @@## REQ:free42<2.5.24
80
+
GTO IND ST X
LBL 81          @@@@ Real Number
LBL 82          @@@@ Real Matrix
R↓
ABS
RTN
LBL 83          @@@@ Complex Number
LBL 84          @@@@ Complex Matrix
R↓
XEQ 98          @@@@ C→M&A
X<>Y
RTN


@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@                           (CARG)
@@@@ DSC: Complex Argument
@@@@ IN:  X: Number or numeric matrix (element-wise)
@@@@ OUT: X: arg(x)
@@@@ TST: CPXRES free42_3.0
@@@@ LBL: 85-88
@@@@ BUG: Returns 0 for real 0 input
@@@@ UPD: 2021-04-22
LBL "CARG"
FUNC 11         @@## REQ:free42>=2.5.24
L4STK           @@## REQ:free42>=3.0
ENTER
XEQ 89          @@@@ ATYP
X=0?
RTNERR 4        @@## REQ:free42>=2.5.24
1/X             @@## REQ:free42<2.5.24
84
+
GTO IND ST X
LBL 85          @@@@ Real Number
0
RTN
LBL 86          @@@@ Real Matrix
R↓
DIM?
NEWMAT
RTN
LBL 87          @@@@ Complex Number
LBL 88          @@@@ Complex Matrix
R↓
XEQ 98          @@@@ C→M&A
RTN


@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
@@@@ DSC: Complex Number -> Real Part & Imaginary Part
@@@@ NAM: C→R&I 98
@@@@ IN:  X: Complex Number or Complex Matrix
```

```
@@@@ OUT: Y: Real Part of X
@@@@      X: Imaginary Part of X
@@@@ LBL: 97
@@@@ TST: free42_3.0.2
@@@@ UPD: 2021-04-22
LBL 98
FUNC 12          @@## REQ:free42>=2.5.24
L4STK            @@## REQ:free42>=3.0
ENTER
FS? 73
GTO 97
@@@@ RECT MODE
COMPLEX
RTN
LBL 97
@@@@ POLAR MODE
RECT
COMPLEX
POLAR
RTN


@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
@@@@ DSC: Complex Number -> Magnitude & Argument (angle)
@@@@ NAM: C→M&A 98
@@@@ IN:  X: Complex Number or Complex Matrix
@@@@ OUT: Y: Magnitude of X
@@@@      X: Complex Argument (angle) of X
@@@@ LBL: 99
@@@@ TST: free42_3.0.2
@@@@ UPD: 2021-04-22
LBL 98
FUNC 12          @@## REQ:free42>=2.5.24
L4STK            @@## REQ:free42>=3.0
ENTER
FS? 73
GTO 99
@@@@ RECT MODE
POLAR
COMPLEX
RECT
RTN
LBL 99
@@@@ POLAR MODE
COMPLEX
RTN


@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
@@@@ DSC: Arithmetic Type
@@@@ NAM: ATYP 89
@@@@ IN:  X: an object
@@@@ OUT: X: 1 if input X was a real number
@@@@         2 if input X was a real matrix
@@@@         3 if input X was a complex number
@@@@         4 if input X was a complex matrix
@@@@         0 if none of the above are true
@@@@ TST: free42_3.0.2
@@@@ FAQ: Even on free42<2.5.24 or a real 42s, X, Y, & Z are preserved. T & Last X not so much.
```

```
@@@@ BUG: A 2 will be returned for a real matrix containing strings
@@@@ BUG: In infinite stack mode with an empty stack 2 will be returned as X=0 when we do L4STK
@@@@ LBL: 90-97
@@@@ UPD: 2021-02-23
LBL 89
FUNC 11         @@## REQ:free42>=2.5.24
L4STK           @@## REQ:free42>=3.0
MAT?
GTO 90
GTO 91
LBL 90          @@@@ Matrix
CLA
ARCL ST X
67
POSA
X>0?
GTO 96
GTO 97
LBL 96          @@@@ Complex Matrix
4
RTN
LBL 97          @@@@ Real/String Matrix
2
RTN
LBL 91          @@@@ Not matrix
REAL?
GTO 92
GTO 93
LBL 92          @@@@ Real number
1
RTN
LBL 93          @@@@ Not matrix or real
CPX?
GTO 94
GTO 95
LBL 94          @@@@ Complex number
3
RTN
LBL 95          @@@@ Not matrix, real, or complex
0
RTN
```

5.2 Percentages

```
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@       (PTOT)
@@@@ DSC: Percentage of total (just like hp-12c button)
@@@@ IN:  Y: Real Number -- Total
@@@@ IN:  X: Real Number -- Part
@@@@ OUT: X: 100*X/Y
@@@@ UPD: 2021-03-12
LBL "%T"
FUNC 21         @@## REQ:free42>=2.5.24
L4STK           @@## REQ:free42>=3.0
X<>Y
÷
100
×
```

```
RTN
```

5.3   Integers

```
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@         (ROUND)
@@@@ DSC: Properly round to integer.  N.5 rounded to nearest even number.
@@@@ IN:  X: real number
@@@@ OUT: X: floor(X)
@@@@ UPD: 2021-02-23
@@@@ TST: free42_3.0.2
@@@@ TC:  -2.0 -2 →Int
@@@@ TC:  -1.6 -2 →Nearest
@@@@ TC:  -1.5 -2 →Even
@@@@ TC:  -1.4 -1 →Nearest
@@@@ TC:  -1.0 -1 →Int
@@@@ TC:  -1.6 -1 →Nearest
@@@@ TC:  -0.5  0 Even Rule
@@@@ TC:  -0.4  0 →Nearest
@@@@ TC:   0.0  0 →Int
@@@@ TC:   0.4  0 →Nearest
@@@@ TC:   0.5  0 Even Rule
@@@@ TC:   1.6  1 →Nearest
@@@@ TC:   1.0  1 →Int
@@@@ TC:   1.4  1 →Nearest
@@@@ TC:   1.5  2 →Even
@@@@ TC:   1.6  2 →Nearest
@@@@ TC:   2.0  2 →Int
LBL "ROUND"
FUNC 11          @@## REQ:free42>=2.5.24
L4STK            @@## REQ:free42>=3.0
ENTER            @@@@ X           X
FP               @@@@ FP          X
ABS              @@@@ |FP|        X
0.5              @@@@ 1/2         |FP|    X
-                @@@@ |FP|-1/2 X
X<>Y             @@@@ X           |FP|-1/2 X
SIGN             @@@@ SGN         |FP|-1/2 X
LASTX            @@@@ X           SGN      |FP|-1/2 X
IP               @@@@ IP(X)       SGN      |FP|-1/2 X
0=? ST Z    @@## TODO: Memory leak in free42 < 3.0.3
GTO 67
0<? ST Z    @@## TODO: Memory leak in free42 < 3.0.3
+
RTN
LBL 67
@@@@ FP=1/2
XEQ 68           @@@@ ODD?
+
RTN


@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
@@@@ DSC: RETYES if X is odd, RTNNO otherwise
LBL 68           @@@@ ODD?
FUNC 00
L4STK
2
÷
```

```
FP
X=0?
RTNNO
RTNYES


@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@        (FLOOR)
@@@@ DSC: Floor -- Round toward negative infinity
@@@@ IN:  X: real number
@@@@ OUT: X: floor(X)
@@@@ UPD: 2021-02-23
@@@@ TST: free42_3.0.2
LBL "FLOOR"
FUNC 11          @@## REQ:free42>=2.5.24
L4STK            @@## REQ:free42>=3.0
FP
LASTX
IP
0≤? ST Y   @@## TODO: Memory leak in free42 < 3.0.3
RTN
1
-
RTN

@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@        (CEIL)
@@@@ DSC: Ceiling -- Round toward positive infinity
@@@@ IN:  X: real number
@@@@ OUT: X: ceil(X)
@@@@ UPD: 2021-02-23
@@@@ TST: free42_3.0.2
LBL "CEIL"
FUNC 11          @@## REQ:free42>=2.5.24
L4STK            @@## REQ:free42>=3.0
FP
LASTX
IP
0≥? ST Y   @@## TODO: Memory leak in free42 < 3.0.3
RTN
1
+
RTN

@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@        (GCD)
@@@@ DSC: GCD
@@@@ IN:  Y: real number
@@@@      X: real number
@@@@ OUT: X: GCD(|IP(X)|, |IP(X)|)
@@@@ LBL: 66
@@@@ UPD: 2021-04-22
@@@@ TST: free42_3.0.2
LBL "GCD"
FUNC 21          @@## REQ:free42>=2.5.24
L4STK            @@## REQ:free42>=3.0
ABS
IP
X<>Y
ABS
IP
```

```
X>Y?
X<>Y
LBL 66
STO ST Z
MOD
X>0?
GTO 66
R↓
RTN


@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@        (LCM)
@@@@ DSC: LCM
@@@@ IN:  Y: real number
@@@@      X: real number
@@@@ OUT: X: LCM(|IP(X)|, |IP(X)|)
@@@@ USE: GCD
@@@@ UPD: 2021-04-22
@@@@ TST: free42_3.0.2
LBL "LCM"
FUNC 21         @@## REQ:free42>=2.5.24
L4STK           @@## REQ:free42>=3.0
ABS             @@@@ |X|                Y
IP              @@@@ IP(|X|)            Y
X=0?
RTN
X<>Y            @@@@ Y                  IP(|X|)
ABS             @@@@ |Y|                IP(|X|)
IP              @@@@ IP(|Y|)            IP(|X|)
X=0?
RTN
RCL ST Y        @@@@ IP(|X|)            IP(|Y|)         IP(|X|)
RCL ST Y        @@@@ IP(|Y|)            IP(|X|)         IP(|Y|)         IP(|X|)
×               @@@@ IP(|Y|)*IP(|X|) IP(|Y|)           IP(|X|)
RCL ST Z        @@@@ IP(|X|)            IP(|Y|)*IP(|X|) IP(|Y|)         IP(|X|)
RCL ST Z        @@@@ IP(|Y|)            IP(|X|)         IP(|Y|)*IP(|X|) IP(|Y|)
XEQ "GCD"       @@@@ GCD                IP(|Y|)*IP(|X|) IP(|Y|)         IP(|Y|)
÷               @@@@ LCM                IP(|Y|)         IP(|Y|)         IP(|Y|)
RTN
```

5.4 Binomials, Factorals, Beta, etc...

```
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@       (BETA)
@@@@ DSC: beta function
@@@@ IN:  Y: Number
@@@@ IN:  X: Number
@@@@ OUT: X: beta(x, y) = beta(y, x)
@@@@ TST: free42_3.0.2
@@@@ UPD: 2021-02-23
LBL "BETA"
FUNC 21         @@## REQ:free42>=2.5.24
L4STK           @@## REQ:free42>=3.0
RCL ST Y
GAMMA
RCL ST Y
GAMMA
×
RCL ST Z
```

```
RCL ST Z
+
GAMMA
÷
RTN

@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@          (DIGAMM)
@@@@ DSC: digamma function
@@@@ IN:  X: Number
@@@@ OUT: X: psi(X)
@@@@ FAQ: Good to about 1e-5 for real X>0.1
@@@@ TST: free42_3.0.2
@@@@ UPD: 2021-05-02
LBL "DIGAMM"
FUNC 11         @@## REQ:free42>=2.5.24
L4STK           @@## REQ:free42>=3.0
LSTO "_X"       @@@@ X
2               @@@@ 2 X
+               @@@@ 2+X
LSTO "_S"       @@@@ S
LN              @@@@ SUM            ln(s)
2               @@@@ 2 S SUM
RCL× "_S"       @@@@ 2*S SUM
1/X             @@@@ TRM SUM
-               @@@@ SUM            ln(s) -1/(2*s)
RCL "_S"        @@@@ S SUM
X↑2             @@@@ S^2 SUM
LSTO "_SS"      @@@@ SS SUM
12              @@@@ 12 S^2 SUM
×               @@@@ 12*S^2 SUM
1/X             @@@@ TRM SUM
-               @@@@ SUM            ln(s) -1/(2*s) -1/(12*s^2)
RCL "_SS"       @@@@ S^2 SUM
RCL× "_SS"      @@@@ S^4 SUM
STO ST Z        @@@@ S^4 SUM S^4
120
×
1/X
+               @@@@ SUM S^4        ln(s) -1/(2*s) -1/(12*s^2) +1/(120*s^4)
X<>Y
RCL× "_SS"      @@@@ S^6 SUM
STO ST Z        @@@@ S^6 SUM S^6
252
×
1/X
-               @@@@ SUM S^6        ln(s) -1/(2*s) -1/(12*s^2) +1/(120*s^4) -1/(252*s^6)
X<>Y
RCL× "_SS"      @@@@ S^8 SUM
STO ST Z        @@@@ S^8 SUM S^8
240
×
1/X
+               @@@@ SUM S^8        ln(s) -1/(2*s) -1/(12*s^2) +1/(120*s^4) -1/(252*s^6) +1/(240*s^8)
X<>Y
RCL× "_SS"      @@@@ S^10 SUM
STO ST Z        @@@@ S^10 SUM S^10
660
```

```
×
1/X
5
×
-               @@@@ SUM S^10        ln(s) -1/(2*s) -1/(12*s^2) +1/(120*s^4) -1/(252*s^6) +1/(240*s^8) -5/(660*s^10)
X<>Y
RCL× "_SS"      @@@@ S^12 SUM
STO ST Z        @@@@ S^12 SUM S^12
32760
×
1/X
691
×
+               @@@@ SUM S^12        ln(s) -1/(2*s) -1/(12*s^2) +1/(120*s^4) -1/(252*s^6) +1/(240*s^8) -5/(660*s^10) +691/(32760*s^12)
X<>Y
RCL× "_SS"      @@@@ S^14 SUM
12
×
1/X
-               @@@@ SUM             ln(s) -1/(2*s) -1/(12*s^2) +1/(120*s^4) -1/(252*s^6) +1/(240*s^8) -5/(660*s^10) +691/(32760*s^12) -1/(12*s^14)
RCL "_X"
1/X
-               @@@@ SUM             ln(s) -1/(2*s) -1/(12*s^2) +1/(120*s^4) -1/(252*s^6) +1/(240*s^8) -5/(660*s^10) +691/(32760*s^12) -1/(12*s^14) -1/x
RCL "_X"
1
+
1/X
-               @@@@ SUM             ln(s) -1/(2*s) -1/(12*s^2) +1/(120*s^4) -1/(252*s^6) +1/(240*s^8) -5/(660*s^10) +691/(32760*s^12) -1/(12*s^14) -1/x -1/(x+1)
RTN
```

5.5 Error & Standard Normal Functions

```
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@         (NPDF)
@@@@ DSC: Standard Normal PDF
@@@@ IN:  X: real number
@@@@ OUT: X: Standard Normal PDF value at X
@@@@ UPD: 2021-04-22
@@@@ TST: free42_3.0.2
@@@@ TC:  -2 0.053990966651318805195056
@@@@ TC:  -1 0.241970724519143349797978
@@@@ TC:   0 0.398942280401432677939399
@@@@ TC:   1 0.241970724519143349797978
@@@@ TC:   2 0.053990966651318805195056
LBL "NPDF"
FUNC 11         @@## REQ:free42>=2.5.24
L4STK           @@## REQ:free42>=3.0
X↑2             @@@@ X^2
-2              @@@@ -2                      X^2
÷               @@@@ -X^2/2
E↑X             @@@@ EXP(-X^2/2)
2               @@@@ 2                       EXP(-X^2/2)
PI              @@@@ PI              2                  EXP(-X^2/2)
×               @@@@ PI*2            EXP(-X^2/2)
SQRT            @@@@ SQRT(PI*2)      EXP(-X^2/2)
÷               @@@@ EXP(-X^2/2)/SQRT(PI*2)
RTN
```

```
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@            (NCDF)
@@@@ DSC: Standard Normal CDF
@@@@ IN:  X: real number
@@@@ OUT: X: Standard Normal CDF value at X
@@@@ BUG: Only good to 7 decimal places
@@@@ FAQ: No dependancies, variables, loops, or branches
@@@@ REF: Zelen & Severo (1964)
@@@@ UPD: 2021-04-22
@@@@ TST: free42_3.0.2
@@@@ TC:  -2 0.0227501319481792072...0028
@@@@ TC:  -1 0.158655253931457...0514148
@@@@ TC:   0 0.5
@@@@ TC:   1 0.841344746068542...9485852
@@@@ TC:   2 0.977249868051820...7927997
LBL "NCDF"
FUNC 11          @@## REQ:free42>=2.5.24
L4STK            @@## REQ:free42>=3.0
0.2316419        @@@@ b0                    X               ?               ?
RCL× ST Y        @@@@ b0*X                  X               ?               ?
1                @@@@ 1                     b0*X            X               ?
+                @@@@ 1+b0*X                X               ?               ?
1/X              @@@@ 1/(1+b0*X)            X               ?               ?
                 @@@@ T                     X               ?               ?
X<>Y             @@@@ X                     T               ?               ?
X↑2              @@@@ X^2                   T               ?               ?
-2               @@@@ -2                    X^2             ?               ?
÷                @@@@ -X^2/2                T               ?               ?
E↑X              @@@@ EXP(-X^2/2)           T               ?               ?
2                @@@@ 2                     EXP(-X^2/2)     T               ?
PI               @@@@ PI                    2               EXP(-X^2/2)     T
×                @@@@ PI*2                  EXP(-X^2/2)     T               T
SQRT             @@@@ SQRT(PI*2)            EXP(-X^2/2)     T               T
÷                @@@@ EXP(-X^2/2)/SQRT(PI*2) T             T               T
                 @@@@ N                     T               T               T
RCL  ST Y        @@@@ T                     N               T               T
×                @@@@ NT                    T               T               T
0.319381530      @@@@ b1                    NT              T               T
RCL× ST Y        @@@@ PR                    NT              T               T
RCL ST Z         @@@@ T                     PR              NT              T
STO× ST Z        @@@@ T                     PR              NT^2            T
R↓               @@@@ PR                    NT^2            T               T
-0.356563782     @@@@ b2                    PR              NT^2            T
RCL× ST Z        @@@@ NT                    PR              NT^2            T
+                @@@@ PR                    NT^2            T               T
RCL ST Z         @@@@ T                     PR              NT^2            T
STO× ST Z        @@@@ T                     PR              NT^3            T
R↓               @@@@ PR                    NT^3            T               T
1.781477937      @@@@ b3                    PR              NT^3            T
RCL× ST Z        @@@@ NT                    PR              NT^3            T
+                @@@@ PR                    NT^3            T               T
RCL ST Z         @@@@ T                     PR              NT^3            T
STO× ST Z        @@@@ T                     PR              NT^4            T
R↓               @@@@ PR                    NT^4            T               T
-1.821255978     @@@@ b4                    PR              NT^4            T
RCL× ST Z        @@@@ NT                    PR              NT^4            T
+                @@@@ PR                    NT^4            T               T
```

```
RCL ST Z        @@@@ T                   PR          NT^4        T
STO× ST Z       @@@@ T                   PR          NT^5        T
R↓              @@@@ PR                   NT^5        T           T
1.330274429     @@@@ b5                  PR          NT^5        T
RCL× ST Z       @@@@ NT                  PR          NT^5        T
+               @@@@ PR                  NT^5        T           T
1               @@@@ 1                   PR          NT^5        T
X<>Y            @@@@ PR                  1           NT^5        T
-               @@@@ 1-PR                NT^5        T           T
RTN

@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@          (ERF)
@@@@ DSC: erf (error) function
@@@@ IN:  X: real number
@@@@ OUT: X: erf(X)
@@@@ USE: NCDF
@@@@ LBL: Use: 64-65
@@@@ UPD: 2021-03-30
@@@@ TST: free42_3.0.2
@@@@ TC: -1 -0.8427007929497148693412
@@@@ TC:  0  0.0
@@@@ TC:  1  0.8427007929497148693412
@@@@ TC:  2  0.9953222650189527341621
LBL "ERF"
FUNC 11         @@## REQ:free42>=2.5.24
L4STK           @@## REQ:free42>=3.0
ENTER
ENTER
2
SQRT
×
ABS
XEQ "NCDF"
2
×
1
-
X<>Y
X<0?
GTO 64
GTO 65
LBL 64
R↓
+/-
RTN
LBL 65
R↓
RTN

@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@          (ERFC)
@@@@ DSC: erfc (complementary error) function
@@@@ IN:  X: real number
@@@@ OUT: X: erfc(X)
@@@@ USE: ERF
@@@@ UPD: 2021-03-30
@@@@ TST: free42_3.0.2
@@@@ TC: -1 1.8427007929497148669341
```

```
@@@@ TC:  0 1.0
@@@@ TC:  1 0.1572992070502851306588
@@@@ TC:  2 0.004677734981047265837931
LBL "ERFC"
FUNC 11          @@## REQ:free42>=2.5.24
L4STK            @@## REQ:free42>=3.0
XEQ "ERF"
1
X<>Y
-
RTN
```

5.6 Hyperbolic Trigonometric Functions

```
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@       (CSCH)
@@@@ DSC: 1/SINH(X)
LBL "CSCH"
FUNC 11          @@## REQ:free42>=2.5.24
L4STK            @@## REQ:free42>=3.0
SINH
1/X
RTN


@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@       (SECH)
@@@@ DSC: 1/COSH(X)
LBL "SECH"
FUNC 11          @@## REQ:free42>=2.5.24
L4STK            @@## REQ:free42>=3.0
COSH
1/X
RTN


@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@       (COTH)
@@@@ DSC: 1/TANH(X)
LBL "COTH"
FUNC 11          @@## REQ:free42>=2.5.24
L4STK            @@## REQ:free42>=3.0
TANH
1/X
RTN


@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@       (ACSCH)
@@@@ DSC: SINH(1/X)
LBL "ACSCH"
FUNC 11          @@## REQ:free42>=2.5.24
L4STK            @@## REQ:free42>=3.0
1/X
ASINH
RTN


@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@       (ASECH)
@@@@ DSC: COSH(1/X)
LBL "ASECH"
FUNC 11          @@## REQ:free42>=2.5.24
L4STK            @@## REQ:free42>=3.0
1/X
```

```
ACOSH
RTN


@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@        (ACOTH)
@@@@ DSC: TANH(1/X)
LBL "ACOTH"
FUNC 11          @@## REQ:free42>=2.5.24
L4STK           @@## REQ:free42>=3.0
1/X
ATANH
RTN
```

5.7   Trigonometric Functions

```
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@        (AHAV)
@@@@ DSC: Inverse Haversine
@@@@ IN:  X: number
@@@@ OUT: X: ahav(X)=2*asin(sqrt(X))
@@@@ UPD: 2021-04-18
@@@@ TST: free42_3.0.2
LBL "AHAV"
FUNC 11          @@## REQ:free42>=2.5.24
L4STK           @@## REQ:free42>=3.0
SQRT
ASIN
2
×
RTN


@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@        (HAV)
@@@@ DSC: Haversine
@@@@ IN:  X: number
@@@@ OUT: X: hav(X)=1/2-cos(X)/2
@@@@ UPD: 2021-04-18
@@@@ TST: free42_3.0.2
LBL "HAV"
FUNC 11          @@## REQ:free42>=2.5.24
L4STK           @@## REQ:free42>=3.0
COS
-2
÷
0.5
+
RTN


@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@        (HYPOT)
@@@@ DSC: Hypot
@@@@ IN:  Y: number
@@@@ IN:  X: number
@@@@ OUT: X: sqrt(abs(x)^2+abs(y)^2)
@@@@ UPD: 2021-02-23
@@@@ TST: free42_3.0.2
LBL "HYPOT"
FUNC 21          @@## REQ:free42>=2.5.24
L4STK           @@## REQ:free42>=3.0
ABS
X<>Y
```

```
ABS
COMPLEX
ABS
RTN

@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@        (CSC)
@@@@ DSC: 1/SIN(X)
LBL "CSC"
FUNC 11          @@## REQ:free42>=2.5.24
L4STK           @@## REQ:free42>=3.0
SIN
1/X
RTN

@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@        (SEC)
@@@@ DSC: 1/COS(X)
LBL "SEC"
FUNC 11          @@## REQ:free42>=2.5.24
L4STK           @@## REQ:free42>=3.0
COS
1/X
RTN

@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@        (COT)
@@@@ DSC: 1/TAN(X)
LBL "COT"
FUNC 11          @@## REQ:free42>=2.5.24
L4STK           @@## REQ:free42>=3.0
TAN
1/X
RTN

@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@        (ACSC)
@@@@ DSC: SIN(1/X)
LBL "ACSC"
FUNC 11          @@## REQ:free42>=2.5.24
L4STK           @@## REQ:free42>=3.0
1/X
ASIN
RTN

@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@        (ASEC)
@@@@ DSC: COS(1/X)
LBL "ASEC"
FUNC 11          @@## REQ:free42>=2.5.24
L4STK           @@## REQ:free42>=3.0
1/X
ACOS
RTN

@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@        (ACOT)
@@@@ DSC: TAN(1/X)
LBL "ACOT"
FUNC 11          @@## REQ:free42>=2.5.24
L4STK           @@## REQ:free42>=3.0
1/X
ATAN
```

```
RTN

@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@        (ATAN2)
@@@@ DSC: ATAN2
@@@@ IN:  Y: number
@@@@ IN:  X: number
@@@@ OUT: X: atan2(y, x)
@@@@ BUG: Only works in RAD mode
@@@@ UPD: 2021-02-23
@@@@ TST: free42_3.0.2
@@@@ TC:  atan( 1, 1) =>  pi/4     =    45°
@@@@ TC:  atan(-1, 1) => -pi/4     =   -45°
@@@@ TC:  atan( 1,-1) =>  3*pi/4   =   135°
@@@@ TC:  atan(-1,-1) => -3*pi/4   =  -135°
@@@@ TC:  atan( 0, 1) =>  0        =     0°
@@@@ TC:  atan( 1, 0) =>  pi       =    90°
@@@@ TC:  atan(-1, 0) => -pi       =   -90°
@@@@ TC:  atan( 0, 0) => ERROR
@@@@ LBL: Used 59-63
LBL "TAN2"
FUNC 21          @@## REQ:free42>=2.5.24
L4STK            @@## REQ:free42>=3.0
X>0?
GTO 59
X=0?
GTO 60
@@@@ X<0
X<>Y
X<0?
GTO 61
@@@@ X<0 & Y>=0
X<>Y
÷
ATAN
PI
+
RTN
LBL 61
@@@@ X<0 & Y<0
X<>Y
÷
ATAN
PI
-
RTN
LBL 60
X<>Y
X=0?
GTO 62
X>0?
GTO 63
@@@@ X=0 & Y<0
PI
-2
÷
RTN
LBL 63
```

```
@@@@ X=0 & Y>0
PI
2
÷
RTN
LBL 62
@@@@ X=0 & Y=0 ERROR 0/0
÷
RTN
LBL 59
@@@@ X>0
÷
ATAN
RTN
```

5.8   Logs, Powers & Roots

```
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@       (lnYX)
@@@@ DSC: Base Y Logarithm of X
@@@@ IN:  Y: logarithm base
@@@@      X: number or matrix (element-wise)
@@@@ OUT: X: log_y(x)
@@@@ UPD: 2021-04-14
@@@@ TST: free42_3.0.2
LBL "lnYX"
FUNC 21          @@## REQ:free42>=2.5.24
L4STK           @@## REQ:free42>=3.0
LN
X<>Y
LN
÷
RTN
```

```
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@       (ln2)
@@@@ DSC: Base 2 Logarithm
@@@@ IN:  X: number or matrix (element-wise)
@@@@ OUT: X: log_2(x)
@@@@ UPD: 2021-02-23
@@@@ TST: free42_3.0.2
LBL "ln2"
FUNC 11          @@## REQ:free42>=2.5.24
L4STK           @@## REQ:free42>=3.0
LN
2
LN
÷
RTN
```

```
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
@@@@ DSC: Raise 2 to the power of X
@@@@ NAM: 2↑X 58
@@@@ IN:  X: number or matrix (element-wise)
@@@@ OUT: X: 2^X
@@@@ UPD: 2021-02-23
@@@@ TST: free42_3.0.2
LBL 58
FUNC 11          @@## REQ:free42>=2.5.24
```

```
L4STK           @@## REQ:free42>=3.0
2
X<>Y
Y^X
RTN


@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
@@@@ DSC: Square root prefering real & pure imaginary answers
@@@@ NAM: ROOT2 57
@@@@ IN:  X: Number or numeric matrix (element-wise)
@@@@ OUT: X: root of X
@@@@ FAQ: See XYROOT for details
@@@@ TST: free42_3.0.2
@@@@ UPD: 2021-04-14
LBL 57
FUNC 11         @@## REQ:free42>=2.5.24
2
X<>Y
XEQ "YROOT"
RTN


@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
@@@@ DSC: Cube root prefering real & pure imaginary answers
@@@@ NAM: ROOT3 56
@@@@ IN:  X: Number or numeric matrix (element-wise)
@@@@ OUT: X: root of X
@@@@ FAQ: See XYROOT for details
@@@@ TST: free42_3.0.2
@@@@ UPD: 2021-04-14
LBL 56
FUNC 11         @@## REQ:free42>=2.5.24
3
X<>Y
XEQ "YROOT"
RTN


@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
@@@@ DSC: Fifth root prefering real & pure imaginary answers
@@@@ NAM: ROOT5 55
@@@@ IN:  X: Number or numeric matrix (element-wise)
@@@@ OUT: X: root of X
@@@@ FAQ: See XYROOT for details
@@@@ TST: free42_3.0.2
@@@@ UPD: 2021-04-14
LBL 55
FUNC 11         @@## REQ:free42>=2.5.24
5
X<>Y
XEQ "YROOT"
RTN


@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
@@@@ DSC: Seventh root prefering real & pure imaginary answers
@@@@ NAM: ROOT7 54
@@@@ IN:  X: Number or numeric matrix (element-wise)
@@@@ OUT: X: root of X
@@@@ FAQ: See XYROOT for details
```

```
@@@@ TST: free42_3.0.2
@@@@ UPD: 2021-04-14
LBL 54
FUNC 11        @@## REQ:free42>=2.5.24
7
X<>Y
XEQ "YROOT"
RTN

@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@        (YROOT)
@@@@ DSC: Nth roots prefering real & pure imaginary answers
@@@@ IN:  Y: Number
@@@@ IN:  X: Number or numeric matrix (element-wise)
@@@@ OUT: X: Yth root of X
@@@@ BUG: The principal value is not always returned (by design)
@@@@ BUG: Real integers are not recognized in complex form. i.e. 0+2i ≠ 2
@@@@ FAQ: Return is pure imaginary when Y is an odd integer and X<0
@@@@ FAQ: Return is real when  Y is an even integer and X<0
@@@@ TST: free42_3.0.2
@@@@ UPD: 2021-02-23
LBL "YROOT"
FUNC 21        @@## REQ:free42>=2.5.24
L4STK          @@## REQ:free42>=3.0
REAL?
GTO 48
GTO 51
LBL 48
@@@@ X is real
X≥0?
GTO 51
@@@@ X is negative, real
RCL ST Y
REAL?
GTO 49
GTO 50
LBL 49
@@@@ X is negative, real; Y is real
FP
X≠0?
GTO 50
@@@@ X is negative, real; Y is real integer
R↓
ABS
RCL ST Y
X<>Y
XEQ 51
+/-
X<>Y
2
÷
FP
X=0?
GTO 53
GTO 52
LBL 53
@@@@ X is negative, real; Y is real integer even
R↓
```

```
-1
SQRT
×
RTN
LBL 52
@@@@ X is negative, real; Y is real integer odd
R↓
RTN
LBL 50
@@@@ Not special case.  Stack: Y X Y
R↓
LBL 51
@@@@ Not special case.  Stack: X Y
X<>Y
1/X
Y↑X
RTN
```

5.9   Everything Else

```
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@ (ref:||)
@@@@ DSC: Parallel Operator
@@@@ IN:  Y: A Number
@@@@ IN:  X: A Number
@@@@ OUT: X: 1/(1/X+1/Y)
@@@@ UPD: 2021-04-28
LBL "||"
FUNC 21          @@## REQ:free42>=2.5.24
L4STK            @@## REQ:free42>=3.0
1/X
X<>Y
1/X
+
1/X
RTN
```

6   END

```
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
END
```

7   EOF