

/cygdrive/c/Users/Nascimento/workspace/SPCA_GUI/src/RunEngine.h

```
graph BT; A["/cygdrive/c/Users/Nascimento/workspace/SPCA_GUI/src/main.h"] --> B["/cygdrive/c/Users/Nascimento/workspace/SPCA_GUI/src/RunEngine.h"]; C["/cygdrive/c/Users/Nascimento/workspace/SPCA_GUI/src/RunEngine.cpp"] --> B; D["/cygdrive/c/Users/Nascimento/workspace/SPCA_GUI/src/main.cpp"] --> A;
```

The diagram illustrates the relationships between four source files in a project. At the top is a grey box containing the path to `RunEngine.h`. Below it are two white boxes: `main.h` on the left and `RunEngine.cpp` on the right. At the bottom left is another white box for `main.cpp`. Blue arrows indicate dependencies: `main.h` and `RunEngine.cpp` both depend on `RunEngine.h`, while `main.cpp` depends on `main.h`.

/cygdrive/c/Users/Nascimento/workspace/SPCA_GUI/src/main.h

/cygdrive/c/Users/Nascimento/workspace/SPCA_GUI/src/RunEngine.cpp

/cygdrive/c/Users/Nascimento/workspace/SPCA_GUI/src/main.cpp