# **Bonetrousle**



Here's a humerus joke:

Why did Papyrus the skeleton go to the store by himself? Because he had no body to go with him!

Did you like it? Don't worry, I've got a ton more. A skele-ton.

Once upon a time, Papyrus the skeleton went to buy some pasta from the store. The store's inventory is *bare-bones* and they only sell one thing — boxes of uncooked spaghetti! The store always stocks exactly k boxes of pasta, and each box is numbered sequentially from 1 to k. This box number also corresponds to the number of sticks of spaghetti in the box, meaning the first box contains 1 stick, the second box contains 2 sticks, the third box contains 3 sticks, ..., and the k box contains k sticks. Because they only stock one box of each kind, the store has a *tendon*-cy to sell out of spaghetti.

During each trip to the store, Papyrus likes to buy exactly n sticks of spaghetti by purchasing exactly n boxes (no more, no less). Not sure *which* boxes to purchase, Papyrus calls *Sherlock Bones* for help but he's also stumped! Do you have the *guts* to solve this puzzle?

Given the values of n, k, and b for t trips to the store, determine which boxes Papyrus must purchase during each trip. For each trip, print a single line of b distinct space-separated integers denoting the box number for each box of spaghetti Papyrus purchases (recall that the store only has *one* box of each kind). If it's not possible to buy t0 sticks of spaghetti by purchasing t0 boxes, print t1 instead.

For example, Papyrus wants to purchase n=14 sticks of spaghetti in b=3 boxes and the store has k=8 different box sizes. He can buy boxes of sizes [8,4,2], [7,5,2], [7,6,1] and other combinations. Any of the combinations will work.

#### **Function Description**

Complete the bonetrousle function in the editor below. It should return an array of integers.

bonetrousle has the following parameter(s):

- n: the integer number of sticks to buy
- k: the integer number of box sizes the store carries
- b: the integer number of boxes to buy

## **Input Format**

The first line contains a single integer t, the number of trips to the store.

Each of the next t lines contains three space-separated integers n, k and b, the number of sticks to buy, the number of boxes for sale and the number of boxes to buy on this trip to the store.

#### **Constraints**

- 1 < t < 20
- $1 \le b \le 10^5$

- $1 \le n, k \le 10^{18}$
- $b \leq k$

#### **Output Format**

For each trip to the store:

- If there is no solution, print -1 on a new line.
- If there is a solution, print a single line of **b** distinct space-separated integers where each integer denotes the numbers of noodles in each box that Papyrus must purchase.

If there are multiple possible solutions, *you can print any one of them.* Do not print any leading or trailing spaces or extra newlines.

#### Sample Input

```
4
12 8 3
10 3 3
9 10 2
9 10 2
```

### Sample Output

```
2 3 7
-1
5 4
1 8
```

#### **Explanation**

Papyrus makes the following trips to the store:

1. He wants to buy exactly b=3 boxes of spaghetti and have a total number of n=12 sticks. During this trip, the store has k=8 boxes of spaghetti sticks where the first box has 1 stick, the second box has 2 sticks, the third box has 3 sticks, and so on. One possible solution would be the following:



Papyrus can buy the 2-stick, 3-stick, and 7-stick boxes for the total of 2+3+7=12 sticks. Note that this is not the only valid solution; other valid solutions are acceptable.

- 2. He wants to buy exactly b=3 boxes of spaghetti and have a total number of n=10 sticks. Because the store only has three boxes in stock containing 1, 2, and 3 sticks of spaghetti, it's not possible for Papyrus to buy n sticks of spaghetti as buying all three boxes would only yield 1+2+3=6 sticks (which is less than the n=10 that he wanted to purchase). Thus, we print -1 on a new line.
- 3. The third and fourth trips to the store both contain the same values (n = 9, k = 10, b = 2). This illustrates that there may be multiple solutions for any given trip to the store and any valid solution is acceptable.