

NeuroAnalyzer report: Average LDF Viewer

NeuroAnalyzer v0.3.0 · MATLAB 2026a · 2026-09-25T03:20:40+00:00 · window image: exportapp

Average LDF Viewer

Plot segments of LDF trials from session. Then, plot the grand average.

? Help

1 Load trial files

Add files...Clear all

Try demo data

demo_ldf_trials.mat (5)

8 trials from 1 file(s)
Window: -5.00 to 20.00 s

2 Options

☒ Relative to baseline



Subtract each trial's baseline (< 0) mean.

3 Grand average

Plot grand average

Save session...Open session...

Report (PDF)...



✓ Session saved in LDFGrandAverageApp\session.mat (1 input file(s) with MDS, settings and results)

© Copyrights by Alejandro Suarez, Ph.D. - v0.3.0

Window: Average LDF Viewer (LDFGrandAverageApp)

NeuroAnalyzer v0.3.0
MATLAB 26.1.0.3346908 (R2026a) Update 5
OS: Linux 6.17.0-1022-azure (GLNXA64)
Session created: 2026-09-25T03:20:40+00:00
Report created: 2026-09-25T03:20:40+00:00

NOTES
LDFGrandAverageApp walkthrough: demo data

INPUTS (1)
1. Trial file 1: demo_ldf_trials.mat
path: /tmp/NeuroAnalyzerDemo/demo_ldf_trials.mat
30,187 bytes, modified 2026-09-25T03:16:48
MD5 ba186b0fc9c12a54330fcb9d44a15a92

SETTINGS
relativeToBaseline = true
grandAverageShown = true

KEY RESULTS
8 trials from 1 file(s), -5.00 to 20.00 s around onset
Grand average peak 30.48 at 4.2 s after onset (relative to baseline)