MERVBot20 Plugin DiscordBot Testcases

MANUAL TEST FOR VERSION 1.0

ALETHEIA 2023

Content

1. Version 1.0 2
1.1. Testcase: Public message from a public Subspace arena to Discord 2
1.2. Testcase: Team message from a public Subspace arena to Discord 2
1.3. Testcase: Public message from a named Subspace arena to Discord 2
1.4. Testcase: Team message from a named Subspace arena to Discord 2
1.5. Testcase: Filtering out of messages to Discord with a bot command prefix 2
1.6. Testcase: Buffering of arena messages that are printed in fast succession 3

1. Version 1.0

1.1. Testcase: Public message from a public Subspace arena to Discord

Use case	Transmit a public message from the public Subspace arena to Discord.
Preparation	– Subspace player is in the public arena – DiscordBot is configured for transmitting messages from the public arena to a text channel on the Discord server: `ChatChannelIds=<channel Id>,..` – DiscordBot is in the public arena

Test step	Action	Expected result
1	Enter a public message in Subspace.	The message appears in the specified Discord text channel with a blue icon.

1.2. Testcase: Team message from a public Subspace arena to Discord

Use case	Transmit a team message from the public Subspace arena to Discord.
Preparation	– Subspace player is spectator on default frequency in the public arena – DiscordBot is configured for transmitting messages from the public arena to a text channel on the Discord server: `ChatChannelIds=<channel Id>,..` – DiscordBot is in the public arena

Test step	Action	Expected result
1	Enter a team message in Subspace.	The message appears in the specified Discord text channel with a yellow icon.

1.3. Testcase: Public message from a named Subspace arena to Discord

Use case	Transmit a team message from the public Subspace arena to Discord.
Preparation	– Subspace player is in arena 4v4prac1 – DiscordBot is configured for transmitting messages from arena 4v4prac1to a text channel on the Discord server: `ChatChannelIds=..,<channel Id>:4v4prac1` – DiscordBot is in arena 4v4prac1

Test step	Action	Expected result
1	Enter a public message in Subspace.	The message appears in the specified Discord text channel with a blue icon.

1.4. Testcase: Team message from a named Subspace arena to Discord

Use case	Transmit a team message from the public Subspace arena to Discord.
Preparation	– Subspace player is spectator on default frequency in arena 4v4prac1 – DiscordBot is configured for transmitting messages from arena 4v4prac1to a text channel on the Discord server: `ChatChannelIds=..,<channel Id>:4v4prac1` – DiscordBot is in arena 4v4prac1

Test step	Action	Expected result
1	Enter a team message in Subspace.	The message appears in the specified Discord text channel with a yellow icon.

1.5. Testcase: Filtering out of messages to Discord with a bot command prefix

Use case	Filter out messages to Discord that start with either a dot or an exclamation mark.
Preparation	– Subspace player is in the public arena – DiscordBot is configured for transmitting messages from the public arena to a text channel on the Discord server: `ChatChannelIds=<channel Id>,..` – DiscordBot is in the public arena

Test step	Action	Expected result
1	Enter a team message in Subspace that starts with a dot.	No message appears in the specified Discord text channel.

2	Enter a team message in Subspace that starts with an exclamation mark.	No message appears in the specified Discord text channel.

1.6. Testcase: Buffering of arena messages that are printed in fast succession

Use case	Buffer arena messages that are printed in fast succession, like those of practice or match stats, to be concatenated in Discord as a highlighted text.
Preparation	– Subspace player is in the public arena – DiscordBot is configured for transmitting messages from the public arena to a text channel on the Discord server: `ChatChannelIds=<channel Id>,..` – DiscordBot is in the public arena

Test step	Action	Expected result
1	Enter the bot command: `!test stattable`	A sample stats table is printed in the specified Discord test channel.