

Q1. Experiment with each of these commands: (pwd, uname, cd, ls, mkdir, cat, rm, cp, mv, who, date, cal, ncal, man, head, tail etc.)

```
archana@practice-vm:~$ pwd
/home/archana
archana@practice-vm:~$ uname
Linux
archana@practice-vm:~$ cd day1
archana@practice-vm:~/day1$ mkdir test3
archana@practice-vm:~/day1$ cat > test1.c
hello all!!
archana@practice-vm:~/day1$ cat test1.c
hello all!!
archana@practice-vm:~/day1$ rm test1.c
archana@practice-vm:~/day1$ ls
assd  day1.c  test1.txt  test2.c  test3  test.c
archana@practice-vm:~/day1$ cat > test2.c
first assignment....
archana@practice-vm:~/day1$ cp test2.c test.c
archana@practice-vm:~/day1$ ls
assd  day1.c  test1.txt  test2.c  test3  test.c
archana@practice-vm:~/day1$ mv test.c test1.c
archana@practice-vm:~/day1$ ls
assd  day1.c  test1.c  test1.txt  test2.c  test3
archana@practice-vm:~/day1$ who
archana  seat0      2026-08-31 21:07
archana  tty2        2026-08-31 21:07
archana@practice-vm:~/day1$ date
Thu Sep  3 09:56:03 PM IST 2026
```

NAME

man - an interface to the system reference manuals

SYNOPSIS

```
man [man options] [[section] page ...] ...  
man -k [apropos options] regexp ...  
man -K [man options] [section] term ...  
man -f [whatis options] page ...  
man -l [man options] file ...  
man -w|-W [man options] page ...
```

DESCRIPTION

man is the system's manual pager. Each **page** argument given to **man** is normally the name of a program, utility or function. The **manual page** associated with each of these arguments is then found and displayed. A **section**, if provided, will direct **man** to look only in that **section** of the manual. The default action is to search in all of the available **sections** following a pre-defined order (see **DEFAULTS**), and to show only the first **page** found, even if **page** exists in several **sections**.

The table below shows the **section** numbers of the manual followed by the types of pages they contain.

- 1 Executable programs or shell commands
- 2 System calls (functions provided by the kernel)
- 3 Library calls (functions within program libraries)
- 4 Special files (usually found in **/dev**)

Manual page man(1) line 1 (press h for help or q to quit)

```
line;  
archana@practice-vm:~/day1$ cat > test.c  
line 1;  
line 2;  
line 3;  
line 4;  
line 5;  
line 10;  
line 15;  
archana@practice-vm:~/day1$ head test.c  
line 1;  
line 2;  
line 3;  
line 4;  
line 5;  
line 10;  
line 15;  
archana@practice-vm:~/day1$ tail test.c  
line 1;  
line 2;  
line 3;  
line 4;  
line 5;  
line 10;  
line 15;  
archana@practice-vm:~/day1$
```

Q2. Try the following tasks:

1. type the command whoami
2. create a new directory on the desktop named lab2
3. change directories into lab2
4. list all files, even hidden files (directory should be blank)
5. create a new file that contains the calendar for this month (use >)
6. list all files again, even hidden files (there should be just one file)
7. display the entire contents of that new file
8. delete the file
9. print calendar of the year 2020
10. ask the system for today's date

```
archana@practice-vm:~/desktop$ cd ..
archana@practice-vm:~$ whoami
archana
archana@practice-vm:~$ cd desktop
archana@practice-vm:~/desktop$ mkdir lab
archana@practice-vm:~/desktop$ cd lab
archana@practice-vm:~/desktop/lab$ ls -a
.  ..
archana@practice-vm:~/desktop/lab$ cal > calendar.txt
bash: cal: command not found
archana@practice-vm:~/desktop/lab$ ls -a
.  ..  calendar.txt
archana@practice-vm:~/desktop/lab$ cat calendar.txt
archana@practice-vm:~/desktop/lab$ rm calendar.txt
archana@practice-vm:~/desktop/lab$ ls -a
.  ..
archana@practice-vm:~/desktop/lab$ date
Thu Sep  3 10:14:31 PM IST 2026
archana@practice-vm:~/desktop/lab$
```

Q3. Try the following tasks

1. Use 'touch' command to create 3 empty files called test3.2, slide12, cis2
2. Use wildcards to list all filenames that have the letter 's' in the name (use *)
3. Use wildcards to list all filenames that have letter 's' as the third character in the name(use ? *)
4. Use wildcards to list all filenames that have the number 1 or 3 in the name (use [])

5. Use wildcards to list all filenames that have at least 2 digits, and the digits don't have to be next to each other.(A digit is a numeric value between 0 and 9
6. Use an option of the ls command to see the size in bytes of file test3.2
7. Rename test3.2 to temp2
8. Run a command to prove that test3.2 doesn't exists
9. Use a command to delete all 3 files that you created in this lab

```
archana@practice-vm:~$ touch test3.2 slide12 cis2
archana@practice-vm:~$ ls
a.out          day1          gitpraticce   over          slide12,cis2
Assignemnt_Day1.pdf day1.c        hello         over.c        suev.c
Assignment_2    day2          Hello1.c      Pictures      Templates
cal.c          desktop       Hello1.c-Hello.i practice      test3.2
cdac           Desktop       Hello1.c-Hello.o preprocessor   test3.2,
cdac1          DevOps-Day1   Hello1.c-Hello.s project        test.txt
cdac1.c        docs          index.html    prt.c         Videos
cdac2          Documents     Lab_Assignments_2.pdf pt1.c         vowcon.c
cdac2-cdac1.o Downloads     lamp          pt.c          workspace
Cdac.txt       edit          lamp-project  Public
char.c         edit.c        leap.c        python-functions
cis2           ev.c         Music         python-oops-project
clear          gitpractice   od.c          slide12
archana@practice-vm:~$ ls *s*
Assignemnt_Day1.pdf Hello1.c-Hello.s preprocessor slide12,cis2 test3.2 test.txt
cis2                Lab_Assignments_2.pdf slide12     suev.c       test3.2,

archana@practice-vm:~$ ls ??s*
Assignemnt_Day1.pdf  cis2  test3.2  test3.2,  test.txt

Assignment_2:
Basic_programs

desktop:
lab lab1

Desktop:
cdac cdac1.txt hello

Music:
archana@practice-vm:~$ ls *[13]*
cdac2-cdac1.o Hello1.c-Hello.o slide12 test3.2,
cdac1         Hello1.c         Hello1.c-Hello.s slide12,cis2
cdac1.c       Hello1.c-Hello.i pt1.c          test3.2

day1:
assd day1.c test1.c test1.txt test2.c test3 test.c

day1.c:

DevOps-Day1:
commands.txt Linux
archana@practice-vm:~$ ls *[0-9]*[0-9]*
cdac2-cdac1.o slide12 slide12,cis2 test3.2 test3.2,
archana@practice-vm:~$ ls -l test3.2
archana@practice-vm:~$ ls *[0-9]*[0-9]*
cdac2-cdac1.o slide12 slide12,cis2 test3.2 test3.2,
archana@practice-vm:~$ ls -l test3.2
-rw-rw-r-- 1 archana archana 0 Sep  3 22:26 test3.2
archana@practice-vm:~$ mv test3.2 temp
archana@practice-vm:~$ ls
a.out          day1          gitpraticce   over          slide12,cis2
Assignemnt_Day1.pdf day1.c        hello         over.c        suev.c
Assignment_2    day2          Hello1.c      Pictures      temp
cal.c          desktop       Hello1.c-Hello.i practice      Templates
cdac           Desktop       Hello1.c-Hello.o preprocessor   test3.2,
cdac1          DevOps-Day1   Hello1.c-Hello.s project        test.txt
cdac1.c        docs          index.html    prt.c         Videos
cdac2          Documents     Lab_Assignments_2.pdf pt1.c         vowcon.c
cdac2-cdac1.o Downloads     lamp          pt.c          workspace
Cdac.txt       edit          lamp-project  Public
char.c         edit.c        leap.c        python-functions
cis2           ev.c         Music         python-oops-project
clear          gitpractice   od.c          slide12
archana@practice-vm:~$ rm temp slide12 cis2
archana@practice-vm:~$ ls -a
.
..
a.out          day1.c        Hello1.c-Hello.o pt1.c
Assignemnt_Day1.pdf day2.c        Hello1.c-Hello.s pt.c
Assignment_2    desktop       Hello1.c-Hello.o Public
.bash_history   Desktop       Hello1.c-Hello.s python-functions
.bash_logout    DevOps-Day1   Hello1.c-Hello.s python-oops-project
.bashrc         docs          index.html      .secret
.cache          Documents     Lab_Assignments_2.pdf slide12,cis2
cal.c           Downloads     lamp            .ssh
cdac            edit          lamp-project    .sudo_as_admin_successful
cdac1          edit.c        leap.c          suev.c
cdac1.c        ev.c         .local          Templates
cdac1.c       .face.icon   mozilla         test3.2
cdac1.c       .face.icon   mozilla         test3.2
```