# Visual display of the list of added items on the Cart page

Severity **Priority Behavior Type** O Normal ↑ High Positive Usability Is Flaky Milestone **Automation** Layer Not set No Manual Status Is Muted Actual No

### **Pre-conditions**

The user is registered and authorized:

**login:** 3-15 characters, can include Latin letters, numbers, symbol "\_" **password:** at least 8 characters, including at least one Latin letter and one number

#### **Post-conditions**

The user is removed from the system.

### **Attachments**



items%20cart%20.

Step	1
Action	Open the <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a>
Input data	
Expected result	The Product Catalog page is opened
Step	2
Action	Add several random items in any quantity to the Cart
Input data	
Expected result	The selected items in the corresponding quantities are added to the Cart    
Step	3
Action	Navigate to the Cart page
Input data	
Expected result	The Cart page is opened

Step	4
Action	Check the presence of the list of added items
Input data	
Expected result	There is a corresponding list of added items on the page
Step	5
Action	Check the presence of the images of the items in the list
Input data	
Expected result	Each item in the list has an image
Step	6
Action	Check the presence of item names in the list
Input data	
Expected result	Each item in the list has a name
Step	7
Action	Check the presence of a field with the corresponding quantity for each item    
Input data	
Expected result	There is a field displaying the quantity next to each item
Step	8
Action	Check the presence of the price per unit for each item
Input data	
Expected result	The price per unit is indicated next to each item

# Visual display of elements for removing items from the Cart

Severity **Priority Behavior Type** O Normal ↑ High Positive Usability Is Flaky Milestone **Automation** Layer Not set No Manual Status Is Muted Actual No

### **Pre-conditions**

The user is registered and authorized:

**login:** 3-15 characters, can include Latin letters, numbers, symbol "\_" **password:** at least 8 characters, including at least one Latin letter and one number

### **Post-conditions**

The user is removed from the system.

### **Attachments**



deleted%20button.

Step	1
Action	Open the <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a>
Input data	
Expected result	The Product Catalog page is opened
Step	2
Action	Add several random items in any quantity to the Cart
Input data	
Expected result	The selected items in the corresponding quantities are added to the Cart    
Step	3
Action	Navigate to the Cart page
Input data	
Expected result	The Cart page is opened

Step	4
Action	Check the presence of the "Удалить" button
Input data	
Expected result	There is a red "Удалить" button next to each item in the list

# Removing an item from the Cart by clicking the "Удалить" button

SeverityPriorityBehaviorType○ Normal↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomation

Not set No - Manual

Status Is Muted

Actual No

### **Pre-conditions**

The user is registered and authorized:

login: 3-15 characters, can include Latin letters, numbers, symbol "\_" password: at least 8 characters, including at least one Latin letter and one number

### **Post-conditions**

The user is removed from the system.

Step	1
Action	Open the <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a>
Input data	
Expected result	The Product Catalog page is opened
Step	2
Action	Add any item to the Cart
Input data	
Expected result	The selected item is added to the Cart  <br< td=""></br<>
Step	3
Action	Navigate to the Cart page
Input data	
Expected result	The Cart page is opened
Step	4
Action	Click the "Удалить" button next to the item
Input data	

# Updating the total cost of items when removing an item from the Cart

SeverityPriorityBehaviorTypeO Normal↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomation

Not set No - Manual

Status Is Muted

Actual No

### **Pre-conditions**

The user is registered and authorized:

login: 3-15 characters, can include Latin letters, numbers, symbol "\_" password: at least 8 characters, including at least one Latin letter and one number

### **Post-conditions**

The user is removed from the system.

Step	1
Action	Open the <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a>
Input data	
Expected result	The Product Catalog page is opened
Step	2
Action	Add several random items in any quantity to the Cart
Input data	
Expected result	The selected items in the corresponding quantities are added to the Cart    
Step	3
Action	Navigate to the Cart page
Input data	
Expected result	The Cart page is opened
Step	4
Action	Remove one of the items by clicking "Удалить" button
Input data	

# Updating the cart counter when changing/removing the quantity of items on the Cart page

Manual

SeverityPriorityBehaviorTypeO NormalO MediumPositiveFunctional

Layer Is Flaky Milestone Automation

Status Is Muted

No

Actual No

### **Pre-conditions**

Not set

The user is registered and authorized:

**login:** 3-15 characters, can include Latin letters, numbers, symbol "\_" **password:** at least 8 characters, including at least one Latin letter and one number

### **Post-conditions**

The user is removed from the system.

### **Parameters**

Step

4

Change: Increase the quantity, Decrease the quantity, Remove an item

Step	1
Action	Open the <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a>
Input data	
Expected result	The Product Catalog page is opened
Step	2
Action	Add several random items in any quantity to the Cart
Input data	
Expected result	The items are added to the Cart    
Step	3
Action	Check the quantity on the cart counter
Input data	
Expected result	The quantity on the cart counter corresponds to the quantity of the added items

Action	Navigate to the Cart
Input data	
Expected result	The Cart page is opened
Step	5
Action	Change the quantity of one of the items
Input data	Change (from Parameters)
Expected result	The cart counter is automatically updated with the correct quantity without page reload

# The cart counter is hidden when logging out

Severity **Priority Behavior Type** O Normal O Medium Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Manual Status Is Muted Actual No

### **Pre-conditions**

The user is registered and authorized:

login: 3-15 characters, can include Latin letters, numbers, symbol "\_" password: at least 8 characters, including at least one Latin letter and one number

### **Post-conditions**

The user is removed from the system.

Step	1
Action	Open the <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a>
Input data	
Expected result	The Product Catalog page is opened
Step	2
Action	Add any item to the Cart
Input data	
Expected result	The cart counter displays the corresponding quantity of item    
Step	3
Action	Log out by clicking "Выйти" button on the header
Input data	
Expected result	The user is logged out and the cart counter is hidden

# Cart: Input invalid data in the product quantity field is not allowed

SeverityPriorityBehaviorTypeO Normal↑ HighPositiveFunctional

Layer Is Flaky Milestone Automation

Manual

Status Is Muted

Actual No

### **Pre-conditions**

Not set

The user is registered and authorized:

**login:** 3-15 characters, can include Latin letters, numbers, symbol "\_" **password:** at least 8 characters, including at least one Latin letter and one number

### **Post-conditions**

The user is removed from the system.

### **Parameters**

Step

4

Invalid data: Latin letters, Cyrillic letters, Special symbols

Step	1
Action	Open the <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a>
Input data	
Expected result	The Product Catalog page is opened
Step	2
Action	Add any item to the Cart
Input data	
Expected result	The item is added to the Cart 
Step	3
Action	Navigate to the Cart
Input data	
Expected result	The Cart page is opened

Action	Input invalid data in the quantity field
Input data	Invalid data (from the Parameters)
Expected result	Entering invalid data into the quantity field is blocked, the product quantity returns to 1

# Cart: Updating the total cost of items when changing the quantity of items

SeverityPriorityBehaviorTypeO Normal† HighPositiveFunctional

LayerIs FlakyMilestoneAutomationNot setNo-Manual

Status Is Muted

Actual No

### **Pre-conditions**

The user is registered and authorized:

login: 3-15 characters, can include Latin letters, numbers, symbol "\_" password: at least 8 characters, including at least one Latin letter and one number

### **Post-conditions**

The user is removed from the system.

Step	1
Action	Open the https://qa.demoshopping.ru/
Input data	
Expected result	The Product Catalog page is opened
Step	2
Action	Add several random items in any quantity to the Cart
Input data	
Expected result	The selected items in the corresponding quantities are added to the Cart    
Step	3
Action	Navigate to the Cart page
Input data	
Expected result	The Cart page is opened
Step	4
Action	Change the quantity of the items
Input data	

# Cart: Changing the quantity of items using the input field/control elements

SeverityPriorityBehaviorType○ Normal↑ HighPositiveFunctional

Layer Is Flaky Milestone Automation

Manual

Status Is Muted

Actual No

### **Pre-conditions**

Not set

The user is registered and authorized:

**login:** 3-15 characters, can include Latin letters, numbers, symbol "\_" **password:** at least 8 characters, including at least one Latin letter and one number

4

### **Post-conditions**

The user is removed from the system.

### **Parameters**

Step

Changing by: control elements, input field

Step	1
Action	Open the <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a>
Input data	
Expected result	The Product Catalog page is opened
Step	2
Action	Add any item to the Cart
Input data	
Expected result	The item is added to the Cart 
Step	3
Action	Navigate to the Cart
Input data	
Expected result	The Cart page is opened

Action	Change the quantity of the item
Input data	Changing by (from Parameters)
Expected result	The quantity of the item is correctly changed

No

# **Proceed to Checkout with Items in the Cart**

Severity **Priority Behavior Type** Positive O Normal ↑ High **Functional** Layer Is Flaky Milestone **Automation** Manual Not set No Status Is Muted

### **Pre-conditions**

Actual

The user is registered and authorized:

login: 3-15 characters, can include Latin letters, numbers, symbol "\_" password: at least 8 characters, including at least one Latin letter and one number

### **Post-conditions**

The user is removed from the system.

Step	1
Action	Open the https://qa.demoshopping.ru/
Input data	
Expected result	The Product Catalog page is opened
Step	2
Action	Add several items in any quantity to the Cart
Input data	
Expected result	The items are added to the Cart
Step	3
Action	Navigate to the Cart page
Input data	
Expected result	The Cart page is opened
Step	4
Action	Click the button "Оформить заказ"
Input data	
Expected result	The user is redirected on the "Оплата" page, where the formed order is displayed

# Error message when proceeding to Checkout with an empty Cart

Severity **Priority Behavior Type** O Normal ↑ High Negative **Functional** Is Flaky Milestone **Automation** Layer Not set No Manual Status Is Muted Actual No

### **Pre-conditions**

The user is registered and authorized:

**login:** 3-15 characters, can include Latin letters, numbers, symbol "\_" **password:** at least 8 characters, including at least one Latin letter and one number

The Cart is empty.

### **Post-conditions**

The user is removed from the system.

Step	1
Action	Open the https://qa.demoshopping.ru/cart
Input data	
Expected resul	t The Cart page is opened
Step	2
Action	Click the button "Оформить заказ"
Input data	
Expected resul	t Error message "Ваша корзина пуста. Добавьте товары перед оформлением заказа" is displayed

# Visual display of an order on the "Оплата" page

Severity **Priority Behavior Type** O Normal ↑ High Positive Usability Is Flaky Milestone **Automation** Layer Not set No Manual Status Is Muted Actual No

### **Pre-conditions**

The user is registered and authorized:

**login:** 3-15 characters, can include Latin letters, numbers, symbol "\_" **password:** at least 8 characters, including at least one Latin letter and one number

### **Post-conditions**

The user is removed from the system.

### **Attachments**



Step	1
Action	Open the <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a>
Input data	
Expected result	The main page is opened
Step	2
Action	Add several items to the Cart
Input data	
Expected result	The items are added to the Cart
Step	3
Action	Go to the Cart and proceed to Checkout
Input data	
Expected result	The "Оплата" page is opened
Step	4

Action	Check the contents of the order
Input data	
Expected result	The order displays the order number, list of items, price per unit, quantity, and total cost

# Order: Changing the quantity of items using the input field/control elements

SeverityPriorityBehaviorTypeO Normal† HighPositiveUsability

Layer Is Flaky Milestone Automation

Not set No - Manual

Status Is Muted

Actual No

### **Pre-conditions**

The user is registered and authorized:

**login:** 3-15 characters, can include Latin letters, numbers, symbol "\_" **password:** at least 8 characters, including at least one Latin letter and one number

### **Post-conditions**

The user is removed from the system.

### **Parameters**

Changing by: control elements, input field

Step	1
Action	Open the https://qa.demoshopping.ru/
Input data	
Expected result	The main page is opened
Step	2
Action	Add several items to the Cart
Input data	
Expected result	The items are added to the Cart
_	
Step	3
Action	Go to the Cart and proceed to Checkout
Input data	
Expected result	The "Оплата" page is opened
5.	
Step	4

Action	Change the quantity of the item
Input data	Changing by (from Parameters)
Expected result	The quantity of the item is correctly changed

# Order: Removing items by clicking the "Удалить" buttons

Severity **Priority Behavior** Type O Normal ↑ High Positive Usability Layer Is Flaky Milestone **Automation** Not set No Manual Status Is Muted Actual No

### **Pre-conditions**

The user is registered and authorized:

login: 3-15 characters, can include Latin letters, numbers, symbol "\_" password: at least 8 characters, including at least one Latin letter and one number

### **Post-conditions**

The user is removed from the system.

Step	1
Action	Open the <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a>
Input data	
Expected result	The main page is opened
Step	2
Action	Add several items to the Cart
Input data	
Expected result	The items are added to the Cart
Step	3
Action	Go to the Cart and proceed to Checkout
Input data	
Expected result	The "Оплата" page is opened
Step	4
Action	Click the "Удалить" buttons next to the items
Input data	
Expected result	The items are removed from the Order

# Visual display of elements for removing items from the Order

Severity **Priority Behavior Type** O Normal ↑ High Positive Usability Is Flaky Milestone **Automation** Layer Not set No Manual Status Is Muted Actual No

### **Pre-conditions**

The user is registered and authorized:

**login:** 3-15 characters, can include Latin letters, numbers, symbol "\_" **password:** at least 8 characters, including at least one Latin letter and one number

#### **Post-conditions**

The user is removed from the system.

### **Attachments**



delete%20button...

Step	1
Action	Open the <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a>
Input data	
Expected result	The main page is opened
Step	2
Action	Add several items to the Cart
Input data	
Expected result	The items are added to the Cart
Step	3
Action	Go to the Cart and proceed to Checkout
Input data	
Expected result	The "Оплата" page is opened
Step	4

Action	Check the presence of the "Удалить" button
Input data	
Expected result	There is a red "Удалить" button next to each item in the list

# Visual display of payment methods Visa/Mastercard/Paypal on the "Оплата" page

SeverityPriorityBehaviorTypeO Normal† HighPositiveUsability

Layer Is Flaky Milestone Automation

Not set No - Manual

Status Is Muted

Actual No

#### **Pre-conditions**

The user is registered and authorized:

**login:** 3-15 characters, can include Latin letters, numbers, symbol "\_" **password:** at least 8 characters, including at least one Latin letter and one number

### **Post-conditions**

The user is removed from the system.

#### **Attachments**



## Steps to reproduce

Input data

Expected result The "Оплата" page is opened

Step	1
Action	Open the https://qa.demoshopping.ru/
Input data	
Expected resu	<sup>t</sup> The main page is opened
Step	2
Action	Add several items to the Cart
Input data	
Expected result The items are added to the Cart	
Step	3
Action	Go to the Cart and proceed to Checkout

Step 4 Action Check the presence of the fields to select a payment method Input data Expected result There are three radio buttons to select a payment method (Visa, MasterCard, PayPal) Step 5 Action Select the Visa radio button Input data Expected result There are fields to fill in data: Номер карты, Имя, Фамилия, ММ, ГГ, CVV, Email для отправки чека Step 6 Select the MasterCard radio button Action Input data Expected result There are fields to fill in data: Номер карты, Имя, Фамилия, ММ, ГГ, CVV, Email для отправки чека Step 7 Action Select the PayPal radio button Input data Expected result There are fields to fill in data: Email для PayPal, Email для отправки чека

# Order: Updating the total cost of items when removing/changing the quantity of items

Manual

SeverityPriorityBehaviorType○ Normal↑ HighPositiveFunctional

Layer Is Flaky Milestone Automation

Status Is Muted

Actual No

### **Pre-conditions**

Not set

The user is registered and authorized:

**login:** 3-15 characters, can include Latin letters, numbers, symbol "\_" **password:** at least 8 characters, including at least one Latin letter and one number

### **Post-conditions**

The user is removed from the system.

### **Parameters**

Step

Action: Removing the item, Decrease in quantity, Increase in quantity

4

Step	1
Action	Open the https://qa.demoshopping.ru/
Input data	
Expected result	The Product Catalog page is opened
Step	2
Action	Add several items in any quantity to the Cart
Input data	
Expected result	The items are added to the Cart     
Step	3
Action	Go to the Cart and proceed to Checkout
Input data	
Expected result	The "Оплата" page is opened

Action	Change the quantity of items in the order
Input data	Action (from Parameters)
Expected result	The total cost of items is correctly updated

# Order: Accuracy of calculating the total order cost with free shipping

SeverityPriorityBehaviorType○ Normal↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomation

Not set No - Manual

Status Is Muted

Actual No

### **Pre-conditions**

The user is registered and authorized:

login: 3-15 characters, can include Latin letters, numbers, symbol "\_" password: at least 8 characters, including at least one Latin letter and one number

### **Post-conditions**

The user is removed from the system.

Step	1
Action	Open the https://qa.demoshopping.ru/
Input data	
Expected result	The Product Catalog page is opened
Step	2
Action	Add several free shipping items to the Cart
Input data	
Expected result	The free shipping items are added to the Cart   
Step	3
Action	Go to the Cart and proceed to Checkout
Input data	
Expected result	The "Оплата" page is opened
Step	4
Action	Calculate total order amount
Input data	

# Order: Accuracy of calculating the total order cost with paid shipping

Manual

SeverityPriorityBehaviorType○ Normal↑ HighPositiveFunctional

Layer Is Flaky Milestone Automation

Status Is Muted

Actual No

### **Pre-conditions**

Not set

The user is registered and authorized:

**login:** 3-15 characters, can include Latin letters, numbers, symbol "\_" **password:** at least 8 characters, including at least one Latin letter and one number

### **Post-conditions**

Input data

The user is removed from the system.

Step	1
Action	Open the <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a>
Input data	
Expected result	The Product Catalog page is opened
Step	2
Action	Add several paid shipping items to the Cart
Input data	
Expected result	The paid shipping items are added to the Cart   
Step	3
Action	Go to the Cart and proceed to Checkout
Input data	
Expected result	The "Оплата" page is opened
Step	4
Action	Calculate total order amount

# Order: Payment with valid Visa card

No

Severity **Priority Behavior Type** Positive O Normal ↑ High **Functional** Layer Is Flaky Milestone **Automation** Not set No Manual Status Is Muted

### **Pre-conditions**

Actual

The user is registered and authorized:

login: 3-15 characters, can include Latin letters, numbers, symbol "\_" password: at least 8 characters, including at least one Latin letter and one number

There is data of a valid Visa card with 2000 USD balance.

### **Post-conditions**

The user is removed from the system.

Step	1
Action	Open the <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a>
Input data	
Expected result	The Product Catalog page is opened
Step	2
Action	Add any items worth no more than 2000 USD
Input data	
Expected result	The items are added to the Cart   
Step	3
Action	Go to the Cart and proceed to Checkout
Input data	
Expected result	The "Оплата" page is opened
Step	4
Action	Select payment by Visa card
Input data	

Expected result	The payment by Visa card is selected
Step	5
Action	Fill in the fields with data of valid Visa card
Input data	<u>Test data</u>
Expected result	The data of valid Visa card is entered into the fields
Step	6
Action	Click the "Оформить заказ" button
Input data	
Expected result	The order is successfully paid

# Order: Error message when paying with an invalid Visa card

Severity **Priority Behavior Type** O Normal ↑ High Negative **Functional** Milestone **Automation** Layer Is Flaky Not set Manual No Status Is Muted Actual No

#### **Pre-conditions**

The user is registered and authorized:

login: 3-15 characters, can include Latin letters, numbers, symbol "\_" password: at least 8 characters, including at least one Latin letter and one number

There is data of invalid Visa cards.

#### **Post-conditions**

Input data

The user is removed from the system.

Step	1
Action	Open the <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a>
Input data	
Expected result The Product Catalog page is opened	
Step	2
Action	Add any items to the Cart
Input data	
Expected result	The items are added to the Cart    
Step	3
Action	Go to the Cart and proceed to Checkout
Input data	
Expected result The "Оплата" page is opened	
Step	4
Action	Select payment by Visa card

Expected result The payment by Visa card is selected

Step 5

Action Fill in the fields with data of invalid Visa card

Input data <u>Test data</u>

Expected result The data of invalid Visa card is entered into the fields

Step 6

Action Click the "Оформить заказ" button

Input data

Expected result Error message "Ошибка оплаты. Попробуйте другой способ или попробуйте позже" is displayed

# **Order: Payment with valid MasterCard**

Severity **Priority Behavior Type** Positive O Normal ↑ High **Functional** Is Flaky Milestone **Automation** Layer Not set No Manual Status Is Muted

#### **Pre-conditions**

Actual

The user is registered and authorized:

login: 3-15 characters, can include Latin letters, numbers, symbol "\_" password: at least 8 characters, including at least one Latin letter and one number

There is data of a valid MasterCard with 2000 USD balance.

No

#### **Post-conditions**

The user is removed from the system.

Step	1
Action	Open the <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a>
Input data	
Expected result	The Product Catalog page is opened
Step	2
Action	Add any items worth no more than 2000 USD
Input data	
Expected result	The items are added to the Cart    
Step	3
Action	Go to the Cart and proceed to Checkout
Input data	
Expected result	The "Оплата" page is opened
Step	4
Action	Select payment by MasterCard
Input data	

Expected result	The payment by MasterCard is selected
Step	5
Action	Fill in the fields with data of valid MasterCard
Input data	<u>Test data</u>
Expected result	The data of valid MasterCard is entered into the fields
Step	6
Action	Click the "Оформить заказ" button
Input data	
Expected result	The order is successfully paid

# Order: Error message when paying with an invalid MasterCard

Severity **Priority Behavior Type** O Normal ↑ High Negative **Functional** Is Flaky Milestone **Automation** Layer Not set No Manual Status Is Muted Actual No

#### **Pre-conditions**

The user is registered and authorized:

**login:** 3-15 characters, can include Latin letters, numbers, symbol "\_" **password:** at least 8 characters, including at least one Latin letter and one number

There is data of invalid MasterCard.

#### **Post-conditions**

Input data

The user is removed from the system.

Step	1	
Step	1	
Action	Open the <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a>	
Input data		
Expected result	Expected result The Product Catalog page is opened	
Step	2	
Action	Add any items to the Cart	
Input data		
Expected result	The items are added to the Cart    	
Step	3	
Action	Go to the Cart and proceed to Checkout	
Input data		
Expected result	The "Оплата" page is opened	
Step	4	
Action	Select payment by MasterCard	
1		

Expected result The payment by MasterCard is selected

Step 5

Action Fill in the fields with data of invalid MasterCard

Input data <u>Test data</u>

Expected result The data of invalid MasterCard is entered into the fields

Step 6

Action Click the "Оформить заказ" button

Input data

Expected result Error message "Ошибка оплаты. Попробуйте другой способ или попробуйте позже" is displayed

# **Order: Payment with valid PayPal**

Severity **Priority Behavior Type** Positive O Normal ↑ High **Functional** Layer Is Flaky Milestone **Automation** Not set No Manual Status Is Muted Actual No

#### **Pre-conditions**

The user is registered and authorized:

login: 3-15 characters, can include Latin letters, numbers, symbol "\_" password: at least 8 characters, including at least one Latin letter and one number

There is data of a valid PayPal account with 2000 USD balance.

#### **Post-conditions**

The user is removed from the system.

Step	1
Action	Open the <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a>
Input data	
Expected result	The Product Catalog page is opened
Step	2
Action	Add any items worth no more than 2000 USD
Input data	
Expected result	The items are added to the Cart   
Step	3
Action	Go to the Cart and proceed to Checkout
Input data	
Expected result	The "Оплата" page is opened
Step	4
Action	Select payment by PayPal
Input data	

Expected result	The payment by PayPal is selected
Step	5
Action	Input the data of valid PayPal account into the "Email для PayPal" field
Input data	<u>Test data</u>
Expected result	The data of valid PayPal account is entered into the field
Step	6
Action	Input the valid email into "Email для отправки чека" field
Input data	
Expected result	The valid email is entered into the field
Step	7
Action	Click the "Оформить заказ" button
Input data	
Expected result	The order is successfully paid

No

# Order: Error message when paying with an invalid PayPal

Severity **Priority Behavior Type** O Normal ↑ High Negative **Functional** Is Flaky Milestone **Automation** Layer Not set Manual No Status Is Muted

#### **Pre-conditions**

Actual

The user is registered and authorized:

login: 3-15 characters, can include Latin letters, numbers, symbol "\_" password: at least 8 characters, including at least one Latin letter and one number

There is data of invalid PayPal.

#### **Post-conditions**

Input data

The user is removed from the system.

Step	1
Action	Open the <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a>
Input data	
Expected result	The Product Catalog page is opened
Step	2
Action	Add any items to the Cart
Input data	
Expected result	The items are added to the Cart    
Step	3
Action	Go to the Cart and proceed to Checkout
Input data	
Expected result	The "Оплата" page is opened
Step	4
Action	Select payment by PayPal

Expected result The payment by PayPal is selected

Input data

Step 5 Action Input the data of invalid PayPal account into the "Email для PayPal" field Input data Test data Expected result The data of invalid PayPal account is entered into the field Step 6 Input the valid email into "Email для отправки чека" field Action Input data Expected result The valid email is entered into the field Step 7 Action Click the "Оформить заказ" button

Expected result Error message "Ошибка оплаты. Попробуйте другой способ или попробуйте позже" is displayed

# The order is displayed in the order history after successful payment

SeverityPriorityBehaviorType○ Normal↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomation

Not set No - Manual

Status Is Muted

Actual No

#### **Pre-conditions**

The user is registered and authorized:

**login:** 3-15 characters, can include Latin letters, numbers, symbol "\_" **password:** at least 8 characters, including at least one Latin letter and one number

There is data of a valid Visa/MasterCard/PayPal with 2000 USD balance.

#### **Post-conditions**

Action

The user is removed from the system.

### Steps to reproduce

Step	1
Action	Open the <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a>
Input data	
Expected result	The Product Catalog page is opened
Step	2
Action	Add any items worth no more than 2000 USD
Input data	
Expected result	The items are added to the Cart     
Step	3
Action	Go to the Cart and proceed to Checkout
Input data	
Expected result	The "Оплата" page is opened
Step	4

Select any payment method

## Input data

Expected result	The payment method is selected
Step	5
Action	Input the data of valid payment method into the fields
Input data	<u>Test data</u>
Expected result	The data of valid method is entered into the fields
Step	6
Action	Click the "Оформить заказ" button
Input data	
Expected result	The order is successfully paid
Step	7
Action	Navigate to the "История заказов" page
Input data	
Expected result	The order is displayed into the order history table