

Exp No: 8

GAS SENSOR MQ-2 IN PROTEUS USING ARDUINO

AIM:

To write an Embedded C program for interfacing Gas Sensor MQ-2 using Arduino Uno and Proteus

SOFTWARE REQUIRED:

- Proteus 8 software.
- Arduino IDE software

PROGRAM:

```
#define GreenLed 13

#define Sensor A0

void setup(){
  pinMode(13,OUTPUT);
  pinMode(12,OUTPUT);
  pinMode(A0,INPUT);
  Serial.begin(9600);
}

void loop() {
  int value = analogRead(A0);

  Serial.print("&quot;Analogic Value coming from the sensor : &quot;);
  Serial.println(value);

  delay(100);


  if(value>600){
```

```
digitalWrite(13,HIGH);  
}  
else{  
digitalWrite(13,LOW);  
}  
delay(20);  
}
```

Code for MQ6 sensor:

```
int mq6Pin = A0; // MQ-5 analog pin connected to A0  
void setup() {  
Serial.begin(9600);  
void loop() {  
int sensorValue = analogRead(mq5Pin);  
Serial.print(&quot;MQ5 Sensor Value: &quot;);  
Serial.println(sensorValue);  
delay(1000); // 1-second delay  
}
```

OUTPUT:



RESULT:

Thus the program has been successfully verified and executed.