1. Impreza

A: DIMENSION

Model			4 door	5 door	SPORT			
Overall length mm (in)			4,585 (180.5) 4,420 (174.0)					
Overall width		mm (in)	1,740 (68.5)					
Overall height (at C.W.) mm (in)			1,465	(57.7)	1,510 (59.4)			
	Length	mm (in)	2,005 (78.9)					
Compartment	Width	mm (in)	1,490 (58.7)					
Compartment	Height	mm (in)	Model without sunroof: 1,010 (39.8) Model with sunroof: 946 (37.2)					
Wheelbase		mm (in)	2,645 (104.1)					
Tread	Front	mm (in)	1,510 (59.4)					
Ireau	Rear	mm (in)	1,515 (59.6)					
Minimum road c	learance	mm (in)	145	145 (5.7)				

B: ENGINE

Model		2.0 L
Engine type		Horizontally opposed, liquid cooled, 4-cylinder, 4-stroke gasoline engine
Valve arrangement		DOHC
Bore × stroke	mm (in)	84.0 × 90.0 (3.31 × 3.54)
Displacement	cm ³ (cu in)	1,995 (121.73)
Compression ratio		10.5
Ignition order		1 - 3 - 2 - 4
Idle speed at parking or neutral position	r/min	650±100
Maximum output	kW (HP)/[r/min]	110 (147)/6,200
Maximum torque	N·m (kgf-m, ft-lb)/[r/min]	196 (20.0, 145)/4,200

C: ELECTRICAL

Model		2.0 L
Ignition timing (at idling) BTDC		MT: 12°±10° CVT: 16°±10°
Spark plug	Type and manufacturer	NGK: SILZKAR7B11
Generator		12 V — 130 A
Type and capacity (5HR)		12 V — 48 AH (55D23L)
Battery	CCA	390 A

D: TRANSMISSION

1. MT

Model			2.0 L DOHC non-turbo			
Transmission type			5MT			
Clutch type	Clutch type		DSPD			
		1st	3.454			
		2nd	1.888			
Coor ratio		3rd	1.296			
Gear ratio		4th	0.972			
		5th	0.738			
		Rev.	3.333			
Deduction goor (front)		Type of gear	Hypoid			
Reduction gear (front)		Gear ratio	4.111			
Transfer reduction		Type of gear	Helical			
Transfer reduction		Gear ratio	1.000			
Deduction goor (roor)	Final raduation	Type of gear	Hypoid			
Reduction gear (rear)	Final reduction	Gear ratio	4.111			

5MT: 5-forward speeds and 1-reverse with synchromesh

DSPD: Dry Single Plate Diaphragm

2. CVT

Model			2.0 L DOHC non-turbo			
Transmission type			CVT			
Clutch type			TCC			
Gear ratio		Forward	3.420 — 0.544			
		Rev.	3.502			
Poduction goar (front)	Final reduction	Type of gear	Hypoid			
Reduction gear (front)	Final reduction	Gear ratio	3.700			
Transfer reduction ratio			1.000			
Padvation soon (near)		Type of gear	Hypoid			
Reduction gear (rear)		Gear ratio	3.700			

TCC: Torque Converter Clutch

CVT: Forward continuously variable speed change, 1-reverse

E: STEERING

Туре		Rack and pinion
Turns, lock to lock		2.9
Minimum turning diameter	m (ft)	5.3 (17.39)

F: SUSPENSION

Front	Macpherson strut type suspension				
Rear	Double-wishbone type suspension				

G: BRAKE

Service brake system	Dual circuit hydraulic with vacuum suspended power unit
Front	Ventilated disc brake
Rear	Solid disc brake
Parking brake	Mechanical on rear brakes

H: TIRE

Rim size	15 × 6J	16 × 6 ¹ / ₂ J	17 × 7J, 17 × 7JJ		
Tire size	P195/65R15 89H	P205/55R16 89V	P205/50R17 88V		
Туре	Tubeless, Steel belted radial				

I: CAPACITY

Madal				2.0 L		
Model			5MT	CVT		
Fuel tank L (US gal, In			55 (14.5, 12.1)			
	Total capacity (at overhaul)	L (US qt, Imp qt)	5.7	(6.0, 5.0)		
When replacing engine oil and oil filter		L (US qt, Imp qt)	4.8 (5.1, 4.2)			
	When replacing engine oil only	L (US qt, Imp qt) 4.6 (4.9, 4.0)		(4.9, 4.0)		
Transmissio	n gear oil	L (US qt, Imp qt)	3.5 (3.7, 3.1)	_		
CVTF		L (US qt, Imp qt)	_	11.68 — 12.18 (12.3 — 12.9, 10.3 — 10.7)		
Front differential gear oil		L (US qt, Imp qt)	_	1.14 — 1.24 (1.2 — 1.3, 1.0 — 1.1)		
Rear differential gear oil		L (US qt, Imp qt)	0.8	8, 0.7)		
Engine cool	ant	L (US qt, Imp qt)	8.0 (8.5, 7.0)	8.4 (8.9, 7.4)		

J: WEIGHT

NA1 - 1			4 door						
Model			2.0 i						
Transmission			M	IT .	CVT				
OP code			U5	C5	U5	C5			
OF code			MB	MB	MB	MB			
	Total	kg (lb)	1,340 (2,954)	1,340 (2,954)	1,375 (3,031)	1,375 (3,031)			
Curb weight (C.W.)	Front	kg (lb)	785 (1,731)	785 (1,731)	820 (1,808)	820 (1,808)			
	Rear	kg (lb)	555 (1,224)	555 (1,224)	555 (1,224)	555 (1,224)			
Gross vehicle weight (G.V.W.)			1,950 (4,299)	1,950 (4,299)	1,950 (4,299)	1,950 (4,299)			
Gross axle weight	Front	kg (lb)	990 (2,183)	990 (2,183)	990 (2,183)	990 (2,183)			
(G.A.W.)	Rear	kg (lb)	1,000 (2,205)	1,000 (2,205)	1,000 (2,205)	1,000 (2,205)			
	Aluminum wheel		_	_	_	_			
	Keyless access wi push button start	th	_	_	_	_			
	Auto A/C	_	_	_	_				
	Manual A/C		\circ	\circ	\circ	\circ			
	Leather package		_	_	_	_			
	Genuine leather s	eat	_	_	_	_			
Option	Standard audio		\circ	\circ	\circ	\circ			
	Premium audio		_	_	_	_			
	Navigation		_	_	_	_			
	Side airbag		0	0	0	0			
	Curtain airbag		0	0	0	0			
	HID headlight		_	_	_	_			
	Cold weather pack	kage	_	_	_	_			
	Sunroof		_	_	_	_			

								4 door						
Model				2.0 i-Premium									2.0 i-Premium EyeSight	
Transmission				MT CVT										
OP code			U5 3C	C5 3C	C5 2P	U5 3B	U5 3C	U5 3P	C5 3C	C5 2P	C4 3B	U5 3C	U5 VC	
	Total	kg (lb)	1,355 (2,987)	1,355 (2,987)	1,355 (2,987)	1,395 (3,075)	1,395 (3,075)	1,395 (3,075)	1,395 (3,075)	1,395 (3,075)	1,400 (3,086)	1,395 (3,075)	1,395 (3,075)	
Curb weight (C.W.)	Front	kg (lb)	795 (1,753)	795 (1,753)	795 (1,753)	840 (1,852)								
	Rear	kg (lb)	560 (1,235)	560 (1,235)	560 (1,235)	555 (1,224)	555 (1,224)	555 (1,224)	555 (1,224)	555 (1,224)	560 (1,235)	555 (1,224)	555 (1,224)	
Gross vehicle (G.V.W.)	weight	kg (lb)	1,950 (4,299)											
Gross axle weight	Front	kg (lb)	990 (2,183)											
(G.A.W.)	Rear	kg (lb)	1,000 (2,205)											
	Aluminum wheel		0	0	0	0	0	0	0	0	0	0	0	
	Keyless access v push button start		_		_				_		_			
	Auto A/C		—	_	—	_	_	_	_	_	—	_	_	
	Manual A/C		\circ											
	Leather package		—	_	\circ	_	_	_	_	\circ	—	_	_	
	Genuine leather	seat	_	_	_	_	_		_	_	_	_	_	
Option	Standard audio		0	0	0	0	0	\circ	0	0	0	_	_	
Орион	Premium audio		_	_	_	_	_	_	_	_	_	0	_	
	Navigation		_	_	_	_	_	_	_	_	_	_	\circ	
	Side airbag		0	\circ	0	\circ	0	\circ	0	\circ	0	0	\circ	
	Curtain airbag		0	0	0	0	0	0	0	0	0	0	0	
	HID headlight		_	_	_	_	_	_	_	_	_	_	_	
	Cold weather page	ck-	0	0	0	_	0	0	0	0	_	0	0	
	Sunroof	· <u> </u>	_	_	\circ		_	\circ		\circ		_	_	

		4 door									
Model		2.0	2.0 i-Premium+ EyeSight								
Transmission		N	IT			CVT					
OR code			U5	C5	U5	C5	C4	C5			
OP code			2P	RP	2P	RP	RY	TP			
	Total	kg (lb)	1,370 (3,020)	1,370 (3,020)	1,400 (3,086)	1,400 (3,086)	1,405 (3,097)	1,400 (3,086)			
Curb weight (C.W.)	Front	kg (lb)	800 (1,764)	800 (1,764)	840 (1,852)	840 (1,852)	840 (1,852)	840 (1,852)			
	Rear	kg (lb)	570 (1,257)	570 (1,257)	560 (1,235)	560 (1,235)	565 (1,246)	560 (1,235)			
Gross venicie weigni (G. V.VV.)		kg (lb)	1,950 (4,299)	1,950 (4,299)	1,950 (4,299)	1,950 (4,299)	1,950 (4,299)	1,950 (4,299)			
Gross axle weight (G.A.W.)	Front	kg (lb)	990 (2,183)	990 (2,183)	990 (2,183)	990 (2,183)	990 (2,183)	990 (2,183)			
	Rear	kg (lb)	1,000 (2,205)	1,000 (2,205)	1,000 (2,205)	1,000 (2,205)	1,000 (2,205)	1,000 (2,205)			
	Aluminum wheel		\circ	\circ	\circ	\circ	\circ	\circ			
	Keyless access wit push button start	_	_	_	_	_	0				
	Auto A/C	_	0	_	0	0	0				
	Manual A/C	0		\circ		_					
	Leather package		\circ	\circ	\circ	\circ	\circ	\circ			
	Genuine leather se	at	_	_	_	_	_	_			
Option	Standard audio		0	\circ	0	0	0	0			
	Premium audio		_	_	_	_	_	_			
	Navigation		_	_	_	_	_	_			
	Side airbag		0	0	0	0	0	0			
	Curtain airbag		0	0	0	0	0	0			
	HID headlight		_	_	_	_	0	_			
	Cold weather pack	age	0	0	0	0	_	0			
	Sunroof	0	0	0	\circ	\circ	\circ				

							4 door				
Model					2.0	i-L			2.0 i-L	imited Ey	eSight
Transmission	MT				C/	/T			-		
OP code			C5	U5	U5	U5	C5	C4	U5	U5	C5
OF code			HR	QC	SP	EP	HR	SR	QC	EP	ER
	Total	kg (lb)	1,365 (3,009)	1,410 (3,108)	1,410 (3,108)	1,410 (3,108)	1,410 (3,108)	1,410 (3,108)	1,410 (3,108)	1,410 (3,108)	1,410 (3,108)
Curb weight (C.W.)	Front	kg (lb)	800 (1,764)	845 (1,863)	845 (1,863)	845 (1,863)	845 (1,863)	845 (1,863)	845 (1,863)	5 U5 C EP 10 1,410 10 (3,108) 10 845 10 (1,863) 10 565 10 (1,246) 10 (845 (1,863)
	Rear	kg (lb)	565 (1,246)		565 (1,246)						
Gross vehicle weight (G.V.W.)		kg (lb)	1,950 (4,299)	,	1,950 (4,299)						
Gross axle	Front	kg (lb)	990 (2,183)		990 (2,183)						
weight (G.A.W.)	Rear	kg (lb)	1,000 (2,205)	U5 EP 1,410 (3,108) 845 (1,863) 565 (1,246) 1,950 (4,299) 990 (2,183) 1,000 (2,205)	1,000 (2,205)						
	Aluminum wheel		0	0	0	0	0	0	0	0	0
	Keyless access wit push button start	h	_	_	0	0	_	0	_	0	0
	Auto A/C		0	0	0	0	0	0	0	0	0
	Manual A/C		_	_	_	_	_	_	_	_	_
	Leather package		\circ		\circ						
	Genuine leather se	at	\circ	0	0	0	0	0	\circ	\circ	\circ
Option	Standard audio		_	_	_	_	_	_	_	_	_
	Premium audio		_	0	0	_	_	0	0	_	_
	Navigation		0	_		0	\circ		R QC EP 110 1,410 1,410 (3,108) 45 845 845 663) (1,863) (1,863) 55 565 565 246) (1,246) (1,246) 190 990 990 83) (2,183) (2,183) 100 1,000 1,000 1,000 1,000 1,000 105) (2,205) (2,205) 100 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	
	Side airbag		0	0	0	0	0	0		_	0
	Curtain airbag		0	0	0	0	0	0	0	0	0
	HID headlight		0	_	_	_	0	0	_	_	0
	Cold weather pack	age	0	0	0	0	0	0	0	_	0
	Sunroof		0	_	\circ	0	0	0	_	\circ	\circ

Model				5 d	oor			
Model		2.0 i						
Transmission		M	IT	CVT				
OP code			U5	C5	U5	C5		
Or code	MB	MB	MB	MB				
	Total	kg	1,340	1,340	1,375	1,375		
	Total	(lb)	(2,954)	(2,954)	(3,031)	(3,031)		
Curb weight	Front	kg	785	785	820	820		
(C.W.)		(lb)	(1,731)	(1,731)	(1,808)	(1,808)		
	Rear	kg	555	555	555	555		
		(lb)	(1,224)	(1,224)	(1,224)	(1,224)		
Gross vehicle weight (G.V.W.) kự			1,950 (4,299)	1,950 (4,299)	1,950 (4,299)	1,950 (4,299)		
Gross axle		kg	990	990	990	990		
	Front	(lb)	(2,183)	(2,183)	(2,183)	(2,183)		
weight	_	kg	1,000	1,000	1,000			
(G.A.W.)	Rear	(lb)	(2,205)	(2,205)	(2,205)	(2,205)		
	Aluminum wheel		_	_	_	_		
	Keyless access w	ith	_	_	_	_		
	push button start							
	Auto A/C		_	_	_	_		
	Manual A/C		0	0	0	0		
	Leather package		_	_	_	_		
	Genuine leather s	eat	_	—	—	00 1,000		
Option	Standard audio		\circ	\circ	\circ	\circ		
	Premium audio		_	_	_	_		
	Navigation	Navigation			—	—		
	Side airbag	0	0	0	0			
	Curtain airbag	0	0	0	0			
	HID headlight					_		
	Cold weather pac	kage	_	_	_	_		
	Sunroof		_	_	_	_		

								5 door									
Model						2.0) i-Premi	um									
Transmission				MT CVT													
OP code			U5	C5	C5	U5	U5	U5	C5	C5	C4						
			3C	3C	2P	3B	3C	3P	3C	2P	3B		VC				
	Total	kg (lb)	1,355 (2,987)	1,355 (2,987)	1,355 (2,987)	1,395 (3,075)	1,395 (3,075)	1,395 (3,075)	1,395 (3,075)	1,395 (3,075)	1,400 (3,086)	1,395 (3,075)	1,395 (3,075)				
Curb weight (C.W.)	Front	kg (lb)	795 (1,753)	795 (1,753)	795 (1,753)	840 (1,852)	840 (1,852)										
	Rear	kg (lb)	560 (1,235)	560 (1,235)	560 (1,235)	555 (1,224)	555 (1,224)	555 (1,224)	555 (1,224)	555 (1,224)	560 (1,235)	555 (1,224)	555 (1,224)				
Gross vehicle (G.V.W.)	weight	kg (lb)	1,950 (4,299)	1,950 (4,299)													
Gross axle weight	Front	kg (lb)	990 (2,183)	990 (2,183)													
(G.A.W.)	Rear	kg (lb)	1,000 (2,205)	U5 3C 1,395 (3,075) 840 (1,852) 555 (1,224) 1,950 (4,299) 990	1,000 (2,205)												
	Aluminum wheel		0	0	0	0	0	0	0	0	0	0	0				
	•		_				_		1		_	_	_				
	Auto A/C		_				_				_	_	_				
	Manual A/C		\circ		\circ	\circ	\circ										
	Leather package	!	_	_	\circ	_	_	_	_	\circ	—	_	_				
	Genuine leather	seat	_	_	_		_	_	_	_	_	_	_				
Ontion	Standard audio		0	0	0	\circ	0	0	0	0	0		_				
Option	Premium audio		_	_	_	_	_	_	_	_	_	0	_				
	Navigation		_	_	_	_	_	_	_	_	_	EyeSig U5 3C 1,395 50 (3,075) (3 840 2 (1,852) (7 555 5 (1,224) (7 6 6 1 6 6 6 6 6 6 6	0				
	Rear Rear		0	_	0												
	Curtain airbag		0	0	0	\circ	0	0	0	0	0	4 U5 3 3C 00 1,395 36) (3,075) (3 0 840 52) (1,852) (1 0 555 35) (1,224) (1 50 1,950 99) (4,299) (4 0 990 33) (2,183) (2 00 1,000 05) (2,205) (2 0	0				
	HID headlight		_	_	_	_	_	_	_	_	_	_	_				
	Cold weather page	ck-	0	0	0		0	0	0	0	_	0	0				
	Sunroof				\circ		_	0	_	0	_	_	_				

							5 door						
Model			2.0	i-Premiu	ım+	2.0 i-Premium+ EyeSight		2.0 i-Limited					
Transmission		51	MT		С	VT	5MT			CVT			
OP code		(25	C5	C4	C5	C5	U5	U5 U5 U5 C5				
OF code		F	RP	RP	RY	TP	HR	QC	SP	EP	HR	SR	
	Intal	_	360	1,390	1,395	1,390	1,365	1,410	1,410	1,410	1,410	1,410	
	(998)	(3,064)	(3,075)	(3,064)	(3,009)	(3,108)	(3,108)		(3,108)	(3,108)	
Curb weight	Front	_	95	835	835	835	800	845	845	845	845	845	
(C.W.)	`	<i>,</i> , ,	753)	(1,841)	(1,841)	(1,841)	(1,764)	(1,863)	(1,863)	(1,863)	(1,863)	(1,863)	
		- I	65	555	560	555	565	565	565	565	565	565	
0	· · · · · · · · · · · · · · · · · · ·	, , ,	246)	(1,224)	(1,235)	(1,224)	(1,246)	(1,246)	(1,246)	(1,246)	(1,246)	(1,246)	
Gross vehicle (G.V.W.)	•	-	950 299)	1,950 (4,299)	1,950 (4,299)	1,950 (4,299)	1,950 (4,299)	1,950 (4,299)	1,950 (4,299)	1,950 (4,299)	1,950 (4,299)	1,950 (4,299)	
(G. V. VV.)	,		90	990	990	990	990	990	990	990	990	990	
Gross axle	Front		183)	(2,183)	(2,183)	(2,183)	(2,183)	(2,183)	(2,183)	(2,183)	(2,183)	(2,183)	
weight	,		000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	
(G.A.W.)		J /	205)	(2,205)	(2,205)	(2,205)	(2,205)	(2,205)	(2,205)	(2,205)	(2,205)	(2,205)	
	Aluminum wheel	($\overline{)}$	0	0	0	0	0	0	0	0	0	
	Keyless access with push button start	-		_	_	0	_	_	0	0	_	0	
	Auto A/C	(\bigcirc	0	0	0	0	0	0	0	0	0	
	Manual A/C	-		_	_	_	_	_	_	_	_	_	
	Leather package	(\bigcirc	0	0	0	0	0	0	0	0	0	
	Genuine leather seat	-		_		_	0	0	0	0	0	0	
Option	Standard audio	(\supset	0	0	0	_	_	_	_	_	_	
	Premium audio	-		_	_	_	_	0	0	_	_	0	
	Navigation	-	_	_	_	_	0	_	_	0	0	_	
	Side airbag	(\mathcal{C}	0	0	0	0	0	0	0	0	0	
	Curtain airbag	(\mathcal{C}	0	0	0	0	0	0	0	0	0	
	HID headlight	-	_	_	0	_	0	_	_	_	0	0	
	Cold weather pacage	k- (\supset	0	_	0	0	0	0	0	0	0	
	Sunroof	(\supset	0	0	0	0	_	0	0	0	0	

								5 door				
Model				imited Sight		SPORT		SPORT EyeSight	SP	845 845 (1,863) (1,863) 575 575 (1,268) (1,268) (4,299) (4,299) 990 (2,183) (2,183) 1,000 1,000	ited	SPORT- Limited EyeSight
Transmission			C)	VΤ	5MT				CVT			
OP code			U5	C5	U5	U5	U5	U5	U5	U5	U5	U5
OF code			EP	ER	2C	2C	2P	2P	QC	SP	EP	EP
	Total	kg (lb)	1,410 (3,108)	1,410 (3,108)	1,375 (3,031)	1,410 (3,108)	1,410 (3,108)	1,415 (3,120)	1,420 (3,131)		1,420 (3,131)	1,420 (3,131)
Curb weight (C.W.)	Front	kg (lb)	845 (1,863)	845 (1,863)	805 (1,775)	840 (1,852)	840 (1,852)	845 (1,863)	845 (1,863)		845 (1,863)	845 (1,863)
	Rear	kg (lb)	565 (1,246)	565 (1,246)	570 (1,257)	570 (1,257)	570 (1,257)	570 (1,257)	575 (1,268)		575 (1,268)	575 (1,268)
Gross vehicle	weight (G.V.W.)	kg (lb)	1,950 (4,299)	1,950 (4,299)	1,950 (4,299)	1,950 (4,299)	1,950 (4,299)	1,950 (4,299)	1,950 (4,299)	,	1,950 (4,299)	
Gross axle weight	Front	kg (lb)	990 (2,183)	990 (2,183)	990 (2,183)	990 (2,183)	990 (2,183)	990 (2,183)	990 (2,183)		990 (2,183)	990 (2,183)
(G.A.W.)	Rear	kg (lb)	1,000 (2,205)	1,000 (2,205)	1,000 (2,205)	1,000 (2,205)	1,000 (2,205)	1,000 (2,205)	1,000 (2,205)		1,000 (2,205)	1,000 (2,205)
	Aluminum wheel		0	0	0	0	0	0	0	0	0	0
	Keyless access wi push button start	th	0	0	_	_	_	_	_	0	0	0
	Auto A/C		0	0	_	_	_	_	0	0	0	0
	Manual A/C		_	_	\circ		\circ	\circ		_	_	
	Leather package		0	0	0	0	0	0	0	_		0
	Genuine leather se	eat	0	0			_	_	0	0	0	0
Option	Standard audio		_	_	0	0	0	0	_	_	_	_
	Premium audio		_	_	_	_	_	_	0	0	_	_
	Navigation		\circ	0	_	_	_	_	_	_	\circ	0
	Side airbag		0	0	0	0	0	0	0	0	0	0
	Curtain airbag		0	0	0	0	0	0	0	0	\circ	0
	HID headlight		_	0	_	_	_	_	_	_	_	_
	Cold weather pack	kage	0	0	\circ	0	0	0	\circ	0	0	0
	Sunroof		\circ	\circ	_	_	\circ	0	_	\circ	\circ	0