99971-1000	25-123
25-124	2710
25-100	

PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
4		<u> </u>			FRUM-10
25-100 MF04-25-100	,	SHAFT, PROPELLER-FRT			
MF06-25-100		(AT)			
25-123		BOLT			
P011-25-123	4	1			
25-124		NUT			
1368-25-124	4				
			:		
i					
					-
1					
	<del></del>				

**LEW** 

AUNA07

(1N04040)

CAT. AUNA07-05

25-500 25-421 25-421 25-500 25-421 33-471
22-5108
22-520
22-530
22-550A
22-540
AUNA07 — (1N08000)

PART NO. QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
22-5108	JOINT SET, DUTER			
MD11-22-510A 2	(W/O A. LOCK BRAKE)			-8C01
MD12-22-510A 2 AN(MD12-22-510B)	(W/A. LOCK BRAKE)			-9501
MD12-22-510A 2 AN(MD12-22-510B)	(W/O A. LOCK BRAKE)			BC01-9501
MD12-22-510B 2				9501-
22-520     22-520     MD02-22-520A   2	JOINT SET, INNER			
122-530     22-530     122-530	BCOT SET, OUTER JOINT			
++   22-540     ++   MD90-22-540 2	BOOT SET, INNER JOINT			
1 22-550A   H090-22-550 2	CLIP SET, DRIVE SHAFT			
25-421     6003-25-421	CLIP			
25-500	SHAFT, DRIVE			
<b>+</b>	(W/O A. LOCK BRAKE)			-8C01
	(W/A. LOCK BRAKE)			-9501
MD12-25-500A 2 AN(MD12-25-500B)	(W/O A. LOCK BRAKE)			8C01-9501
MD12-25-500B 2				9501-
33-471   BC4C-33-471 2	ROTOR,SENSOR-FRT A.B .S. (W/A. LOCK BRAKE)			
8C01 NB353*-12 9501 NB353*-13	4914 7711	,		
•				

28-8C0 99756-1030 33-065 26-112 26-1122 33-047 33-048 26-261	
26-110A 26-110Y 33-042	

PART NO.	OTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
26-110A		KNUCKLE(R), REAR			
NC10-26-130		(W/O A. LOCK BRAKE)			
NC14-26-138	1	(W/A. LOCK BRAKE)		ļ	l i
26-1104		KNUCKLE(L),REAR			
NC10-26-140		(W/O A. LOCK BRAKE)			
NC14-26-140		(U/A. LOCK BRAKE)			
+					}
26-112		SUPPORT(R), HUB			
NC10-26-112A		(W/O A. LOCK BRAKE)			
NC14-26-112A		(W/A. LOCK BRAKE)			
26-1122		SUPPORT(L), HUB			
NC10-26-122A	1	(W/D A. LOCK BRAKE)			
NC14-26-122A	1	(W/A. LOCK BRAKE)		-	
26-251B		PLATE, DISC			
BR74-26-251E					
<u> </u>					
26-261		COVER, DUST			
8530-26-261B	2				
28-8C0		BUSHING, RUBBER			
NA01-28-800C	2				
33-042		NUT			
GJ21-33-0428	2	{			
<u> </u>					
33-047		DEARING, WHEEL			
8455-33-047C	2				
33-048		RING,RETAINING-DISC			
H260-33-048 AN(B21M-33-048	2	PLATE			-8101
B21M-33-048	, 5				8101-
<b>*</b>					
33-061		HUB, WHEEL			
B01A-33-060A	2				
33-062		BOLT, HUB			
8101 NB353		2707		<u> </u>	<u> </u>
0101 18333	~ T 0	LTVf			
1					
1					1

**LEWO** 


AUNA07

(1N04060)

CAT. AURAO7-05



PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
CONT'D B01Y-33-062	8				
33-065 G304-33-065	2	SEAL, OIL-AXLE	i		
0004 00 003	-				
CAT. AUNA07-05					2000-01



(1N04060)

26-9 26-9 1 26-6 26-6	
© 33-693A (5	
33-69	
26-700 26-733 26-850 26-851 26-8512	26-692 26-800Z 26-622 26-658Z 26-658Z 26-29X 26-28X 26-29X 26-29X 26-28X 26-29X
AAR)	
L Par	26-998 NOTE
26-46Z AND 4	TIONS OF D-CODE 26-43Z 9-280A ARE FOR LEFT SIDE OF THESE D-CODES IN RONE VEHICLE.  NOTE  NOTE  1 ② ⇒ 26-46Z THE D-CODE OF 26-46Z FIGURE NUMBERS ① THROUGH ②

26-46Z	SUPPORT(R), MOUNTING  SUPPORT(L), MOUNTING  PAD SET, RR CALIPER  SEAL & BOOY SET, CAL.  1		
26-29X     26-43Z     26-43Z     NAY5-26-43ZA     26-46Z     NAY1-26-46ZB     NAY1-26-46ZB     NAY1-26-46ZB	PAD SET,RR CALIPER  SEAL & BOOY SET,CAL.		
26-43Z   NAY5-26-43ZA   26-46Z   NAY1-26-46ZB   NAY	SEAL & BOOY SET, CAL.		
26-46Z	1 -RR		
4	1		-876
26-610	BODY & PISTON(R),CAL		8701-
NA75-26-61XB AN(NA75-26-61XC) NA75-26-61XC	1		-880 8801-
26-610Z     126-610Z     HA75-26-71XB   RN(NA75-26-71XC)	BODY & PISTON(L), CAL		-880
NA75-26-71XC ++ + 26-622   BWOH-26-696	PIN,STOPPER-RR CALIP		8801-
26-668     26-668	SPRING(R), LEVER		
	SPRING(L), LEVER		
26-680     26-680     BWOH-26-680	BOLT 2		
26-692 1 0AZE-26-692	BODT, GUIDE PIN 2		
26-700   BWOH-26-700 8701 NB353#-1	PLUG, SCREW 2		

CAT. AUNAO7-05

2000-01

(1N05840)

tt		MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
1 26-731   NA75-26-731	2	SPINDLE, ADJUSTER			
1 26-733   BWOH-26-733		GEAR, ADJUST			
26-800   BC1F-26-800A	1	LEVER(R), OPERATING			-880
(BC1F-26-800B BC1F-26-800B	1				8601-
26-900Z     26-900Z     BC1F-26-810A   (BC1F-26-810B	1	LEVER(L),OPERATING			-800
BC1F-26-810B	1				8801-
26-812A   BW0H-26-812	2	ROD, PUSH-FRT CALIPER			
26-816     26-816     GAZE-26-816	2	RING,SNAP-RR CALIPER			
26-851   BWOH-26-851	1	BRACKET(R),CABLE			
26-851Z   BW0H-26-861	1	BRACKET(L),CABLE			
1 26-98Z   1 26-98Z   NAZ5-26-98ZB	1	CALIPER(R),PADLESS-R R			-880
NAZ5-26-98ZC	, 1				8601-
26-99Z     AZ5-26-99ZB	1	CALIPER(1),PADLESS-R R			-880
N(NAZ5-26-99ZC HAZ5-26-99ZC	, 1				8601-
26-998		PIN, GUIDE			
BW0H-26-998A	2				
	-121	1854		<u></u>	<u> </u>

49-280A 26-43Z · 26-98Z 26-99Z 26-610 26-610Z -33-693A (5) -33-691A 6 26-692 26-800Z **⊏**26-700 26-622 26-668 26-668Z -26-28X 26-29X 26-851 26-851Z -26-812A -26-998 -NOTE THOUGH ILLUSTRATIONS OF D-CODE 26-43Z . 26-46Z AND 49-280A ARE FOR LEFT SIDE (1)···(9) ⇒ 26-46Z THE D-CODE OF 26-46Z CONSISTS OF ONLY, QUANTITIES OF THESE D-CODES IN THE TEXT ARE FOR ONE VEHICLE. FIGURE NUMBERS (1) THROUGH (9)


(1N05840)

26	26-43Z — 49-280A 49-280A 49-280A 49-280A 49-280A 610 610 610
33-693A 33-33- 26-700 26-733 26-851	691A 6) 26-692 26-8000 26-6002 26-6087
3 - Q	26-28X 26-29X 26-812A 26-816 3
26-46Z AND ONLY, QUANTITI	PATIONS OF D-CODE 26-43Z 49-280A ARE FOR LEFT SIDE ES OF THESE D-CODES IN OR ONE VEHICLE.  NOTE  1  NOTE  1  1  NOTE  1  1  1  NOTE  1.


	-	T		·	
PART NO.	ОТУ	MODEL/RESTRICTION	NODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
33-691A		SCREW, BLEEDER			
BWOH-26-691	2				
<b>†</b>					
33-693A	_	CAP, BLEEDER SCREW			
0259-33-693	2				
1 49-280A		PAD SUB SET,RR CALIPER			
NAY5-26-48Z	1	tk			
		)			
					[
					į
					•
					İ
				}	
		į			
		<u> </u>		<u> </u>	L
AT. AUNA07-D5					2000-01

		Macanin (Coron Display of Coron State on Coron Coron	asserver mismuser masser mission	and the second	
28	-890A( <b>3</b>	99562-1800 -99564-1800	99511-	(1) 1800	PART NO.
ļ		26-060	17-1		17-122     0810-17-121
27-600	27-238		99564		26-060   0730-26-060
07.100	27-609 — (6) 45-0612 —				27-012 0223-27-012
27-301 A — (C) — (	Gran Car		27-238		27-018     27-018     HA02-27-165A
27-110		-27-261 27-262 27-235			27-020     27-020     4
27-2	30—0	27-305			MA03-27-120A AN(MA03-27-120B
27-252 - 0/83		<b>€</b> 6 – 27-3	į		MA03-27-120B
27-251	-27-256 @	<b>√</b> 99796-081	· .		27-030 0223-27-030
27-255 — 27-251 - 27-	27-30	27-171	27-401		27-100   MA02-27-100
21-6	ده د د د د د د د د د د د د د د د د د د	L	D-00.		MAL1-27-100
	N. S.		27-141A		27-110     27-110     4061-27-110C
27-141		Dell'	99796-08	12A	M068-27-110B
27-018 27-020 27-012		99796-1050A	<u>-27-302</u>		27-141 i
I WELL THE T	234-1918 27-15		>		1 27-141A   H025-27-210
(P) (P)	27-159	90781-2	—27-604 (8) 2830		27-150     27-150     4
27.158		(8)	(NO.2) 27-604		27-158
99796-1020	90781-	2830	90781	(8) -2830	7C24 NB353*
3900		(NO.1) 27-604			
AUNA07	<u> </u>			08080)	
	,		(***		CAT. AUNAO7-05


PART NO. Q	TY MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
17-122	PLUG, MAGNET			
0810-17-121	1			
<b>†</b>				
++	BREATHER			
0730-26-060	1			
27-012	WASHER			
0223-27-012	1			
<b>!-::-:</b>				
<b>+</b>	SEAL, DIL		<u> </u>	
	1			
27-020	FLANGE, COMPANION			
*~~~~~	1 (AT)			
MA03-27-120A	1 (MT)			-7C24
AN(MAO3-27-120B) MAO3-27-120B	1 (MT)			
MA03-27-1208	T (MI)			7C24-
27-030	NUT , LOCK			
	1			
27-100	BRIVING & DIFF.			
++	1 (AT)			
MA11-27-100				
+	-			
27-110	GEAR SET, FINAL			
M061-27-110C	R=4.300 1 (HT)			
	-			
	R=4.100 (AT)			
27-141	BEARING, PINION			
++	1			
++				
27-141A	BEARING, PINION			
M025-27-210	1	,		j
27-150	CARRIER, DIFFERENTIAL	;		
MA02-27-150A	1			<u> </u>
†*********	50405			
27-158   	SPACE			
7C24 NB353*-1	02379	· · · · · · · · · · · · · · · · · · ·		
				į
				ļ
				i



	ΩΤΥ	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
CONT'D MA02-27-158	1				
1 27-159 I		PIN, TUBULAR			
MA02-27-159	1				
727-171		PIECE, DISTANCE			
M035-27-171	1				
27-230	Ì	CASE,DIFF. GEAR			
M069-27-231	1				
27-235		BOLT, RING GEAR			
8051-27-235	10	D=10.2MH			
8051-27-236		D=10.0MM			
27-238		SEAL, OIL			}
#A02-27-238 AN(MA02-27-238A)	2				-8021
MAD2-27-238A	2				BC21-
27-251		GEAR, DIFF. SIDE			
M069-27-251	2				
27-252		WASHER			
0290-27-252	2	T=2MM			
0290-27-253	2	T=2.1MM			
0290-27-254	2	T=2.2MM			
0290-27-256	2	T=2.05MM			
0290-27-259	2	T=2.15MM			
27-255		PINION, DIFFERENTIAL			
++ M025-27-255C A (M025-27-255D)	2				-8420
M025-27-255D	2				8420-
27-256		WASHER, THRUST			
8420 NB353*- 8C21 NB353*-	115 126	899 395	······································	······································	
					-
					1
CAT. AUNA07-05					2000-01





	NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
CONT'D M025-27	-256	2	T=2.0MM			
†   27-   MD25-27	261	1	SHAFT,DIFF. PINION			
†   27-	262		PIN			
27-	301A	1	SCREW,ADJUST			
i 27-	-301 + 302	2	PLATE, LOCK			
0290-27    27-	-302 + 305 1	2	BEARING			
221-27 +	-350 -350	2				
1 2/- 1 0223-27	401   -401A	1	SPACER Y=3.08MM			
0223-27 0223-27		1	T=3.11MM T=3.14MM			
0223-27		1	T=3.17MM			
0223-27 0223-27		1	T=3.2MM T=3.23MM			
0223-27		1	T=3.26MM			
0223-27 0223-27		1	T=3.29MM T=3.32MM			
0223-27		1	T=3.35MM			
0223-27 0223-27		1	T=3.38MM T=3.41MM			
0223-27	-414A	•	T=3.44MM			




PART NO. QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
CONT'D				
0223-27-415A	T=3.47MM			
0223-27-416	T=3.095MM	•		
1	,			
D223-27-417	T=3.125MM			
0223-27-418	T=3.155MM			
0223-27-419	T=3.185MM			
0223-27-422	T=3.215MM			
1				İ
0223-27-423	T=3.245MM			
0223 27-424 1	T=3.275MM			
0223-27-425	T=3.305MM			
0223-27-426	T=3.335MM			
1				
0223-27-427	T=3.365MM			
0223-27-428	T=3.395MM			
0223-27-433	T=3.425MM			
0223-27-434	T=3.455MM			
1				
27-431	SPACER			
PA01-27-431 1				
27-600	CASING, DIFFERENTIAL			
MA02-27-60DA 1				
27-694	BOLT, CARRIER			
M053-27-604 1	(ILLUST, NO.1)			
M053-27-605 1	(ILLUST. NO.2)			
27-609	PLATE, BAFFLE-DIFF CA			
MOA1-27-609A 1	SING			
··		·		

PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
28-890A     28-890A     NA01-28-890	s	RUBBER, SUB FRAME MTC			
	:				
:				<u> </u>  - 	
CAT. AUNA07-05					2000-01






PART NO. QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	NODEL/RESTRICTION	FROM-TO
17-122     17-122     0810-17-121	PLUG, MAGNET			
26-060 1 0730-26-060 1	BREATHER			
27-012   0223-27-012 1	WASHER			
27-018   MA02-27-165A	SEAL,OIL			
27-020     27-020     HA03-27-120A   1   AN(MA03-27-120B)	FLANGE, COMPANION			-7024
MA03-27-120B 1				7C24-
0223-27-030 1	NUT, LOCK			
4	DRIVING & DIFF.		ļ	
	(6-SP)			
++	(5-SP) GEAR SET,FINAL			
+	R=3.909 (6-SP)			
M061-27-118C	R=4.300 (5-SP)			
27-141   0755-27-210 1	BEARING, PINION			
27-141A   	BEARING, PINION			
27-150     27-150     MA02-27-150A   1	CARRIER, DIFFERENTIAL			
1 27-150 1 MA02-27-158 1	SPACE			
7C24 NB353×-102	2379			1




PART NO. QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
27-159     MA02-27-159	Pîn, TUBULAR			
1 27-171   H035-27-171 1	PIECE, DISTANCE			
27-200     MM03-27-200 1	DIFFERENTIAL			
27-235   27-235   8051-27-235	BOLT,RING GEAR D=10.2MM			
8051-27-236 10	D=10.0MM			
HA02-27-238 Z	SEAL, OIL			-8C21
AN(MAD2-27-238A) Mag2-27-238A 2				8C21-
127-301A     27-301A     +	SCREW, ADJUST			
127-302     27-302     1-27-302     0290-27-302	PLATE, LOCK			
27-305     27-305     1	BEARING			
27-401     27-401     0223-27-401A	SPACER T=3.08MM			
0223-27-402A	T=3.11MM			
0223-27-403A 1	T=3.14MM			
0223-27-404A 1	T=3.17MM			
0223-27-405A 1	T=3.2MM			
0223-27-406A 1	T=3.23MM			
	T=3.26MM			
AC21 NB353*-12	<b>6575</b>			
CAT. AUNA07-05				2000-01

27108 -3 REAR DIFFERENTIALS (LIMITED SLIP DIFF.)



PART NO.	оту	MODEL/RESTRICTION	NODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
CONT 'D	1			MODELY RECTICATION	THOM TO
0223-27-40BA		T=3.29MM			
0223-27-409A	1	T=3.32MM			
0223-27-411A	1	T=3.35MM			
	1				
0223-27-412A	1	T=3.38MM			
0223-27-413A	1	T=3.41MM			
0223-27-414A	1	T=3.44MM			
0223-27-415A	1	T=3.47MM			
0223-27-416	1	T=3.095MM			
0223-27-417	1	T=3.125MM			
0223-27-418	1	T=3.155MM			
0223-27-419		T=3.185MM			
0223-27-422	1	T=3.215MM			
0223-27-423	1	T=3.245MM			
0223-27-424	1	T=3.275MM			
0223-27-425	1				
	1	ŀ			
0223-27-426	1	T=3.335MM			
0223-27-427	1	T=3.365MM			
0223-27-428	1	T=3.395MM			
0223-27-433	1	T=3.425MM			
0223-27-434	1	T=3.455MM			
1 27-431	Ī	SPACER			
PA01-27-431	1				
					1




PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
27-600		CASING, DIFFERENTIAL			
MA02-27-600A	1				
27-604		BOLT, CARRIER		İ	
		(IELUST. NO.1)			
H053-27-605 +		(ILLUST, NO.2)			
27-609     MOA1-27-609A		PLATE, BAFFLE-DIFF CA SING			
28-890A   NA01-28-890	2	RUBBER, SUB FRAME MTG			
		ļ			
					1
					1
					1
				<u> </u>	L

	99780-1270H
AUNA07 ——	

PART NO. OTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
28-0A3	RUBBER, SPRING SHEET			
NC10-28-0A3 2 N(NC10-28-0A3A)				-860
NC10-28-0A3A 2				8601-
28-010A	SPRING, COIL-REAR			
NC10-28-011B 2	(MOR. SUSP) (SPORT SUSP)			
	(HARD SUSP)			
28-012A     28-012B   2	SHEET, RUBBER			
] 28-013A   	SHEL 18BER			
28-015D     C10-28-015A 2	BOOT, DUST			
26-111B     C10-28-111B   2	STOPPER, BUMP			
[ 28-333A   	NUT, FLANGE	, or		
28-340A     C10-26-340B   2	SHEET,SPRING-UPPER			
28-7A1     061-28-7A1	NUT,FLANGE-RR DAMPER			
28-700	DAMPER, REAR			
C10-28-700C 2	(NDR. SUSP) (SPORT SUSP)			
C12-26-700C 2 (NC12-28-700D)	(HARD SUSP)			-9201
	(HARD SUSP)			9201-
+	RETAINER, REAR DAMPER			
C10-28-774 2				
8801 NB353×-121 9201 NB353×-130	854 051	7,00		1

28-333A 28-013A 28-774 28-775B 28-340A 28-012A 28-7768 28-777 28-015D	28-010A
AUNA07	 (1N05880)

B405 445				·	·
PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
28-7758		BUSH, REAR DAMPER-UPP			
NC10-28-775	2	ER			
1 28-7748 1		SUSU DEAD DAMBED . OU			
28-776B   NC10-28-776	2	BUSH,REAR DAMPER-LOW ER			
[	-				
28-777		WASHER			
NC10-28-777	2				
1 34-710A I		BUSHING, DAMPER-LOWER			
++	2			]	
	•				
1					
1					]
1					
ļ					
					[ ]
					1
l					
İ					
	- {				
				<u> </u>	<u>'</u>
}					
1					ĺ
CAT. AURA07-05					2000-01



PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
1 28-101	4	STABILIZER, RR			1
HC12-28-151		(HARD SUSP)			
H023-28-151	1	(NOR. SUSP) (SPORT SUSP)			
28-102		BUSH,STABILIZER-RR			
G113-28-156		(HARD SUSP)			İ
N023-28-156		(NOR. SUSP) (SPORT SUSP)		<u>[</u>	
28-155		PLATE,STABILIZER-RR		:	
FB01-28-155	2				
34-150B		LINK(R),CONTRUL			
GA2A-34-170A	1				
34-150Z		LINK(L),CONTROL			
GAZA-34-150A	1				1
				•	
			***************************************		•

A POPO

AUNA07 + (1N04090)

CAT. AUNA07-05


9YA18-1001 2600 39-037 28-664 28-473 39-037 28-480 28-473 39-037 28-480 28-473 39-037 28-480 28-473 28-400 28-300Z 9YA10-1201	28-664 28-473 28-664 28-473 28-460 28-460 28-460 28-480 28-460 28-300 28-400 28-300 28-400 28-300Z
---	--

١	PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
	28-E90     28-E90     NC10-28-E90	1	ĐAR,CROSS-REAR			
İ	1 28-092   NA01-28-092		BOLT, CONTROL LINK			
	28-2A0   NC10-28-C10	2	ARM, UPPER-REAR			
	28-300     28-300     NC10-28-310	1	ARM(R),LOWER-REAR			
	28-300Z   NC10-28-360	1	ARM(L),LOWER-REAR			
	28-480   NA01-28-480		BUSHING,RUBBER-LOWER ARM			
	28-4D0   NA01-28-4D0	2	BUSHING,RUBBER-LOWER ARM			
	28-400   NC10-28-800C	1	MEMBER, CROSS			
	28-460   	4	BUSHING,LOWER ARM			
	28-473     NA80-28-473A		PLATE,CAM-SUB FRAME			
-	28-664     18-664     18-6620		BOLT,ADJUST			
	28-8C0   HA01-28-8C0C	4	BUSHING, RUBBER			
l	28-880A     28-880A     NA01-28-886C	2	WASHER, STOP			
l	34-091   FB01-34-091	4	NUT			-8212
Г	A212 NRTETS	-107	<b>407</b>			

8212 NB353\*-107693

CAT. AUNA07-05

2000-D1



2830A -2 % REAR LOWER ARMS & SUB FRAME

PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
CONT'D N(FB01-34-091/					†
FB01-34-091A	٠,				1
					8212-
34-222	Į	NUT			
8871-34-222	6				
t					
39-037		NUT			
001-39-037B	8				
	- 1				
					Ì
	- 1				
	- 1				
					}
	İ				
	1				
					]
		ļ			
					}


8212 N8353×-107693

CAT. AUNA07-05


2000-01

(1N04100)

(URETHANE)




(LEATHER) (WOOD)



				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
PART NO.	QTY	NODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
1 32-049		COVER.WHEEL CORE			
GE7T-32-049	1	(URETHANE WHEEL)			
* <b>*</b>	Ī	4,122			
1 32-740C I		PARTS SET,ST. WHEEL			İ
GE7T-32-750	1	(URETHANE WHEEL)			
32-9L1		CAP			
BC1D-32-9L1	2	l i			-
	_	B') (LEATHER WHEEL TYPE-			
		A') (WOOD WHEEL-A TYPE)			
<b>+</b>		CARON MILLE H 11167			
32-9YX		HARNESS,ST. WHEEL BO			
NC10-32-9YX	1	(LEATHER WHEEL TYPE-			
		(LÉATHER WHEEL TYPE-			
		(WOOD WHEEL-A TYPE)			
132-980		BOSS,STEERING WHEEL			
*NC35-32-980	1	(WOOD WHEEL-A TYPE)			
ND65-32-980	1	(LEATHER WHEEL TYPE-			
NC10-32-980A AN(NC10-32-980C	, 1	(LEATHER WHEEL'TYPE-			-8410
GEBK-32-980A AN(GEBK-32-980B	, <sup>1</sup>	(URETHANE WHEEL)			-8615
NC10-32-980C	1	(LEATHER WHEEL'TYPE- B°)			8410-
GE8K-32-980B	1	(URETHANE WHEEL)			8615-
57-K00		MODULE,AIR BAG			
NC10-57-K00B	1	(URETHANE WHEEL)			
00 1	NT-	NBO NBI NB2 NB6 NB7 BLACK			
NC13-57-K00	1	(LEATHER WHEEL TYPE-			
		B') (LEATHER WHEEL'TYPE-			
		(A') (WOOD WHEEL-A TYPE)			
1					
8410 NB353*		5100		<u></u>	
8615 NB353					

CAT. AUNA07-05



PART NO. QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
32-AZ1	CGVER, JOINT-UPPER			
NA75-32-AZ1 1   32-AZ2     1	COVER, JOINT-LOWER			
++	SHAFT,INTERMED. (W/POWER STEERING)			-8413
NC11-32-090C 1 AN(NC11-32-090D)	(W/O POWER STEERING)			-8601
NC10-32-090D 1	(W/POWER STEERING)			8413-
NC11-32-090D 1	(W/O POWER STEERING)			8601-
32-099     4455-32-099A 3	BOLT,SHAFT			
NC10-32-100D 1	SHAFT, ENGY. ABSORBER			
32-210     NC10-32-210	COVER, DUST			
32-217   NAO1-32-217 1	GROMMET			
32-850   NC10-32-850 1	JOINT, STEERING			
				İ
	<u></u>			1

8413 NB353×-115160 8601 NB353×-119466

CAT. AUNA07-05

3220AA-1	STEERING GEAR
	(W/O POWER STEERING)

32-110
32-112 32-137 32-126 32-136A- 32-136A- 32-146B 32-147A O
32-147A — 32-119E
32-120 9YA02-1240A 32-130B 32-111 32-111
32-240A 32-240A 32-240A 32-12X 32-12X 32-12X
AUNA07 — (1N08030)

PART NO.	צדם	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
32-110		GEAR, STEERING			
NC11-32-110A	1				
32-111		YOKE, SUPPORT			
GJ21-32-111		i l			
t-==t					
32-112   ++ NC11-32-112	1	COVER, DUST			
<b>+</b>	•				
1 32-119E		RACK, STEERING GEAR			
NA01-32-119	1				
32-12X		BOOT SET,ST. GEAR			
NA01-32-12X	2			•	
32-120		HOUSING, GEAR			:
NC11-32-120	1				
1 32-122C		PINION, STEERING GEAR			
NA01-32-122	1	ŀ			
t					
32-123   ++ NC10-32-123	2	PNITHUCM, NEEBUN			
++	•				
32-124		RUBBER, MOUNTING			
NC11-32-124	1				
32-126		SEAL, SHAFT			
GJ21-32-126	1				
32-129B		PLUG, PINION			
HE01-32-129	1				
32-130B		NUT, LOCK			
5083-32-137	1	ì			
1 32-136		DI ATE CLAMB			
32-134   ++ NC10-32-134	1	PLATE,CLAMP			
++		:			
32-136A		COVER, REAR			
GJ21-32-136	1	<u> </u>		<u> </u>	<u></u>

32-110
32-112 32-137 32-126 32-136A 32-136A 32-122C 32-146B 32-147A
99756-0220 32-124 32-120
9YA02-1240A 32-129B 32-123 32-111
32-240A 32-240A 32-279 99924-1201 32-12X 32-12X
AUNA07 + (1N08030)

(W/D POWER STEERING)					
PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FRGM-TO
32-137   0J21-32-137		NUT, LOCK			
32-146B     HA14-32-146	2	WASHER			
32-147A     32-147A     6030-32-147		BEARING, PINION			
32-182   0259-32-182	1	BEARING			
32-240A   NA01-32-240	2	JOINT, BALL			
32-279     32-279     4	2	SEAL, DUST-BALL JOINT			
32-2805   8AN1-32-280	2	JOINT SET, BALL			
AT. AUNA07-05					2000-01

3220AB-1 STEERING GEAR (W/POWER STEERING)

PART NO. QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	NODEL/RESTRICTION	FROM-TO
1 32-11X   NC10-32-11X 1	YOKE SET, SUPPORT-ST. GEAR			-860
(NC10-32-11XA) NC10-32-11XA 1	ļ			
++				8603-
++	GEAR, STEERING			
NC10-32-110E 1 N(NC10-32-110F)				-70
NC10-32-110F 1 N(NC10-32-110G)				7003-920
NC10-32-110G 1				9208-
†   32-112	COVER, DUST			
NC10-32-112 1	l i			
32-119E	RACK,STEERING GEAR			
L	l i			
++				
32-121     NC10-32-126 1	HOUSING, VALVE-ST. GE AR			
+				
+	RUBBER, MOUNTING			
NC10-32-123 2				
+	RUBBER, MOUNTING			
NC10-32-124 1				
32-125B	BOOT, RACK			
NC10-32-125 2				
32-127	CLIP, WIRE			
B456-32-127 2				
32-131A	NUT, LOCK-RACK			
B456-32-131 1				
1 32-132A I	WASHER			
B456-32-132 2				
1 32-134	PLATE,CLAs.P			
NC10-32-134 1				
7002 MB2C2×-10	0043	<del></del>	<u> </u>	
7C03 NB353*-10 8603 NB353*-11 9208 NB353*-13	9663 0786			

CAT. AUNA07-05

(1N04130)

3220AB-2 STEERING GEAR (W/POWER STEERING)

PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
32-139		BOLT			
B038-32-139	2	}			
<u> </u>					
32-146A		BOLT SET, CONNECTOR			
BC54-32-146		(ILLUST. NO.1)			
#+	1	(ILLUST. NO.2)			
32-148B		CLIP			
B046-32-127	2				
1 32-154A 1		HOLDER, STEERING GEAR			
NC10-32-154	1				ļ
++					
32-180A (		SEAL KIT,ST. GEAR			
NC10-32-180	1				
32-189		CLAMP			
NC10-32-188	1				
1 32-240 I		JOINT(R), BALL			}
NC10-32-240	1				1
+	•				
32-240Z   +		JOINT(L), BALL			
NC10-32-250	1				
32-279		SEAL, DUST-BALL JOINT			
8455-32-279	2				
1 32-2805 1		JOINT SET.BALL			
8AN1-32-280	2	•			
++					
32-380A		VALVE,ST. GEAR			
NC10-32-380	1				-920
NC10-32-380A	1				9208-
32-425A		RUBBER, MOUNTING			
H267-32-425	1				
1 32-45X I		PIPE(R),RETURN-PRESS			
NC10-32-45X	1	URE			
920B NB3531	t-13	0784			

CAT. AUNA07-05


(1N04130)


3220AB-3 \* STEERING GEAR (W/POWER STEERING)

	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
32-45Y   NC10-32-45Y	ı	PIPE(L),RETURN-PRESS URE			
32-450		PIPE, PRESSURE			
1 32-460	1	PIPE NO.2, PRESSURE			
NC10-32-460	1				
					<u> </u>
<del></del>			,		1


1-F18

(1N04130)






(1N04142)





:	(81)				
	PART NO. QT	Y MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
	18-363     18-363     FP02-18-365	SPACER, STRAP			
	32-180     32-180     UC87-32-18X	CLIP,PIPE-P.S.			
	32-162B     32-162B     UC87-32-182	CLIP,PIPE-P.S.			
	32-230     32-230     8456-32-230C   1	SENSOR, STEERING PRES			
	32-425A	RUBBER, MOUNTING			
	8C1D-32-425	MOLTEN			
	1 32-470D 1 NC10-32-470A 1	PIPE,COOLING			
	1 32-498   1 32-498   NC10-32-490   AN(NC10-32-490J)	HOSE, PRESSURE			-8201
	NC10-32-490J 1				B201-
	32-5M0     32-5M0     N002-32-5MDA 1	PIPE, SUCTION			
	32-600     32-600     NC10-32-600B	PUMP, VANE			
	32-609	BRACKET, VANE PUMP			
	NC10-32-609 1	(ILLUST. NO.1)			
	NC11-32-609A 1	(ILLUST. NO.2)			
	32-610   B456-32-610A 1	SEAL KIT, VANE PUMP			
	32-613     5456-32-613A	NIPPLE, VANE PUMP			
	32-615A	BOLT			
	8201 NB353×-10	6606		1	<u> </u>
					]

(2/2)




BART NO		NODEL (December 1981)	1	7	<del></del>
PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
B456-32-615A	1		<del>[</del> ]		
32-616		BOLT, VANE PUMP			
	2				
1	_				1
32-680		BRACKET, VANE PUMP			
RAD2-32-680	1				
1 32-682		HOSE, RETURN			
NC10-32-682	1				1
<b>*</b> *					
32-683A		HOSE, RETURN			
NC10-32-683	1				
32-688		HOSE, SUCTION			
KC10-32-688	1				
32-690		TANK, VANE PUMP			
NC10-32-690B	1	TAME TON			-6A01
A (NC10-32-690C)	•				-6401
NC10-32-690C	1				BAC1-
			i		
•					
į					
ł					
					ļ
		j			
8A01 NB353×-	122	764			
CAT. AUNA07-05					2000-01





(1N08041)

(1N08042)




£					
	YTÇ	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
18-363		SPACER, STRAP			
FP02-18-363	1				
<u> </u>					
32-180		CLIP,PIPE-P.S.			
	1	1			
32-1828		CLIP.PIPE-P.S.			
UC87-32-182	1				
t		SENSON ATTENNA DOS			
32-230       8456-32-230C	1	SENSOR, STEERING PRES SURE			
1	•				
32-425A		RUBBER, MOUNTING			
BC1D-32-425	,	MOLTEN			
<b>*</b>	•				
32-490		HOSE, PRESSURE			
NC10-32-490H AN(NC10-32-490J)	1				-8201
NC10-32-498J	1				6201-
<b>!</b>					
32-5M0		PIPE, SUCTION			[ [
N002-32-5M0A	1				
32-600		PUMP, VANE			i I
	1				
32-609		BRACKET, VANE PUMP			
++		(ILLUST. NO.1)			ļ
NC11-32-609A	1	(ILLUST. NO.2)			
tt					ļ <u> </u>
32-610		SEAL KIT, VANE PUMP			
8456-32-610A	1				
32-613		NIPPLE, VANE PUMP			
	1				
32-615A		BOLT			
	1				
t-22-333t					
32-616		BOLT, VANE PUMP			
8201 NB353×-	106	5606		******	
					j
ļ					ļ

32-600
NOTE 1 ···
32-616
32-609 32-616 (NO.2) (S) 32-5MO 32-615A
٧

PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
CONT'D 8456-32-616	2				1.00.00
++					
32-68D		BRACKET, VANE PUMP			
NA02-32-680	1				
32-682		HOSE, RETURN			
C13-32-682A	1				
32-688		HOSE, SUCTION			
IC10-32-688					
tt					
1 32-690		TANK, VANE PUMP			
C10-32-690B (NC10-32-690C	o †				-8A0
C10-32-690C	1				8A01-
	ļ				
8A01 NB353*	-123	2746			<u> </u>
AUAT MBGGGW	166	LIUT			
T. AUNA07-05				V.A	2000-01

1-L13

(1N08042)



PART NO. OTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
26-071	CAP, HUB			
B455-26-071 2				
1 33-020 I	KNUCKLE(R),STEERING			
NC10-33-021 1 AN(NC10-33-021A)	(W/O A. LOCK BRAKE)			-7001
NC14-33-021 1 AN(NC14-33-021A)	(W/A. LOCK BRAKE)			-7001
NC10-33-021A 1	(W/O A. LOCK BRAKE)			7C01-
NC14-33-021A 1	(W/A. LOCK BRAKE)			7001-
33-020Z	KNUCKLE(L),STEERING			
NC10-33-031 1 AN(NC10-33-031A)	(W/O A. LOCK BRAKE)			-7C01
NC14-33-031 1 AN(NC14-33-031A)	(W/A. LOCK BRAKE)			-7001
NC10-33-031A 1	(W/O A. LOCK BRAKE)			7C01-
NC14-33-931A 1	(W/A. LOCK BRAKE)			7C01-
33-042	NUT			
D06Y-33-042 2	W/WASHER			
1 77 841	turn tures			
+	HUB, WHEEL			
	(W/O A. LOCK BRAKE)			
NA23-33-04XA 2	(W/A. LOCK BRAKE)			
33-062	BOLT, HUB			
B455-33-062 8				
33-251A 1	PLATE, DISC			
NA75-33-25XC 2				
t	000000000000000000000000000000000000000			
33-261	COVER(R), DUST			
NA75-33-261 1				
33-261Z I	COVER(L), DUST			
NA75-33-271 1				]
33-471	ROTOR, SENSOR-FRT A.B			
NA23-33-471B 2	(W/A. LOCK BRAKE)			[
7C01 NB353*-10	0063		<u>L</u>	L

(1N04150)

2000-01

CAT. AUNA07-05

AUNA07

	33-98Z 33-99Z 	
33-59	33-610	3
49-114A (NO.2)		33-280B 33-280X
NOTE 1	⇒ 33-26Z 26Z CONSISTS OF ) THROUGH (6)	
	49-280B	33-232
AUNA07	THOUGH ILLUSTRATIONS OF D-COD 33-26Z AND 49-280B ARE FO ONLY, QUANTITIES OF THESE D-COE THE TEXT ARE FOR ONE VEHICLE	R LEFT SIDE DES IN
	<del>-    -</del>	(1N04160)

PART NO. QT	Y MODEL/RESTRICTION	MODE! ARESTRICTION	MODEL/RESTRICTION	FROM-TO
33-23Z	PAD SET,FRT CALIPER			
+	ון			. 0120
N(NAV5-33-23ZB)				-9120
MSES-22-2YAN	1			9120-
33-26Z	SEAL B BOOT SET, CAL.			
*	-FRT			
<b>+</b>				
33-280B   	SUPPORT(R), MOUNTING			
NA75-33-281	1			
33-280X	SUPPORT(L),MOUNTING			
NA75-33-291	1-			
++ 1 27 (10 1				
33-610   	BODY & PISTON(R),CAL			
t	•			
33-610Z	BODY & PISTUN(L),CAL			
NA75-33-71X	1			
33-691	SCREW, BLEEDER			
++	2			
+				
1 33-693A	CAP, BLEEDER SCREW			
0259-33-693	2			
33-982	CALIPER(R), PADLESS-F			
NAZ5-33-98Z	1 R			
++   77 002	CALLEGERAL S. BARLEGO.			
33-992    +   NAZ5-33-59Z	CALIPER(L), PADLESS-F			
t				
49-114A	PIN, SLIDER			
	2 (ILLUST. NO.1)			
8239-49-114	(ILLUST. NO.2)			
49-280B	PAD SUB SET, FRT CALI			
NAY5-33-28Z	PER			-9120
N(NAY5-33-28ZA)				1
NAY5-33-28ZA	1			9120-
9120 NB353*-1	20769			
/120 MBG33*-1.	ti: t Tie			

28-1118 — 28-775B — 28-776B — 28-012A — 28-012A — 28-015D — 34-211 — 34-117A — 34-211 — 34-117A — 34-211 — 34-117A — 34-211 — 34-302 — 34-302 — 34-302 — 34-302 — 34-302 — 34-302 — 34-302 — 34-310 — 39-037 — 39-	
1 1 20-440	
AUNA07 + (1N115)	70)

PART NO.	QTY:	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
28-0A3		RUBBER, SPRING SHEET			
NC10-28-0A3 N(NC10-28-0A3/	4) 2				-880
NC10-28-0A3A	2				8801-
28-012A		SHEET, RUBBER			
NC10-28-012B	2				
†   28-013A		SHEET, RUBBER			
3030-28-013A	2				
28-015D		BOOT, DUST			
IC10-28-015A	2				
20-091		NUT			
B01-28-091A	2	NOI			
t					
28-1118        NC10-34-111	2	STOPPER, BUMP			
+					
28-333A   	4	NUT,FLANGE			
++					
28-340A   	2	SHEET, SPRING-UPPER			
++					
28-448		SEAL, DUST-BALL JOINT	•		
4266-28-448 ++	2				
28-473		PLATE, CAM-SUB FRAME			
NA80-28-473A	4				
28-664		BOLT,ADJUST			
NA8C-28-66ZC	4				
28-7A1		NUT,FLANGE-RR DAMPER			
3061-28-7A1 ++	2				
28-774		RETAINER,REAR DAMPER			
C10-28-774	2				
8801 NB353	€- J 21	L854			<u> </u>

CAT. AUNA07-05

28-111B — 34-011 — 28-0A3 — 34-011	28-333A  28-013A  (1)  99921-1000  28-774  28-775B  28-775B  28-012A  28-776B  28-777  28-777  28-777  99958-1426  34-480  34-480
34-700 34-710A	34-117A 99924-1201 99221-3026
34-460	28-664 34-3102 34-3102 34-3102 99-037 28-473 756-1225H
28-473	9GCB7-0280 99923-1400
39-037 <sub>39-0</sub>	28-448 -34-550 

DADT NO	OTV.	MADEL (DESTRICTION	HDDEL AREOTRICALOR	HADEL INCOME COLUMN	T
PART NO.	OTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRECTION	FROM-TO
28-775B		BUSH, REAR DAMPER-UPP			
NC10-28-775	2	ER			
<b>††</b>					
28-776B		BUSH REAR DAMPER-LOW			
NC10-28-776	2				
28-777		WASHER			
NC10-28-777	2				
++					
34-011		SPRING, COIL-FRONT			
NC10-36-011B	2	(NOR. SUSP) (SPORT SUSP)			
NC12-34-011B		l í			
	_	(HARD SUSP) (W/A. LOCK BRAKE)			
34-112A		BOLT			
NA01-34-112	2				
**********	-				
34-117A		WASHER			
NA01-34-117A	4				
34-211		ADMCD) HEDED			
++		ARM(R), UPPER			
NC10-34-200		(W/O A. LOCK BRAKE)			
NC14-34-200 N(NC14-34-200A	, '	(W/A. LOCK BRAKE)			-7C01
NC14-34-20DA	1	(W/A. LOCK BRAKE)			7C01-
t		towers upper			
34-211Z		ARM(L),UPPER			
NC10-34-200		(W/O A. LOCK BRAKE)			
NC14-34-250 N(NC14-34-250A	<b>,</b> '	(W/A. LOCK BRAKE)			-7C61
NC14-34-250A	1	(W/A. LOCK BRAKE)			7C01-
<b>!-=</b>					
34-310	_	ARM(R), LOWER			
NC10-34-310C	1				
34-310Z		ARM(L),LOWER			
NC10-34-360C	1				
++					1
34-460		BUSH, RUBBER-LWR ARM			
NA01-34-46DA	2				
7C01 NB353×	-10	0063	-	<u> </u>	.1
					ı
CAT. AUNA07-05					2000-01

-D14.


28-1118 28-0A3 28-0A3 28-0A3 28-664 34-460 28-473 39-037 39-037 39-037	28-013A  28-013A  28-774  28-775B  28-775B  28-776B  28-777  28-777  28-777  28-012A  28-015D  34-2112  34-117A  34-2112  34-117A  34-2112  34-310
39-037 39-03	
AUNA07	+ (1N11570)

PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
1 34-480   NC10-34-480	4	BUSHING, RUBBER-LOWER ARM			
34-490A     34-490A     134-490	2	BUSHING, RUBBER			
34-550     34-550     NA01-34-550B	2	BALL JOINT, LOWER			
34-565     34-565     401-34-548	2	SEAL , DUST			
34-700		DAMPER, FRONT			
NC10-34-700C	2	((NOR. SUSP)>(W/O A. LOCK BRAKE) ) ((SPORT SUSP)>(W/O A . LOCK BRAKE) )			
NC14-34-700C	2	((NOR. SUSP)>(W/A. Ł OCK BRAKE) ) ((SPORT SUSP)>(W/A. LOCK BRAKE) )			
NC12-34-700C N(NC12-34-700D)	2	(HARD SUSP)			-920
NC12-34-700D	2	(HARD SUSP)			9201-
34-710A     34-710A     NC10-34-710	2	BUSHING, DAMPER-LOWER			
39-037     39-037     B001-39-037B	8	NUT			
	ļ				
9201 NB353*-	-130	051			
AT. AUNA07-05				· <del></del>	2000-01

34-151	34-150B 34-150Z
34-156	99780-0820
34-800 - 34-801 - 34-	99958-1226 9GCB7-0225 9GCB7-0225 34-091

BAR, FRONT CROSS  1  NUT			
NUT			!
4			
4			
			-8212
4			8212-
LINK(R),CONTROL			
1			
I THE CANADA			
1			
1			
STABILIZER, FRONT			
1			
DI ATE STARTI 17ED		<u> </u>	
•			
BUSH, STABILIZER-FRT			
2			
MEMBER.CROSS	,		
1			-810
) "			
1			8101-
		•	
-102707		[	1
107693			
	LINK(R),CONTROL  LINK(L),CONTROL  STABILIZER,FRONT  PLATE,STABILIZER  BUSH,STABILIZER-FRT  MEMBER,CROSS  1	LINK(R),CONTROL  LINK(L),CONTROL  STABILIZER,FRONT  PLATE,STABILIZER  BUSH,STABILIZER-FRT  MEMBER,CROSS  1  1	LINK(R),CONTROL  LINK(L),CONTROL  STABILIZER,FRONT  PLATE,STABILIZER  BUSH,STABILIZER-FRT  MEMBER,CROSS  1  1


CAT. AUNA07-05



3700A -1 TIRES & JACK

PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
26-161A		NUT, HUB			
B002-37-160	.,	PLATED			
<b>.</b>	16				
37-190		CAP, CENTER			
B21V-37-190	4	(ILLUST. NO.1) (FOR STEEL WHEEL)			
NC10-37-190	4	(ILLUST. NO.2) (FOR ALUMI WHEEL) ((MT)>(5-SP) ) (AT)			
#N053-37-190	4	(ILLUST. NO.2) (FOR ALUMI WHEEL) (L.S. DIFF) ((NT)>(6-SP) )			
37-192B	!	EMBLEM, CENTER			
6144-57-192	4				
37-600	į	WHEEL, DISC-STEEL			
99658-95540		5.5JJX14 P=100/0=45			
	4				
37-600A		TIRE			
90620-47614	1	T115/70B14			
90621-55695	4	195/50R15			
90628-36684	4	P185/60R14			
90629- <b>26684</b>	4	185/60R14			
37-600C	;	VALVE,AIR			
99636-04130	1	TR413			
99636-04140	4	TR414			
1 37-600E	:	WEIGHT, DISC WHEEL-ST			
99655-30005		EEL			
A (99657-28005	) 4				-370
99655-30010 A (99657-20010	) 4	106			-970
99655-30015 A (99657-20015	) 4	156			-970
9701 NB353	×-13	L	-		l
CAT. AUNA07-05					

(1N05870)



3700A -2 TIRES & JACK

PART NO.	QTY	MODEL/RESTRICTION	NODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
CONT'D 99655-30020 (99657-20020	<b>)</b> 4	209			-970
99655-30025 (99657-20025	<b>)</b> 4	250			-970
99655-30030 (99657-20030	) 4	309			-970
99655-30035 (99657-20035	) 4	350			-970
99655-30040 (99657-20040	) 4	406			-970
99655-30045 (99657-20045	) 4	45G			-970
99655-30050 (99657-20050	) 4	50G			-970
99655-30055 (99657-20055	) 4	550			-970
99655-30060 (99657-20060	) 4	60G			-970
99657-20005	4	56			9701-
99657-20010	4	109			9701-
99657-20015	4	150			9701-
99657-20020	4	20G			9701-
99657-20025	4	250			9701-
99657-20030	4	306			9701-
99657-20035	4	35G			9701-
99657-20040	4	406			9701-
99657-20045	4	45G			9701-
99657-20050	4	500			9701-
99657-20055	4	556			9701-
99657-20060	4	60G			9701-
1 37-600J		WHEEL,DISK-TEMPORARY			
99652-14840	1	4TX14 P=100/0=45			
	-138	1751		<u> </u>	┸

p32	3700A TIRES & JA	CK	and the second second	Managari Strangerini	
(	(TR413) 37-600C (TR414) 37-600C	37-600E	26-161A	37-600	(NO.1) 37-190 37-1°28
		°2) 199	(NO.2) 37-600Z	(NO.2) 37-190	37-600.
	37-	600A	(	(SPARI	56-961D 56-210B
:	56-170A		ć	8-810A——	


PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
37-600K   99655-90005		WEIGHT, DISC WHEEL-AL UMI 50 FOR 1-PIECE WHL			
A (99657-30005 99655-90010	) 4	100 FOR 1-PIECE WHL			-9701
A (99657-30010	) 4				-9701
99655-90015 A (99657-30015	) 4	156 FOR 1-PIECE WHL			-9701
99655-90020 A (99657-30020	) 4	200 FOR 1-PIECE WHL			-9701
99655-90025 A (99657-30025	) 4	25G FOR 1-PIECE WHL			-9701
99655-90030 A (99657-30038	) 4	30G FOR 1-PIECE WAL			-9701
99655-90035 A (99657-30035	) 4	35G FOR 1-PIECE WHL	·		-9701
99655-90040 A (99657-30040	) 4	406 FOR 1-PIECE WHL			-9701
99655-90045 A (99657-30045	) 4	45G FOR 1-PIECE WHL			-9701
99655-90050 A (99657-30050	<b>)</b> 4	506 FOR 1-PIECE WHL			-9701
99655-90055 A (99657-30055	) 4	55G FOR 1-PIECE WHL			-9701
99655-90060 A (99657-30068	) 4	60G FOR 1-PIECE WHL			-9701
99657-30005	6	50 FOR 1-PICCE WHL			9701-
99657-30010	4	10G FOR 1-PIECE WHL			9701-
99657-30015	4	156 FOR 1-PIECE WHL			9701-
99657-30020	•	200 FGR 1-PIECE WHL			
99657-30025	4	250 FOR 1-PIECE WHL			9701~
99657-30030	4	306 FOR 1-PIECE WHL			9701-
99657~30035	4	35G FOR 1-PIECE WHL			9701-
99657-30040	4	400 FOR 1-PIECE WHL			9701-
]	4				9701-
99657-30045	4	į			9701-
99657-30050	4	50G FOR 1-PIECE WHL			9701-
<u></u>		<u> </u>	<u> </u>	l <u> </u>	<u> </u>

9701 NB353×-138751

CAT. AUNA07-05

2000-01

(1N05870)



····				·	
	ΙTΥ	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
CONT'D 99657-30055	4	55G FOR 1-PIECE WHL			9701-
99657-30060	4	600 FOR 1-PIECE WHL			9701-
37-600Z		WHEEL,DISC-ALUMI.			}
9965F-66050	4	6JJX15 P=100/0=40 (ILLUST. NO.1) (SILVER)			
9965H-66050	41	6JJX15 P=100/0=40 (ILLUST. NO.1) (BUFF FINISHING)	:		
99652-56040	4	6JJX14 EMKEI (ILLUST. NO.2)			
56-170A     56-170C	1	BOLT, JACK SET			
#+   56-210B     156-210B     156-210B     156-210B     156-210B     156-210B	1	CLAMP,SPARE TIRE			-803
GASR-56-971B AN(GA5R-56-971C)	1				8C03-9801
GA5R-56-971C	1				9801-
56-961D	I	BOLT			
T001-56-961	1	L=60MM			
68-800A		JACK			
B455-37-790A A (B455-37-790B)	1				-8514
B455-37-790B B25D-37-790	1				8514-8901 8901-
++	-	NAMBLE IACK			9701-
68-810A   + D201-37-810	- 1	HANDLE, JACK ((MT)>(6-SP) )			
GJ21-37-810	1	((MT)>(5-SP) ) (AT)			-9201
D201-37-810	1	((HT)>(5-SP) ) (AT)			9201-
8514 MB353*- 8901 MB353*- 8C03 MB353*- 9201 MB353*- 9701 MB353*- 9801 MB353*-1	T 2F	3/51		L	<u>I</u>
CAT. AUNA07-05					2000-01

99784-1016 34-222 39-721 39-724 39-721 39-724 39-721 39-724 39-722 39-724 (MT) 99784-1025 39-040A 39-040A 39-045 99951-1030 39-045 99951-1030 39-045 99951-1030 39-045 39-045 99951-1030 39-045 39-045 39-045 39-045 39-045 39-045 39-045 39-045 39-045 39-045 39-045 39-045 39-045 39-045 39-045 39-045 39-045
---

	PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
	34-222   8871-34-222	4	NUT			
	39-020A   NC10-39-020	1	BRACKET(R), ENGINE			
	39-030A   NA75-39-030	1	BRACKET(L), ENGINE			
	39-040A   NC10-39-040	2	RUBBER, ENGINE MT.			
	39-045   NA01-39-041A	2	CASING,STOPPER			
	39-710   NC10-39-710A		FRAME, POWER PLANT			
١	NC13-39-710A		(AT)			
	,   39-721   NA01-39-721	3	BOLT,PLANT FRAME			
	1 39-722   NAD1-39-722	1	BOLT,PLANT FRAME			
	39-723   NA01-39-723		SPACER,PLANT FRAME			
	39-724   NA01-39-724		WASHER, PLAIN-FRAME			
	NA01-39-724	4	(МТ)			
	39-730   		BRACKET, PLANT FRAME (MT)			
1						
ľ	19			L		L.a

1

AUNA07 + (

(1N08050) CAT. AUNA07-05

40-081 40-050A 9YB10-1202 40-356C 40-355B 99951-0822 99784-0880	105 (-2)
(CALIF) 18-764 40-0	(NO.1) 20-WA4 40-305 (NO.1)
40-061	9YB10-1202(MT) 40-355B (AT) 40-061

	OTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
18-764   B366-18-764	1	CAP,BLIND-THERMO SEN SOR (CALIF)			
1 20-WA4	_	BOLT			
Z502-20-WA4 (FP13-20-WA4	2	(ILLUST. NO.1)			-8B2
KF68-20-WA5 N(BP5B-20-WA5	2	(ILLUST. NO.1)			-6B2
KF68-20-WA5 N(BP5B-20-WA5	2	(ILLUST, NO.2)			-882
FP13-20-WA4		(ILLUST. NO.1)			8825-
BP5B-20-WA5	2	(ILLUST. NO.1)			0B25-
8P58-20-WA5	2	(ILLUST. NO.2)			8B25-
20-55X		CONVERTER			
BP4W-20-55XH	1	((MT)>(FED) )			
8P4X-20-55XH	1	((AT)>(FED) )			
BP4Y-20-55XF	1	((HT)>(CALIF) )			
BP4Z-20-55XF	1	((AT)>(CALIF) )	:		
40-050A		PIPE, EXHAUST-FRONT			
BPM3-40-500C N(BPM3-40-500D)	. 1				-703
BPM3-40-500D	1				7C16-
40-061		HANGER, SILENCER			
BP47-40-061 N(BP47-40-061A)	٠ 4				-820
BP47-40-061A	4				8201-
40-081		BRACKET, HANGER			
BPM1-49-DEOB	1	(HT)			
BPM2-40-080B	1	(AT)			
40-305		GASKET			
ZS10-40-305	1	(ILLUST. NO.1) (AT)			
Z520-40-305	1	(ILLUST. NO.2)			
Z520-40-305	1	(ILLUST. NO.1)			

8B25 NB353%-124579

CAT. AUNA07-05

2000-01

(1N08060)

40-450	40-081 40-050A 9YB10-1202 2 40-356C 40-305 (NO.2) 0-355B (NO.2)
(N) 20-	(CALIF) 18-764 (CALIFF) 18-764 (CALIFF) 18-764 (CAL
	40-061


PART NO. QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
1 40-3558 1	NUT			
<b>+</b>	(MT)			
	(AT)			
1-40-356C	BAND			Ì
BPH1-40-356A 1 (BPM1-40-356B)				/216
BPH1-40-356B 1				7C16-
40-450     40-450   BPM1-40-450A	GASKET, CONVERTER			
40-500	SILENCER, MAIN			
	(AT)			-8601
BPM3-40-100C 1 N(BPM3-40-100D)	(MT)			-8A19
BPM1-40-100D 1	(AT)			8601-
BPM3-40-100D 1	(MT)			8A19-
			ļ	
7C16 NB353*-10 8601 NB353*-11 8A19 NB353*-12	1122 9466			
8A19 NB353×-12	2952			


2000-01

CAT. AUNAG7-05

(1N08060)







<b>FIRM</b>	
AUNA07	<u></u>

4140A -1 \* MANUAL TRANSMISSION CLUTCH RELEASE & MASTER CYLINDERS

I	T			<del></del>	
PART NO.	OTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
33-691		SCREW, BLEEDER			
GA5R-33-691	1				
+		040 NIFERE CORF.			ŀ
33-693A		CAP, BLEEDER SCREW			
0259-33-693	1				
41-341		ROD, PUSK			İ
H266-41-341	1				-6901
NC10-41-341	1				8901-
1 61-670 5		SPRING			Į.
41-470     B312-41-470	1	Si Kino			
+	•				
41-920		CYL.,CLUTCH RELEASE			
NA01-41-920 AN(NA01-41-920A	, 1				-8901
NA01-41-920A	1				8901-
+					0,51
41-990		CYL.,CLUTCH MASTER			
NA01-41-400A	1				
43-5525		CAP SET, RESERVE TANK			
B093-49-580	1				
1 49-460		PARTS KIT, INNER			
H005-49-460	1	PARIS KII, INNEK			
+	•				
49-470		SEAL KIT			
H005-49-470	1				
49-686B		BUSH, ELBOW JOINT			
0305-49-686B	1				
8901 NB353×	-12	2306			<u> </u>
CAT AUNANZ-DE					2000-01

CAT. AUNA07-05

2000-01


(1N03030)


41-360 41-360 41-360 43-635 41-370 41-390 41-390 41-390 41-390 41-390
15-919C
AUNA07 — (1N1 1580)

	<del>,</del>				<del></del>
PART NO.	QTY	MODEL/RESTRICT!ON	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
41-360		HOLDER, CLUTCH			
NC10-41-370	1	(ILLUST. NO.1)			
NC11-41-370	1	(ILLUST. NO.2)			
41-370   HA75-41-360A		PIPE,CLUTCH			
41-380   NC10-41-380		HOSE,FLEXIBLE			
41-390 NA01-41-390	1	HOLDER, PIPE			
43-635 W023-43-635A	2	CLIP, FLEXIBLE HOSE			
45-510		PIPE,CLUTCH			
NAD1-45-510C		(W/O A. LOCK BRAKE)			
NC14-45-510A	1	(W/A. LOCK BRAKE)			
45-919C     6030-45-919A	1	CLIP,PIPE			
		L		<u> </u>	L
CAT. AUNAD7-05					2000-01

99794-0612 41-670A (A T) 41-660
To the second se
41-6108
(W/AUTO CRUISE CONT.)  41-780  41-613  41-644  99575-0500
+ (1N01940)

PART NO.	QTY	NODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
41-610B		PEDAL & ARM			
NA01-41-610B		CW/O AUTO CRUISE.CON			
		1.7			
NA02-41-610B	1	(W/AUTO CRUISE.CONT.			
t-::-::		2011 52			
41-613   B104-41-114		ROLLER		+	
B104-41-114	•	(W/AUTO CRUISE.CONT.			
41-619		SPRING, RETURN			
NA01-41-619	1				
<b>+</b>					
41-644		BUSH			ŀ
0259-41-644	2	GNDD KOSAKUSHO (W/AUTO CRUISE.CONT.			
<b>4</b> 4					
41-660		CABLE, ACCEL.			
NC10-41-660A	1				
41-670A		BRACKET, CABLE			
N053-41-671A	1	(AT)			
1.61-796		LEVER, ACCELERATOR			
41-780   		(W/AUTO CRUISE.CONT.			
11 41 100H	•	)			
44-013		WASHER			
H380-44-013	1			į	1
				-	
				}	
		1	<del></del>	t	
AT. AUNAD7-05					2000-03





BP4W-13-ZE3   1   13-ZE3				
13-ZE1	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
BP4W-13-ZE4   MI FBB3-13-ZE4   MI FBB3-13-ZE4   MI FBB3-13-ZE4   MI FBB3-13-ZE4   MI FBB3-13-ZE4   MI FBB3-13-ZE6   MI BP4W-13-ZE2   CI AZ28-13-157   CI AZ28-13-157   CI BP4W-13-ZE6   CI BP4W-1	FILTER, FUEL PUMP			
B62K-13-ZE3 1 C1   13-ZE4   M1   FBB-13-ZE4   M1   FBB-13-ZE4   M1   FBB-13-ZE4   M1   FBB-13-ZE4   M1   FBB-13-ZE4   M1   FBB-13-ZE4   M1   FBB-13-ZE6   M1	CLIP,HOSE-FUEL HOSE			
13-ZE4	(ILLUST. NO.1) (ILLUST. NO.2)			
FB3-13-ZE4 AN(FB83-13-ZE4 AN(FB83-13-ZE4 AN(FB83-13-ZE4 AN(FB83-13-ZE4 AN(FB83-13-ZE4 AN(FB83-13-ZE4 AN(FB83-13-ZE4 AN(FB83-13-ZE6 AN(FB83-13	CILLUST. NO.27			
FP34-13-ZE4 AN(F883-13-ZE4) 1 F883-13-ZE4 1 13-ZE6   MI BP4W-13-ZE2   CI L19-13-ZE6   CI L19-13-ZE6   CI L19-13-ZE6   CI L13-157A   L13-157A   L13-161A   JI E580-13-161   L1 L13-ZE3   L1	WASHER,LOCK-PUMP FIL TER MITSUBISHI			
AN(F883-13-ZE4 ) 1 F883-13-ZE4   1   13-ZE6	MITSUBISHI			-9501
13-ZE6   HI   13-ZE6   HI   13-ZE6   HI   Ni   BP4W-13-ZE6   CI   13-157A   CI   13-161A   JI   E580-13-161   1   13-Z53   RI   13-Z53   RI   13-Z53   RI   13-Z53   RI   13-Z50   PI   BP4W-13-Z80B   1				9501-9801
13-ZE6	MITSUBISHI			9601-
BP4W-13-ZE2 1 ()  KL19-13-ZE6 1 ()  13-157A   C   AZ28-13-157 2    13-161A   J   E580-13-161 1      13-253   R1    13-253   R1    13-280A   P   BP4W-13-Z80B 1    BP4W-13-Z80B 1      13-350   P   BP4W-13-ZEBOB 1    A (BP4W-13-ZESZB)    BP4W-13-ZEBOB 1    BP4W-13-ZEBOB 1    A (BP4W-13-ZESZB)    BP4W-13-ZEBOB 1    BP4W	HOSE, FUEL PUMP-IN TA			
13-157A	(ILLUST, NO.1)	į		
13-157A	(ILLUST. NO.2)			
13-161A   June   13-253   R1   13-253   R1   13-253   R1   13-253   R1   13-260A   P6   13-260A   P6   13-350A   P7   13-350	CLIP			
13-253	יזיזאוסע			-9701
13-280A   PF   BP4W-13-280A   1   BP4W-13-280B   1   BP4W-13-280B   1   13-350   PF   BP4W-13-35ZA   1   A (BP4W-13-35ZA   1   BP4W-13-35ZB   1   AN(BP4W-13-35ZC   1   AN(BP4W-13-35ZC   1   AN(BP4W-13-35ZD   1   BP4W-13-35ZD   1	RING,'O'			
BP4W-13-280A 1 A (BP4W-13-280B) BP4W-13-280B 1 +	PRESSURE RG., FUEL	ļ		
BP4W-13-280B 1   13-350   Pl   13-350   Pl   13-350   Pl   13-350   Pl   14 (BP4W-13-352B) 1   15 (BP4W-13-352B) 1   16 (BP4W-13-352C) 1   17 (BP4W-13-352C) 1   17 (BP4W-13-352D) 1		-		-8C01 6C01-9501
13-350   PU   13-352A   1   13-352A   1   1   13-352B   1   1   13-352B   1   1   13-352C   1   1   13-352C   1   1   13-352D   1   1   13-352D   1   1   1   1   1   1   1   1   1				9501-
BP4W-13-35ZB 1 AN (BP4W-13-35ZB) BP5W-13-35ZB 1 AN (BP4W-13-35ZC) BP5W-13-35ZC 1 AN (BP6W-13-35ZC) BP4W-13-35ZD 1	PUMP, FUEL			7501-
BP4W-13-35ZB 1 AN(BP4W-13-35ZC) BP4W-13-35ZC 1 AN(BP4W-13-35ZD) BP4W-13-35ZD 1				-7C03
BP4W-13-35ZC 1 AN(BP4W-13-35ZD) BP4W-13-35ZD 1				7C03-8320
BP4W-13-35ZD 1				8320-8C01
7C03 NB353#-10004				BC01-9501
7C03 NB353#-1000 B320 NB353#-1236 BC01 NB353*-1249 9501 NB353#-13777 9701 NB353#-13875 9801 NB353#-13996	711 751			

2000-01

CAY. AUNA07-05

42004		
(-9 7 0 1) (2) 99283-1000-	42-563A (2) 99283-1000 907	(1) (4) 86-0616 99833-0410B
42-95	50 42-991	D \$
99283-11 (NO.2) 42-581A.—	(/(C / /	720/ 42-650A
99940-0601-	42-57]A - 42-5	71/45-130C
	99283-1000	× ×
	99283-1000 42-562 (2)	(\\
(NO.1) 42-631	> 99283-1000—J	 2-510
	<b>O</b>	C (1/4)
	42-694	
	42-761	
80 (NO.2)	15-915	42-694
	45-921	(b)
42-693	42-791 —	
4500/45-111	13-440B	(2) —99786-0016
42-650A		13-480
42-693	13-470	
42-590A 42-661 93-5110	42-564 99283	42-459A (2)
42-661 93-5110 (L=310MM) 7 13-988	42-564 99283- 99283-1200 99283-	1200
	0786-06)6	99940-0603
	(NO.1) 42-571A	13-970
42-581A (NO.1) 18-741C	99283-120 4500 / 45-711	\(\alpha\) \(\alpha\)
<b>PEUD</b>	42-566	99940-000 42-719
AUNA07		(1N03712)

4200A FUEL TANK

PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
CONT'D AN(BP4W-13-352					7.00, 10
8P4W-13-35ZE AN(8P4W-13-35Z	1				9501-9801
8P4W-13-35ZF	1			1	9801-9901
C (BP4W-13-352 BP4W-13-352G	(6) 1				9901-
+	٠	Dilber cost out			
13-350A BP4W-13-350A	1	PUMP, FUEL-SUB			
13-4408     BP4H-13-464		BRACKET, FUEL FILTER			
13-457C   BP01-13-485		BOLT			
13-470   		FILTER, FUEL			
13-480 BP4W-20-490B		FILTER, FUEL			
13-970     13-970     BP4W-13-970		CANISTER			-9701
BP5R-13-970	1				9701-
13-988   2526-13-988		FILTER, AIR			-9701
KLG4-13-988	1				9701-
18-211D     JE96-18-211		SENSOR, BOOST			
18-741C     BP4W-18-741A		VALVE, SOLENOID			.0741
BP5R-18-741	1				-9781 9701~
42-110		TANK, FUEL			
+ NC10-42-110C AN(NC10-42-110	1				-9201
NC10-42-110D	1				9201-9501
BP4W-13-35ZF C BP4W-13-3 NC49-42-6	52G 594	9201 NB353×-13 9501 NB353×-13 9701 NB353×-13 9801 NB353×-13 9901 NB353×-14	57711 58751 59968		-1
CAT. AUNA07-05					2000-03

PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
CONT'B AN(NC10-42-110F)	,	. "			
NC10-42-110F	1				9501-9761
NC49-42-110	1				9701-
++	ļ				7.01
42-210		PIPE, FILLER			
NC10-42-210D AN(NC10-42-210E)	) <sup>1</sup>				-7017
*NC49-42-210B	1				0201-
NC10-42-210E AN(NC10-42-210F)	, 1				7017-8305
NC19-42-210F AN(NC10-42-2109)	, 1				8305-8323
NC18-42-210G C (NC10-42-210H)	, 1				8323-8805
NC10-42-210H	ı				8B05-9701
NC49-42-218A	1				9701-0201
42-240		COVER, DUST			
NC10-42-240	1				-9701
NC49-42-240	1				9701-
42-240A	ļ	HOSE, JOINT			
NC10-42-231	1				
tt	- 1				Ì
42-241   0866-42-366B	ı	GASKET, FILLER PIPE			
*	- 1				
42-243A		GASKET'A', DUST COVER			
NA01-42-233	1				
42-249		BOLT,FILLER PIPE			
++ NA01-42-249B	4				
1 42-250 1	ĺ	CAR ETLICR			
42-250   ++ NC10-42-250	ı	CAP, FILLER			-8B24
A (NC10-42-250A					GBZ
NC16-42-250A	1				8B24-9701
NC49-42-250	1				9701-
42-260J		NOSE, BREATHER			
NC49-42-232	1				9701-
NC10-42-2109 C NC10-42-21 GE4T-42-27	он 0	7C17 NB353%-10 B305 NB353%-11 B323 NB353%-11 BB05 NB353%-12 BB24 NB353%-12 9501 NB353%-13 9701 NB353%-13	0055 2641 3496 4510 7711		

CAT. AUNA07-05

(1N03713)

(4/4)

(9 7 0 1 -)  (NO 2)  42-693  42-693  42-694  (P) (3/4)  42-694  45-921  42-694  45-921  42-694  42-694  42-694  13-440B  13-457C  99786-0616  -13-480  99286-2200P  42-585A  99286-2200P  42-585A  99286-2200P  42-501A  42-502B  99286-2200P  13-988  13-99940-0601  13-988  99940-0601  13-988  13-99940-0601  13-988  13-99940-0601  13-988	delegan markener
42-693 45-921 42-694 45-921 42-694 42-694 42-693 42-693 42-693 42-693 42-693 42-693 42-693 42-693 42-693 42-694 42-693 42-693 42-693 42-693 42-693 42-693 42-693 42-694 42-693 42-693 42-693 42-693 42-693 42-501A 42-501A 42-501A 42-501A 42-501A 42-501A 42-501A 42-5020 42-5020 42-503 42-503 42-503 42-504 42-504 42-508	ungg de garara
45-921 42-694 42-693 42-693 42-585A 99286-2200P 42-501A 42-501A 99286-2200P 42-501A 42-501A 99286-2200P 42-501A 42-501A 99286-2200P 18-211D 42-508 99286-2200P 18-741C 13-988	
42-650A (NO 2)  42-693  42-585A  42-585A  42-561A  42-561B  42-523  42-554  42-523  42-554  42-523  42-554  42-523  42-554  42-523  42-554  42-5200P  42-562B  99940-0601  18-741C  13-457C  99786-0616  13-457C  99786-0616  13-480  13-480  42-590A  42-590A  18-741C	
42-585A 42-585A 42-585A 42-561A 42-561A 42-561B 42-562B	
42-585A 9286-2200P 42-561A 42-561A 42-561B 42-562B 42-523 42-55Y 42-562B 99283-1000 13-988 — 18-211D 13-988 — 18-210D 18-741C	
99283-1000 13-988 — 13-741C	NO.1)
42-552-1	Ť
99286-2200P 90786-0616 90286-2200P 42-566B 42-459A 42-567B 99286-2200P 99286-2	
99286-22007 99286-22007 99283-1200 42-565A 99283-1000 99283-1000 99283-1000 99283-1000 99283-1000 99283-1000	
42-719 C 4500/45-711	

PART NO. QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
42-280	VALVE, NON RETURN			
9A2A-42-270 1				-880
3E4T-42-279 1				8B05-970
42-29DA	PROTECTOR'A', FILLER			
	PIPE			-830
				8301-
<b>!</b>				
42-459A     +   194W-18-991   1	RUBBER, LUSHION			
1 42-459G I	RUBBER, CUSHION			
3P4W-18-992 1	į			
42-510	PIPE, FUEL			
IC10-42-511 1				-970
42-523	PAD, FUEL TANK			
	NISSHO			
· · · · · · · ·				9701-
++	BRACKET			
IC49-42-55Y 1				9701-
42-55Z	BRACKET			
IC49-42-55Z 1				9761-
42-56X	HOSE, WEL			
C49-42-56XA 1		:		9701-982
IC49-42-56XC				9820-
42-56Y	HOSE,FUEL			
C49-42-56Y 1				9701-
42-561A	HOSE, FUEL			
C10-42-560 1	ŀ			-970
C49-42-561 1				9701-
42-562	HOSE NO.2, BREATHER			
8301 NB353%-109 8B05 MB353%-123 9701 NB353%-136 9820 NB353%-140	751			L
T. AUNA07-05				2000-01

1-N15

PART NO.	OTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
CONT'D NC10-42-562A	1			STORY RESTRICTION	-9701
42-562B   NC49-42-562	1	HOSE, FUEL			9701-
42-563A   NC10-42-563	1	HOSE NO.3, BREATHER			-9701
42-564   NC10-42-564	1	HOSE NO.4, BREATHER			-9701
42-565A   NC49-42-565A	1	HOSE, FUEL			9701-
42-566   NC10-42-566	1	HOSE NO.5,BREATHER			~9781
42-5668     42-5668     NC49-42-566	1	HOSE, FUEL			9701-
42-5678     42-5678     NC49-42-567	1	HOSE, FUEL			9701-
1 42-568   MC49-42-568A	1	HOSE, FUEL			9701-
42-571   NC10-42-570		HOSE, VENT			-9701
42-571A   NC10-42-565A		HOSE, FUEL (ILLUST. NO.1)			9701
NC10-42-571		(ILLUST. NO.2)			-9701 -9701
42-581A   NC10-42-567		HOSE, FUEL (ILLUST. NO.1)			-9701
NC10-42-568	1	(ILLUST. NO.2)			-9701
42-585A    +     LC62-42-585	1	JOINT			9701-
9701 NB353>	i-13l	<u> </u> 9751			<u> </u>
AT AUNANZ-DS					

CAT. AUNA07-05

4200A FUEL TANK	(2/4)
(-9 7 0 1) 99283-1000 99283-1000 90786-0616 9983	(4) 33-0410B
42-950 99283-1000 42-581 A 99283-1000 42-561 A 99283-1000 99283-1000 99283-1000 99283-1000 99283-1000 99283-1000 99283-1000 99283-1000 99283-1000 99283-1000 99283-1000 99283-1000 42-510	45-130C
42-694 42-761 42-694	
13-457C 42-650A 42-693 13-470	
(NO.1) 42-571A	8—99940-0603 -13-970 2-459G —99940-0601
42-566 + -	42-719 (1N03712)

<del>,</del>				
PART NO. QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
42-590A I	CHAMBER, EVAPO TANK			
NC10-42-590 1	BRKT			-970
NC49-42-590 1			}	2701-
tt				
42-617	PROTECTOR			
NC10-42-756 1				
42-631	PIPE, FUEL MAIN			
NC18-42-61YD 1 A (NC10-42-61YE)	(ILLUST. NO.2)			-708
	(ILLUST. NO.1)			-970
	(ILLUST. NO.2)			703-980
AN(NC10-42-61YG)				7003-980
NC10-42-61YG 1 C (NC10-42-61YH)	(ILLUST. #0.2)			9801-990
	(ILLUST. NO.2)			9901-
<b>*+</b>				
42-650A	PIPE, FUEL			
NC10-42-61XD 1 A (NC10-42-61XE)	(ILLUST. NO.2)			-7C0
NC10-42-512A 1	(ILLUST. NO.1)			-970
NC10-42-61XE 1 AN(NC10-42-61XG)	(ILLUST. NO.2)			703-980
	(ILLUST. NO.2)			9801-990
C (NC10-42-61XH)				,,,,,,
	(ILLUST, NO.2)			9901-
42-661	BRACKET, FUEL PIPE			
NC10-42-558 1				-970
tt	0.70		-	
42-666    +   NC10-42-591A   Z	CLIP			
++				-970
42-693	RETAINER		}	
T032-42-694 3				
1 42-694	RETAINER			
T032-42-694 2	1			-998
NC49-42-694 2				9901-
t <u>-</u>				
42-712   +	PROTECTOR			
NC10-42-61Y6	7C03 NB353×-10	10063		1
C NC10-42-61YH NC49-42-694	9701 NB353×-13 2 9801 NB353×-13	9968 9968		
NC10-42-61XG C NC10-42-61XH	9901 NB353×-14	10000		
NC49-42-694	2			
CAT. AUNAG7-D5				2009-01
				0I

Designation of the second seco		emizationistropeleonisticoscopy.	Minimum management of the second	ANASSER ALEGE AND SERVENCE AND SERVER AND SE
(9701-)	99833	(8) 3-0408	_	
		3-0408	4	2-249 I
	13-350		Γ42-210	42-250
	-773A		260J42-241 ·	1/2/
60-960A (7)		99283-1200	40 705 99283-100	7/\ <b>#</b>
	·_ (COO)		42-795 - 99283-100	
90906-0412	0	D-100		/200
	A le			
13-280A	13-157A	(Z) 4 L	12-240A ~ W <	
	(NO.2) 13-ZE6		(1)	
(NO.2) 13-ZE3 ——	/ 当!	42-825	J (1) 99282-5300	*
(NO.1) 13-ZE6 ——{/	L 13-157A			90786-0616
(NO.1) 13-ZE3			90786-0616—\	
13-350A			-0100-010-V	
L <sub>13-ZE1</sub> -		1	I DA MARIE	42-290A
<u></u>		J		Ī
		90786-0616 <b>—</b>		
<u>-42-720</u>	(De )	99940-0602 <del>(</del>		
42-110		9994U-U0U2 <del></del> 0		
72 110		<i>(C)</i>		• •
			(Z)	(3)
90786-0616		X 7		9940-0602
ا في ا	(6 m)	1 13 6	₹\ <u>`</u>	40.040
			\42-243A	42-240
Ĭ,	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		(5) 1786-0616	
	701			
Δ.		``_( <u>e</u> }4	2-771	
(NO.2) 42-901A/		· .		
42-7011				
		<u> </u>	12-772	
		/\tes=/	12-75X	
99895-0000	, XXX	У <b>І</b> ,	(4)	
₩995-0000 #/	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	<b>—</b>	90786-08259	
		(NO.1)		
──42-750D 🏈	W 0 2 1	(NO.1) 42-901A	•	
r-42-617				
4				
1 <i>1</i> 22		1		
42-712	00040.040	ζ		
42-712	99940-060	<b>{</b>		
42-712 AUNA07		<del></del>		(1N03713)

PART NO.	QTY	NODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
CONT*D NC10-42-755	1				
42-719		PROTECTOR			
NC10-42-79X	1				
<b>!</b>					
42-720		VALVE, FUEL VAPOR.			
BC1M-42-980A	1	ĺ			-9701
BJ0E-42-980	2				9701-
1 42-75X		REINF., FUEL TANK			
NA01-42-77X	4	1			-9701
NC11-42-773	4				9701-
42-750D		INSULATOR, FUEL TANK			
NC10-42-740A	1				
42-761		PAD			
NC10-42-761	1				-9701
<b>†</b>					
42-771		RUBBER(UP),MOUNT-TAN			
NC10-42-771	4				
42-772		RUBBER(LWR),MOUNT-TA			
NA01-42-772	4				
42-791	i	PAD, FUEL TANK			
NA01-42-761	1				
1 42-795		INSERT			
LA01-42-795	1				9701-
++					/***
1 42-825 1		CLAMP, HOSE			
S05B-42-239	1				
42-901A		INSULATOR			
NC10-42-74XC		(ILLUST. NO.1)			
NC16-42-743A	1	(ILLUST. NO.2)			
42-950		VALVE, PRESSURE CONTR			
NC10-42-950	1	DL			-9701
9701 NB353	ŧ-131		<u> </u>		
110030					
				<del> </del>	

(9701-) (NO 42-6	.2) 31	
42-693	42-69	4 (3/4)
	<b>⊗</b> -	
42-693 45-9		@ 42-694   O 42-694
4500/45-111		
42-650A (NO.2) 42-693	13-440B 13-470	—- 13-480
99286-2200P 42-585A 99286-2200P 12 42-551A	99940-0001	
42-523 42-55V	-99283-1000 42-5628 (2)	(3/4)/ 42-901A (NO.1)
99283-1000 13-98 -42-56X	2200P-SP   18-741C =	
99286-2200P 90786-0616 99286-2200P 90786-020P		0786-0625   -42-566B   -42-459A
42-56Y — 42-567B — (1) -99689-2513 —	99286-2200P 99286-2200P	13-970 13-970
a 🚜	99283-1200 42-565A 99283-1000	42-459G 
	y 4500/45-711	

PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
42-991   NC10-42-55Y	1	BRACKET			-9701
45-130C   NC10-42-663	1	RUBBER, MOUNT I NG			-9701
45-915     45-915     NA01-45-914	1	CLIP, PIPE			
#5-921   #5-921   8210-45-917	1	CLIP, PIPE			
60-960A     60-960A     NC10-60-960	1	GAUGE, FUEL TANK			
66-773A     BP4W-60-962	1	GASKET			
93-5106     93-5106     99351-06999	1	HOSE L=1M CUT IT TO USE			-9761
93-5110		HOSE			
1 93-5714 1	1	HOSE			-9701
99357-14999	1	L=1M CUT IT TO USE		,	-9'-01
9701 NB353:	5-1×	8751			
7701 (18333)	13	oruz.			
CAT. AUNA07-05					2000-01

-42-410

AUNA07

42-441 9WA60 1000B

56-880A

66-941A

© 99279-0803

56-870B

56-854B

G 56-832

4210A -1 FUEL LID OPENER

PART NO. OT	Y MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
42-408     0187-70-491   2	STOPPER, FILLER LID			
1 42-410	LID, FUEL FILLER			
NC10-42-410B 1 NN(NC10-42-410C)	l			-7CG1
NC10-42-410C I NN(NC10-42-410D)				7001-9510
NC10-42-410D 1	•			9510-
42-431     H043-42-431D   1	SPRING LIFT,LID			
42-441     NA01-56-896   ]	WASHER, LID OPENER			
++   42-480   ++ B095-56-890A   N(B095-56-890B)	OPENER, FILLER LID			-9118
	ı			9118-
56-832     10-56-832     10-56-832	CLIP'B', OPENER CABLE			
++   56-854B   ++ NC10-56-850A   AN(NC10-56-850B)	OPENER,T/LID & F/LID			-9201
NC10-56-850B 1 A (NC10-56-850C)	ı			9201-9A01
	ı			9A01-
56-870B     56-870B     HC10-56-870A     AN(NC10-56-870B)	CABLE,T/LID OPENER			-9201
	1			9201-9A01
	1			9A01-
56-850A	CABLE, F/LID OPENER			
	1			-9201
NC10-56-660B	1			9201-
7C01 NB353*-1 9118 NB353*-1; 9201 NB353*-1; 9510 NB353*-1; 9A01 NB353*-1;	28424 30051 37762			•
CAT AUNANZ-OS				2000-03

CAT. AUNAD7-05

2000-01

(1N04450)

		12-480		
42-410 42-431 90786-0616	G660-05128 ©	42-441 (1) (2) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4		
AUNA07	56-854B 3 56-832	© 66-941A	© 99279-0803	1N04450)

PART NO.	ату	NODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
66-941A     66-941A     H003-66-941		CLIP			rios 10
					:
CAT. AUNA07-05				W V W	2000-01

		Ruise. CONT.) 210	43-070	41-682	(NO.1) 43-029 2.	-99927-1000 (1) -99811-1030
99940-0801 41-443 41-443 43-065A	3-302		D794-0820	90794-0	67	(1) 99940-0600 -210
99940-0600 99921-0800 41-	43-029 (NO.1)	9	(1) 1000 99232-08:	43-140	-152 46-0	99811-1070 85 43-081A
41-131 43-029 (NO.1) 41-0 46-683A	23A J	Maga		1-1000 46-085 43-061A		3-02° NO.1)
	99932-0400B	41-030			43- <b>ʻ</b> 0	30   43-028
43-04 AUNA07	ı <u> </u>	<u> </u>	<del>-</del>	· · · · · · · · · · · · · · · · · · ·	-H-0000	(1N04460)

PART NO. QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
18-660B     LA01-66-490A	SWITCH, CLUTCH			
0727-41-023 1	BUSH			
41-030     41-030     401-41-030D     AN(NA01-41-030E)	PEDAL, CLUTCH			-8101
NA01-41-03GE 1			1	8101-
41-061     0727-41-061	SPACER			
41-070     41-070     NA01-41-0708     AN(NA01-41-070C)	BRACKET, MASTER CYL.			-8101
NA01-41-070C 1				8101-
41-081A     41-081A     BR70-41-081   1	SPRING,RETURN			
41-131     41-131     0824-41-131	ROD, PUSH			
41-140     41-140     MA01-41-140B	FORK,CLUTCH			
41-443     41-443     141-443	GASKET			
1 41-682   1456-41-682	RUBBER, STOP			
1 43-028   1 43-028   8092-43-028	PAD, PEDAL			
43-029	RUBBER,STOPPER			
B001-43-029	KURDISHI TEKKO (ILLUST. ND.1)			
0030-43-029	OIRES KOGYD (ILLUST. MD.2)			
8101 NB353×-10	2707			<u> </u>

CAT. AUNA07-05

(W.	AUTO CRUISE. CONT.) 67-210 41-68:	(NO.1) 43-029 99927-1000
99940-0801 43-302 41-443 43-065A 66-4D0 99940-0600	99940-0801 90794-0820 90794-0820 90794-0820 90794-0820	99811-1030 99940-0600 67-210 99813-1070
99921-0800 401-140	99921-1000 95971-1000 99921-1000 99921-1000 99921-1000 99921-1000 41-081A 46-085 43-029 (NO.2) 96008 41-030	43-081A 43-081A 43-081A
43-041 AUNA07	43-028 ————	(1N04460)

PART NO. Q	TY MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
43-030     NA01-43-030B	PEDAL, BRAKE			1,000
43-041     NC10-43-041	REST, FOOT			
43-061A     43-061A     0866-43-062	PIPE, PEDAL			
43-065A     8870-43-065	SPACER			
43-070     43-070     14	BRACKET, MASTER CYL.			-8801
NA02-43-070D	1			8001-
43-081A     8092-41-081	SPRING, RETURN-BRAKE			
+	FORK, BRAKE			
43-152     0001-43-152	PIN, SNAP			
1 43-302   B180-43-302	GROMMET, BRAKE PEDAL			
1 46-085   1015-46-085	BUSH 4			
46-683A   0223-46-683	PIN			
66-4D0     66-4D0     FB01-66-4D0	SWITCH,CLUTCH CUT			
67-210	SWITCH, STOP-LAMP			
BR70-66-490A	1 (W/AUTO CRUISE.CONT.			
8801 NB353#-1	21854			<u> </u>

CAT. AUNA07-05

· /a		PART NO.
	(W/AUTO CRUISE. CONT.)	CONT*D B001-66-490A
	67-210 41-002 (NO.1) 43-029	UH71-66-490
	43-070	
	99927-1000	68-615B
	99811-1030	B100-68-615
(2) 99940-0801 4	13-302	
41-443	99940-0801	
	41-070 99940-0801	
W.	90794-0820	
43-065A - 66-4D0	10/44-0020	
\ \tag{\chi}		
	43-029 68-615B 18-660B	
99940-0600	43-152	
	99921-1000 (1) 43-140 46-095	
99921-0800 41-	140 (1) 99232-08229	
41-131	99575-0600 43-061A	
41-131	99921-1000	İ
43-029 (NO.1)		
(NO.1) (NO.1)	023A 41-081A 46-085 43-029 (NO.1)	
46-683A	43-061A—	
46-08	41-061 43-029 (NO.2)	ŧ
	90932.04008	
7,0111000	43-028	
	43-028	
	43-020	
	ks. \	8801 NB353×-
43-04	1	
AUNA07	(1N04460)	CAT. AUNAO7-D5
ł		· ·

PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
ONT*D 001-66-490A	1	(W/O AUTO CRUISE.CON			-880:
H71-66-490		CM/O AUTO CRUISE.CON			8801-
68-615B		NUT, FLANGE-CAP			
100-68-615	1				
	i				
			ļ		
			ļ		
8801 NB353	¥-121	1846			<u> </u>
Jes. 118333	1E				

2000-01

-K16

		N/AUTO CRUISE CONT.) 67-210
	41-682	
	43-070	43-029
		99927-1000 99811-1030 99940-0600
	99940-0801	(W/O AUTO CRUISE, CONT.)
43-090		
41-443 99940-0801 43-099	43-152	99811-1070 46-085
	232-08229 43-140	43-081A
	99971-1000 99921-1000 46-085	43-029
	43-	061A 43-030
	-99932-06008	43-028
43-041		

PART NO.	QTY	MODEL/RESTRICTION	MODEL/RESTRICTION	MODEL/RESTRICTION	FROM-TO
18-8201		BRACKET, CONTROL UNIT			. 10 . 10
NA75-18-9453	1				
41-443		GASKET			
NA01-41-443	1				
41-682		RUBBER, STOP			
1456-41-682	1	!			
43-028		PAD,PEDAL			
0268-43-028	1				
43-029		RUBBER, STOPPER			
B001-43-029		KURDISHI TEKKO			
<b>+</b>	_				
43-030   	1	PEDAL, BRAKE			
+	_				
43-041     ++   NC10-43-041	1	REST, FOOT			
++					
43-061A   	1	PIPE,PEDAL			
+					
43-070   	1	BRACKET, MASTER CYL.			
AN(NA02-43-670D	)				-8801
NA02-43-070D	1				8801-
43-081A		SPRING, RETURN-BRAKE			
B092-41-081 ++	1				
43-090		PLATE			
NA03-43-090A	1				
43-099		HOLDER, PLATE			
HF23-43-099	ì				
43-140		FORK , BRAKE			
1524-43-141	1				
8601 NB353×	-12	1854			
				<b>@</b>	
CAT. AUNAD7-05		W- 1976			2000-01

CAT. AUNA07-05

2000-31

(1N01980)

(W/AUTO CRUISE CONT.) 67-210
43-070
99927-1000 99911-1030 99940-0800 99940-0800
(W/O AUTO CRUISE. CONT.)
43-090 41-443 99940-0801 43-099 43-152 46-085
99232-08229 43-140 43-081 A 99971-1000 (1)
99921-1000 46-085 43-029
43-030 43-028
43-041
43-028 43-028

+		PIN,SNAP		
+	1			
46-085		BUSH		
+	2			
67-210   	j	SWITCH,STOP-LAMP (W/AUTO CRUISE.CONT.)		
3001-66-490A	1	(W/D AUTO CRUISE.CON		-860
JH71-66-490	1	(W/O AUTO CRUISE.CON		8801-
8801 NB353*	-12	1854		

CAT. AUNA07-05

2000-81

(1N01980)