

# Intro to pure data

Based on *Introduction To Computer Music by Miller Puckette*

presentation by alex-esc

hello, first of all let's get the course materials and  
where to find them. Go to:

[github.com/alex-esc/intro-to-pd](https://github.com/alex-esc/intro-to-pd)


Get the slides at the `docs` folder, or head over at:  
[github.com/alex-esc/intro-to-pd/tree/master/docs/pics](https://github.com/alex-esc/intro-to-pd/tree/master/docs/pics)



```

1 name: "my-website"
2 navbar:
3   title: "My Website"
4   left:
5     - text: "Home"
6       href: index.html
7     - text: "Viridis Colors"
8       href: 1-example.html
9     - text: "Terrain Colors"
10      href: 3-inline.html
11

```



```

variable toc_smooth_scroll=1 --variable to
/Library/Frameworks/R.framework/Versions/3
rmarkdown/rmd/h/default.html --css css/rma
'theme:cosmo' --include-in-header /var/fol
y8yxqtyp1xw0000gn/T//Rtmp8wWScT/rmarkdown-
--no-highlight --variable highlightjs=site
iable highlightjs-theme=textmate --variabl
ibs/navigation-1.1 --include-in-header inc
ude-before-body include_header.html --incl
e_footer.html
|.....
.....| 100%
ordinary text without R code

```

```

/Applications/RStudio.app/Contents/MacOS/p
12m -RTS word_document_format.utf8.md --to
+autolink_bare_uris+ascii_identifiers+tex_
--output word_document_format.html --smart
none --standalone --section-divs --table-o
h 3 --variable toc_float=1 --variable toc_
variable toc_smooth_scroll=1 --variable to
/Library/Frameworks/R.framework/Versions/3
rmarkdown/rmd/h/default.html --css css/rma
'theme:cosmo' --include-in-header /var/fol
y8yxqtyp1xw0000gn/T//Rtmp8wWScT/rmarkdown-
--no-highlight --variable highlightjs=site
iable highlightjs-theme=textmate --variabl
ibs/navigation-1.1 --include-in-header inc
ude-before-body include_header.html --incl
e_footer.html

```