

# Index

## A

- Accelerometer, 226–230
- AGC, 176
- Amplifier, 40–44, 54–56, 154–169, 239
  - Bi-MOS, 188
  - bootstrap, 159
  - direct, DC 51
  - discrete, 160–162, 166
  - feedback, 44, 55, 164, 205
  - FET input, 166
  - headroom, 219
  - high-Z, 41, 54, 154–162, 204, 244
  - high-Z, guarded, 155
  - input resistance, 155
  - inverting, 204
  - low-Z, 40, 55, 63, 162–164
  - MOS, 189
  - noise, 167–169
  - operational, 169
  - rise time, 159
  - saturation, 76
  - slew rate, 160
  - stray capacitance, 156
  - T configuration, 164
  - transient response, 157
- Amplitude sensitivity, 108
- Analog Devices, 226
- Applications
  - accelerometer, 226, 281
  - clinometer, 145–146, 265–270
  - communications, 5

- computer graphic input, 5
- electret microphone, 221
- keypad, 135–138
- liquid level sense, 140–144
- measurement, 4, 243–249
- micrometer, 45, 61–65
- motion detect, 45
- motion detect, x-y, 45
- motion sense, 83–104, 124–129
- motor commutator, 129–131
- pressure sensor, 122–124, 279–281
- proximity detector, 37, 45, 66–82, 236–242
- six-axis transducer, 144–145
- spacing measurement, 139
- StudSensor, 231
- switches, 4
- touch switch, 134
- touchpad, 138–139
- water/oil mixture probe, 131–134

- Area variation, 39

## B

- Bandpass filter, 50, 60
- BiCMOS, 180, 228
- Bridge, 52, 63
- Brushless motors, 129

## C

- Capacitance, 13
  - analytical solutions, 20
  - approximate solutions, 24

Capacitance (*continued*)

- bridge, 39
  - cocylindrical plates, 23
  - concentric cylinders, 15
  - coplanar plates, 22
  - coplanar plates with shield, 23
  - cylinder and plane, 16
  - measuring, 49
  - multielectrode capacitors, 17
  - overlapped plates, 21
  - parallel cylinders, 15
  - parallel plates, 14, 48
  - reference capacitors, 17
  - single plate, 37
  - sketching field lines, 24
  - small gaps, 20
  - two cylinders and plane, 16
  - two strips and plane, 16
- Capacitance bridge, 57
- Capacitor dielectrics, 147–152
- Capacitor measurement, 152
- Capacitor models, 152
- Carrier, 171–173, 219
- frequency, 171
  - sine wave, 172
  - square wave, 173
- Carrier; see also Excitation
- Charge coupled device, 178
- Charge images, 12
- Charge injection, 188, 192–194
- Charges, 7
- Circuit
- bandpass filter, 60, 240
  - bridge, 52, 57
  - capacitance bridge, 57
  - capacitance measurement, 49
  - limit switch, 80
  - lowpass filter, 59
  - micrometer, 62–65
  - proximity detector, 75
  - single-ended, 57, 58
  - synchronous demodulator, 54, 187, 193–196
- Clinometer, 145
- CMOS ASIC, 247
- Component accuracy, 179
- Conductive films, 115
- Convolution, 92
- 2-D, 93, 97–98
  - integral, 92
  - inverse, 94, 94–97
- Coulomb, 7
- Crossover resistance, 167
- Crosstalk, 31, 198, 219
- Current noise, 167

**D**

- DC restoration, 56
- Debounce, 110, 110–112
- Demodulator, 173–176, 193–196, 240, 246
- 180° drive, 173, 228, 244
  - 90° drive, 175
- Dielectric absorption, 148
- Dielectric constant, 70, 283–291
- Dielectric constant of air, 73
- Dielectric models, 147
- Dielectric substrate, 118
- Digital signal processing, 177–178
- Displacement current, 9
- Dissipation factor, 148
- Doppler, 128

**E**

- Earth ground, 71
- Edge effects, 61
- Electret, 221–225
- Electric, 8
- Electric potential sensor, 87
- Electrode configuration, 45
- Electrostatic force, 62, 230
- Electrostatics, 6–36
- Encoder
- absolute, 83
  - incremental, 83
  - optical stripe, 84
- Equipotential surfaces, 24
- ESD, 136, 138, 217
- Excess charge, 149
- Excess noise, 198, 199, 200
- Excitation, 58, 219
- pseudorandom carrier, 77
- Excitation; see also Carrier

**F**

- FET noise, 200
- Field lines, 74
- Finite element analysis, 27
- Fringe, 29

**G**

- Gage factor, 65, 241
- Gauss, 10
- Ghost keys, 137
- Ground, 72, 209
- ideal ground, 209
- Guard, 42, 44, 52, 54, 56, 64, 101, 102, 214
- Guard, bulk leakage, 215
- Guard, surface leakage, 215

**H**

Hall effect, 68, 130  
 Heerens, 11, 20, 21, 22, 43, 127, 133  
 Humidity, 213, 217

**I**

*IEEE Trans. on Dielectrics and Electrical  
 Insulation*, 147  
 Induced charge, 11  
 Inductive sensors, 67  
 Insulation resistance, 150  
 Integration, 2  
 Invar, 212

**J**

Jones and Richards, 61

**K**

Kelvin, 12  
 Keypad, 135

**L**

L. S. Starrett, 243  
 Laplace's equation, 10  
 Leakage, 214  
 Levelite Store, 140  
 Limit switch, 78, 78–82  
 Limiting displacement, 205  
 Linear encoder, 108  
 Linearity, 48, 53, 62, 91  
 Liquid level sense, 140–144  
     conductive liquids, 141  
     dielectric liquids, 140  
 Liquid level switch, 143  
 Loss tangent, 148, 150  
 Low-Z amplifier; see Amplifier  
 LVDT, 84

**M**

Magnetic sensors, 68  
 Market, 1  
 Maxwell's capacitor, 13  
 Metal-filled paint, 117  
 Micrometer, 45, 61–65  
     limiting resolution, 62, 205  
 Micrometers, 61  
 Microphone, electret, 221  
 Miller capacitance, 224  
 MOS vs. bipolar, 179  
 Motion detect  
     spacing variation, 61  
 Motion detect, *x-y*, 45

Motion sense, 38, 83–104  
     area variation, 49  
     linearity, 39  
     moving shield, 40  
     multiplate, 127, 244  
     plate geometry, 99–101  
     six axis, 144–145  
     spacing change, 100  
     spacing variation, 49  
     vernier caliper, 243–249  
 Motion sense, *x-y*, 138–139  
 Motor commutator, 129  
 Moving shield, 34  
 Multiple plate systems, 105–121

**N**

NAMUR, 67  
 Neutralizing, 102–103  
 Neutralizing capacitor, 102  
 Noise, 46, 50, 76, 87, 197–211  
     circuit, 168  
     current, 167  
     FET, 222–223  
     high-Z amplifier, 204  
     low-Z amplifier, 204  
     proximity detector, 241  
     thermal, 168  
     transformer, 206  
     transistor, 200–204  
 Noise resistance, 167  
 Noise, transistor, 202

**O**

Optical encoder, 109  
 Optical sensors, 68  
 Oscillator, 49, 51  
     gated, 75  
     *LC*, 51  
     *RC*, 52

**P**

Parallel plates, 38, 61  
 Parasitic capacitance, 132, 133  
 Paschen's threshold, 217, 221  
 Phase detector, 76  
 Photopot, 85  
 Piezoresistive, 122, 228  
 Plastic plating, 117  
 Plate counting, 109  
 Poisson, 24  
 Poisson's equation, 10  
 Popcorn noise, 198  
 Position transducer, 86  
 Potentiometer, 85

Power factor, 148  
 Precision, 46–47  
 Pressure sensor, 122–124, 193  
   silicon, 123  
 Pressure sensors  
   absolute, 123  
   differential, 122  
   linearity, 124  
 Printed circuit board, 113–115, 244  
   photoplot, 113  
 Proximity, 35, 37, 45  
 Proximity detector, 66–82, 236–242  
   limit switch, 78  
   limiting resolution, 72  
   noise, 241  
   target, 75  
 Pseudorandom number, 77  
 Puers, R., 279

## Q

Quadrature, 110  
 Quadrature encoder, 109

## R

Rectangular to polar conversion, 98  
 Resistive thick films, 116  
 Resistive thin films, 116  
 Resistor, 171  
   high value, 171  
 Resistor noise, 199  
 Resolvers, 84  
 Ripple torque, 129  
 Rotary encoder, 106–108  
   angle demodulation, 107  
 Rotary motion, 40  
 Rotary transducer, 89

## S

Sampling, 181  
 Schering bridge, 153  
 Sensor, 3  
 Sensor bus  
   Fieldbus, 3  
   TC-9 committee, 3  
 Shield, 42, 54, 64, 76, 87, 101, 164, 207  
 Shot noise, 197, 200  
 Shunt resistance, 50, 81  
 Silicon  
   accelerometer, 226–230  
   crosstalk, 219  
   pressure sensor, 123–124  
 Skin depth, 207

Spacing measurement, 139  
 Spacing variation, 38  
 Stability, 46, 211–213  
 Static charge, 219  
 Static discharge, 217  
 Stray capacitance, 44, 50, 55, 62, 87, 99, 101  
 Stray fields, 75  
 StudSensor, 231–234  
 Superposition, 11, 18  
 Surface micromachining, 226  
 Switched capacitor circuits, 177–196  
   accuracy, 191  
   balanced demodulator, 193  
   components, 188  
   demodulator, 187  
   filter, 178, 182–185  
   instrumentation amplifier, 186  
   integrator, 185  
   operational amplifier, 189  
 Symbios/Scriptel, 138  
 Synaptics, 138  
 Synchronous demodulator, 54, 76

## T

Teledeltos paper, 25  
 Thermal noise, 168, 197, 199  
 Thick films, 115  
 Thin films, 115  
 Three-phase drive, 113  
 Tilt, 88  
 Tiltmeter, 146  
 Tin oxide, 117  
 Touch switch, 134  
 Touchpad, 138  
 Transistor noise, 202  
 Turck, 70

## U

Ultrasonic sensors, 68  
 Units, 7

## V

Vernier caliper, 243–249  
 Von Hippel, 147, 148, 151, 283–291

## W

Water, 151  
 Water/oil probe, 129  
 Westerlund, 150  
 Wheatstone bridge, 57  
 Wireless coupling, 103, 165