Element gallery

research-slides-skill · every slide names the layout elements it uses

Built from `example-slides.xml` with research-slides-skill *gallery*

elements: title · text · inline a, code, muted · outline="none"

Section divider

A rule, a title, a subtitle — nothing else

elements: shape prst="rectangle" (the rule) · title · text

<text> — paragraphs and inline runs

A **bold** run, an *italic* run, and `monospace` code in one paragraph.
A real hyperlink: python-pptx docs; a *muted owner tag* at the end.
run takes explicit *color, size, bold, italic, font*.
Nesting composes: *italic throughout, **bold here**, italic again*.
A line break inside a paragraph
renders as a real paragraph break, so it survives the Google Slides import.

<bullets> — levels and numbering

bullet="•" (default), level= to indent

- Top-level point
  - A sub-point, indented once
    - Indented twice; wrapped lines align under the text, not the glyph
- Back to the top level

bullet="arabic" (auto-numbered)

1. Scaffold the deck: title and dividers
2. Fill one section at a time
3. Build, check fidelity, look at the PNGs

   (a single li can override its own bullet)

<shape> — a native flow, no image

- Every merge to `main` builds a versioned artifact.
- Canary takes **5%** of traffic for 30 minutes before the full rollout.
- A failed health check rolls back automatically.

Pull request merged (CI green)

Canary deploy · 5% of traffic, 30 min soak

Full rollout or automatic rollback

Three stages; the health check decides between the last two.

<shape> — a tier ladder

Fastest at the top; each tier below covers more and costs more.

unit — pure functions, milliseconds, thousands of cases

integration — real database, one service at a time

contract — recorded requests between services

end-to-end — a browser against a staging cluster

manual — release checklist, once per release

elements: title · text · shape prst="rounded-rectangle" x5 (single-hue fill ramp)

<shape> — a taxonomy with a severity ramp

Sev 3 — degraded — e.g. *search results load slowly*

Sev 2 — feature down — e.g. `POST /checkout` returns 500

Sev 1 — outage — e.g. login fails for every user

elements: title · shape prst="rounded-rectangle" with mixed inline runs (b, run, code)

<image> — a results slide with caption and provenance



Rendered at 16:9 with oversized fonts so it reads at slide size; numbers come from the data, not the XML.

elements: title · image src= w= (fit="contain") · caption · source href=

[data ↗]

Pattern — data-led intro: input card, then outcomes

```
CI: test_payment_webhook FAILED (timeout 30s)
retry 1 of 2 …
```

What happens — the first retry recovers most runs; the second rarely helps:

Retry 1
✓ **recovers** — 412 of 480 failures (86%)

Retry 2
marginal — recovers **9** more; **59** are real failures

elements: title · shape prst="rectangle" (mono card) · text · shape prst="rounded-rectangle" x2 · source

[data ↗]

<columns> — a two-column compare

1 · Lockfile

exact versions, resolved once, committed

```
requests==2.32.3
urllib3==2.2.2
certifi==2024.7.4  # transitive, pinned too
```

2 · Ranges

floors only; resolution happens at install time

Trade-off: a range picks up security fixes for free, but two installs a week apart can differ — so builds are reproducible only with a lockfile *as well*.

<table> — a configuration matrix

environment	replicas	autoscale	database
dev	1	off	shared, reset nightly
staging	2	off	snapshot of production
production	6–24	on	primary + two replicas

elements: title · table cols= align= row-height= rules="rows" · tr · td color=

<turn> — transcript cards

user

```
Hi, I was charged twice for order #48213. Can you refund one of them?
```

agent

```
I can see two charges of $42.00 on 14 Jan. I have refunded the duplicate;
it should appear on your statement within 5 business days.
```

result · AUDIT

```
refund(order=48213, charge=ch_2, amount=42.00) -> ok
```

Cards are one shape each: a small context label above a mono body.

elements: title · turn actor="user" · turn actor="agent" · turn actor="result" tag= · caption