

1 Need for Cognition and Burnout in healthcare: The mediating role of self-control, emotion
2 regulation, and coping strategies

3 Kea Rüter¹, Alexander Strobel², & Anja Strobel¹

4 ¹ Department of Psychology, Technische Universität Chemnitz, Chemnitz, Germany

5 ² Faculty of Psychology, Technische Universität Dresden, Dresden, Germany

6 Author Note

7 Alexander Strobel: <https://orcid.org/0000-0002-9426-5397>

8 Anja Strobel: <https://orcid.org/0000-0002-0313-0615>

9 The authors made the following contributions. Kea Rüter: Writing - Original Draft,
10 Data Curation, Formal Analysis; Alexander Strobel: Conceptualization, Writing - Review
11 & Editing, Supervision; Anja Strobel: Conceptualization, Writing - Review & Editing,
12 Supervision.

13 Correspondence concerning this article should be addressed to Anja Strobel,
14 Technische Universität Chemnitz, Department of Psychology, Wilhelm-Raabe-Straße 43,
15 09120 Chemnitz, Germany. E-mail: anja.strobel@psychologie.tu-chemnitz.de

Abstract

Burnout has emerged as a global health concern, with its prevalence notably increasing during the COVID-19 pandemic. This especially occurs among individuals working within the field of healthcare. In order to contribute to the improvement of working conditions and mental health, this study replicates a mediation model previously tested by Grass et al. (2018) among teaching students and by Zerna, Engelmann et al. (2022) among teachers. For this purpose, multiple mediation models, using a sample of $N = 642$ healthcare workers were examined. The incorporated predictor was Need for Cognition (an intrinsic motivation to engage with cognitively demanding thoughts). Mediators were self-control, the emotion regulation strategies reappraisal and suppression, as well as adaptive and maladaptive coping strategies. The burnout subdimensions reduced personal efficacy, emotional exhaustion, and depersonalization each functioned individually as outcome variables. In addition to the mediation analyses, correlation analyses of these variables were also calculated. The results confirmed that adaptive coping strategies functioned preventively across all burnout dimensions. Furthermore, reappraisal and maladaptive coping mediated the relationship between NFC and some subdimensions of burnout. Healthcare workers who tended towards higher NFC appeared to be protected from burnout development due to various tested mediators. Regarding the daily work environment, initial evidence suggests that efforts should be made to particularly promote adaptive coping strategies. Future studies should further examine the link between NFC and burnout among healthcare professionals.

Keywords: Need for Cognition, burnout, self-control, emotion regulation, coping

Word count: X

Need for Cognition and Burnout in healthcare: The mediating role of self-control, emotion regulation, and coping strategies

Burnout is a psychological, work-related stress syndrome and a global health concern Parandeh et al. (2022). It correlates with depression (Bianchi et al., 2015), increased alcohol abuse (Oreskovich et al., 2012), and a heightened risk of suicidal thoughts (Shanafelt et al., 2011). As a response to excessive work stress (Maslach, 1998), burnout affects not only individuals but also their workplace (West et al., 2018), leading to decreased productivity (Dewa et al., 2017), reduced job satisfaction, and intentions to leave the profession (Shanafelt et al., 2009).

Occupational stress is a growing problem, especially among healthcare workers (Hassan et al., 2020). Challenges like time constraints, lack of control, and competing demands are significant job strains (Lyndon, 2015). The COVID-19 pandemic further exacerbated burnout rates (Galanis et al., 2021; Prasad et al., 2021), as healthcare workers faced higher health risks, increased workloads, inadequate equipment, and limited resources. These strains impacted not only the workers but also the quality of patient care, leading to lower patient satisfaction and increased medical errors (West et al., 2018).

The rising number of burnout cases underscores its significance in today's society. Despite extensive research, the exact causes and antecedents of burnout are not fully understood. This study investigates the relationship between burnout, its underlying mechanisms, and protective factors, extending previous research on factors mediating the role of cognitive motivation in burnout (Grass et al., 2018; Zerna et al., 2022) from aspiring and experienced teachers to healthcare professionals. The following section explains the mediation model and its variables.

Theoretical Framework

Methods

We report how we determined our sample size, all data exclusions, all manipulations, and all measures in the study (cf. Simmons et al., 2012).

Study design

The preregistration of the current study is available at <https://osf.io/d6y9k>. Data acquisition took place at two separate assessment occasions (Kadur, 2018; Ziessler, 2019). Data were assessed via anonymous, cross-sectional online surveys using the Enterprise Feedback Suite Survey platform (EFS, Questback, 2017). Participants were informed about the study's objectives, duration, and data security. Further, they were given the opportunity to participate in a cash raffle, where €25 were handed out to two participants for every 100 individuals who took part in the study. As additional reimbursement, participants were offered to receive the study results on request as well as information on the personal and work-related risk factors of burnout. Before the subjects reported demographic information and completed the questionnaires, participants declared their consent for data security and study participation. At the end of the survey, a control item was included to ensure that participants indicated whether they answered the questions sincerely. Finally, those interested in the raffle could provide their email address which was recorded separately from the scientific data.

Participants

...

Material

All questionnaires used were administered in German language. The reliabilities (MacDonald's ω) of the inventories used can be found in Table 1. The burnout dimensions

reduced personal efficiency, emotional exhaustion, and depersonalization were assessed using the German version of the 22-item Maslach Burnout Inventory (MBI-D, Büssing & Perrar, 1992). Items such as “I feel burned out by my job.” were rated on a scale from 1 (does not occur at all) to 6 (occurs very often/strongly). The internal consistencies of the MBI-D showed good to excellent reliabilities, MacDonald’s $\omega = .92$ (.89).

For clearer classification of each subdimension’s individual expressions, Dreher et al. (2019) provided specific values, where high burnout expression is classified at rPE values > 24, EE values > 22, and DE values > 8.

NFC was assessed with the 16-item short version of the German NFC scale (NCS, Bless et al., 1994) with items like “I like it when my life is full of tricky tasks that I have to solve.” These items were rated on a seven-point rating scale ranging from +3 (very accurate) to –3 (completely inaccurate). The scale demonstrated an excellent internal consistency of MacDonald’s ω .

Self-control was measured by the 13-item short form of the Self-Control Scale (SCS-K-D, Bertrams & Dickhäuser, 2009). Here, a five-point Likert scale from 1 (completely inaccurate) to 5 (completely accurate) was used to answer questions like “I am good at resisting temptations.” This scale showed an acceptable internal consistency of MacDonald’s $\omega > .79$.

Further, the Emotion Regulation Questionnaire (ERQ-D, Abler & Kessler, 2009), which included 10 items, was used to assess reappraisal and suppression. Reappraisal was measured by items like “When I get into a stressful situation, I change my thoughts about the situation, so it calms me down.” Suppression was determined by items such as “I keep my feelings to myself.” Participants responded on a scale ranging from 1 (not true at all) to 7 (absolutely true). The subscale that assessed reappraisal contained six items and achieved good reliability (MacDonald’s $\omega > .86$). The four-item suppression subscale of the ERQ-D also reached good reliability with MacDonald’s $\omega > .81$.

Finally (and differing from the material used by Grass et al. (2018)), the 20-item Stress and Coping Inventory (SCI, Satow, 2012) was used to measure adaptive as well as maladaptive coping strategies. Adaptive coping was assessed by the subscales “positive thinking”, “active stress management”, “social support”, and “holding on to faith”. These subscales, consisting of 16 items such as “When stress and pressure arise, I directly address the causes,” altogether demonstrated an internal consistency of MacDonald’s Omega $\omega > .85$. Maladaptive coping was measured with the “increased alcohol and cigarette consumption” subscale, containing items like “When I am under too much stress, I smoke a cigarette.” The items were rated from 1 (does not apply) to 4 (applies exactly). This subscale had a questionable internal consistency of MacDonald’s Omega $\omega > .63$.

Procedure

Data analysis

We used R (Version 4.5.1; R Core Team, 2024) and the R-packages *BayesFactor* (Version 0.9.12.4.7; Morey & Rouder, 2024), *coda* (Version 0.19.4.1; Plummer et al., 2006), *here* (Version 1.0.1; Müller, 2020), *lavaan* (Version 0.6.19; Rosseel, 2012), *Matrix* (Version 1.7.3; Bates et al., 2024), *papaja* (Version 0.1.1.9001; Aust & Barth, 2022), *psych* (Version 2.5.3; William Revelle, 2024), *readr* (Version 2.1.5; Wickham et al., 2024), *RStudio* (Posit team, 2024), and *tinylabels* (Version 0.2.5; Barth, 2023) for all our analyses.

Results

Discussion

References

- Abler, B., & Kessler, H. (2009). Emotion Regulation Questionnaire – Eine deutschsprachige Fassung des ERQ von Gross und John. *Diagnostica*, 55(3), 144–152. <https://doi.org/10.1026/0012-1924.55.3.144>
- Aust, F., & Barth, M. (2022). *papaja: Prepare reproducible APA journal articles with R Markdown*. <https://github.com/crsh/papaja>
- Barth, M. (2023). *tinylabls: Lightweight variable labels*. <https://cran.r-project.org/package=tinylabls>
- Bates, D., Maechler, M., & Jagan, M. (2024). *Matrix: Sparse and dense matrix classes and methods*. <https://CRAN.R-project.org/package=Matrix>
- Bertrams, A., & Dickhäuser, O. (2009). Messung dispositioneller Selbstkontroll-Kapazität. *Diagnostica*, 55(1), 2–10. <https://doi.org/10.1026/0012-1924.55.1.2>
- Bianchi, R., Schonfeld, I. S., & Laurent, E. (2015). Burnout–depression overlap: A review. *Clinical Psychology Review*, 36, 28–41. <https://doi.org/10.1016/j.cpr.2015.01.004>
- Bless, H., Wänke, M., Bohner, G., Fellhauer, R. F., & Schwarz, N. (1994). Need for cognition: Eine skala zur erfassung von engagement und freude bei denkaufgaben. *Zeitschrift Für Sozialpsychologie*, 25, 147–154. <https://pub.uni-bielefeld.de/publication/1779110>
- Büssing, A., & Perrar, K.-M. (1992). Die Messung von Burnout. Untersuchung einer deutschen Fassung des Maslach Burnout Inventory (MBI-D). *Diagnostica*, 38, 328–353.
- Dewa, C. S., Loong, D., Bonato, S., & Trojanowski, L. (2017). The relationship between physician burnout and quality of healthcare in terms of safety and acceptability: A systematic review. *BMJ Open*, 7(6), e015141. <https://doi.org/10.1136/bmjopen-2016-015141>
- Dreher, A., Theune, M., Kersting, C., Geiser, F., & Weltermann, B. (2019). Prevalence of burnout among german general practitioners: Comparison of physicians working in solo and group practices. *PLOS ONE*, 14(2), e0211223.

<https://doi.org/10.1371/journal.pone.0211223>

Grass, J., John, N., & Strobel, A. (2018). Freude am denken als schlüssel zum erfolg? Die bedeutung von need for cognition für subjektives erleben und leistung im studium.

Zeitschrift Für Pädagogische Psychologie, 32(3), 145–154.

<https://doi.org/10.1024/1010-0652/a000222>

Kadur, A. M. (2018). *Risiko- und Protektivfaktoren der Persönlichkeit von Pflegekräften* (Unpublished Master's Thesis). University of Technology Chemnitz.

Maslach, C. (1998). A multidimensional theory of burnout. In C. L. Cooper (Ed.), *Theories of organizational stress* (pp. 68–85). Oxford University Press.

https://www.researchgate.net/profile/Christina-Maslach/publication/280939428_A_Multidimensional_Theory_of_Burnout/links/55cd2b0708aebbb8f577ea5/A-Multidimensional-Theory-of-Burnout.pdf

Maslach, C. (2003). Job burnout: New directions in research and intervention. *Current Directions in Psychological Science*, 12(5), 189–192.

<https://doi.org/10.1111/1467-8721.01258>

Morey, R. D., & Rouder, J. N. (2024). *BayesFactor: Computation of bayes factors for common designs*. <https://CRAN.R-project.org/package=BayesFactor>

Müller, K. (2020). *Here: A simpler way to find your files*.

<https://CRAN.R-project.org/package=here>

Oreskovich, M. R., Kaups, K. L., Balch, C. M., Hanks, J. B., Satele, D., Sloan, J. A., Meredith, C. W., Buhl, A., Dyrbye, L. N., & Shanafelt, T. D. (2012). Prevalence of alcohol use disorders among american surgeons. *Archives of Surgery*, 147(2), 168–175.

<https://doi.org/10.1001/archsurg.2011.1481>

Parandeh, A., Ashtari, S., Rahimi-Bashar, F., Gohari-Moghadam, K., & Vahedian-Azimi, A. (2022). Prevalence of burnout among health care workers during coronavirus disease (COVID-19) pandemic: A systematic review and meta-analysis. *Professional Psychology: Research and Practice*, 53, 564–573. <https://doi.org/10.1037/pro0000483>

- Plummer, M., Best, N., Cowles, K., & Vines, K. (2006). CODA: Convergence diagnosis and output analysis for MCMC. *R News*, 6(1), 7–11. <https://journal.r-project.org/archive/>
- Posit team. (2024). *RStudio: Integrated development environment for r*. Posit Software, PBC. <http://www.posit.co/>
- Questback. (2017). *EFS survey [software]*. <https://www.questback.com/de>
- R Core Team. (2024). *R: A language and environment for statistical computing*. R Foundation for Statistical Computing. <https://www.R-project.org/>
- Rosseel, Y. (2012). lavaan: An R package for structural equation modeling. *Journal of Statistical Software*, 48(2), 1–36. <https://doi.org/10.18637/jss.v048.i02>
- Satow, L. (2012). *Stress- und Coping-Inventar (SCI): Test- und Skalendokumentation*. <https://www.drsatow.de/tests/stress-und-coping-inventar/>
- Shanafelt, T. D., Balch, C. M., Bechamps, G., Russell, T. P., Dyrbye, L. N., Satele, D., Collicott, P., Novotny, P. J., Sloan, J. A., & Freischlag, J. A. (2009). Burnout and career satisfaction among american surgeons. *Annals of Surgery*, 250(3), 463–471. <https://doi.org/10.1097/sla.0b013e3181ac4dfd>
- Shanafelt, T. D., Balch, C. M., Dyrbye, L. N., Bechamps, G., Russell, T., Satele, D., Rumman, T. A., Swartz, K., Novotny, P. J., Sloan, J. A., & Oreskovich, M. R. (2011). Special report: Suicidal ideation among american surgeons. *Archives of Surgery*, 146(1), 54–62. <https://doi.org/10.1001/archsurg.2010.292>
- Simmons, J. P., Nelson, L. D., & Simonsohn, U. (2012). *A 21 word solution*. <https://doi.org/10.2139/ssrn.2160588>
- West, C., Dyrbye, L. N., & Shanafelt, T. D. (2018). Physician burnout: Contributors, consequences and solutions. *Journal of Internal Medicine*, 283(6), 516–529. <https://doi.org/10.1111/joim.12752>
- Wickham, H., Hester, J., & Bryan, J. (2024). *Readr: Read rectangular text data*. <https://CRAN.R-project.org/package=readr>
- William Revelle. (2024). *Psych: Procedures for psychological, psychometric, and personality*

- 214 *research*. Northwestern University. <https://CRAN.R-project.org/package=psych>
- 215 Ziessler, K. (2019). *Need for Cognition als Ressource für helfende Berufe (Unpublished*
- 216 *Bachelor's Thesis)*. University of Technology Chemnitz.

Table 1

Spearman correlations and internal consistencies of the questionnaire scores (outliers included)

	1	2	3	4	5	6	7	8	9	10	11	12
1. MBI	.92 (.89)											
2. MBI RPE	.69	.82 (.76)										
3. MBI EE	.89	.43	.94 (.90)									
4. MBI DE	.68	.38	.41	.89 (.78)								
5. NFC	-.19	-.19	-.18	-.07	.91 (.85)							
6. SCS	-.16	-.18	-.14	-.08	.56	.79 (.72)						
7. ERQ	-.06	-.14	-.05	.01	.04	.00	.82 (.70)					
8. ERQ R	-.23	-.29	-.15	-.18	.06	.06	.73	.86 (.80)				
9. ERQ S	.20	.12	.13	.26	-.01	-.06	.62	-.02	.81 (.75)			
10. SCI	-.36	-.36	-.29	-.22	.05	-.01	.18	.35	-.16	.81 (.75)		
11. SCI A	-.45	-.42	-.37	-.28	.15	.09	.17	.36	-.19	.93	.85 (.79)	
12. SCI MA	.22	.11	.22	.15	-.30	-.28	.03	-.02	.07	.23	-.11	.63 (.48)
Mean	58.05	18.24	28.71	11.10	0.89	39.81	40.73	27.72	13.00	54.15	43.76	10.39
SD	13.93	4.45	8.58	4.46	16.37	7.54	8.14	6.27	5.14	6.32	6.23	2.10
Min	27.00	8.00	9.00	5.00	-36.00	21.00	10.00	6.00	4.00	34.00	23.00	7.00
Max	108.00	36.00	54.00	26.00	45.00	65.00	65.00	42.00	28.00	71.00	61.00	19.00
Skew	0.42	0.59	0.20	0.66	0.55	0.42	-0.17	-0.28	0.29	-0.20	-0.12	0.26
Kurtosis	-0.07	0.78	-0.40	-0.28	-0.55	-0.21	0.72	0.46	-0.51	0.46	0.42	0.10

Table 1 continued

1	2	3	4	5	6	7	8	9	10	11	12
---	---	---	---	---	---	---	---	---	----	----	----

Note. $N = 642$. Correlations with $|r_s| \geq .13$ are significant at an uncorrected $\alpha = .001$. The diagonal provides MacDonald's ω and Cronbach's α (in brackets). MBI = Maslach Burnout Inventory; MBI RPE = Reduced Personal Efficacy subscale; MBI EE = Emotional Exhaustion subscale; MBI DE = Depersonalisation subscale; NFC = Need for Cognition Scale; SCS = Self Control Scale; ERQ = Emotion Regulation Questionnaire; ERQ R = Reappraisal subscale; ERQ S = Suppression subscale; SCI = Stress and Coping Inventory; SCI A = Adaptive coping subscales; SCI MA = Maladaptive coping subscale