

```

bb.0.entry:
  successors: %bb.1(0x40000000), %bb.3(0x40000000); %bb.1(50.00%), %bb.3(50.00%)
  liveins: $vgpr0_vgpr1_vgpr2_vgpr3, $sgpr0
  %0:vreg_128 = COPY $vgpr0_vgpr1_vgpr2_vgpr3
  %3:sreg_32 = COPY $sgpr0
  S_CMP_EQ_U32 %3:sreg_32, 0, implicit-def $scc
  S_CBRANCH_SCC1 %bb.1, implicit $scc
  S_BRANCH %bb.3

```

```

bb.1.path_a:
; predecessors: %bb.0
  successors: %bb.2(0x80000000); %bb.2(100.00%)

  S_NOP 0, implicit %0:vreg_128
  %1:vreg_64 = IMPLICIT_DEF
  %2:vreg_64 = IMPLICIT_DEF
  S_NOP 0, implicit %1:vreg_64, implicit %2:vreg_64
  S_BRANCH %bb.2

```

```

bb.2.path_a_use:
; predecessors: %bb.1
  successors: %bb.4(0x80000000); %bb.4(100.00%)

  S_NOP 0, implicit %0:vreg_128
  S_BRANCH %bb.4

```

```

bb.3.path_b:
; predecessors: %bb.0
  successors: %bb.4(0x80000000); %bb.4(100.00%)

  %4:vreg_64 = IMPLICIT_DEF
  %5:vreg_64 = IMPLICIT_DEF
  S_NOP 0, implicit %4:vreg_64, implicit %5:vreg_64
  S_BRANCH %bb.4

```

```

bb.4.join:
; predecessors: %bb.2, %bb.3

  S_ENDPGM 0, implicit %0:vreg_128

```

CFG for 'test_multi_path_independent' function