



```
using System.Text;
using System. Windows;
using System. Windows. Controls;
using System.Windows.Data;
using System. Windows. Documents;
using System.Windows.Input;
using System.Windows.Media;
using System. Windows. Media. Imaging;
using System.Windows.Media.Media3D;
using System.Windows.Navigation;
using System. Windows. Shapes;
namespace _20241210Wpf
{
   /// <summary>
   /// Interaction logic for MainWindow.xaml
   /// </summary>
   public partial class MainWindow: Window
       // 建立學生、教師、課程和紀錄的列表
       List<Student> students = new List<Student>();
       List<Teacher> teachers = new List<Teacher>();
       List<Course> courses = new List<Course>();
       List<Record> records = new List<Record>();
       // 建立所選擇的學生、教師、課程和紀錄的變數
       Student selectedStudent = null;
       Teacher selectedTeacher = null;
       Course selectedCourse = null;
       Record selectedRecord = null:
       public MainWindow()
           InitializeComponent();
           InitailizeData(); // 初始化數據
       }
       private void InitailizeData()
           // 新增學生資料,連結至cmbStudent
           students.Add(new Student { StudentId = "4b2g0912", StudentName = "楊晋峰" }); // 新增學生"楊晋峰"
           students.Add(new Student { StudentId = "4b2g0002", StudentName = "華" }); // 新增學生"華"
```

```
cmbStudent.ItemsSource = students; // 設定cmbStudent的項目來源為students列表
          cmbStudent.SelectedIndex = 0; // 預設選擇第一個學生
          // 新增教師資料以及所授課程
          Teacher teacher1 = new Teacher("陳定宏"); // 新增教師"陳定宏"
          teacher1.TeachingCourses.Add(new Course { CourseName = "視窗程式設計", OpeningClass = "四技資工二
甲", Point = 3, Tutor = teacherl, Type = "撰修" }); // 新增課程"視窗程式設計"
          teacher1.TeachingCourses.Add(new Course { CourseName = "視窗程式設計", OpeningClass = "五專資工三
甲", Point = 3, Tutor = teacherl, Type = "選修" }); // 新增課程"視窗程式設計"
          teacher1.TeachingCourses.Add(new Course { CourseName = "資料庫系統", OpeningClass = "四技資工二乙
", Point = 3, Tutor = teacher1, Type = "必修" }); // 新增課程"資料庫系統"
          teachers.Add(teacher1); // 將teacher1加入teachers列表
          Teacher teacher2 = new Teacher("林志玲"); // 新增教師"林志玲"
          teacher2.TeachingCourses.Add(new Course { CourseName = "資料結構", OpeningClass = "四技資工二甲",
Point = 3, Tutor = teacher2, Type = "必修" }); // 新增課程"資料結構"
          teacher2.TeachingCourses.Add(new Course { CourseName = "作業系統", OpeningClass = "四技資工二甲",
Point = 3, Tutor = teacher2, Type = "必修" }); // 新增課程"作業系統"
          teacher2.TeachingCourses.Add(new Course { CourseName = "網路程式設計", OpeningClass = "四技資工二
乙", Point = 3, Tutor = teacher2, Type = "選修" }); // 新增課程"網路程式設計"
          teachers.Add(teacher2); // 將teacher2加入teachers列表
          Teacher teacher3 = new Teacher("張學友"); // 新增教師"張學友"
          teacher3.TeachingCourses.Add(new Course { CourseName = "計算機概論", OpeningClass = "四技資工二甲
", Point = 3, Tutor = teacher3, Type = "必修" }); // 新增課程"計算機概論"
          teacher3.TeachingCourses.Add(new Course { CourseName = "組合語言", OpeningClass = "四技資工二甲",
Point = 3, Tutor = teacher3, Type = "必修" }); // 新增課程"組合語言"
          teacher3.TeachingCourses.Add(new Course { CourseName = "資訊安全", OpeningClass = "四技資工二乙",
Point = 3, Tutor = teacher3, Type = "選修" }); // 新增課程"資訊安全"
          teachers.Add(teacher3); // 將teacher3加入teachers列表
          // 新增更多教師和課程
          Teacher teacher4 = new Teacher("鄭秀文"); // 新增教師"鄭秀文"
          teacher4.TeachingCourses.Add(new Course { CourseName = "人工智慧", OpeningClass = "四技資工三甲",
Point = 3, Tutor = teacher4, Type = "選修" }); // 新增課程"人工智慧"
          teacher4.TeachingCourses.Add(new Course { CourseName = "機器學習", OpeningClass = "四技資工三乙",
Point = 3, Tutor = teacher4, Type = "選修" }); // 新增課程"機器學習"
          teacher4.TeachingCourses.Add(new Course { CourseName = "自然語言處理", OpeningClass = "五專資工五
甲", Point = 3, Tutor = teacher4, Type = "選修" }); // 新增課程"自然語言處理"
          teachers.Add(teacher4); // 將teacher4加入teachers列表
```

students.Add(new Student { StudentId = "4b2g0012", StudentName = "英" }); // 新增學生"英"

```
Teacher teacher5 = new Teacher("周杰倫"); // 新增教師"周杰倫"
          teacher5.TeachingCourses.Add(new Course { CourseName = "音樂與程式設計", OpeningClass = "四技資工
三乙", Point = 3, Tutor = teacher5, Type = "選修" }); // 新增課程"音樂與程式設計"
          teacher5.TeachingCourses.Add(new Course { CourseName = "多媒體系統", OpeningClass = "五專資工五甲
", Point = 3, Tutor = teacher5, Type = "選修" }); // 新增課程"多媒體系統"
          teacher5.TeachingCourses.Add(new Course { CourseName = "遊戲開發", OpeningClass = "四技資工三甲",
Point = 3, Tutor = teacher5, Type = "選修" }); // 新增課程"遊戲開發"
          teachers.Add(teacher5); // 將teacher5加入teachers列表
          tvTeacher.ItemsSource = teachers; // 設定tvTeacher的項目來源為teachers列表
          foreach (Teacher teacher in teachers)
              foreach (Course course in teacher.TeachingCourses)
              {
                 courses.Add(course); // 將每個教師的課程加入courses列表
              }
          }
          lbCourse.ItemsSource = courses; // 設定lbCourse的項目來源為courses列表
       }
       private void tvTeacher_SelectedItemChanged(object sender, RoutedPropertyChangedEventArgs<object> e)
       {
          if (tvTeacher.SelectedItem is Teacher)
          {
              selectedTeacher = tvTeacher.SelectedItem as Teacher; // 獲取所選的教師
              statusLabel.Content = $"選取老師:{selectedTeacher.TeacherName}"; // 顯示所選教師的名字
          if (tvTeacher.SelectedItem is Course)
          {
              selectedCourse = tvTeacher.SelectedItem as Course; // 獲取所選的課程
              statusLabel.Content = $"選取課程:{selectedCourse.CourseName}"; // 顯示所選課程的名字
       }
       private void btnAdd_Click(object sender, RoutedEventArgs e)
          if (selectedStudent == null || selectedCourse == null)
              MessageBox.Show("選取學生或課程"); // 提示用戶選取學生或課程
              return;
```

```
else
              Record record = new Record()
                  SelectedStudent = selectedStudent, // 設定所選學生
                  SelectedCourse = selectedCourse // 設定所選課程
              };
              foreach (Record r in records)
                  if (r.Equals(record))
                      MessageBox.Show("已選取此課程"); // 提示用戶此學生已選取該課程
                      return;
                  }
              }
              records.Add(record); // 新增紀錄至records列表
              lvRecord.ItemsSource = records; // 更新lvRecord的項目來源
              lvRecord.Items.Refresh(); // 刷新lvRecord顯示
           }
       }
       private void cmbStudent SelectionChanged(object sender,
System.Windows.Controls.SelectionChangedEventArgs e)
       {
           selectedStudent = cmbStudent.SelectedItem as Student; // 獲取所選的學生
           statusLabel.Content = $"選取學生:{selectedStudent.StudentName}"; // 顯示所選學生的名字
       }
       private void lbCourse_SelectionChanged(object sender,
System. Windows. Controls. SelectionChangedEventArgs e)
           selectedCourse = 1bCourse.SelectedItem as Course; // 獲取所選的課程
           statusLabel.Content = $"選取課程:{selectedCourse.CourseName}"; // 顯示所選課程的名字
       }
   }
}
```