

TCPDump

List interfaces:

```
tcpdump -D
```

```
(kali@host-3-153)-[~]
$ tcpdump -D
1.eth0 [Up, Running, Connected]
2.any (Pseudo-device that captures on all interfaces) [Up, Running]
3.lo [Up, Running, Loopback]
4.bluetooth-monitor (Bluetooth Linux Monitor) [Wireless]
5.nflog (Linux netfilter log (NFLOG) interface) [none]
6.nfqueue (Linux netfilter queue (NFQUEUE) interface) [none]
7.dbus-system (D-Bus system bus) [none]
8.dbus-session (D-Bus session bus) [none]
```

Simple capture:

```
sudo tcpdump -i eth0 -X -nn
```

capture on eth0, output ASCII/HEX, do not resolve hostnames
or ports

```
(kali@host-3-153)-[~]
$ sudo tcpdump -i eth0 -X --number -nn
tcpdump: verbose output suppressed, use -v[v]... for full protocol decode
listening on eth0, link-type EN10MB (Ethernet), snapshot length 262144 bytes
 1 14:43:19.306804 IP 10.0.3.153 > 10.200.0.1: ICMP echo request, id 57557, seq 1, length 64
    0x0000: 4500 0054 2f31 4000 4001 f316 0a00 0399  E..T/1@.@.....
    0x0010: 0ac8 0001 0800 8e9a e0d5 0001 87a9 e763  .....c
    0x0020: 0000 0000 56ae 0400 0000 0000 1011 1213  ....V.....
    0x0030: 1415 1617 1819 1a1b 1c1d 1e1f 2021 2223  .....!"#
    0x0040: 2425 2627 2829 2a2b 2c2d 2e2f 3031 3233  $%&'()*+,-./0123
    0x0050: 3435 3637                                4567
 2 14:43:19.307343 IP 10.200.0.1 > 10.0.3.153: ICMP echo reply, id 57557, seq 1, length 64
    0x0000: 4500 0054 c5ec 0000 3f01 9d5b 0ac8 0001  E..T....?..[....
    0x0010: 0a00 0399 0000 969a e0d5 0001 87a9 e763  .....c
    0x0020: 0000 0000 56ae 0400 0000 0000 1011 1213  ....V.....
    0x0030: 1415 1617 1819 1a1b 1c1d 1e1f 2021 2223  .....!"#
    0x0040: 2425 2627 2829 2a2b 2c2d 2e2f 3031 3233  $%&'()*+,-./0123
    0x0050: 3435 3637                                4567
 3 14:43:20.336375 IP 10.0.3.153 > 10.200.0.1: ICMP echo request, id 57557, seq 2, length 64
    0x0000: 4500 0054 2ff0 4000 4001 f257 0a00 0399  E..T/.@.@..W....
    0x0010: 0ac8 0001 0800 0826 e0d5 0002 88a9 e763  .....&.....c
    0x0020: 0000 0000 db21 0500 0000 0000 1011 1213  .....!
```

Host discovery:

```
tcpdump -i eth0 -vn icmp > /dir/dump
```

verbose, no hostnames, icmp only to file dump

```
(kali@host-3-153)-[~]  
$ sudo tcpdump -i eth0 -vn icmp > /home/kali/dump1  
tcpdump: listening on eth0, link-type EN10MB (Ethernet), snapshot length 262144 bytes  
█
```

```
(kali@host-3-153)-[~]  
$ for i in {1..30}; do ping -W 1 -c 1 10.200.0.$i; done;  
PING 10.200.0.1 (10.200.0.1) 56(84) bytes of data.  
64 bytes from 10.200.0.1: icmp_seq=1 ttl=63 time=0.618 ms
```

Single SRC IP:

```
(kali@host-3-153)-[~]  
$ sudo tcpdump -i eth0 -vn src 10.0.3.153  
tcpdump: listening on eth0, link-type EN10MB (Ethernet), snapshot length 262144 bytes  
█
```