

TaurEye — QA Test Plan & Checklist

Thorough test coverage for the NSE/BSE EOD screener (web + Android/iOS)

This document defines the QA strategy, environments, entry/exit criteria, defect process, and a module-by-module test checklist covering all SDLC test levels — smoke, sanity, functional, integration, regression, UI/UX & responsive, cross-browser/device, data accuracy, offline/error handling, security & compliance, performance, accessibility, and mobile/OTA. Each checklist row has a Result (Pass/Fail) column for the tester to fill.

Field	Value
Product	TaurEye — end-of-day stock screener (Indian markets)
Platforms	Web (responsive SPA) · Android APK · iOS · mobile OTA (Capgo)
Build under test	main branch → taureye.com (web) / mobile-latest APK / OTA production channel
Backend model	Fully static in production: precomputed JSON bundle (/data) + client-side compute; Supabase (self-host) for auth/credits
Prepared by	Engineering
Version / date	v1.0 · fill on test cycle

Priority key: P1 = critical/blocker · P2 = major · P3 = minor. Result: mark Pass / Fail and log a defect ID for every Fail.

Contents

1. Scope, environments & test data
2. Test types & levels (definitions)
3. Entry / exit criteria & sign-off
4. Severity, priority & defect reporting
5. Smoke suite (every build)
6. Sanity suite
7. Authentication (email + social)
8. Screener (filters, NL, S/R, columns, export, share)
9. Chart / stock detail
10. Watchlist
11. Portfolio
12. Global Indices / Forex / DR / Fuel
13. Calculators (+ currency converter)
14. Wallet / Refer / Alerts / Settings
15. Public content pages
16. Navigation, top bar & responsive
17. Data accuracy
18. Offline / network / error handling
19. Security & SEBI compliance
20. Performance
21. Accessibility
22. Mobile / APK / OTA
23. Regression (this release)
24. Compatibility matrix

1. Scope, environments & test data

In scope: all user-facing features of the web app, Android APK and iOS build — auth, screener, chart, watchlist, portfolio, indices/forex/fuel, calculators, wallet/refer/alerts/settings, public content pages, exports, and the OTA update path. **Out of scope for QA:** the data-engine scrapers themselves (validated separately on the VM) and third-party service internals (Supabase, TradingView, FX/fuel providers).

Environments

Env	URL / target	Notes
Web (prod)	https://taureye.com	static SPA + /data bundle via nginx
Web (staging)	(optional) preview build	test before promoting to main
API/Auth	https://api.taureye.com	self-hosted Supabase via nginx TLS
Android	mobile-latest debug APK + OTA	sideload; Capgo pulls web bundle on launch
iOS	TestFlight / dev build	Sign in with Apple required if any social login shown

Test data

- Auth: one email/password account, one Google account, plus an account with a migrated history; an unverified account; a guest/offline session.
- Symbols: a large-cap with long history (RELIANCE), a low-history/newly-listed scrip, a BSE-only scrip, an ETF, and a scrip with a recent split/bonus (to test corp-action continuity).
- Watchlist/Portfolio seeded with 5–10 holdings incl. gainers + losers.
- Network conditions: online, throttled 3G, offline, and API-blocked (FX/fuel) to test fallbacks.

2. Test types & levels (definitions)

Type	Purpose / when run
Smoke	Build acceptance — critical paths work at all. Run on every build before deeper testing.
Sanity	Narrow, deep check of a changed area + immediate neighbours after a fix/small change.
Functional	Verify each feature meets its requirement (positive + negative cases).
Integration	Cross-module flows (e.g. screener → chart → watchlist → export).
Regression	Re-verify previously working features after any change (see §23).
UI/UX & responsive	Layout, spacing, theming, and behaviour across screen sizes + zoom (see §16).
Cross-browser/device	Same behaviour across browsers/OS/devices (see §24).
Data accuracy	Numbers match source / expected computation (see §17).
Offline/error	Graceful behaviour when data/APIs are unavailable (see §18).
Security/compliance	Auth, data isolation, HTTPS, no secrets, SEBI disclaimers (see §19).
Performance	Load times, large data sets, exports, memory (see §20).
Accessibility	Keyboard, contrast, ARIA, screen reader, tap targets (see §21).
Compatibility/OTA	APK install, OTA update, deep links, native features (see §22).
Exploratory	Unscripted, tester-driven edge-case hunting per module.
UAT	Business/stakeholder acceptance against real workflows before release.

3. Entry / exit criteria & sign-off

Entry criteria

- Build deployed to the test environment and reachable; smoke suite passes.
- Release notes / changed-areas list available; test data prepared; known-issues list shared.

Exit criteria (release-ready)

- 100% of P1 (critical) test cases executed and PASS; zero open P1/P2 defects.
- ≥ 95% of planned cases executed; all Fails have a logged defect with severity + owner.
- Smoke + regression suites green on the final build across the compatibility matrix.
- Data-accuracy spot-checks pass; SEBI disclaimers present on all factual pages.
- Sign-off recorded by QA lead + product owner.

4. Severity, priority & defect reporting

Severity	Meaning (examples)
S1 Critical	App unusable / data loss / auth broken / wrong financial figures shown.
S2 Major	Key feature broken with no workaround (export fails, screener no results).
S3 Minor	Feature works with a workaround; noticeable UI issue.
S4 Cosmetic	Copy, alignment, minor visual polish.

Defect report must include: title, environment (web/APK/iOS + browser/OS/device + build), steps to reproduce, expected vs actual, severity + priority, screenshot/console log/HAR, and reproducibility (always/intermittent). Attach the network response for data issues.

5. Smoke suite (run on every build)

If any smoke case fails, reject the build before further testing.

ID	Test case	Expected result	Pri	Result (P/F)
SMK-01	App loads on web / launches on APK without a blank screen or crash	Home/Landing (web) or Login (native) renders; no uncaught console errors	P1	
SMK-02	Sign in with a valid email/password	Lands on dashboard; session established	P1	
SMK-03	Open the Screener	Results table loads with rows; no error banner	P1	
SMK-04	Open a stock Chart (e.g. RELIANCE)	Candles render; timeframe + MAs work	P1	
SMK-05	Add a scrip to a Watchlist and view it	Scrip appears in the list with a quote	P1	
SMK-06	Open Indices/Forex → Currency tab	Live currency rows render (or bundle fallback)	P1	
SMK-07	Run one export (Watchlist → PDF)	A valid PDF downloads	P2	
SMK-08	Sign out	Returns to login; protected routes now redirect	P1	
SMK-09	OTA/app: launch installed APK	App opens on the latest bundle; no rollback	P1	

6. Sanity suite

Targeted after a specific change — execute the smoke suite plus the affected module's checklist and its immediate integrations. Example: a Screener column change → run §8 columns/export rows + verify Chart open and Watchlist star still work from the results.

7. Authentication (email + social)

ID	Test case	Expected result	Pri	Result (P/F)
AUTH-01	Email/password login with valid creds	Success; redirect to dashboard (or ?next= target)	P1	
AUTH-02	Login with wrong password / unknown email	Clear inline error; no crash; no session	P1	
AUTH-03	Sign up new email	'Verify your email' screen shown (cloud); confirmation email received	P1	
AUTH-04	Resend confirmation email	New mail sent; neutral confirmation message	P2	
AUTH-05	Forgot password → reset link → set new password	Reset email; /reset-password sets password; can log in	P1	
AUTH-06	Session persists on refresh / reopen	Stays logged in; not bounced to login while session hydrates	P1	
AUTH-07	Sign out	Session cleared; /app/* redirects to /?next=	P1	
AUTH-08	Shared link while logged out (/app/screener?s=...)	Redirect to login, then returns to the shared screen after login	P2	
AUTH-09	Google sign-in (web)	Full-page redirect → consent → back → session	P1	
AUTH-10	Google sign-in (native APK)	Opens system browser → returns via app.taureye.mobile://auth-callback → session	P1	
AUTH-11	Each configured social provider button appears	Only providers in VITE_OAUTH_PROVIDERS show; others hidden	P2	

ID	Test case	Expected result	Pri	Result (P/F)
AUTH-12	X / GitHub / Apple / Facebook sign-in (if enabled)	Redirect + consent + session on web AND native	P1	
AUTH-13	Guest/offline bypass (where offered)	Loads app in local-only mode; no cloud features	P3	
AUTH-14	Migrated account (old user) signs in	Existing profile + credits/watchlist available	P2	

Social-auth pre-req for QA: each provider must be enabled in the target Supabase (self-host) with a valid Client ID/Secret + redirect URI, the provider added to VITE_OAUTH_PROVIDERS, and the native scheme app.taureye.mobile://** present in GoTrue's URI_ALLOW_LIST — otherwise native social login will fail. See the 'Social auth — pending' note shared alongside this doc.

8. Screener

ID	Test case	Expected result	Pri	Result (P/F)
SCR-01	Add a filter; pick a field, operator, value	Row added; scan updates on Run	P1	
SCR-02	Each operator: >, ≥, <, ≤, =, between	Correct rows returned for each	P1	
SCR-03	Dual condition on one field (AND/OR + op2)	Both conditions applied per the join	P2	
SCR-04	Screen-level AND vs OR logic	AND = all filters; OR = any filter	P1	
SCR-05	Exchange dropdown change	Scan re-runs immediately (no Run click)	P2	
SCR-06	Value input: clear the default 0	Field can be emptied	P2	
SCR-07	Value input: negative + decimal (e.g. -20, 1.5)	Accepted; filter applies correctly	P2	
SCR-08	Sort by each column (asc/desc)	Sorts correctly; blanks sink to bottom	P2	
SCR-09	Pagination + Rows selector (20/50/100/200)	Page slices correct; count accurate	P2	
SCR-10	Presets — run each preset scan	Filters populate + results match intent	P2	
SCR-11	NL: 'golden cross', 'oversold', 'rsi below 30'	Correct filters built; recognized list shown	P1	
SCR-12	NL: 'near weekly support', 'market cap over 5000 cr', 'between'	Correct S/R + cap + range filters	P2	
SCR-13	NL: 'up 5% and macd positive or oversold'	AND/OR logic + change + macd + rsi filters	P2	
SCR-14	NL: unrecognized phrase	Flagged in 'Ignored', rest still applied	P3	
SCR-15	Columns menu: show/hide + reorder + reset	Layout changes; persists across refresh	P2	
SCR-16	Add optional columns (200DMA, ATR, 52w-Lo, MACD, Sup/Res D/W/M)	Columns appear with values	P2	
SCR-17	Support/Resistance computed locally	Sup/Res values fill for stocks with candles; '...' then value	P1	
SCR-18	S/R signs + short-history	Support ≥ 0, resistance ≤ 0; W/M show '—' until enough history	P2	
SCR-19	Export CSV / Excel / PDF (all matched rows)	Valid files; PDF A4 landscape, branded, ■→Rs, 0.25in margins	P1	
SCR-20	Export honours visible/ordered columns	File columns match the on-screen table	P2	
SCR-21	Share screen link → open it	Reproduces the exact filters/sort	P2	
SCR-22	Save screen → Saved list → Run	Saved screen re-runs with same filters	P2	
SCR-23	Star to watchlist / Report / Chart from a row	Each action works from the results row	P2	

9. Chart / stock detail

ID	Test case	Expected result	Pri	Result (P/F)
CHT-01	Load chart for a symbol	Candles render; latest bar = current price (adjusted)	P1	
CHT-02	Timeframe Daily / Weekly / Monthly	Bars resample correctly per timeframe	P1	
CHT-03	Toggle MAs 9/20/50/200	Lines add/remove; colours correct	P2	
CHT-04	Pattern detection	Descriptive patterns/levels drawn; no buy/sell labels	P2	
CHT-05	About the company section	Profile shows when funda published; hidden otherwise; Read more toggle	P2	
CHT-06	Key data grid	LTP, %chg, RSI, MAs, 52w, ATR, cap, sector correct	P1	
CHT-07	Create a price alert	Alert saved; listed under Alerts	P2	
CHT-08	Add to watchlist menu (near screen edge)	Popover flips to stay on-screen; add works	P3	
CHT-09	Corporate-action scrip (split/bonus)	Continuous series; no phantom gap	P1	
CHT-10	TradingView fallback link	Opens external (new tab web / system browser native)	P3	

10. Watchlist

ID	Test case	Expected result	Pri	Result (P/F)
WL-01	Create / rename / delete a list	CRUD works; deleting the only list creates a fresh empty one	P1	
WL-02	Add / remove scrips	Reflected immediately; persists across refresh + tabs	P1	
WL-03	'Since add' change + entry price/date	Correct % since the add price; date shown	P2	
WL-04	Columns menu: show/hide/reorder (e.g. Since add up)	Layout persists; Symbol locked; Actions fixed	P2	
WL-05	Export CSV / Excel / PDF	Valid files; PDF branded A4 portrait	P2	
WL-06	Share watchlist link → open it	Imports scrips into a new list for the recipient	P2	
WL-07	Move scrip to another list	Moves with its entry stamp	P3	
WL-08	Report / AI / Chart per row	Each opens correctly	P3	

11. Portfolio

ID	Test case	Expected result	Pri	Result (P/F)
PF-01	Add / edit / remove a holding	Qty + avg cost editable inline; totals update	P1	
PF-02	Day P&L, Total P&L (+%), weight	Match qty × (LTP – cost) and portfolio weight	P1	
PF-03	Diversification (HHI) + allocation bars	Sensible values; sums to 100%	P2	
PF-04	Risk (volatility, VaR, beta, drawdown)	Computes when data available; '—' otherwise	P2	
PF-05	Dividends / total return	Reflected when dividends.json present	P3	
PF-06	Columns menu + Export CSV/Excel/PDF	Layout + export work on holdings	P2	
PF-07	CSV backup export + re-import (round-trip)	Import restores the same holdings	P2	
PF-08	Seed from watchlist	Holdings pre-filled from a watchlist	P3	

12. Global Indices / Forex / DR / Fuel

ID	Test case	Expected result	Pri	Result (P/F)
IDX-01	Domestic + International index cards	Values + %chg; colour-coded	P2	
IDX-02	Click an index / ticker item	Opens the TradingView chart (external)	P3	
IDX-03	Currency tab shows LIVE rates	Cross-rates render; 'Live rates · ' stamp	P1	
IDX-04	Currency updates over time / on refetch	Values reflect a live source, not just the bundle	P2	
IDX-05	FX source unavailable	Falls back to bundle rate / last-good; no crash	P2	
IDX-06	Depository Receipts list	ADRs/GDRs render as a list	P3	
IDX-07	Fuel tab — India table	City petrol/diesel (+premium/CNG/LPG where present); empty cols dropped	P2	
IDX-08	Fuel tab — Global table	Country petrol/diesel with unit	P2	
IDX-09	Fuel export CSV/Excel/PDF + source note	Valid files; source + date note shown	P3	
IDX-10	Fuel data not yet published	Shows 'appears after the next data refresh'	P3	

13. Calculators (+ currency converter)

ID	Test case	Expected result	Pri	Result (P/F)
CAL-01	Each calc computes (SIP, SWP, Lumpsum, CAGR, Goal, FD/RD)	Results update live; sane numbers	P2	
CAL-02	Trading calcs (Position size, Risk:Reward, Brokerage, F&O)	Correct sizing/charges/breakeven	P2	
CAL-03	Currency converter — amount + from/to	Converts using live rate; result correct	P1	
CAL-04	Converter Swap button	Swaps from/to; result recomputes	P3	
CAL-05	Converter shows live rate + source	'1 X = Y Z' + 'Live rates · '	P3	
CAL-06	Converter offline / API blocked	'Rates unavailable' message; no crash	P2	
CAL-07	Disclaimers present	Informational-only note shown	P2	

14. Wallet / Refer / Alerts / Settings

ID	Test case	Expected result	Pri	Result (P/F)
WRS-01	Credits badge + daily claim + ledger	Reflects balance; economy disabled → costs/rewards 0	P3	
WRS-02	Refer: code + link + copy + claim a code	Code/link shown; copy works; claim redeems	P3	
WRS-03	Alerts: add / toggle / remove	Persist on device; listed; toggle state saved	P2	
WRS-04	Alert triggers on EOD threshold	Fires against latest close (+ push if configured)	P2	
WRS-05	Settings colour overrides (scrip/up/down/accent)	Apply live; persist across refresh + theme switch	P3	
WRS-06	Theme toggle (light/dark)	Whole app switches; persists; both themes legible	P2	

15. Public content pages

ID	Test case	Expected result	Pri	Result (P/F)
PUB-01	Landing (web) / Login (native) at /	Correct entry per platform	P2	
PUB-02	About / Contact / Blog / Article / Legal without login	Reachable + render; markdown formatting correct	P2	
PUB-03	Reach the same pages from the in-app 'More' drawer	Navigates out and back into the app	P2	
PUB-04	Contact: compose email	Opens mail client to support@taureye.com with prefilled body	P3	
PUB-05	Footer legal links (Privacy/Terms/Disclaimer)	Open the correct legal docs	P3	
PUB-06	Blog index + article + related links	List + article render; related links work	P3	

16. Navigation, top bar & responsive

ID	Test case	Expected result	Pri	Result (P/F)
NAV-01	Logged-in top bar	App nav (drawer) + brand/home/alerts + theme/credits/user + Sign out + search	P1	
NAV-02	Logged-out top bar on public pages	Public nav + Sign in; no username/credits	P2	

ID	Test case	Expected result	Pri	Result (P/F)
NAV-03	From a public page (logged in), return to Screener	App nav lets you jump back into the app	P1	
NAV-04	Sign out visible — 1366, 1440, 1536, 1600, 1920	Never clipped / off-screen at any width	P1	
NAV-05	Zoom 80% / 90% / 100% / 110% / 125%	Layout usable; Sign out visible; no horizontal scroll	P1	
NAV-06	Hamburger drawer open/close (Esc, backdrop)	Opens/closes; nav + 'More' links present	P2	
NAV-07	Index ticker scroll	Scrolls horizontally; not clipping the page	P3	
NAV-08	Mobile ≤980px stacked layout	Bar reflows; search full-width; nothing clipped	P1	

17. Data accuracy

ID	Test case	Expected result	Pri	Result (P/F)
DAT-01	EOD close / %chg for a few scrips vs NSE/BSE	Matches the official close (ClsPric)	P1	
DAT-02	RSI / MACD / ATR / SMA sanity	Within expected ranges; direction matches chart	P2	
DAT-03	Local S/R vs backend / manual pivot check	Support/resistance match the algorithm	P1	
DAT-04	Market cap, 52w high/low distances	Consistent with price × shares / window	P2	
DAT-05	Currency values vs a public reference	Within normal FX range for the day	P2	
DAT-06	Fuel prices plausibility	Within realistic ₹/L (India) and USD/L (global) bands	P3	
DAT-07	Corporate-action continuity	Split/bonus series continuous; latest = CMP	P1	
DAT-08	'data as of' dates	Shown and consistent with the bundle	P3	

18. Offline / network / error handling

ID	Test case	Expected result	Pri	Result (P/F)
ERR-01	Remote /data unreachable	Falls back to the in-app bundled copy; app still works	P2	
ERR-02	Candle fetch fails for a symbol	Chart shows an error state, not a blank/crash	P2	
ERR-03	FX / fuel API blocked	Graceful message / fallback; rest of app fine	P2	
ERR-04	Boot race (API slow on first load)	Retries transparently; no permanent error	P2	
ERR-05	Empty states (no results / empty watchlist)	Friendly empty message, not a broken table	P3	
ERR-06	Malformed share/screen token	Ignored safely; screener falls back to default	P2	
ERR-07	Go offline mid-session	Cached data usable; clear indication where live data is needed	P3	

19. Security & SEBI compliance

ID	Test case	Expected result	Pri	Result (P/F)
SEC-01	All traffic over HTTPS (site + api + data)	No http:// requests; no mixed-content warnings	P1	
SEC-02	No secrets in the client bundle	Only the public anon/publishable key; no service-role/keys	P1	
SEC-03	Supabase RLS — data isolation	A user cannot read/modify another user's data	P1	
SEC-04	Auth token handling / session expiry	Tokens refresh; expired session forces re-login	P2	
SEC-05	SEBI disclaimers present	Factual-only + 'not investment advice' on stock/screener/report pages	P1	
SEC-06	No buy/sell calls, targets or tips anywhere	Content stays descriptive	P1	
SEC-07	Input handling (names, markdown, NL, share tokens)	No XSS/script injection via rendered fields	P1	
SEC-08	OAuth redirect allow-list	Only intended redirect URIs accepted (web + native scheme)	P2	

20. Performance

ID	Test case	Expected result	Pri	Result (P/F)
PRF-01	Web first load (cold) time-to-interactive	Within target on broadband + throttled 3G	P2	
PRF-02	Screener filter/sort over full universe (~5,800)	Responsive; no long freeze	P1	
PRF-03	S/R local compute on a 100-row page	Fills progressively; UI stays responsive	P2	
PRF-04	Export a large table to PDF/XLSX	Completes in reasonable time; no tab hang	P2	
PRF-05	Chart interactions (zoom/pan/timeframe)	Smooth; no jank	P2	
PRF-06	Memory over a long session	No runaway growth / leak	P3	
PRF-07	Mobile app responsiveness + data usage	Acceptable on mid-range device / mobile data	P2	

21. Accessibility

ID	Test case	Expected result	Pri	Result (P/F)
A11Y-01	Keyboard-only navigation of key flows	Tab order logical; all actions reachable	P2	
A11Y-02	Visible focus states	Focus indicator on inputs/buttons/links	P2	
A11Y-03	Colour contrast (light + dark)	Meets WCAG AA for text/controls	P2	
A11Y-04	ARIA roles/labels (tabs, dialogs, menus)	Announced correctly by a screen reader	P3	
A11Y-05	Tap target size on mobile	≥ 44px; no mis-taps	P3	
A11Y-06	Reduced-motion / no reliance on colour alone	Gain/loss not conveyed by colour only	P3	

22. Mobile / APK / OTA

ID	Test case	Expected result	Pri	Result (P/F)
MOB-01	Sideload + launch the debug APK	Installs; opens; no crash	P1	
MOB-02	OTA update pulls a new bundle on launch	New web bundle applied; notifyAppReady prevents rollback	P1	
MOB-03	OAuth deep link returns to the app	app.taureye.mobile://auth-callback exchanges code → session	P1	
MOB-04	Native share sheet (watchlist/screen)	OS share opens with the link/text	P2	
MOB-05	Push notification (if FCM configured)	EOD/refresh notification received + deep-links in	P3	
MOB-06	HTTPS-only (cleartext off)	No cleartext loads; data over https://taureye.com works	P1	
MOB-07	Safe-area insets (notch) + back button	No content under the notch; back navigates sensibly	P2	
MOB-08	Reinstall over old debug build	Signature-mismatch handled (uninstall-first note)	P3	

23. Regression (this release's fixes)

Re-verify each fix shipped in this cycle has not regressed:

ID	Test case	Expected result	Pri	Result (P/F)
REG-01	Top-bar overflow / Sign out off-screen	Fixed at all desktop widths + zoom (see NAV-04/05)	P1	
REG-02	Screener value input (clear 0 / negatives)	Works (SCR-06/07)	P2	
REG-03	Watchlist delete the only list	Allowed; recreates a fresh list (WL-01)	P2	
REG-04	Exchange filter auto-runs	Re-runs on change (SCR-05)	P2	
REG-05	Refer 'Share invite' contrast in light theme	Icon+text visible on the accent button	P3	
REG-06	Contact/support email	support@taureye.com (PUB-04)	P3	
REG-07	Unified top bar (public + app)	Consistent bar; back-to-app works (NAV-01/02/03)	P1	
REG-08	NL screener overhaul	Broad phrasing parses (SCR-11..14)	P2	
REG-09	Support/resistance filters + local compute	Columns + local values (SCR-16/17/18)	P1	
REG-10	Configurable columns + export (WL/PF/SCR)	All three tables (SCR-19, WL-05, PF-06)	P1	
REG-11	Live currency + converter	IDX-03/04, CAL-03	P1	
REG-12	Fuel prices tab	IDX-07..10	P2	
REG-13	Chart 'About the company'	CHT-05	P2	
REG-14	Share-link shortening (lz-string)	Old + new links both open (SCR-21, WL-06)	P2	

24. Compatibility matrix

Run the smoke + core functional suites across this matrix; log per-cell pass/fail.

Platform	Targets
Desktop browsers	Chrome, Edge, Firefox, Safari — latest 2 versions
Desktop resolutions	1366×768, 1440×900, 1536×864, 1600×900, 1920×1080, ≥2560 (inline nav)
Zoom levels	80%, 90%, 100%, 110%, 125%
Android	APK on Android 10–14; a low-end + a flagship device; portrait + landscape
iOS	iPhone (recent iOS) via TestFlight/dev; Safari web on iOS
Themes	Light + Dark on every platform
Network	Broadband, throttled 3G, offline, API-blocked

Sign-off: QA Lead _____ Date _____ · Product Owner _____ Date _____ · Build/commit _____ ·
Result: Pass / Pass-with-notes / Fail.