

`$_SERVER` és un array que compté capceleres, paths i localitzacions d'scripts.

1. Fés un volcat de totes les claus i valors d'aquest array. Utilitza l'esquema vist a l'exercici [recorrer array](#)

```
foreach ($_SERVER as $clau => $valor) {  
    echo "$clau - $valor<br>";  
}
```

```
MIBDIRS - C:/xampp/php/extras/mibs  
MYSQL_HOME - \xampp\mysql\bin  
OPENSSL_CONF - C:/xampp/apache/bin/openssl.cnf  
PHP_PEAR_SYSCONF_DIR - \xampp\php  
PHPRC - \xampp\php  
TMP - \xampp\tmp  
HTTP_HOST - localhost  
HTTP_CONNECTION - keep-alive  
HTTP_CACHE_CONTROL - max-age=0  
HTTP_SEC_CH-UA - "Google Chrome";v="105", "Not)A;Brand"  
HTTP_SEC_CH-UA_MOBILE - ?0  
HTTP_SEC_CH-UA_PLATFORM - "Windows"  
HTTP_UPGRADE_INSECURE_REQUESTS - 1  
HTTP_USER_AGENT - Mozilla/5.0 (Windows NT 10.0; Win64; ;  
HTTP_ACCEPT - text/html,application/xhtml+xml,application/xn  
HTTP_SEC_FETCH_SITE - none  
HTTP_SEC_FETCH_MODE - navigate  
HTTP_SEC_FETCH_USER - ?1  
HTTP_SEC_FETCH_DEST - document  
HTTP_ACCEPT_ENCODING - gzip, deflate, br  
HTTP_ACCEPT_LANGUAGE - es-ES,es;q=0.9  
HTTP_COOKIE - visitor_uuid=daa3137e0c5247458f9167d1273f  
PATH - C:\Program Files (x86)\Common Files\Oracle\Java\javapa  
Workstation\bin\;C:\Windows\system32;C:\Windows;C:\Windows  
Server\Client SDK\ODBC\170\Tools\Binn\;C:\Program Files (x86  
Files (x86)\Microsoft SQL Server\150\DTS\Binn\;C:\Program File  
SystemRoot - C:\Windows  
COMSPEC - C:\Windows\system32\cmd.exe
```

2. A partir de quina clau pots saber quin sistema operatiu utilitza el navegador que ha realitzat la petició?

La clau `HTTP_USER_AGENT` ens dona informació sobre el sistema operatiu del navegador

3. A partir de quina clau pots saber l'idioma amb que treballa l'usuari que ha realitzat aquesta petició al servidor?

La clau `HTTP_ACCEPT_LANGUAGE` ens dona informació sobre l'idioma de l'usuari