
CiscoSansTT Thin

Technical Documentation



Copyright © 2010 by Edenspiekermann

No part of this publication may be reproduced, stored in a retrieval system, or transmittet, in any form or by any means, electronic, mecanical, photocopying, recording or otherwise, without the prior written consent of the publisher.

This publication and the information herein is furnished AS IS, is subject to change without notice, and should not be constured as a commitment by Edenspiekermann. Edenspiekermann assumes no resposibility for any errors or inaccuracies, makes no warranty of any kind (express, implied or statutory) with respect to this publication, and expressly disclaims any and all warranties of merchantability, fitness for particular purposes and noninfringement of third party rights.

Brand or product names, used in this publication, are the trademarks or registered trademarks of their respective holders.

For questions and comments please contact:

Edenspiekermann Berlin Friedrichstraße 126 10117 Berlin Germany

Tel.: +49 (30) 212 8080

e-Mail: info@de.edenspiekermann.com Internet: <u>www.edenspiekermann.com</u>

Document generated 2010/08/16-01:15:35 with e-font PDF Generator

Table of Content

Encoded Characters	4
Basic Latin	4
Latin-1 Supplement	4
Latin Extended-A	5
Latin Extended-B	5
Spacing Modifier Letters	5
Combining Diacritical Marks	5
Greek and Coptic	6
Cyrillic	6
General Punctuation	7
Superscripts and Subscripts	7
Currency Symbols	7
Letterlike Symbols	7
Number Forms	7
Arrows	7
Mathematical Operators	8
Geometric Shapes	8
Alphabetic Presentation Forms	8
Unencoded Glyphs	9
Case-Sensitive Forms	9
Standard Ligatures	9
Localized Forms	9
Proportional Figures	9
Slashed Zero	9
Other	9
OpenType Layout Features	10
Substitution Features	10
Positioning Features	10
Codepages	11
MacOS	11
MS Windows	11
ISO	11
IBM	11
Languages	12
Latin	12
Greek	12
Cyrillic	12

3


Edenspiekermann

Encoded Characters

All encoded characters should be accessible with every unicode capable application. For details about Unicode Blocks visist the <u>Unicode Website</u>.


Basic Latin

Block from 0000 to 007F




Latin-1 Supplement

Block from 0080 to 00FF



Latin Extended-A

Block from 0100 to 017F



Latin Extended-B

Block from 0180 to 024F

0192	0218	0219	021A	021B	0237
f	Ş	Ş	Ţ	ţ	J

Spacing Modifier Letters

Block from 02B0 to 02FF

02C6	02C7	02C9	02D8	02D9	02DA	02DB	02DC	02DD
^	~	_	U		0		~	"
						C		


Combining Diacritical Marks

Block from 0300 to 036F

0312	0323
í	

Greek and Coptic

Block from 0370 to 03FF



Cyrillic

Block from 0400 to 04FF



General Punctuation

Block from 2000 to 206F

2012	2013	2014	2015	2018	2019	201A	201C	201D	201E	2020	2021	2022	2026	2030	2039
	_		_	ſ	,	,	(("	"	+	‡	•		%0	<
203A	2044														
>	/														

Superscripts and Subscripts

Block from 2070 to 209F



Currency Symbols

Block from 20A0 to 20CF



Letterlike Symbols

Block from 2100 to 214F

2116	2122	2126	212E
Nō	TM	\bigcap	е

Number Forms

Block from 2150 to 218F

2153	2154
1/3	2/3

Arrows

Block from 2190 to 21FF

2190	2191	2192	2193	2194	2195	2196	2197	2198	2199
\leftarrow	\uparrow	\rightarrow	\rightarrow	\longleftrightarrow	\uparrow	K	N	K	K

Mathematical Operators

Block from 2200 to 22FF

2202	2206	220F	2211	2212	2215	2219	221A	221E	222B	2248	2260	2264	2265	22C6
9	\triangle	П	\sum	_	/	•	$\sqrt{}$	∞		\approx	≠	<u> </u>	>	*


Geometric Shapes

Block from 25A0 to 25FF



Alphabetic Presentation Forms


Block from FB00 to FB4F



Unencoded Glyphs

All unencoded glyphs are accessible with OpenType layout feature capable applications. For a complete list of supported OpenType layout features see the next section.

Case-Sensitive Forms



Standard Ligatures



Localized Forms



Proportional Figures

-	-	-	-	-	-	-	-	-	-
0	1	2	3	4	5	6	7	8	9

Slashed Zero



Other



OpenType Layout Features

For details about OpenType Layout Features see the OpenType Layout tag registry.

Substitution Features



Access All Alternates

This feature makes all variations of a selected character accessible.



Standard Ligatures

Replaces a sequence of glyphs with a single glyph which is preferred for typographic purposes. This feature covers the ligatures which the designer/manufacturer judges should be used in normal conditions.



Proportional Figures

Replaces figure glyphs set on uniform (tabular) widths with corresponding glyphs set on glyph-specific (proportional) widths.



Slashed Zero

Some fonts contain both a default form of zero, and an alternative form which uses a diagonal slash through the counter. This feature allows the user to change from the default 0 to a slashed form.



Ordinals

Replaces default alphabetic glyphs with the corresponding ordinal forms for use after figures.



Case-Sensitive Forms

Shifts various punctuation marks up to a position that works better with all-capital sequences or sets of lining figures; also changes oldstyle figures to lining figures.



Localized Forms

This feature enables localized forms of glyphs to be substituted for default forms.



Mathematical Greek

Replaces standard typographic forms of Greek glyphs with corresponding forms commonly used in mathematical notation (which are a subset of the Greek alphabet).

Positioning Features



Capital Spacing

Globally adjusts inter-glyph spacing for all-capital text. Most typefaces contain capitals and lowercase characters, and the capitals are positioned to work with the lowercase. When capitals are used for words, they need more space between them for legibility and esthetics.

Codepages

MacOS

MacOS Central Europe MacOS Croatian MacOS Cyrillic MacOS Greek MacOS Icelandic MacOS Roman MacOS Romanian MacOS Turkish

MS Windows

MS Windows 1250 Central European MS Windows 1251 Cyrillic MS Windows 1252 Western (ANSI) MS Windows 1253 Greek MS Windows 1254 Turkish MS Windows 1257 Baltic

ISO

ISO 8859- 1 Latin 1 (Western) ISO 8859- 2 Latin 2 (Central Europe) ISO 8859- 3 Latin 3 (Tu, Malt, Gal, Esp) ISO 8859- 4 Latin 4 (Baltic) ISO 8859- 5 Cyrillic ISO 8859- 9 Latin 5 (Turkish)
ISO 8859-10 Latin 6 (Scandinavian)
ISO 8859-13 Latin 7 (Baltic 2)
ISO 8859-15 Latin 9
ISO 8859-16 Latin 10

IBM

IBM 37 United States - EBCDIC (IBM-28709)
IBM 273 Germany - EBCDIC
IBM 277 Denmark, Norway - EBCDIC
IBM 278 Finland, Sweden - EBCDIC
IBM 280 Italy - EBCDIC
IBM 284 Spain, Latin America - EBCDIC
IBM 285 United Kingdom - EBCDIC
IBM 297 France - EBCDIC

IBM 500 International - EBCDIC
IBM 871 Iceland - EBCDIC
IBM 875 Greece - EBCDIC
IBM 921 Baltic
IBM 1025 Cyrillic - EBCDIC
IBM 1047 Open Systems - EBCDIC
IBM 1112 Baltic - EBCDIC
IBM 1123 Cyrillic Ukraine EBCDIC

Languages

Information about languages is mainly based on the Unicode Common Locale Data Repository. For details visit the <u>Unicode CLDR Project</u>.

Latin

Albanian **Finnish** Lithuanian Somali French Basque Malay Sorbian, Lower Bosnian Frisian West Maltese Sorbian, Upper Cornish Friulian Manx Sotho, Northern Crimean Tatar Galician Moldavian Sotho, Southern Croatian German Norwegian Bokmål Spanish Swahili Czech Icelandic Norwegian Nynorsk Danish Indonesian Oromo Swati Dutch Interlingua Polish Swedish Tsonga **English** Portuguese Irish Turkish Esperanto Italian Romanian Estonian Kalaallisut Sami Northern Xhosa Slovak Zulu Faroese Kinyarwanda Filipino Latvian Slovenian

Greek

Greek

Cyrillic

BashkirChechenRussianUzbekBelarusianKazakhSerbianBulgarianMacedonianTatarBuriatMongolianUighur