April 14, 2025

Vulnerability Scan
Report

Prepared By

HostedScan Security



hostedscan.com

Overview

1 Executive Summary 3

2 Risks by Target 4

3 Network Vulnerabilities 8

4 Glossary 48

Executive Summary

Vulnerability scans were conducted on select servers, networks, websites, and applications. This report contains the discovered potential vulnerabilities from these scans. Vulnerabilities have been classified by severity. Higher severity indicates a greater risk of a data breach, loss of integrity, or availability of the targets.

Total Vulnerabilities

Below are the total number of vulnerabilities found by severity. Critical vulnerabilities are the most severe and should be evaluated first. An accepted vulnerability is one which has been manually reviewed and classified as acceptable to not fix at this time, such as a false positive detection or an intentional part of the system's architecture.

Critical	High	Medium	Low	Accepted
2	4	30	1	0

Report Coverage

This report includes findings for 1 target scanned. Each target is a single URL, IP address, or fully qualified domain name (FQDN).

Vulnerability Categories

37

Network Vulnerabilities

Vulnerabilities By Target

This section contains the vulnerability findings for each scanned target. Prioritization should be given to the targets with the highest severity vulnerabilities. However, it is important to take into account the purpose of each system and consider the potential impact a breach or an outage would have for the particular target.

Targets Summary

The number of potential vulnerabilities found for each target by severity.

Target	Critical	High	Medium	Low	Accepted
spikatech.com	2	4	30	1	0

Target Breakdowns

Details for the potential vulnerabilities found for each target by scan type.

spikatech.com

Total Risks

2	4	30	1	0

5% 11% 81% 3%

Network Vulnerabilities	Severity	First Detected	Last Detected
WordPress Contact Form 7 Plugin < 5.3.2 RCE Vulnerability cvss score: 10.0	Critical	0 days ago	0 days ago
WordPress Contact Form 7 Plugin < 5.3.2 RCE Vulnerability cvss score: 10.0	Critical	0 days ago	0 days ago
WordPress Shortcodes Ultimate Plugin < 5.12.1 Multiple CSRF Vulnerabilities cvss score: 8.8	High	0 days ago	0 days ago
WordPress Shortcodes Ultimate Plugin < 5.12.1 Multiple CSRF Vulnerabilities cvss score: 8.8	High	0 days ago	0 days ago
WordPress Popup Maker Plugin < 1.18.0 Information Disclosure Vulnerability cvss score: 7.5	High	0 days ago	0 days ago
WordPress Popup Maker Plugin < 1.18.0 Information Disclosure Vulnerability cvss score: 7.5	High	0 days ago	0 days ago
Missing 'HttpOnly' Cookie Attribute (HTTP) cvss score: 5.0	Medium	0 days ago	0 days ago
Missing 'HttpOnly' Cookie Attribute (HTTP) cvss score: 5.0	Medium	0 days ago	0 days ago
WordPress Shortcodes Ultimate Plugin < 5.10.2 XSS Vulnerability cvss score: 5.4	Medium	0 days ago	0 days ago

WordPress Shortcodes Ultimate Plugin < 5.10.2 XSS Vulnerability cvss score: 5.4	Medium	0 days ago	0 days ago
WordPress Popup Maker Plugin < 1.16.5 XSS Vulnerability cvss score: 4.8	Medium	0 days ago	0 days ago
WordPress Popup Maker Plugin < 1.16.9 Multiple XSS Vulnerabilities cvss score: 5.4	Medium	0 days ago	0 days ago
WordPress Popup Maker Plugin < 1.16.11 XSS Vulnerability cvss score: 4.8	Medium	0 days ago	0 days ago
WordPress Popup Maker Plugin < 1.16.5 XSS Vulnerability cvss score: 4.8	Medium	0 days ago	0 days ago
WordPress Popup Maker Plugin < 1.16.11 XSS Vulnerability cvss score: 4.8	Medium	0 days ago	0 days ago
WordPress Popup Maker Plugin < 1.16.9 Multiple XSS Vulnerabilities cvss score: 5.4	Medium	0 days ago	0 days ago
WordPress Shortcodes Ultimate Plugin < 5.12.8 Multiple Information Disclosure vulnerabilities cvss score: 6.5	Medium	0 days ago	0 days ago
WordPress Shortcodes Ultimate Plugin < 5.12.8 Multiple Information Disclosure vulnerabilities cvss score: 6.5	Medium	0 days ago	0 days ago
WordPress ExactMetrics Plugin < 7.12.1 XSS Vulnerability cvss score: 5.4	Medium	0 days ago	0 days ago
WordPress ExactMetrics Plugin < 7.12.1 XSS Vulnerability cvss score: 5.4	Medium	0 days ago	0 days ago
WordPress MC4WP Plugin < 4.8.7 XSS Vulnerability cvss score: 4.8	Medium	0 days ago	0 days ago
WordPress MC4WP Plugin < 4.8.7 XSS Vulnerability cvss score: 4.8	Medium	0 days ago	0 days ago
WordPress ExactMetrics Plugin < 7.14.2 XSS Vulnerability cvss score: 5.4	Medium	0 days ago	0 days ago

WordPress ExactMetrics Plugin < 7.14.2 XSS Vulnerability cvss score: 5.4	Medium	0 days ago	0 days ago
WordPress Shortcodes Ultimate Plugin < 7.0.0 Multiple Vulnerabilities cvss score: 5.4	Medium	0 days ago	0 days ago
WordPress Shortcodes Ultimate Plugin < 7.0.0 Multiple Vulnerabilities cvss score: 5.4	Medium	0 days ago	0 days ago
WordPress < 6.5 Private Information Exposure Vulnerability cvss score: 5.3	Medium	0 days ago	0 days ago
WordPress < 6.5 Private Information Exposure Vulnerability cvss score: 5.3	Medium	0 days ago	0 days ago
WordPress Popup Maker Plugin < 1.18.3 XSS Vulnerability cvss score: 5.4	Medium	0 days ago	0 days ago
WordPress Popup Maker Plugin < 1.18.3 XSS Vulnerability cvss score: 5.4	Medium	0 days ago	0 days ago
WordPress Shortcodes Ultimate Plugin < 7.0.4 - Contributor+ Stored XSS Vulnerability cvss score: 5.4	Medium	0 days ago	0 days ago
WordPress Shortcodes Ultimate Plugin < 7.0.5 - Contributor+ Stored XSS Vulnerability cvss score: 5.5	Medium	0 days ago	0 days ago
WordPress Shortcodes Ultimate Plugin < 7.1.3 - Contributor+ Stored XSS Vulnerability cvss score: 5.4	Medium	0 days ago	0 days ago
WordPress Shortcodes Ultimate Plugin < 7.0.4 - Contributor+ Stored XSS Vulnerability cvss score: 5.4	Medium	0 days ago	0 days ago
WordPress Shortcodes Ultimate Plugin < 7.0.5 - Contributor+ Stored XSS Vulnerability cvss score: 5.5	Medium	0 days ago	0 days ago
WordPress Shortcodes Ultimate Plugin < 7.1.3 - Contributor+ Stored XSS Vulnerability cvss score: 5.4	Medium	0 days ago	0 days ago
ICMP Timestamp Reply Information Disclosure cvss score: 2.1	Low	0 days ago	0 days ago

Network Vulnerabilities

The OpenVAS network vulnerability scan tests servers and internet connected devices for over 150,000 vulnerabilities. OpenVAS uses the Common Vulnerability Scoring System (CVSS) to quantify the severity of findings. 0.0 is the lowest severity and 10.0 is the highest.

Lite Scan

Free accounts use the lite network scan which is limited to the 10 most common ports and excludes brute force tests.

Total Vulnerabilities

Total number of vulnerabilities found by severity.

Critical	High	Medium	Low	Accepted
2	4	30	1	0

Vulnerabilities Breakdown

Summary list of all detected vulnerabilities.

Title	Severity	CVSS Score	Open	Accepted
Missing 'HttpOnly' Cookie Attribute (HTTP)	Medium	5.0	1	0
Missing 'HttpOnly' Cookie Attribute (HTTP)	Medium	5.0	1	0
WordPress Contact Form 7 Plugin < 5.3.2 RCE Vulnerability	Critical	10.0	1	0
WordPress Contact Form 7 Plugin < 5.3.2 RCE Vulnerability	Critical	10.0	1	0

WordPress Shortcodes Ultimate Plugin < 5.12.1 Multiple CSRF Vulnerabilities	High	8.8	1	0
WordPress Popup Maker Plugin < 1.18.0 Information Disclosure Vulnerability	High	7.5	1	0
WordPress Popup Maker Plugin < 1.18.0 Information Disclosure Vulnerability	High	7.5	1	0
WordPress Shortcodes Ultimate Plugin < 5.10.2 XSS Vulnerability	Medium	5.4	1	0
WordPress Shortcodes Ultimate Plugin < 5.10.2 XSS Vulnerability	Medium	5.4	1	0
WordPress Popup Maker Plugin < 1.16.5 XSS Vulnerability	Medium	4.8	1	0
WordPress Popup Maker Plugin < 1.16.9 Multiple XSS Vulnerabilities	Medium	5.4	1	0
WordPress Popup Maker Plugin < 1.16.11 XSS Vulnerability	Medium	4.8	1	0
WordPress Popup Maker Plugin < 1.16.5 XSS Vulnerability	Medium	4.8	1	0
WordPress Popup Maker Plugin < 1.16.11 XSS Vulnerability	Medium	4.8	1	0
WordPress Popup Maker Plugin < 1.16.9 Multiple XSS Vulnerabilities	Medium	5.4	1	0
WordPress Shortcodes Ultimate Plugin < 5.12.8 Multiple Information Disclosure vulnerabilities	Medium	6.5	1	0
WordPress Shortcodes Ultimate Plugin < 5.12.8 Multiple Information Disclosure vulnerabilities	Medium	6.5	1	0
WordPress ExactMetrics Plugin < 7.12.1 XSS Vulnerability	Medium	5.4	1	0
WordPress ExactMetrics Plugin < 7.12.1 XSS Vulnerability	Medium	5.4	1	0
WordPress MC4WP Plugin < 4.8.7 XSS Vulnerability	Medium	4.8	1	0
WordPress MC4WP Plugin < 4.8.7 XSS Vulnerability	Medium	4.8	1	0
WordPress ExactMetrics Plugin < 7.14.2 XSS Vulnerability	Medium	5.4	1	0
WordPress ExactMetrics Plugin < 7.14.2 XSS Vulnerability	Medium	5.4	1	0
WordPress Shortcodes Ultimate Plugin < 7.0.0 Multiple Vulnerabilities	Medium	5.4	1	0
WordPress Shortcodes Ultimate Plugin < 7.0.0 Multiple Vulnerabilities	Medium	5.4	1	0
WordPress < 6.5 Private Information Exposure Vulnerability	Medium	5.3	1	0
WordPress < 6.5 Private Information Exposure Vulnerability	Medium	5.3	1	0
WordPress Popup Maker Plugin < 1.18.3 XSS Vulnerability	Medium	5.4	1	0
WordPress Popup Maker Plugin < 1.18.3 XSS Vulnerability	Medium	5.4	1	0
WordPress Shortcodes Ultimate Plugin < 7.0.4 - Contributor+ Stored XSS Vulnerability	Medium	5.4	1	0
WordPress Shortcodes Ultimate Plugin < 7.0.5 - Contributor+ Stored XSS Vulnerability	Medium	5.5	1	0

Vulnerability	Medium	5.4	1	0
WordPress Shortcodes Ultimate Plugin < 7.0.4 - Contributor+ Stored XSS Vulnerability	Medium	5.4	1	0
WordPress Shortcodes Ultimate Plugin < 7.0.5 - Contributor+ Stored XSS Vulnerability	Medium	5.5	1	0
WordPress Shortcodes Ultimate Plugin < 7.1.3 - Contributor+ Stored XSS Vulnerability	Medium	5.4	1	0
ICMP Timestamp Reply Information Disclosure	Low	2.1	1	0

Vulnerability Details

Detailed information about each potential vulnerability found by the scan.

Missing 'HttpOnly' Cookie Attribute (HTTP)

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	5.0

Description

The remote HTTP web server / application is missing to set the 'HttpOnly' cookie attribute for one or more sent HTTP cookie.

The flaw exists if a session cookie is not using the 'HttpOnly' cookie attribute.

This allows a cookie to be accessed by JavaScript which could lead to session hijacking attacks.

Solution

- Set the 'HttpOnly' cookie attribute for any session cookie

- Evaluate / do an own assessment of the security impact on the web server / application and create an override for this result if there is none (this can't be checked automatically by this VT)

References

https://www.rfc-editor.org/rfc/rfc6265#section-5.2.6
https://owasp.org/www-community/HttpOnly
https://wiki.owasp.org/index.php/Testing_for_cookies_attributes_(OTG-SESS-002)

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

Missing 'HttpOnly' Cookie Attribute (HTTP)

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	5.0

Description

The remote HTTP web server / application is missing to set the 'HttpOnly' cookie attribute for one or more sent HTTP cookie.

The flaw exists if a session cookie is not using the 'HttpOnly' cookie attribute.

This allows a cookie to be accessed by JavaScript which could lead to session hijacking attacks.

Solution

- Set the 'HttpOnly' cookie attribute for any session cookie

- Evaluate / do an own assessment of the security impact on the web server / application and create an override for this result if there is none (this can't be checked automatically by this VT)

References

https://www.rfc-editor.org/rfc/rfc6265#section-5.2.6
https://owasp.org/www-community/HttpOnly
https://wiki.owasp.org/index.php/Testing_for_cookies_attributes_(OTG-SESS-002)

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress Contact Form 7 Plugin < 5.3.2 RCE Vulnerability

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Critical	1 target	0 days ago	10.0

Description

The WordPress plugin 'Contact Form 7' is prone to an unrestricted file upload and remote code execution (RCE) vulnerability because a filename may contain special characters.

Attackers may upload files of any type, bypassing all restrictions placed regarding the allowed upload-able file types on a website. Further, it allows an attacker to inject malicious content such as web shells.

Solution

Update to version 5.3.2 or later.

References

CVE-2020-35489
https://contactform7.com/2020/12/17/contact-form-7-532/
https://www.getastra.com/blog/911/plugin-exploit/contact-form-7-unrestricted-file-upload/
https://www.jinsonvarghese.com/unrestricted-file-upload-in-contact-form-7/

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress Contact Form 7 Plugin < 5.3.2 RCE Vulnerability

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Critical	1 target	0 days ago	10.0

Description

The WordPress plugin 'Contact Form 7' is prone to an unrestricted file upload and remote code execution (RCE) vulnerability because a filename may contain special characters.

Attackers may upload files of any type, bypassing all restrictions placed regarding the allowed upload-able file types on a website. Further, it allows an attacker to inject malicious content such as web shells.

Solution

Update to version 5.3.2 or later.

References

CVE-2020-35489
https://contactform7.com/2020/12/17/contact-form-7-532/
https://www.getastra.com/blog/911/plugin-exploit/contact-form-7-unrestricted-file-upload/
https://www.jinsonvarghese.com/unrestricted-file-upload-in-contact-form-7/

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress Shortcodes Ultimate Plugin < 5.12.1 Multiple CSRF Vulnerabilities

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
High	1 target	0 days ago	8.8

Description

The WordPress plugin 'Shortcodes Ultimate' is prone to multiple cross-site request forgery (CSRF) vulnerabilities.

The following vulnerabilities exist:

- CVE-2022-38086: Cross-Site Request Forgery (CSRF) vulnerability leading to plugin preset settings change.

- CVE-2022-41136: Cross-Site Request Forgery (CSRF) vulnerability leading to Stored Cross-Site Scripting (XSS).

Solution

Update to version 5.12.1 or later.

References

CVE-2022-38086
CVE-2022-41136
https://patchstack.com/database/vulnerability/shortcodes-ultimate/wordpress-shortcodes-ultimate-plugin-5-12-0-cross-site-request-forgery-csrf-vulnerability?_s_id=cve
https://patchstack.com/database/vulnerability/shortcodes-ultimate/wordpress-shortcodes-ultimate-plugin-5-12-0-csrf-vulnerability-leading-to-stored-xss?_s_id=cve

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress Shortcodes Ultimate Plugin < 5.12.1 Multiple CSRF Vulnerabilities

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
High	1 target	0 days ago	8.8

Description

The WordPress plugin 'Shortcodes Ultimate' is prone to multiple cross-site request forgery (CSRF) vulnerabilities.

The following vulnerabilities exist:

- CVE-2022-38086: Cross-Site Request Forgery (CSRF) vulnerability leading to plugin preset settings change.

- CVE-2022-41136: Cross-Site Request Forgery (CSRF) vulnerability leading to Stored Cross-Site Scripting (XSS).

Solution

Update to version 5.12.1 or later.

References

CVE-2022-38086
CVE-2022-41136
https://patchstack.com/database/vulnerability/shortcodes-ultimate/wordpress-shortcodes-ultimate-plugin-5-12-0-cross-site-request-forgery-csrf-vulnerability?_s_id=cve
https://patchstack.com/database/vulnerability/shortcodes-ultimate/wordpress-shortcodes-ultimate-plugin-5-12-0-csrf-vulnerability-leading-to-stored-xss?_s_id=cve

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress Popup Maker Plugin < 1.18.0 Information Disclosure Vulnerability

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
High	1 target	0 days ago	7.5

Description

The WordPress plugin 'Popup Maker' is prone to an information disclosure vulnerability.

The plugin generates a predictable name when creating debug log files.

Unauthenticated attackers are able to view log files.

Solution

Update to version 1.18.0 or later.

References

CVE-2022-47597
https://patchstack.com/database/vulnerability/popup-maker/wordpress-popup-maker-plugin-1-17-1-unauth-access-to-debug-log

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress Popup Maker Plugin < 1.18.0 Information Disclosure Vulnerability

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
High	1 target	0 days ago	7.5

Description

The WordPress plugin 'Popup Maker' is prone to an information disclosure vulnerability.

The plugin generates a predictable name when creating debug log files.

Unauthenticated attackers are able to view log files.

Solution

Update to version 1.18.0 or later.

References

CVE-2022-47597
https://patchstack.com/database/vulnerability/popup-maker/wordpress-popup-maker-plugin-1-17-1-unauth-access-to-debug-log

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress Shortcodes Ultimate Plugin < 5.10.2 XSS Vulnerability

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	5.4

Description

The WordPress plugin 'Shortcodes Ultimate' is prone to a cross-site scripting (XSS) vulnerability.

The plugin allows users with Contributor roles to perform stored XSS via shortcode attributes.

Note: the plugin is inconsistent in its handling of shortcode attributes. Some do escape, most don't, and there are even some attributes that are insecure by design (like [su_button]'s onclick attribute).

Solution

Update to version 5.10.2 or later.

References

CVE-2021-24525
https://wpscan.com/vulnerability/7f5659bd-50c3-4725-95f4-cf88812acf1c
https://plugins.trac.wordpress.org/browser/shortcodes-ultimate/trunk/changelog.txt

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress Shortcodes Ultimate Plugin < 5.10.2 XSS Vulnerability

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	5.4

Description

The WordPress plugin 'Shortcodes Ultimate' is prone to a cross-site scripting (XSS) vulnerability.

The plugin allows users with Contributor roles to perform stored XSS via shortcode attributes.

Note: the plugin is inconsistent in its handling of shortcode attributes. Some do escape, most don't, and there are even some attributes that are insecure by design (like [su_button]'s onclick attribute).

Solution

Update to version 5.10.2 or later.

References

CVE-2021-24525
https://wpscan.com/vulnerability/7f5659bd-50c3-4725-95f4-cf88812acf1c
https://plugins.trac.wordpress.org/browser/shortcodes-ultimate/trunk/changelog.txt

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress Popup Maker Plugin < 1.16.5 XSS Vulnerability

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	4.8

Description

The WordPress plugin 'Popup Maker' is prone to a cross-site scripting (XSS) vulnerability.

The plugin does not sanitise and escape some of its Popup settings, which could allow high privilege users such as admin to perform stored cross-site scripting attacks even when the unfiltered_html capability is disallowed.

Solution

Update to version 1.16.5 or later.

References

CVE-2022-1104
https://wpscan.com/vulnerability/4d4709f3-ad38-4519-a24a-73bc04b20e52

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress Popup Maker Plugin < 1.16.9 Multiple XSS Vulnerabilities

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	5.4

Description

The WordPress plugin 'Popup Maker' is prone to multiple cross-site scripting (XSS) vulnerabilities.

The plugin does not validate and escape one of its shortcode attributes, which could allow users with a role as low as contributor to perform stored cross-site scripting attacks.

Solution

Update to version 1.16.9 or later.

References

CVE-2022-4362
CVE-2022-4381
https://wpscan.com/vulnerability/2660225a-e4c8-40f2-8c98-775ef2301212
https://wpscan.com/vulnerability/8bf8ebe8-1063-492d-a0f9-2f824408d0df

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress Popup Maker Plugin < 1.16.11 XSS Vulnerability

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	4.8

Description

The WordPress plugin 'Popup Maker' is prone to a cross-site scripting (XSS) vulnerability.

The plugin does not sanitise and escape some of its Popup options, which could allow users with a role as low as Contributor to perform stored cross-site scripting attacks, which could be used against admins.

Solution

Update to version 1.16.11 or later.

References

CVE-2022-3690
https://wpscan.com/vulnerability/725f6ae4-7ec5-4d7c-9533-c9b61b59cc2b

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress Popup Maker Plugin < 1.16.5 XSS Vulnerability

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	4.8

Description

The WordPress plugin 'Popup Maker' is prone to a cross-site scripting (XSS) vulnerability.

The plugin does not sanitise and escape some of its Popup settings, which could allow high privilege users such as admin to perform stored cross-site scripting attacks even when the unfiltered_html capability is disallowed.

Solution

Update to version 1.16.5 or later.

References

CVE-2022-1104
https://wpscan.com/vulnerability/4d4709f3-ad38-4519-a24a-73bc04b20e52

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress Popup Maker Plugin < 1.16.11 XSS Vulnerability

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	4.8

Description

The WordPress plugin 'Popup Maker' is prone to a cross-site scripting (XSS) vulnerability.

The plugin does not sanitise and escape some of its Popup options, which could allow users with a role as low as Contributor to perform stored cross-site scripting attacks, which could be used against admins.

Solution

Update to version 1.16.11 or later.

References

CVE-2022-3690
https://wpscan.com/vulnerability/725f6ae4-7ec5-4d7c-9533-c9b61b59cc2b

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress Popup Maker Plugin < 1.16.9 Multiple XSS Vulnerabilities

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	5.4

Description

The WordPress plugin 'Popup Maker' is prone to multiple cross-site scripting (XSS) vulnerabilities.

The plugin does not validate and escape one of its shortcode attributes, which could allow users with a role as low as contributor to perform stored cross-site scripting attacks.

Solution

Update to version 1.16.9 or later.

References

CVE-2022-4362
CVE-2022-4381
https://wpscan.com/vulnerability/2660225a-e4c8-40f2-8c98-775ef2301212
https://wpscan.com/vulnerability/8bf8ebe8-1063-492d-a0f9-2f824408d0df

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress Shortcodes Ultimate Plugin < 5.12.8 Multiple Information Disclosure vulnerabilities

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	6.5

Description

The WordPress plugin 'Shortcodes Ultimate' is prone to multiple information disclosure vulnerabilities.

The following vulnerabilities exist:

- CVE-2023-0890: The plugin does not ensure that posts to be displayed via some shortcodes are already public and can be accessed by the user making the request, allowing any authenticated users such as subscriber to view draft, private or even password protected posts. It is also possible to leak the password of protected posts.

- CVE-2023-0911: The plugin does not validate the user meta to be retrieved via the user shortcode, allowing any authenticated users such as subscriber to retrieve arbitrary user meta (except the user_pass), such as the user email and activation key by default.

Solution

Update to version 5.12.8 or later.

References

CVE-2023-0890
CVE-2023-0911
https://wpscan.com/vulnerability/8a466f15-f112-4527-8b02-4544a8032671
https://wpscan.com/vulnerability/35404d16-7213-4293-ac0d-926bd6c17444

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress Shortcodes Ultimate Plugin < 5.12.8 Multiple Information Disclosure vulnerabilities

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	6.5

Description

The WordPress plugin 'Shortcodes Ultimate' is prone to multiple information disclosure vulnerabilities.

The following vulnerabilities exist:

- CVE-2023-0890: The plugin does not ensure that posts to be displayed via some shortcodes are already public and can be accessed by the user making the request, allowing any authenticated users such as subscriber to view draft, private or even password protected posts. It is also possible to leak the password of protected posts.

- CVE-2023-0911: The plugin does not validate the user meta to be retrieved via the user shortcode, allowing any authenticated users such as subscriber to retrieve arbitrary user meta (except the user_pass), such as the user email and activation key by default.

Solution

Update to version 5.12.8 or later.

References

CVE-2023-0890
CVE-2023-0911
https://wpscan.com/vulnerability/8a466f15-f112-4527-8b02-4544a8032671
https://wpscan.com/vulnerability/35404d16-7213-4293-ac0d-926bd6c17444

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress ExactMetrics Plugin < 7.12.1 XSS Vulnerability

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	5.4

Description

The WordPress plugin 'ExactMetrics' is prone to a cross-site scripting (XSS) vulnerability.

The plugin does not validate and escape some of its block options before outputting them back in a page/post where the block is embed, which could allow users with the contributor role and above to perform Stored Cross-Site Scripting attacks.

Solution

Update to version 7.12.1 or later.

References

CVE-2023-0082
https://wpscan.com/vulnerability/e1ba5047-0c39-478f-89c7-b0bb638efdff

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress ExactMetrics Plugin < 7.12.1 XSS Vulnerability

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	5.4

Description

The WordPress plugin 'ExactMetrics' is prone to a cross-site scripting (XSS) vulnerability.

The plugin does not validate and escape some of its block options before outputting them back in a page/post where the block is embed, which could allow users with the contributor role and above to perform Stored Cross-Site Scripting attacks.

Solution

Update to version 7.12.1 or later.

References

CVE-2023-0082
https://wpscan.com/vulnerability/e1ba5047-0c39-478f-89c7-b0bb638efdff

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress MC4WP Plugin < 4.8.7 XSS Vulnerability

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	4.8

Description

The WordPress plugin 'MC4WP' is prone to a cross-site scripting (XSS) vulnerability.

The plugin does not properly sanitise form data, which could allow high privilege users to perform cross-site scripting (XSS) attacks when unfiltered_html is disallowed.

Solution

Update to version 4.8.7 or later.

References

CVE-2021-36833
https://wpscan.com/vulnerability/da04b514-a561-4d25-95b8-1c7b5597f093

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress MC4WP Plugin < 4.8.7 XSS Vulnerability

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	4.8

Description

The WordPress plugin 'MC4WP' is prone to a cross-site scripting (XSS) vulnerability.

The plugin does not properly sanitise form data, which could allow high privilege users to perform cross-site scripting (XSS) attacks when unfiltered_html is disallowed.

Solution

Update to version 4.8.7 or later.

References

CVE-2021-36833
https://wpscan.com/vulnerability/da04b514-a561-4d25-95b8-1c7b5597f093

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress ExactMetrics Plugin < 7.14.2 XSS Vulnerability

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	5.4

Description

The WordPress plugin 'ExactMetrics' is prone to a cross-site scripting (XSS) vulnerability.

This could allow a malicious actor to inject malicious scripts, such as redirects, advertisements, and other HTML payloads into your website which will be executed when guests visit your site.

Solution

Update to version 7.14.2 or later.

References

CVE-2023-23880
https://patchstack.com/database/vulnerability/google-analytics-dashboard-for-wp/wordpress-exactmetrics-plugin-7-14-1-cross-site-scripting-xss-vulnerability

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress ExactMetrics Plugin < 7.14.2 XSS Vulnerability

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	5.4

Description

The WordPress plugin 'ExactMetrics' is prone to a cross-site scripting (XSS) vulnerability.

This could allow a malicious actor to inject malicious scripts, such as redirects, advertisements, and other HTML payloads into your website which will be executed when guests visit your site.

Solution

Update to version 7.14.2 or later.

References

CVE-2023-23880
https://patchstack.com/database/vulnerability/google-analytics-dashboard-for-wp/wordpress-exactmetrics-plugin-7-14-1-cross-site-scripting-xss-vulnerability

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress Shortcodes Ultimate Plugin < 7.0.0 Multiple Vulnerabilities

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	5.4

Description

The WordPress plugin 'Shortcodes Ultimate' is prone to multiple vulnerabilities.

The following vulnerabilities exist:

- CVE-2023-6225: Authenticated attackers are able to inject arbitrary web scripts in pages that will execute whenever a user accesses an injected page due to insufficient input sanitization and output escaping on user supplied meta values.

- CVE-2023-6226: Authenticated attackers are able to retrieve arbitrary post meta values which may contain sensitive information due to missing validation on the user controlled keys 'key' and 'post_id' in the su_meta shortcode.

Solution

Update to version 7.0.0 or later.

References

CVE-2023-6225
CVE-2023-6226
https://www.wordfence.com/threat-intel/vulnerabilities/id/558e36f6-4678-46a2-8154-42770fbb5574
https://www.wordfence.com/threat-intel/vulnerabilities/id/4d936a48-b300-4a41-8d28-ba34cb3c5cb7

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress Shortcodes Ultimate Plugin < 7.0.0 Multiple Vulnerabilities

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	5.4

Description

The WordPress plugin 'Shortcodes Ultimate' is prone to multiple vulnerabilities.

The following vulnerabilities exist:

- CVE-2023-6225: Authenticated attackers are able to inject arbitrary web scripts in pages that will execute whenever a user accesses an injected page due to insufficient input sanitization and output escaping on user supplied meta values.

- CVE-2023-6226: Authenticated attackers are able to retrieve arbitrary post meta values which may contain sensitive information due to missing validation on the user controlled keys 'key' and 'post_id' in the su_meta shortcode.

Solution

Update to version 7.0.0 or later.

References

CVE-2023-6225
CVE-2023-6226
https://www.wordfence.com/threat-intel/vulnerabilities/id/558e36f6-4678-46a2-8154-42770fbb5574
https://www.wordfence.com/threat-intel/vulnerabilities/id/4d936a48-b300-4a41-8d28-ba34cb3c5cb7

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress < 6.5 Private Information Exposure Vulnerability

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	5.3

Description

WordPress is prone to a private information exposure via 'redirect_guess_404_permalink()'.

When guessing the proper URL to redirect a 404, WordPress only considers the post statuses and not the proper post type privacy settings, leading to potential information disclosure.

This can allow unauthenticated attackers to expose the slug of a custom post whose 'publicly_queryable' post status has been set to 'false'.

Solution

Update to version 6.5 or later.

Note: As of 04/2024 the security fix is only available in version 6.5 and haven't been 'backported' to older versions yet.

References

CVE-2023-5692
https://core.trac.wordpress.org/ticket/59795
https://core.trac.wordpress.org/changeset/57645
https://bugzilla.redhat.com/show_bug.cgi?id=2273662
https://www.wordfence.com/threat-intel/vulnerabilities/id/6e6f993b-ce09-4050-84a1-cbe9953f36b1
https://patchstack.com/database/vulnerability/wordpress/wordpress-wordpress-core-plugin-6-4-3-sensitive-information-exposure-via-redirect-guess-404-permalink-vulnerability

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress < 6.5 Private Information Exposure Vulnerability

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	5.3

Description

WordPress is prone to a private information exposure via 'redirect_guess_404_permalink()'.

When guessing the proper URL to redirect a 404, WordPress only considers the post statuses and not the proper post type privacy settings, leading to potential information disclosure.

This can allow unauthenticated attackers to expose the slug of a custom post whose 'publicly_queryable' post status has been set to 'false'.

Solution

Update to version 6.5 or later.

Note: As of 04/2024 the security fix is only available in version 6.5 and haven't been 'backported' to older versions yet.

References

CVE-2023-5692
https://core.trac.wordpress.org/ticket/59795
https://core.trac.wordpress.org/changeset/57645
https://bugzilla.redhat.com/show_bug.cgi?id=2273662
https://www.wordfence.com/threat-intel/vulnerabilities/id/6e6f993b-ce09-4050-84a1-cbe9953f36b1
https://patchstack.com/database/vulnerability/wordpress/wordpress-wordpress-core-plugin-6-4-3-sensitive-information-exposure-via-redirect-guess-404-permalink-vulnerability

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress Popup Maker Plugin < 1.18.3 XSS Vulnerability

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	5.4

Description

The WordPress plugin 'Popup Maker' is prone to a cross-site scripting (XSS) vulnerability.

The WordPress 'Popup Maker' plugin allows cross-site scripting attacks due to insufficient input sanitization and output escaping on user supplied attributes.

Attackers with contributor-level and above permissions are able to inject arbitrary web scripts in pages that will execute whenever a user accesses an injected page.

Solution

Update to version 1.18.3 or later.

References

CVE-2024-2336
https://wpscan.com/vulnerability/673562fe-e2be-407b-b6ef-b706f9ac769a

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress Popup Maker Plugin < 1.18.3 XSS Vulnerability

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	5.4

Description

The WordPress plugin 'Popup Maker' is prone to a cross-site scripting (XSS) vulnerability.

The WordPress 'Popup Maker' plugin allows cross-site scripting attacks due to insufficient input sanitization and output escaping on user supplied attributes.

Attackers with contributor-level and above permissions are able to inject arbitrary web scripts in pages that will execute whenever a user accesses an injected page.

Solution

Update to version 1.18.3 or later.

References

CVE-2024-2336
https://wpscan.com/vulnerability/673562fe-e2be-407b-b6ef-b706f9ac769a

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress Shortcodes Ultimate Plugin < 7.0.4 - Contributor+ Stored XSS Vulnerability

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	5.4

Description

The WordPress plugin 'Shortcodes Ultimate' is prone to a cross-site scripting (XSS) vulnerability.

The plugin is vulnerable to stored XSS via the plugin's 'su_qrcode' shortcode due to insufficient input sanitization and output escaping on user supplied attributes.

Authenticated attackers with contributor-level access and above are able to inject arbitrary web scripts in pages that will execute whenever a user accesses an injected page.

Solution

Update to version 7.0.4 or later.

References

CVE-2024-1808
https://www.wordfence.com/threat-intel/vulnerabilities/wordpress-plugins/shortcodes-ultimate/wp-shortcodes-plugin-shortcodes-ultimate-703-authenticated-contributor-stored-cross-site-scripting-via-su-qrcode-shortcode
https://plugins.trac.wordpress.org/changeset/3041647/shortcodes-ultimate

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress Shortcodes Ultimate Plugin < 7.0.5 - Contributor+ Stored XSS Vulnerability

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	5.5

Description

The WordPress plugin 'Shortcodes Ultimate' is prone to a cross-site scripting (XSS) vulnerability.

The plugin is vulnerable to stored XSS due to not properly escaping some of its shortcodes attributes before they are echoed back to users.

Attackers with contributor-level permissions can conduct stored XSS attacks.

Solution

Update to version 7.0.5 or later.

References

CVE-2024-2583
https://wpscan.com/vulnerability/98d8c713-e8cd-4fad-a8fb-7a40db2742a2/

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress Shortcodes Ultimate Plugin < 7.1.3 - Contributor+ Stored XSS Vulnerability

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	5.4

Description

The WordPress plugin 'Shortcodes Ultimate' is prone to a cross-site scripting (XSS) vulnerability.

The plugin is vulnerable to stored XSS due to insufficient input sanitization and output escaping on user supplied attributes.

Authenticated attackers with contributor-level access and above are able to inject arbitrary web scripts in pages that will execute whenever a user accesses an injected page.

Solution

Update to version 7.1.3 or later.

References

CVE-2024-3550
https://www.wordfence.com/threat-intel/vulnerabilities/wordpress-plugins/shortcodes-ultimate/wp-shortcodes-plugin-shortcodes-ultimate-712-authenticated-contributor-stored-cross-site-scripting-via-shortcode

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress Shortcodes Ultimate Plugin < 7.0.4 - Contributor+ Stored XSS Vulnerability

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	5.4

Description

The WordPress plugin 'Shortcodes Ultimate' is prone to a cross-site scripting (XSS) vulnerability.

The plugin is vulnerable to stored XSS via the plugin's 'su_qrcode' shortcode due to insufficient input sanitization and output escaping on user supplied attributes.

Authenticated attackers with contributor-level access and above are able to inject arbitrary web scripts in pages that will execute whenever a user accesses an injected page.

Solution

Update to version 7.0.4 or later.

References

CVE-2024-1808
https://www.wordfence.com/threat-intel/vulnerabilities/wordpress-plugins/shortcodes-ultimate/wp-shortcodes-plugin-shortcodes-ultimate-703-authenticated-contributor-stored-cross-site-scripting-via-su-qrcode-shortcode
https://plugins.trac.wordpress.org/changeset/3041647/shortcodes-ultimate

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress Shortcodes Ultimate Plugin < 7.0.5 - Contributor+ Stored XSS Vulnerability

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	5.5

Description

The WordPress plugin 'Shortcodes Ultimate' is prone to a cross-site scripting (XSS) vulnerability.

The plugin is vulnerable to stored XSS due to not properly escaping some of its shortcodes attributes before they are echoed back to users.

Attackers with contributor-level permissions can conduct stored XSS attacks.

Solution

Update to version 7.0.5 or later.

References

CVE-2024-2583
https://wpscan.com/vulnerability/98d8c713-e8cd-4fad-a8fb-7a40db2742a2/

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

WordPress Shortcodes Ultimate Plugin < 7.1.3 - Contributor+ Stored XSS Vulnerability

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Medium	1 target	0 days ago	5.4

Description

The WordPress plugin 'Shortcodes Ultimate' is prone to a cross-site scripting (XSS) vulnerability.

The plugin is vulnerable to stored XSS due to insufficient input sanitization and output escaping on user supplied attributes.

Authenticated attackers with contributor-level access and above are able to inject arbitrary web scripts in pages that will execute whenever a user accesses an injected page.

Solution

Update to version 7.1.3 or later.

References

CVE-2024-3550
https://www.wordfence.com/threat-intel/vulnerabilities/wordpress-plugins/shortcodes-ultimate/wp-shortcodes-plugin-shortcodes-ultimate-712-authenticated-contributor-stored-cross-site-scripting-via-shortcode

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

ICMP Timestamp Reply Information Disclosure

SEVERITY	AFFECTED TARGETS	LAST DETECTED	CVSS SCORE
Low	1 target	0 days ago	2.1

Description

The remote host responded to an ICMP timestamp request.

The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.

This information could theoretically be used to exploit weak time-based random number generators in other services.

Solution

Various mitigations are possible:

- Disable the support for ICMP timestamp on the remote host completely

- Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)

References

CVE-1999-0524
https://datatracker.ietf.org/doc/html/rfc792
https://datatracker.ietf.org/doc/html/rfc2780

Vulnerable Target	First Detected	Last Detected
spikatech.com	0 days ago	0 days ago

Glossary

Accepted Vulnerability

An accepted vulnerability is one which has been manually reviewed and classified as acceptable to not fix at this time, such as a false positive scan result or an intentional part of the system's architecture.

Fully Qualified Domain Name (FQDN)

A fully qualified domain name is a complete domain name for a specific website or service on the internet. This includes not only the website or service name, but also the top-level domain name, such as .com, .org, .net, etc. For example, 'www.example.com' is an FQDN.

Network Vulnerabilities

The OpenVAS network vulnerability scan tests servers and internet connected devices for over 150,000 vulnerabilities. OpenVAS uses the Common Vulnerability Scoring System (CVSS) to quantify the severity of findings. 0.0 is the lowest severity and 10.0 is the highest.

Vulnerability

A weakness in the computational logic (e.g., code) found in software and hardware components that, when exploited, results in a negative impact to confidentiality, integrity, or availability. Mitigation of the vulnerabilities in this context typically involves coding changes, but could also include specification changes or even specification deprecations (e.g., removal of affected protocols or functionality in their entirety).

Target

A target represents target is a single URL, IP address, or fully qualified domain name (FQDN) that was scanned.

Severity

Severity represents the estimated impact potential of a particular vulnerability. Severity is divided into 5 categories: Critical, High, Medium, Low and Accepted.

CVSS Score

The CVSS 3.0 score is a global standard for evaluating vulnerabilities with a 0 to 10 scale. CVSS maps to threat levels:
0.1 - 3.9 = Low
4.0 - 6.9 = Medium
7.0 - 8.9 = High
9.0 - 10.0 = Critical

This report was prepared using

HostedScan Security ®

For more information, visit **hostedscan.com**

Founded in Seattle, Washington in 2019, HostedScan, LLC. is dedicated to making continuous vulnerability scanning and risk management much more easily accessible to more businesses.



HostedScan, LLC.

2212 Queen Anne Ave N
Suite #521
Seattle, WA 98109

Terms & Policies
hello@hostedscan.com