OWASP ZAP Scan Report

Target: https://casa-gotten-nasa-participants.trycloudflare.com/

All scanned sites: https://casa-gotten-nasa-participants.trycloudflare.com

Javascript included from: https://unpkg.com https://casa-gotten-nasa-participants.trycloudflare.com

Generated on Fri, 27 Jun 2025 11:45:53

ZAP Version: 2.16.1

Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	3
Low	3
Informational	2

Alerts

Name	Risk Level	Number of Instances
Content Security Policy (CSP) Header Not Set	Medium	13
Cross-Domain Misconfiguration	Medium	1
Missing Anti-clickjacking Header	Medium	10
Cross-Domain JavaScript Source File Inclusion	Low	2
Strict-Transport-Security Header Not Set	Low	100
X-Content-Type-Options Header Missing	Low	96
Information Disclosure - Sensitive Information in URL	Informational	1
Re-examine Cache-control Directives	Informational	13

Passing Rules

Name	Rule Type	Threshold	Strength
Session Management Response Identified	Passive	MEDIUM	-
Verification Request Identified	Passive	MEDIUM	-
Private IP Disclosure	Passive	MEDIUM	-
Session ID in URL Rewrite	Passive	MEDIUM	-
Script Served From Malicious Domain (polyfill)	Passive	MEDIUM	-
Insecure JSF ViewState	Passive	MEDIUM	-
Vulnerable JS Library (Powered by Retire.js)	Passive	MEDIUM	-

Generated by HostedScan

Charset Mismatch	Passive	MEDIUM	-
Cookie No HttpOnly Flag	Passive	MEDIUM	-
Cookie Without Secure Flag	Passive	MEDIUM	-
Content-Type Header Missing	Passive	MEDIUM	-
Application Error Disclosure	Passive	MEDIUM	-
Information Disclosure - Debug Error Messages	Passive	MEDIUM	-
Information Disclosure - Sensitive Information in HTTP Referrer Header	Passive	MEDIUM	-
Information Disclosure - Suspicious Comments	Passive	MEDIUM	-
Off-site Redirect	Passive	MEDIUM	-
Cookie Poisoning	Passive	MEDIUM	-
User Controllable Charset	Passive	MEDIUM	-
User Controllable HTML Element Attribute (Potential XSS)	Passive	MEDIUM	-
WSDL File Detection	Passive	MEDIUM	-
Loosely Scoped Cookie	Passive	MEDIUM	-
Viewstate	Passive	MEDIUM	-
Directory Browsing	Passive	MEDIUM	-
Heartbleed OpenSSL Vulnerability (Indicative)	Passive	MEDIUM	-
HTTP Server Response Header	Passive	MEDIUM	-
Server Leaks Information via "X-Powered-By" HTTP Response Header Field(s)	Passive	MEDIUM	-
X-Backend-Server Header Information Leak	Passive	MEDIUM	-
Secure Pages Include Mixed Content	Passive	MEDIUM	-
HTTP to HTTPS Insecure Transition in Form Post	Passive	MEDIUM	-
HTTPS to HTTP Insecure Transition in Form Post	Passive	MEDIUM	-
User Controllable JavaScript Event (XSS)	Passive	MEDIUM	-
Big Redirect Detected (Potential Sensitive Information Leak)	Passive	MEDIUM	-
Retrieved from Cache	Passive	MEDIUM	-
X-ChromeLogger-Data (XCOLD) Header Information Leak	Passive	MEDIUM	-
Cookie without SameSite Attribute	Passive	MEDIUM	-
CSP	Passive	MEDIUM	-
X-Debug-Token Information Leak	Passive	MEDIUM	-
Username Hash Found	Passive	MEDIUM	-
X-AspNet-Version Response Header	Passive	MEDIUM	-
PII Disclosure	Passive	MEDIUM	-
Script Passive Scan Rules	Passive	MEDIUM	-
Stats Passive Scan Rule	Passive	MEDIUM	-
Absence of Anti-CSRF Tokens	Passive	MEDIUM	-
Timestamp Disclosure	Passive	MEDIUM	-
Hash Disclosure	Passive	MEDIUM	-
Weak Authentication Method	Passive	MEDIUM	-
Reverse Tabnabbing	Passive	MEDIUM	-
Modern Web Application	Passive	MEDIUM	-
Authentication Request Identified	Passive	MEDIUM	-

Alert Detail

Medium	Content Security Policy (CSP) Header Not Set
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	

Request Header	`GET https://casa-gotten-nasa-participants.trycloudflare.com/ HTTP/1.1`
	`host: casa-gotten-nasa-participants.trycloudflare.com`
	`user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Safari/537.36`
	`pragma: no-cache`
	`cache-control: no-cache`

Request Body	

Response Header	`HTTP/1.1 200 OK`
	`Date: Fri, 27 Jun 2025 11:44:48 GMT`
	`Content-Type: text/html`
	`Connection: keep-alive`
	`CF-Ray: 9564b1cf0f8b985c-EWR`
	`CF-Cache-Status: DYNAMIC`
	`Vary: Origin`
	`Server: cloudflare`
	`content-length: 180033`

Response Body **(truncated)**	`<!DOCTYPE html><html lang="es"> <head><meta charset="UTF-8"><meta name="viewport" content="width=device-width"><link rel="icon" href="/assets/Logo_SpikaTech_1-removebg-preview.ico"><meta name="generator" content="Astro v5.10.0"><title>Spika Tech</title><link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.3/font/bootstrap-icons.min.css"><style data-vite-dev-id="C:/Users/CarlosRodrigo/SpikaTechWebsite/Spika_Tech_Website/src/styles/global.css">/*! tailwindcss v4.1.10 | MIT...(truncated)`
URL	https://casa-gotten-nasa-participants.trycloudflare.com/cdn-cgi/l/email-protection
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/company
Method	GET
Parameter	
Attack	
Evidence	

Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/contacto
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/contacto?asunto=ZAP&email=zaproxy%40example.com&mensaje&nombre=ZAP
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/magallanes
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/politica-cookies
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/politica-privacidad
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/politica-seguridad-informacion
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/pras
Method	GET
Parameter	

Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/robots.txt
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/sitemap.xml
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/vrcardio
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
Instances	13
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.
Reference	https://developer.mozilla.org/en-US/docs/Web/Security/CSP/Introducing_Content_Security_Policy https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html https://www.w3.org/TR/CSP/ https://w3c.github.io/webappsec-csp/ https://web.dev/articles/csp https://caniuse.com/#feat=contentsecuritypolicy https://content-security-policy.com/
CWE Id	693
WASC Id	15
Plugin Id	10038

Medium	**Cross-Domain Misconfiguration**
Description	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/api/linkedin-news.json
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk

	somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
Request Header	GET https://casa-gotten-nasa-participants.trycloudflare.com/api/linkedin-news.json HTTP/1.1 host: casa-gotten-nasa-participants.trycloudflare.com User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:128.0) Gecko/20100101 Firefox/128.0 Accept: */* Accept-Language: en-US,en;q=0.5 Referer: https://casa-gotten-nasa-participants.trycloudflare.com/ Content-Type: application/json Connection: keep-alive Sec-Fetch-Dest: empty Sec-Fetch-Mode: cors Sec-Fetch-Site: same-origin Priority: u=4
Request Body	
Response Header	HTTP/1.1 200 OK Date: Fri, 27 Jun 2025 11:45:12 GMT Content-Type: application/json Connection: keep-alive CF-Ray: 9564b2653d2e426a-EWR CF-Cache-Status: DYNAMIC **Access-Control-Allow-Origin: *** Vary: Origin access-control-allow-headers: Content-Type access-control-allow-methods: GET Server: cloudflare content-length: 1696
Response Body **(truncated)**	{"news":[{"category":"FEINDEF 2025","timeAgo":"Hace 4 días","title":"Tecnología dual para una sociedad más segura","description":"Spika Tech participó en FEINDEF 2025, presentando soluciones de Realidad Virtual, Robótica e Inteligencia Artificial para desafíos civiles y de defensa.","location":"Madrid, España","image":"/assets/feindef.jpg"},{"category":"BIO 2025 Boston","timeAgo":"Hace 5 días","title":"VR-CARDIO en BIO International Convention","description":"Spika Tech presentó VR-CARDIO en Bos...(truncated)
Instances	1
Solution	Ensure that sensitive data is not available in an unauthenticated manner (using IP address white-listing, for instance). Configure the "Access-Control-Allow-Origin" HTTP header to a more restrictive set of domains, or remove all CORS headers entirely, to allow the web browser to enforce the Same Origin Policy (SOP) in a more restrictive manner.
Reference	https://vulncat.fortify.com/en/detail?id=desc.config.dotnet.html5_overly_permissive_cors_policy
CWE Id	264
WASC Id	14
Plugin Id	10098

Medium	**Missing Anti-clickjacking Header**
Description	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/
Method	GET
Parameter	x-frame-options
Attack	
Evidence	

Other Info	
Request Header	GET https://casa-gotten-nasa-participants.trycloudflare.com/ HTTP/1.1 host: casa-gotten-nasa-participants.trycloudflare.com user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Safari/537.36 pragma: no-cache cache-control: no-cache
Request Body	
Response Header	HTTP/1.1 200 OK Date: Fri, 27 Jun 2025 11:44:48 GMT Content-Type: text/html Connection: keep-alive CF-Ray: 9564b1cf0f8b985c-EWR CF-Cache-Status: DYNAMIC Vary: Origin Server: cloudflare content-length: 180033
Response Body **(truncated)**	<!DOCTYPE html><html lang="es"> <head><meta charset="UTF-8"><meta name="viewport" content="width=device-width"><link rel="icon" href="/assets/Logo_SpikaTech_1-removebg-preview.ico"><meta name="generator" content="Astro v5.10.0"><title>Spika Tech</title><link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.3/font/bootstrap-icons.min.css"><style data-vite-dev-id="C:/Users/CarlosRodrigo/SpikaTechWebsite/Spika_Tech_Website/src/styles/global.css">/*! tailwindcss v4.1.10 | MIT...(truncated)
URL	https://casa-gotten-nasa-participants.trycloudflare.com/company
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/contacto
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/contacto?asunto=ZAP&email=zaproxy%40example.com&mensaje&nombre=ZAP
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/magallanes
Method	GET
Parameter	x-frame-options
Attack	

Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/politica-cookies
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/politica-privacidad
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/politica-seguridad-informacion
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/pras
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/vrcardio
Method	GET
Parameter	x-frame-options
Attack	
Evidence	
Other Info	
Instances	10
Solution	Modern Web browsers support the Content-Security-Policy and X-Frame-Options HTTP headers. Ensure one of them is set on all web pages returned by your site/app. If you expect the page to be framed only by pages on your server (e.g. it's part of a FRAMESET) then you'll want to use SAMEORIGIN, otherwise if you never expect the page to be framed, you should use DENY. Alternatively consider implementing Content Security Policy's "frame-ancestors" directive.
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
CWE Id	1021
WASC Id	15
Plugin Id	10020

Low	Cross-Domain JavaScript Source File Inclusion
Description	The page includes one or more script files from a third-party domain.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/magallanes
Method	GET
Parameter	https://unpkg.com/@google/model-viewer/dist/model-viewer.min.js
Attack	
Evidence	<script type="module" src="https://unpkg.com/@google/model-viewer/dist/model-viewer.min.js"></script>
Other Info	
Request Header	GET https://casa-gotten-nasa-participants.trycloudflare.com/magallanes HTTP/1.1 host: casa-gotten-nasa-participants.trycloudflare.com user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Safari/537.36 pragma: no-cache cache-control: no-cache referer: https://casa-gotten-nasa-participants.trycloudflare.com/
Request Body	
Response Header	HTTP/1.1 200 OK Date: Fri, 27 Jun 2025 11:44:49 GMT Content-Type: text/html Connection: keep-alive CF-Ray: 9564b1d11f424282-EWR CF-Cache-Status: DYNAMIC Vary: Origin Server: cloudflare content-length: 127581
Response Body **(excerpt)**	/pages/magallanes.astro" data-astro-source-loc="121:119"></p> </section> <script type="module" src="/src/pages/magallanes.astro?astro&type=script&index=0&lang.ts"></script> <!-- Importar model-viewer para el modelo 3D --> **<script type="module" src="https://unpkg.com/@google/model-viewer/dist/model-viewer.min.js"></script>** <!-- Galería final con estructura personalizada --> <section class="w-full max-w-4xl mx-auto mt-8 mb-8 px-2" data-astro-source-file="C:/Users/CarlosRodrigo/SpikaTechWebsite/Spika_Tech_Website/src/pages/magallanes.astro" data-astro-source-loc="163:62
URL	https://casa-gotten-nasa-participants.trycloudflare.com/pras
Method	GET
Parameter	https://unpkg.com/@google/model-viewer/dist/model-viewer.min.js
Attack	
Evidence	<script type="module" src="https://unpkg.com/@google/model-viewer/dist/model-viewer.min.js"></script>
Other Info	
Instances	2
Solution	Ensure JavaScript source files are loaded from only trusted sources, and the sources can't be controlled by end users of the application.
Reference	
CWE Id	829
WASC Id	15
Plugin Id	10017

Low	Strict-Transport-Security Header Not Set

Description	HTTP Strict Transport Security (HSTS) is a web security policy mechanism whereby a web server declares that complying user agents (such as a web browser) are to interact with it using only secure HTTPS connections (i.e. HTTP layered over TLS/SSL). HSTS is an IETF standards track protocol and is specified in RFC 6797.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/
Method	GET
Parameter	
Attack	
Evidence	
Other Info	

Request Header	`GET https://casa-gotten-nasa-participants.trycloudflare.com/ HTTP/1.1`
	`host: casa-gotten-nasa-participants.trycloudflare.com`
	`user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Safari/537.36`
	`pragma: no-cache`
	`cache-control: no-cache`

Request Body	

Response Header	`HTTP/1.1 200 OK`
	`Date: Fri, 27 Jun 2025 11:44:48 GMT`
	`Content-Type: text/html`
	`Connection: keep-alive`
	`CF-Ray: 9564b1cf0f8b985c-EWR`
	`CF-Cache-Status: DYNAMIC`
	`Vary: Origin`
	`Server: cloudflare`
	`content-length: 180033`

Response Body **(truncated)**	`<!DOCTYPE html><html lang="es"> <head><meta charset="UTF-8"><meta name="viewport" content="width=device-width"><link rel="icon" href="/assets/Logo_SpikaTech_1-removebg-preview.ico"><meta name="generator" content="Astro v5.10.0"><title>Spika Tech</title><link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.3/font/bootstrap-icons.min.css"><style data-vite-dev-id="C:/Users/CarlosRodrigo/SpikaTechWebsite/Spika_Tech_Website/src/styles/global.css">/*! tailwindcss v4.1.10 | MIT...(truncated)`
URL	https://casa-gotten-nasa-participants.trycloudflare.com/@fs/C:/Users/CarlosRodrigo/SpikaTechWebsite/Spika_Tech_Website/node_modules/astro/dist/runtime/client/dev-toolbar/entrypoint.js?v=745f7928
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/@vite/client
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Bottom_case.PNG

Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Capturing_data.PNG
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Corazon_VRCardio_.webp
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Galeria1_PRAS.jpg
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Galeria2_PRAS.jpeg
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Galeria3_PRAS.png
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Galeria_LPVM.png
Method	GET
Parameter	
Attack	
Evidence	

Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Galeria_LPVM3.PNG
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Galeria_LPVM_2.png
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Galeria_LPVM_no_background.png
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/heart_app.PNG
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Heart_VR.PNG
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Imagen_IFU.png
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Indra-Sistemas-Logo.png
Method	GET
Parameter	

Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/left_company.PNG
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Logo_Explore.png
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Logo_LPVM.png
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Logo_PRAS_Blanco.webp
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Logo_SpikaTech.png
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Logo_SpikaTech_1-removebg-preview.ico
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Logo_SpikaTech_Star.png

Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/LPVMSection1.PNG
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/LPVMSection2.PNG
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/LPVMSection3.PNG
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/LPVMSection4.PNG
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Middle_case.PNG
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/middle_company.PNG
Method	GET
Parameter	
Attack	
Evidence	

Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/1.png
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/1689155364762.jpg
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/633e8b42a9588ebaf6221169_03.Son-Espases_negre.png
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen10.png
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen11.jpg
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen12.png
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen13.png
Method	GET
Parameter	

Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen14.png
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen15.jpg
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen16.jpg
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen17.png
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen18.png
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen19.png
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen20.png

Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen21.png
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen22.jpg
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen23.jpg
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen9.png
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/PRAS_Detras.png
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/PRAS_no_bg.png
Method	GET
Parameter	
Attack	
Evidence	

Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/right_company.PNG
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Silueta_Estrella_Spika_.webp
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Slide1_PRAS.png
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Slide2_PRAS.png
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Slide3_PRAS.png
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Spika_Feria.PNG
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Top_Case.PNG
Method	GET
Parameter	

Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Torso.jpg
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/vrcardio.PNG
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/VRCardio_Heart.png
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/VRGlasses.png
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/cdn-cgi/l/email-protection
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/cdn-cgi/scripts/5c5dd728/cloudflare-static/email-decode.min.js
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/cdn-cgi/styles/cf.errors.css

Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/cdn-cgi/styles/cf.errors.ie.css
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/company
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/contacto
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/contacto?asunto=ZAP&email=zaproxy%40example.com&mensaje&nombre=ZAP
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/magallanes
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/politica-cookies
Method	GET
Parameter	
Attack	
Evidence	

Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/politica-privacidad
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/politica-seguridad-informacion
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/pras
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/robots.txt
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/sitemap.xml
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/components/Chatbot.astro?astro&index=0&lang.css&type=style
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/components/Chatbot.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	

Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/components/Desarrollos.astro?astro&index=0&lang.css&type=style
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/components/Header.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/components/Hero.astro?astro&index=0&lang.css&type=style
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/components/Hero.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/components/Noticias.astro?astro&index=0&lang.css&type=style
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/components/Noticias.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/components/OverlayMenu.astro?astro&index=0&lang.ts&type=script

Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/components/Partners.astro?astro&index=0&lang.css&type=style
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/components/Proyectos.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/layouts/Layout.astro?astro&index=0&lang.css&type=style
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/pages/company.astro?astro&index=0&lang.css&type=style
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/pages/company.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/pages/company.astro?astro&index=1&lang.css&type=style
Method	GET
Parameter	
Attack	
Evidence	

Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/pages/contacto.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/pages/index.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/pages/magallanes.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/pages/politica-cookies.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/pages/politica-privacidad.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/pages/politica-seguridad-informacion.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/pages/pras.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	

Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/pages/vrcardio.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/styles/global.css
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/vrcardio
Method	GET
Parameter	
Attack	
Evidence	
Other Info	
Instances	100
Solution	Ensure that your web server, application server, load balancer, etc. is configured to enforce Strict-Transport-Security.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.html https://owasp.org/www-community/Security_Headers https://en.wikipedia.org/wiki/HTTP_Strict_Transport_Security https://caniuse.com/stricttransportsecurity https://datatracker.ietf.org/doc/html/rfc6797
CWE Id	319
WASC Id	15
Plugin Id	10035

Low	**X-Content-Type-Options Header Missing**
Description	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

Request Header	GET https://casa-gotten-nasa-participants.trycloudflare.com/ HTTP/1.1 host: casa-gotten-nasa-participants.trycloudflare.com user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Safari/537.36 pragma: no-cache cache-control: no-cache
Request Body	
Response Header	HTTP/1.1 200 OK Date: Fri, 27 Jun 2025 11:44:48 GMT Content-Type: text/html Connection: keep-alive CF-Ray: 9564b1cf0f8b985c-EWR CF-Cache-Status: DYNAMIC Vary: Origin Server: cloudflare content-length: 180033
Response Body **(truncated)**	<!DOCTYPE html><html lang="es"> <head><meta charset="UTF-8"><meta name="viewport" content="width=device-width"><link rel="icon" href="/assets/Logo_SpikaTech_1-removebg-preview.ico"><meta name="generator" content="Astro v5.10.0"><title>Spika Tech</title><link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.3/font/bootstrap-icons.min.css"><style data-vite-dev-id="C:/Users/CarlosRodrigo/SpikaTechWebsite/Spika_Tech_Website/src/styles/global.css">/*! tailwindcss v4.1.10 | MIT...(truncated)
URL	https://casa-gotten-nasa-participants.trycloudflare.com/@fs/C:/Users/CarlosRodrigo/SpikaTechWebsite/Spika_Tech_Website/node_modules/astro/dist/runtime/client/dev-toolbar/entrypoint.js?v=745f7928
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/@vite/client
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/api/linkedin-news.json
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Bottom_case.PNG
Method	GET

Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Capturing_data.PNG
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Corazon_VRCardio_.webp
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Galeria1_PRAS.jpg
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Galeria2_PRAS.jpeg
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Galeria3_PRAS.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Galeria_LPVM.png
Method	GET
Parameter	x-content-type-options

Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Galeria_LPVM3.PNG
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Galeria_LPVM_2.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Galeria_LPVM_no_background.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/heart_app.PNG
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Heart_VR.PNG
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Imagen_IFU.png
Method	GET
Parameter	x-content-type-options
Attack	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Indra-Sistemas-Logo.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/left_company.PNG
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Logo_Explore.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Logo_LPVM.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Logo_PRAS_Blanco.webp
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Logo_SpikaTech.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Logo_SpikaTech_1-removebg-preview.ico
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Logo_SpikaTech_Star.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/LPVMSection1.PNG
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/LPVMSection2.PNG
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/LPVMSection3.PNG
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/LPVMSection4.PNG
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Middle_case.PNG
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/middle_company.PNG
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/1.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/1689155364762.jpg
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/633e8b42a9588ebaf6221169_03.Son-Espases_negre.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen10.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen11.jpg
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen12.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen13.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen14.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen15.jpg
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen16.jpg
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen17.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen18.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen19.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen20.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen21.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen22.jpg
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen23.jpg
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/partners/Imagen9.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/PRAS_Detras.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/PRAS_no_bg.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/right_company.PNG
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Silueta_Estrella_Spika_.webp
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Slide1_PRAS.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Slide2_PRAS.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Slide3_PRAS.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Spika_Feria.PNG
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Top_Case.PNG
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/Torso.jpg
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/vrcardio.PNG
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/VRCardio_Heart.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/assets/VRGlasses.png
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/company
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/contacto
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/contacto?asunto=ZAP&email=zaproxy%40example.com&mensaje&nombre=ZAP
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/i18n/translations/es.json
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/magallanes
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/politica-cookies
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/politica-privacidad
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/politica-seguridad-informacion
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/pras
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/components/Chatbot.astro?astro&index=0&lang.css&type=style
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/components/Chatbot.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/components/Desarrollos.astro?astro&index=0&lang.css&type=style
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/components/Header.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/components/Hero.astro?astro&index=0&lang.css&type=style
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/components/Hero.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/components/Noticias.astro?astro&index=0&lang.css&type=style
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/components/Noticias.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/components/OverlayMenu.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/components/Partners.astro?astro&index=0&lang.css&type=style
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/components/Proyectos.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/layouts/Layout.astro?astro&index=0&lang.css&type=style
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/pages/company.astro?astro&index=0&lang.css&type=style
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/pages/company.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/pages/company.astro?astro&index=1&lang.css&type=style
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/pages/contacto.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/pages/index.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/pages/magallanes.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/pages/politica-cookies.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/pages/politica-privacidad.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/pages/politica-seguridad-informacion.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/pages/pras.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/pages/vrcardio.astro?astro&index=0&lang.ts&type=script
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/src/styles/global.css
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/vrcardio
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
Instances	96
Solution	Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages. If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application/web server to not perform MIME-sniffing.
Reference	https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/gg622941(v=vs.85) https://owasp.org/www-community/Security_Headers
CWE Id	693
WASC Id	15
Plugin Id	10021

Informational	**Information Disclosure - Sensitive Information in URL**
Description	The request appeared to contain sensitive information leaked in the URL. This can violate PCI and most organizational compliance policies. You can configure the list of strings for this check to add or remove values specific to your environment.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/contacto?asunto=ZAP&email=zaproxy%40example.com&mensaje&nombre=ZAP
Method	GET
Parameter	email
Attack	
Evidence	zaproxy@example.com
Other Info	The URL contains email address(es).

Request Header	`GET https://casa-gotten-nasa-participants.trycloudflare.com/contacto?asunto=ZAP&email=zaproxy%40example.com&mensaje&nombre=ZAP HTTP/1.1`
	`host: casa-gotten-nasa-participants.trycloudflare.com`
	`user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Safari/537.36`
	`pragma: no-cache`
	`cache-control: no-cache`
	`referer: https://casa-gotten-nasa-participants.trycloudflare.com/contacto`

Request Body	

Response Header	`HTTP/1.1 200 OK`
	`Date: Fri, 27 Jun 2025 11:44:50 GMT`
	`Content-Type: text/html`
	`Connection: keep-alive`
	`CF-Ray: 9564b1dadf8a4286-EWR`
	`CF-Cache-Status: DYNAMIC`
	`Vary: Origin`
	`Server: cloudflare`
	`content-length: 120454`

Response Body **(truncated)**	<!DOCTYPE html><html lang="es"> <head><meta charset="UTF-8"><meta name="viewport" content="width=device-width"><link rel="icon" href="/assets/Logo_SpikaTech_1-removebg-preview.ico"><meta name="generator" content="Astro v5.10.0"><title>Spika Tech</title><link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.3/font/bootstrap-icons.min.css"><style data-vite-dev-id="C:/Users/CarlosRodrigo/SpikaTechWebsite/Spika_Tech_Website/src/styles/global.css">/*! tailwindcss v4.1.10 | MIT...(truncated)
Instances	1
Solution	Do not pass sensitive information in URIs.
Reference	
CWE Id	598
WASC Id	13
Plugin Id	10024

Informational	**Re-examine Cache-control Directives**
Description	The cache-control header has not been set properly or is missing, allowing the browser and proxies to cache content. For static assets like css, js, or image files this might be intended, however, the resources should be reviewed to ensure that no sensitive content will be cached.
URL	https://casa-gotten-nasa-participants.trycloudflare.com/
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
Request Header	GET https://casa-gotten-nasa-participants.trycloudflare.com/ HTTP/1.1 host: casa-gotten-nasa-participants.trycloudflare.com user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Safari/537.36 pragma: no-cache cache-control: no-cache
Request Body	
Response Header	HTTP/1.1 200 OK Date: Fri, 27 Jun 2025 11:44:48 GMT Content-Type: text/html Connection: keep-alive CF-Ray: 9564b1cf0f8b985c-EWR CF-Cache-Status: DYNAMIC Vary: Origin Server: cloudflare content-length: 180033
Response Body **(truncated)**	<!DOCTYPE html><html lang="es"> <head><meta charset="UTF-8"><meta name="viewport" content="width=device-width"><link rel="icon" href="/assets/Logo_SpikaTech_1-removebg-preview.ico"><meta name="generator" content="Astro v5.10.0"><title>Spika Tech</title><link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.3/font/bootstrap-icons.min.css"><style data-vite-dev-id="C:/Users/CarlosRodrigo/SpikaTechWebsite/Spika_Tech_Website/src/styles/global.css">/*! tailwindcss v4.1.10 | MIT...(truncated)
URL	https://casa-gotten-nasa-participants.trycloudflare.com/api/linkedin-news.json
Method	GET
Parameter	cache-control
Attack	

Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/cdn-cgi/l/email-protection
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/company
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/contacto
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/contacto?asunto=ZAP&email=zaproxy%40example.com&mensaje&nombre=ZAP
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/i18n/translations/es.json
Method	GET
Parameter	cache-control
Attack	
Evidence	no-cache
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/magallanes
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/politica-cookies
Method	GET

Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/politica-privacidad
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/politica-seguridad-informacion
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/pras
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
URL	https://casa-gotten-nasa-participants.trycloudflare.com/vrcardio
Method	GET
Parameter	cache-control
Attack	
Evidence	
Other Info	
Instances	13
Solution	For secure content, ensure the cache-control HTTP header is set with "no-cache, no-store, must-revalidate". If an asset should be cached consider setting the directives "public, max-age, immutable".
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Session_Management_Cheat_Sheet.html#web-content-caching https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Cache-Control https://grayduck.mn/2021/09/13/cache-control-recommendations/
CWE Id	525
WASC Id	13
Plugin Id	10015