



MPI 2.2

- Discussed Ground Rules with Examples
 - ♦ Agenda for the next meeting will be drafted at the interim telecon
- Drafts of Changes
 - ♦ Karl to propose sparse alltoall
 - ♦ Jeff, Bill to work up their errata
 - ♦ Need Volunteers for others
- Sense of Forum: C++ SEEK_SET etc.
 - ♦ Should we propose withdrawing MPI::SEEK_SET and use MPI_SEEK_SET etc, similar to MPI_VERSION (both C and C++ name)



Mailing Lists

- To sign up, visit
 - ♦ <http://lists.cs.uiuc.edu/mailman/listinfo/<name>>,
 - ♦ MPI Forum
 - <http://lists.cs.uiuc.edu/mailman/listinfo/mpi-forum>
 - ♦ MPI-2.1:
 - <http://lists.cs.uiuc.edu/mailman/listinfo/mpi-21>
 - ♦ MPI-2.2:
 - <http://lists.cs.uiuc.edu/mailman/listinfo/mpi-22>
 - ♦ MPI3 RMA
 - <http://lists.cs.uiuc.edu/mailman/listinfo/mpi3-rma>
 - ♦ MPI3 Fault Tolerance
 - <http://lists.cs.uiuc.edu/mailman/listinfo/mpi3-ft>
 - ♦ MPI3 Collective
 - <http://lists.cs.uiuc.edu/mailman/listinfo/mpi3-nbcoll>
 - ♦ MPI3 Generalized Requests etc
 - <http://lists.cs.uiuc.edu/mailman/listinfo/mpi3-greq>



3

To send mail to a list

- `<name>@cs.uiuc.edu`
 - ♦ (until mpi-forum.org is moved)
- E.g., `mpi-22@cs.uiuc.edu`



4

MPI 3 - RMA

- Major decision to consider effectively non-ubiquitous RMA operations
- Agenda for the next meeting will be drafted at the interim telecon

