## **Project 2 Course 4**

## **Analysis Report**

#### Introduction

Storms and other severe weather events can cause both public health and economic problems for communities and municipalities. Many severe events can result in fatalities, injuries, and property damage, and preventing such outcomes to the extent possible is a key concern.

This project involves exploring the U.S. National Oceanic and Atmospheric Administration's (NOAA) storm database. This database tracks characteristics of major storms and weather events in the United States, including when and where they occur, as well as estimates of any fatalities, injuries, and property damage.

## **Assignment**

The basic goal of this assignment is to explore the NOAA Storm Database and answer some basic questions about severe weather events. You must use the database to answer the questions below and show the code for your entire analysis. Your analysis can consist of tables, figures, or other summaries. You may use any R package you want to support your analysis.

#### Questions

- 1. Across the United States, which types of events are most harmful with respect to population health?
- 2. Across the United States, which types of events have the greatest economic consequences?

## **Data Analysis**

```
library("data.table")
library("ggplot2")
fileUrl <- "https://d396qusza40orc.cloudfront.net/repdata%2Fdata%2FStormData.csv.bz2"
download.file(fileUrl, destfile = paste0("/Users/mgalarny/Desktop",
   '/repdata%2Fdata%2FStormData.csv.bz2'))
stormDF <- read.csv("/Users/mgalarny/Desktop/repdata%2Fdata%2FStormData.csv.bz2")
# Converting data.frame to data.table</pre>
```

```
stormDT <- as.data.table(stormDF)</pre>
colnames(stormDT)
          ## [1] "STATE__" "BGN_DATE"
                                                                                                         "BGN_TIME" "TIME_ZONE" "COUNTY"
          ## [6] "COUNTYNAME" "STATE"
                                                                                                         "EVTYPE"
                                                                                                                                          "BGN_RANGE" "BGN_AZI"
                                                                                                         "END TIME" "COUNTY END" "COUNTYENDN"
          ## [11] "BGN LOCATI" "END DATE"
          ## [16] "END_RANGE" "END_AZI"
                                                                                                         "END_LOCATI" "LENGTH"
                                                                                                                                                                                 "WIDTH"
          ## [21] "F"
                                                                     "MAG"
                                                                                                         "FATALITIES" "INJURIES"
                                                                                                                                                                                 "PROPDMG"
          ## [26] "PROPDMGEXP" "CROPDMG"
                                                                                                         "CROPDMGEXP" "WFO"
                                                                                                                                                                                "STATEOFFIC"
                                                                                                         "LONGITUDE" "LATITUDE_E" "LONGITUDE_"
          ## [31] "ZONENAMES" "LATITUDE"
          ## [36] "REMARKS"
                                                                     "REFNUM"
··· r
# Finding columns to remove
cols2Remove <- colnames(stormDT[, !c("EVTYPE", "FATALITIES", "INJURIES", "PROPDMG",</pre>
"PROPDMGEXP", "CROPDMG", "CROPDMGEXP")])
# Removing columns
stormDT[, c(cols2Remove) := NULL]
# Only use data where fatalities or injuries occurred.
stormDT <- stormDT[(EVTYPE != "?" &</pre>
                                    (INJURIES > 0 | FATALITIES > 0 | PROPDMG > 0 | CROPDMG > 0)), c("EVTYPE",
"FATALITIES", "INJURIES", "PROPDMG", "PROPDMGEXP", "CROPDMG", "CROPDMGEXP") ]
Making the PROPDMGEXP and CROPDMGEXP columns cleaner so they can be used to calculate property
and crop cost.
``` r
# Change all damage exponents to uppercase.
cols <- c("PROPDMGEXP", "CROPDMGEXP")</pre>
stormDT[, (cols) := c(lapply(.SD, toupper)), .SDcols = cols]
# Map property damage alphanumeric exponents to numeric values.
propDmgKey <- c(""" = 10^0,"-" = 10^0,"+" = 10^0,"0" = 10^0,"1" = 10^1,"2" = 10^2,"3" = 10^0,"1" = 10^1,"2" 
10^3, "4" = 10^4, "5" = 10^5, "6" = 10^6, "7" = 10^7, "8" = 10^8, "9" = 10^9, "H" = 10^2, "K" = 10^8, "9" = 10^9, "H" = 10^2, "K" = 10^8, "9" = 10^9, "H" = 10^8, "9" = 10^9, "H" = 10^8, "9" = 10^9, "H" = 10^9
10^3, "M" = 10^6, "B" = 10^9)
# Map crop damage alphanumeric exponents to numeric values
cropDmgKey <- c("\"\"" = 10^{0},"?" = 10^{0}, "0" = 10^{0},"K" = 10^{3},"M" = 10^{6},"B" = 10^{9})
stormDT[, PROPDMGEXP := propDmgKey[as.character(stormDT[,PROPDMGEXP])]]
stormDT[is.na(PROPDMGEXP), PROPDMGEXP := 10^0 ]
stormDT[, CROPDMGEXP := cropDmgKey[as.character(stormDT[,CROPDMGEXP])] ]
stormDT[is.na(CROPDMGEXP), CROPDMGEXP := 10^0 ]
``` r
stormDT <- stormDT[, .(EVTYPE, FATALITIES, INJURIES, PROPDMG, PROPDMGEXP, propCost = PROPDMG *
PROPDMGEXP, CROPDMG, CROPDMGEXP, cropCost = CROPDMG * CROPDMGEXP)]
totalCostDT <- stormDT[, .(propCost = sum(propCost), cropCost = sum(cropCost), Total_Cost =</pre>
sum(propCost) + sum(cropCost)), by = .(EVTYPE)]
totalCostDT <- totalCostDT[order(-Total_Cost), ]</pre>
```


```
totalCostDT <- totalCostDT[1:10, ]</pre>
head(totalCostDT, 5)
   ##
                    EVTYPE
                              propCost cropCost Total_Cost
                    FLOOD 144657709807 5661968450 150319678257
   ## 2: HURRICANE/TYPHOON 69305840000 2607872800 71913712800
                   TORNADO 56947380676 414953270 57362333946
   ## 3:
   ## 4:
               STORM SURGE 43323536000
                                             5000 43323541000
   ## 5:
                     HAIL 15735267513 3025954473 18761221986
totalInjuriesDT <- stormDT[, .(FATALITIES = sum(FATALITIES), INJURIES = sum(INJURIES), totals</pre>
= sum(FATALITIES) + sum(INJURIES)), by = .(EVTYPE)]
totalInjuriesDT <- totalInjuriesDT[order(-FATALITIES), ]</pre>
totalInjuriesDT <- totalInjuriesDT[1:10, ]</pre>
head(totalInjuriesDT, 5)
                EVTYPE FATALITIES INJURIES totals
   ## 1:
               TORNADO
                              5633 91346 96979
   ## 2: EXCESSIVE HEAT
                             1903
                                      6525 8428
   ## 3: FLASH FLOOD
                              978
                                    1777
                                             2755
   ## 4:
                              937
                                      2100 3037
                   HEAT
                              816
   ## 5: LIGHTNING
                                      5230 6046
```

### **Answers**

### Question 1: Across the United States, which types of events are most harmful with respect to population health?

```
bad_stuff <- melt(totalInjuriesDT, id.vars="EVTYPE", variable.name = "bad_thing")</pre>
head(bad stuff, 5)
                 EVTYPE bad_thing value
   ##
                TORNADO FATALITIES 5633
   ## 2: EXCESSIVE HEAT FATALITIES 1903
   ## 3: FLASH FLOOD FATALITIES 978
                   HEAT FATALITIES 937
   ## 4:
             LIGHTNING FATALITIES 816
   ## 5:
# Create chart
healthChart <- ggplot(bad_stuff, aes(x=reorder(EVTYPE, -value), y=value))</pre>
# Plot data as bar chart
healthChart = healthChart + geom_bar(stat="identity", aes(fill=bad_thing), position="dodge")
# Format y-axis scale and set y-axis label
```

```
healthChart = healthChart + ylab("Frequency Count")
# Set x-axis label
healthChart = healthChart + xlab("Event Type")
# Rotate x-axis tick labels
healthChart = healthChart + theme(axis.text.x = element_text(angle=45, hjust=1))
# Set chart title and center it
healthChart = healthChart + ggtitle("Top 10 US Killers") + theme(plot.title = element_text(hjust = 0.5))
healthChart
'''
![](Project2/1.png)
```




**Answer:** Tornadoes are most harmful events with respect to population health in the United States.

# ### Question 2: Across the United States, which types of events have the greatest economic consequences?

```
con_consequences <- melt(totalCostDT, id.vars="EVTYPE", variable.name = "Damage_Type")
head(econ_consequences, 5)

## EVTYPE Damage_Type value
## 1: FLOOD propCost 144657709807</pre>
```

```
## 2: HURRICANE/TYPHOON
                               propCost 69305840000
                   TORNADO
                               propCost 56947380676
   ## 4:
             STORM SURGE
                               propCost 43323536000
   ## 5:
                       HAIL
                               propCost 15735267513
# Create chart
econChart <- ggplot(econ_consequences, aes(x=reorder(EVTYPE, -value), y=value))</pre>
# Plot data as bar chart
econChart = econChart + geom_bar(stat="identity", aes(fill=Damage_Type), position="dodge")
# Format y-axis scale and set y-axis label
econChart = econChart + ylab("Cost (dollars)")
# Set x-axis label
econChart = econChart + xlab("Event Type")
# Rotate x-axis tick labels
econChart = econChart + theme(axis.text.x = element_text(angle=45, hjust=1))
# Set chart title and center it
econChart = econChart + ggtitle("Top 10 US Storm Events causing Economic Consequences") +
theme(plot.title = element_text(hjust = 0.5))
econChart
![](Project2/2.png)
```



**Answer:** Flood, Hurricanes/Typhoons, Tornadoes have the greatest economic consequences across the United States.