

# Introduction to Audio Content Analysis

Module 9.6: Downbeat and Bar Length Detection

alexander lerch

# introduction

## overview

### corresponding textbook section

#### Section 9.6

#### ■ lecture content

- quick overview of bar length and downbeat detection

#### ■ learning objectives

- discuss systematic differences between tempo & bar length detection
- discuss systematic differences between beat & downbeat detection



# introduction

## overview

### corresponding textbook section

#### Section 9.6

##### ■ lecture content

- quick overview of bar length and downbeat detection

##### ■ learning objectives

- discuss systematic differences between tempo & bar length detection
- discuss systematic differences between beat & downbeat detection



# meter & downbeat detection

## problem statement

### ■ bar length detection

- detect periodicity of group of strong and weak musical events/beats
- length typically between 3–7 beats

### ■ downbeat detection:

- detect the start location of a bar

# meter & downbeat detection





## introduction

- relation of *bar length and downbeat* is comparable to relation between *tempo and beat phase*
- meter and downbeat are on a higher hierarchical level
- extraction can be very similar but on *higher hierarchical level*
  - 1 extraction of novelty function
  - 2 estimation of bar period
  - 3 estimation of downbeat

# meter & downbeat detection

## introduction

- relation of *bar length and downbeat* is comparable to relation between *tempo and beat phase*
- meter and downbeat are on a higher hierarchical level
- extraction can be very similar but on *higher hierarchical level*
  - 1 extraction of novelty function
  - 2 estimation of bar period
  - 3 estimation of downbeat



# bar length detection

## overview

### 1 extraction of **novelty function**

- onset probability (see tempo detection)
- downbeat-specific (may be genre-dependent)
  - ▶ bass onset/low frequency energy increase
  - ▶ harmonic change → pitch chroma change
  - ▶ beat and onset match
  - ▶ ...

### 2 possible: **quantization to beat or tatum** (downbeat can only be on a beat)

### 3 **periodicity estimation**

- ACF
- spectral peak analysis
- ...

# bar length detection

## overview

### 1 extraction of **novelty function**

- onset probability (see tempo detection)
- downbeat-specific (may be genre-dependent)
  - ▶ bass onset/low frequency energy increase
  - ▶ harmonic change → pitch chroma change
  - ▶ beat and onset match
  - ▶ ...

### 2 possible: **quantization to beat or tatum** (downbeat can only be on a beat)

### 3 **periodicity estimation**

- ACF
- spectral peak analysis
- ...



# bar length detection

## overview

### 1 extraction of **novelty function**

- onset probability (see tempo detection)
- downbeat-specific (may be genre-dependent)
  - ▶ bass onset/low frequency energy increase
  - ▶ harmonic change → pitch chroma change
  - ▶ beat and onset match
  - ▶ ...

### 2 possible: **quantization to beat or tatum** (downbeat can only be on a beat)

### 3 **periodicity estimation**

- ACF
- spectral peak analysis
- ...

# downbeat detection

## overview

- assumption: downbeat is most prominent reoccurring peak in the novelty functions
  - ⇒ delta pulse CCF
    - ...

# summary

## lecture content

### ■ bar length detection

- same principles as tempo detection
  - ▶ higher hierarchical level (different periodicity freq)
  - ▶ modified or additional novelty functions

### ■ downbeat detection

- same principles as beat detection
  - ▶ higher hierarchical level (different periodicity freq)
  - ▶ modified or additional novelty functions

