
### Digital Signal Processing for Music

Part 25: Waveform Coding

alexander lerch







- goal:
  - encode waveform in a way that the decoded waveform is as close to the original waveform as possible
- approaches
  - PCM (analogue to digital)
  - non-linear quantization
    - Question: how is the principle of non-linear quantization related to Entropy coding?
  - DPCM & ADPCM



- goal:
  - encode waveform in a way that the decoded waveform is as close to the original waveform as possible
- approaches:
  - PCM (analogue to digital)
  - non-linear quantizatio
    - Question: how is the principle of non-linear quantization related to Entropy coding?
  - DPCM & ADPCM



#### goal:

 encode waveform in a way that the decoded waveform is as close to the original waveform as possible

### approaches:

- PCM (analogue to digital)
- non-linear quantization
  - Question: how is the principle of non-linear quantization related to Entropy coding?
- DPCM & ADPCM

#### goal:

 encode waveform in a way that the decoded waveform is as close to the original waveform as possible

#### approaches:

- PCM (analogue to digital)
- non-linear quantization
  - Question: how is the principle of non-linear quantization related to Entropy coding?
- DPCM & ADPCM




#### goal:

 encode waveform in a way that the decoded waveform is as close to the original waveform as possible

#### approaches:

- PCM (analogue to digital)
- non-linear quantization
  - Question: how is the principle of non-linear quantization related to Entropy coding?
- DPCM & ADPCM

# waveform coding DPCM



- predictor is updated from reconstructed signal
  - no transmission of predictor coefficients necessary
  - reconstruction error

$$r(i) = x(i) - y(i)$$
  
=  $x(i) - (\hat{x}(i) + e_Q(i))$   
=  $e_P(i) - e_Q(i)$   
=  $q(i)$ 

⇒ reconstruction error **identical** to quantization error

# waveform coding ADPCM

- ADPCM:
  - coefficient adaptation for every block of samples
  - quantization step size (scale) adjusts to signal power
- forward adaptive implementation
  - coefficients are calculated from the input signal and transmitted
  - robust against transmission errors
  - requires additional side information (coefficients)
- backward adaptive implementation
  - coefficients are calculated from the reconstructed signal
  - no additional side information
  - error propagation

### waveform coding



#### ADPCM:

- coefficient adaptation for every block of samples
- quantization step size (scale) adjusts to signal power

#### forward adaptive implementation

- coefficients are calculated from the input signal and transmitted
- robust against transmission errors
- requires additional side information (coefficients)

#### backward adaptive implementation

- coefficients are calculated from the reconstructed signal
- no additional side information
- error propagation

### waveform coding

#### ADPCM:

- coefficient adaptation for every block of samples
- quantization step size (scale) adjusts to signal power

#### forward adaptive implementation

- coefficients are calculated from the input signal and transmitted
- robust against transmission errors
- requires additional side information (coefficients)

#### backward adaptive implementation

- coefficients are calculated from the reconstructed signal
- no additional side information
- error propagation

### waveform coding summary



- waveform coding aims at efficiently representing the time domain signal
- idea: non-redundant parts are quantized (lossy) according to transmission bandwidth
- advantages
  - low latency
  - low complexity
  - high quality at high bitrates
- disadvantage:
  - quality loss is attempted to minimize waveform similarity
  - ⇒ not perceptually meaningfu

## waveform coding summary



- waveform coding aims at efficiently representing the time domain signal
- idea: non-redundant parts are quantized (lossy) according to transmission bandwidth
- advantages:
  - low latency
  - low complexity
  - high quality at high bitrates
- disadvantage:
  - quality loss is attempted to minimize waveform similarity
  - ⇒ not perceptually meaningful

## waveform coding summary



- waveform coding aims at efficiently representing the time domain signal
- idea: non-redundant parts are quantized (lossy) according to transmission bandwidth

### advantages:

- low latency
- low complexity
- high quality at high bitrates

#### disadvantage:

- quality loss is attempted to minimize waveform similarity
- ⇒ not perceptually meaningful