



Product Service

Attestation of Conformity

No. N8A 130105 0006 Rev. 00

Holder of Attestation: **Jiangsu Linyang Energy Storage Technology Co., Ltd.**
16-18 Floor, Building 1, No.68 Aoti Avenue, Jianye District
210019 Nanjing City, Jiangsu Province
PEOPLE'S REPUBLIC OF CHINA

Product: **Batteries**
Liquid-Cooled Energy Storage System
Container

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 704082542701-00

Date, 2025-06-10

(Kai Zhao)

Page 1 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 130105 0006 Rev. 00

Model(s):

LY-Ocean-314-050-50159-CONTAINER
 LY-Ocean-314-050-45979-CONTAINER
 LY-Ocean-314-050-41799-CONTAINER
 LY-Ocean-314-050-37619-CONTAINER
 LY-Ocean-314-050-33439-CONTAINER
 LY-Ocean-314-050-29259-CONTAINER
 LY-Ocean-314-050-25079-CONTAINER
 LY-Ocean-314-050-20899-CONTAINER
 LY-Ocean-314-050-16719-CONTAINER
 LY-Ocean-314-050-12539-CONTAINER
 LY-Ocean-314-050-83599A-CONTAINER
 LY-Ocean-314-050-41799A-CONTAINER

Parameters:

Battery Rated Energy	5015.9 kWh (LY-Ocean-314-050-50159-CONTAINER) 4597.9 kWh (LY-Ocean-314-050-45979-CONTAINER) 4179.9 kWh (LY-Ocean-314-050-41799-CONTAINER) 3761.9 kWh (LY-Ocean-314-050-37619-CONTAINER) 3343.9 kWh (LY-Ocean-314-050-33439-CONTAINER) 2925.9 kWh (LY-Ocean-314-050-29259-CONTAINER) 2507.9 kWh (LY-Ocean-314-050-25079-CONTAINER) 2089.9 kWh (LY-Ocean-314-050-20899-CONTAINER) 1671.9 kWh (LY-Ocean-314-050-16719-CONTAINER) 1253.9 kWh (LY-Ocean-314-050-12539-CONTAINER) 835.9 kWh (LY-Ocean-314-050-83599A-CONTAINER) 417.9 kWh (LY-Ocean-314-050-41799A-CONTAINER)
Rated DC Voltage	DC 1331.2 V

Page 2 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 130105 0006 Rev. 00

Max. DC Current	DC 1884 A (LY-Ocean-314-050-50159-CONTAINER) DC 1727 A (LY-Ocean-314-050-45979-CONTAINER) DC 1570 A (LY-Ocean-314-050-41799-CONTAINER) DC 1413 A (LY-Ocean-314-050-37619-CONTAINER) DC 1256 A (LY-Ocean-314-050-33439-CONTAINER) DC 1099 A (LY-Ocean-314-050-29259-CONTAINER) DC 942 A (LY-Ocean-314-050-25079-CONTAINER) DC 785 A (LY-Ocean-314-050-20899-CONTAINER) DC 628 A (LY-Ocean-314-050-16719-CONTAINER) DC 471 A (LY-Ocean-314-050-12539-CONTAINER) DC 314 A (LY-Ocean-314-050-83599A-CONTAINER) DC 157 A (LY-Ocean-314-050-41799A-CONTAINER)
Nominal Power	2508 kW (LY-Ocean-314-050-50159-CONTAINER) 2299 kW (LY-Ocean-314-050-45979-CONTAINER) 2089 kW (LY-Ocean-314-050-41799-CONTAINER) 1881 kW (LY-Ocean-314-050-37619-CONTAINER) 1672 kW (LY-Ocean-314-050-33439-CONTAINER) 1463 kW (LY-Ocean-314-050-29259-CONTAINER) 1254 kW (LY-Ocean-314-050-25079-CONTAINER) 1054 kW (LY-Ocean-314-050-20899-CONTAINER) 836 kW (LY-Ocean-314-050-16719-CONTAINER) 627 kW (LY-Ocean-314-050-12539-CONTAINER) 418 kW (LY-Ocean-314-050-83599A-CONTAINER) 209 kW (LY-Ocean-314-050-41799A-CONTAINER)

Page 3 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 130105 0006 Rev. 00

Auxiliary Nominal AC Voltage	3/N/PE AC 230/400V
Auxiliary Nominal Frequency	50/60 Hz
Auxiliary Max. Nominal AC Current	AC 58.74 A
Auxiliary Nominal Power	35.4 kW
Operating Ambient Temperature	-40 °C, ..., 50 °C
Ingress Protection	IP 55
Protective Class	I

Tested according to:

EN 62477-1:2012/A12:2021
 EN IEC 62040-1:2019/A11:2021