

江苏林洋储能技术有限公司		
文件名称: Overseas Energy Storage System Product Warranty Manual	文件编号: LYCN/WI-3410 发行日期:	修订状态: A/0 页码: 第 3 页 共 11 页

Overseas Energy Storage System Product Warranty Manual

I. Warranty Basic Information

1. Products Covered by Warranty

This warranty manual (referred to as “Warranty Manual”) applies to energy storage system products, referred to as “Product(s)”, manufactured by Linyang Energy Storage, including but not limited to Power Conversion Systems (PCS), batteries, Uninterruptible Power Supplies (UPS), Heating, Ventilation, and Air Conditioning (HVAC), Energy Management Systems (EMS), and all auxiliary equipment necessary for the normal operation of the aforementioned devices, and such Products must be procured through one of the following channels:

- Direct purchase from Linyang Energy Storage;
- Purchase through the distributors officially authorized by Linyang Energy Storage.

This Warranty Manual applies exclusively to projects directly supplied by Linyang Energy Storage. It does not apply to third-party projects or projects not supplied by Linyang Energy Storage.

2. Entity Responsible for Warranty

Jiangsu Linyang Energy Storage Technology Co., Ltd. is the sole entity responsible for warranty obligations. In this Warranty Manual, the warranty service providers are collectively referred to as “Linyang Energy Storage”.

Linyang Energy Storage designates regional branches to provide warranty services based on the location of the Products. Once any designated branch fulfills the warranty obligation, the obligations of all other branches shall be deemed terminated immediately.

3. Warranty Right Holder

江苏林洋储能技术有限公司		
文件名称： Overseas Energy Storage System Product Warranty Manual	文件编号：LYCN/WI-3410	修订状态：A/0
	发行日期：	页码：第 4 页 共 11 页

The right to warranty services is enjoyed by the owner or purchaser of the Products. In this Warranty Manual, the party that enjoys the right to warranty services is referred to as the “Warranty Right Holder”.

4. The warranty terms outlined in this Warranty Manual apply only to standard Products. For customized Products, the terms shall be governed by separate agreements.

5. This Warranty Manual shall take effect from the date of issuance and shall apply to all Products manufactured from the issuance date onwards. Linyang Energy Storage reserves the right to amend this Warranty Manual at its sole discretion.

II. Limited Warranty

1. Linyang Energy Storage warrants that Products are free from defects in materials and workmanship during the standard warranty period.

2. Battery performance guarantees: For information about battery capacity degradation, please refer to the product technical agreement or other agreements.

3. Standard Warranty Period

(1) Unless otherwise specified, the standard warranty period for the Products is as follows:

Product	Standard Warranty Period
Power Conversion System (PCS)	5 years
Battery Container	5 years
Auxiliary Equipment & System Components (within battery container) – HVAC, Fire Suppression System (FSS)	5 years
Transformer & Medium Voltage Switchgear	5 years
DC Container/Enclosure	5 years
AC Container/Enclosure	5 years
Uninterruptible Power Supply (UPS)	5 years

江苏林洋储能技术有限公司		
文件名称: Overseas Energy Storage System Product Warranty Manual	文件编号: LYCN/WI-3410 发行日期:	修订状态: A/0 页码: 第 5 页 共 11 页

(2) For systems not equipped with a C5-rated enclosure:

- If installed outdoors and the installation site is located within a straight-line distance of 2-5 kilometers from the sea, the standard warranty period for PCS, transformer, and switchgear cabinet shall be shortened to 2 years.

- If installed outdoors and the installation site is located within a straight-line distance of less than 2 kilometers from the sea, the warranty shall be void.

For systems equipped with a C5-rated enclosure:

- If installed outdoors and the installation site is located within a straight-line distance of 500 meters from the sea, the standard warranty period for PCS, transformer, and switchgear cabinet shall be shortened to 2 years.

4. The standard warranty period shall commence on the earlier of the following two dates:

(1) The start date of the commissioning;

(2) Six (6) months after the shipment date of the Products from Linyang Energy Storage's factory.

5. Paid Lifetime Service

Linyang Energy Storage may provide paid lifetime services for the Products after the expiration of the standard or extended warranty period.

6. Products Relocation

The warranty shall be deemed terminated if the Product is relocated to a non-original installation site. At the request of the Warranty Right Holder, Linyang Energy Storage may conduct an on-site inspection of the new installation location prior to relocation to assess whether the remaining warranty period may continue to apply to the relocated Product.

III. Warranty Conditions

This limited warranty applies only if:

1. The Warranty Right Holder shall use the Product in a normal and proper manner, in accordance with the product user manuals and maintenance guidelines.

江苏林洋储能技术有限公司		
文件名称: Overseas Energy Storage System Product Warranty Manual	文件编号: LYCN/WI-3410 发行日期:	修订状态: A/0 页码: 第 6 页 共 11 页

2. The Warranty Right Holder shall have fully paid all amounts due (including but not limited to the contract payments, interest, and any other payments due).

IV. Warranty Exclusions

1. Widely used wearing parts and consumables, reasonable wear and tear are not covered by the warranty.

2. Defects that do not adversely affect the normal functioning of the Products, such as cosmetic defects, are not covered by the warranty.

3. During the warranty period, the warranty does not cover defects or damages to the Products caused by factors not attributable to Linyang Energy Storage, including but not limited to:

-damage caused by improper use or failure to operate the Products in accordance with the product manual or official instructions:

(1) Incorrect transportation or handling;

(2) Improper storage (see contract requirements for details on product storage, including during storage, installation and operation);

(3) Improper installation, failing to follow the installation manual of Linyang Energy Storage;

(4) Failure to follow the user manual and maintenance manual, abuse, misuse, improper maintenance, or lack of maintenance of the Products;

(5) Commissioning, repair, or modification performed without written authorization by Linyang Energy Storage.

- Defects and damage caused by external factors:

(1) Natural disasters;

(2) Damage caused by biological activity or exposure to industrial chemicals;

(3) Salt spray or corrosion exceeding design specifications;

(4) Exceed operating specifications, including but not limited to voltage, wind and snow load specifications;

江苏林洋储能技术有限公司		
文件名称: Overseas Energy Storage System Product Warranty Manual	文件编号: LYCN/WI-3410 发行日期:	修订状态: A/0 页码: 第 7 页 共 11 页

- (5) Human damage or accidents;
- (6) Product damage from other parts of the system.
- Defects or damage caused by force majeure (e.g., fires or war).

V. Warranty Termination

The Warranty shall be deemed terminated upon the concurrence of any of the following events:

- (1) The serial number of the Product is altered or unidentifiable;
- (2) The Warranty Right Holder refuses to provide conditions for inspection, testing and repair of the Products or related equipment; or
- (3) The Product is relocated without prior on-site inspection and written approval by Linyang Energy Storage.

VI. Warranty Transfer

1. Warranty rights may be transferred only if:
 - (1) The Products remain at the original installation site;
 - (2) Ownership is legally transferred (warranty rights automatically transfer to the new owner).
2. In the event that Linyang Energy Storage replaces the whole equipment or any components of the defective Product, the replaced equipment or components shall maintain the warranty period of the original Product.

VII. Obligations of Warranty Right Holder

1. Use the Products for the intended purpose in strict accordance with the specifications and applicable environmental conditions as set out in the user manual. If a defect is found in the Product, take all necessary measures to prevent further damage.

江苏林洋储能技术有限公司		
文件名称: Overseas Energy Storage System Product Warranty Manual	文件编号: LYCN/WI-3410 发行日期:	修订状态: A/0 页码: 第 8 页 共 11 页

2. Provide necessary access and working conditions for Linyang Energy Storage service personnel during on-site operations and ensure that the operating site is maintained in a safe condition, free of hidden dangers, and in compliance with all applicable safety and prevention protocols. In the event that service personnel are unable to access the Products as scheduled due to reasons attributable to the Warranty Right Holder, Linyang Energy Storage shall not be liable, and the Warranty Right Holder shall be solely liable for all costs incurred for rescheduling services.

3. Ensure that the performance of third-party equipment or controllers does not interfere with the on-site service work conducted by Linyang Energy Storage.

4. Provide Linyang Energy Storage with operation and maintenance documentation or logs of the Products.

VIII. Warranty Claim Procedure

1. If the Warranty Right Holder thinks that the Products have a defect covered under the warranty, a warranty claim shall be immediately submitted to Linyang Energy Storage without delay via official contact information published by Linyang Energy Storage. The Warranty Right Holder shall provide the following documents to facilitate Linyang Energy Storage's evaluation:

- Product serial number, proof of purchase and delivery, installation serial number;
- Operation and maintenance documentation or logs;
- Detailed defect description (e.g., photos or videos showing the defect);
- Additional information reasonably requested by Linyang Energy Storage.

2. Upon receipt of a warranty claim, Linyang Energy Storage may take one of the following actions:

- (1) Accept the warranty claim or reject it as a non-warranty issue via email, telephone, etc., within 48 hours (excluding weekends and local public holidays);
- (2) Investigate the problems with the defective Product;
- (3) Repair or replace the defective Product with parts that are equivalent to the original product parts, which may be either new or refurbished parts;
- (4) Test the defect or arrange for a third party to test the defect.

江苏林洋储能技术有限公司		
文件名称: Overseas Energy Storage System Product Warranty Manual	文件编号: LYCN/WI-3410 发行日期:	修订状态: A/0 页码: 第 9 页 共 11 页

3. All replaced whole equipment or components (hereinafter referred to as the “Replaced Parts”) by Linyang Energy Storage shall remain the property of Linyang Energy Storage. The Warranty Right Holder shall store the Replaced Parts free of charge or, upon receipt of a notice from Linyang Energy Storage (including but not limited to email and written notices), assist Linyang Energy Storage in the disposal or scrapping of the Replaced Parts on-site free of charge.

4. Linyang Energy Storage reserves the exclusive right to determine the cause and nature of any product defect.

5. In the event that the Warranty Right Holder has any overdue payments during the procurement of Products or services from Linyang Energy Storage, Linyang Energy Storage reserves the right to require the Warranty Right Holder to pay a deposit of a specified amount in advance prior to the implementation of any warranty service resolution.

IX. Out-of-Warranty and Other Costs

1. For services not covered by the scope of this warranty, Linyang Energy Storage will charge a service fee that includes the costs of equipment, installation, material, freight, travel and labor.

2. The Warranty Right Holder shall bear all service fees incurred as a result of the warranty but not covered by the warranty, including:

1) Freight charges, travel expenses, labor costs, equipment fees and third-party fees incurred during on-site maintenance work;

2) Testing fees, equipment fees, installation costs, material expenses, freight charges, travel expenses, labor costs, and third-party fees if:

-A warranty claim is filed, but Linyang Energy Storage or its designated third-party inspectors determine that no defects exist in the equipment/components;

-The problem is unrelated to product defects, or the claim is outside the scope of the warranty;

江苏林洋储能技术有限公司		
文件名称: Overseas Energy Storage System Product Warranty Manual	文件编号: LYCN/WI-3410 发行日期:	修订状态: A/0 页码: 第 10 页 共 11 页

3) Testing fees, equipment fees, installation costs, material expenses, freight charges, travel expenses, and labor costs incurred for returned Products/components subsequently deemed non-defective, defect-unrelated, or out-of-warranty.

3. All costs incurred by Linyang Energy Storage for the on-site inspections and assessments of the new installation site prior to the relocation of the Product shall be borne by the Warranty Right Holder.

4. Service fees shall be paid within 30 days of the invoice issuance date. If the Warranty Right Holder fails to pay the relevant fees within the specified period, Linyang Energy Storage reserves the right to refuse to accept any subsequent warranty claims for all Products installed at the same project site until full payment is received.

X. Dispute Resolution

In the event of a dispute between Linyang Energy Storage and the Warranty Right Holder regarding liability for equipment defects, both parties shall mutually agree to engage a third-party testing agency to conduct an independent assessment. Prior to the test, the parties shall formally agree on the test protocol and the criteria for determining defects. If the test results conclusively demonstrate that the defect is not attributable to the Products of Linyang Energy Storage, all costs associated with the test shall be borne solely by the Warranty Right Holder.

XI. Liability Limitation

This Warranty Manual constitutes the sole and exclusive warranty provided by Linyang Energy Storage for the Products. To the fullest extent permitted by law, all other warranties, express or implied, including but not limited to any warranties of merchantability or fitness for a particular purpose, are disclaimed.

The Warranty Right Holder's remedies for product defects are strictly limited to those expressly set forth in this Warranty Manual. No additional warranty rights beyond those described herein are included within the scope of this warranty. Linyang Energy Storage's aggregate

江苏林洋储能技术有限公司		
文件名称： Overseas Energy Storage System Product Warranty Manual	文件编号：LYCN/WI-3410 发行日期：	修订状态：A/0 页码：第 11 页 共 11 页

liability under this Warranty Manual for any and all warranty services and related costs shall not exceed 10% of the total payment received by Linyang Energy Storage for the defective Products.

XII. Severability

If any provision is held to be invalid, the validity of the remaining provisions shall not be affected. The invalid provision shall be amended or replaced in a manner that most closely reflects the original intent.

XIII. Setting Disputes

The interpretation, validity and fulfillment of this warranty manual shall be governed by the laws of the People's Republic of China (excluding the laws of Hong Kong, Macao and Taiwan). Any disputes arising out of or in connection with this warranty manual shall be resolved by both parties through friendly negotiation; in the event of failure of such negotiation, either party shall have the right to submit the disputes to the Shanghai International Arbitration Center (SHIAC), and arbitration shall be carried out in Shanghai in accordance with the arbitration rules of the arbitration commission which are currently in force at the time of the application for arbitration. Arbitration. The arbitration proceedings shall be conducted in English, and all documents, evidence submitted and the award shall be in English. The arbitral award shall be final and binding on both parties.