

OC Core Release Guide v1.3.3

Version: 1.3.3 Concept DOI for PDF citation: 10.5281/zenodo.17899134 Author: Alexander Yashin

Abstract

This review-space artifact is assembled from the current OC Core release aggregator, science-to-structure mapping, package cascade, terminal text contracts, and deterministic transition rules. It is not a GitHub or Zenodo publication action.

Reader Contract

Read this document as an assembled scientific route. Claims are bounded by their proof, evidence, replay, comparator, or falsifier route; unsupported all-domain or superiority claims are not promoted by package assembly.

Block 1

Define Title Page

Define Title Page and Release Identity is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Title Page and Release Identity. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Title Page and Release Identity to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Title Page and Release Identity states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Title Page and Release Identity synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize

established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Dedication to Maria

Define Dedication to Maria is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Dedication to Maria. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Dedication to Maria to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Dedication to Maria states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Dedication to Maria synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Abstract

Define Abstract is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Abstract. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Abstract to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational

evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Abstract states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Abstract synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Keywords

Define Keywords and Classification is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the definition_model route for Keywords and Classification. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Keywords and Classification to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Keywords and Classification states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Keywords and Classification synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on

reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Citation, DOI,

Define Citation, DOI, and Version Statement is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Citation, DOI, and Version Statement. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Citation, DOI, and Version Statement to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Citation, DOI, and Version Statement states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Citation, DOI, and Version Statement synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Table of Contents

Define Table of Contents is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Table of Contents. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Table of Contents to proof, evidence, or replay carries the evidential burden for the sur-

rounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Table of Contents states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Table of Contents synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define List of Figures

Define List of Figures and Tables is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for List of Figures and Tables. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind List of Figures and Tables to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for List of Figures and Tables states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize List of Figures and Tables synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Symbols, Abbreviations,

Define Symbols, Abbreviations, and Notation Map is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Symbols, Abbreviations, and Notation Map. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Symbols, Abbreviations, and Notation Map to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Symbols, Abbreviations, and Notation Map states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Symbols, Abbreviations, and Notation Map synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Author, Instrument, Method,

Define Author, Instrument, Method, and Contribution Statement is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Author, Instrument, Method, and Contribution Statement. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later

proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Author, Instrument, Method, and Contribution Statement to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Author, Instrument, Method, and Contribution Statement states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Author, Instrument, Method, and Contribution Statement synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Block 2

Define Reader Contract

Define Reader Contract is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the definition_model route for Reader Contract. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Reader Contract to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Reader Contract states what would make the local claim weaker, false,

incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Reader Contract synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Intended Audiences

Define Intended Audiences and Reading Paths is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Intended Audiences and Reading Paths. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Intended Audiences and Reading Paths to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Intended Audiences and Reading Paths states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Intended Audiences and Reading Paths synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define What OC Core Claims

Define What OC Core Claims is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for What OC Core Claims. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind What OC Core Claims to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for What OC Core Claims states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize What OC Core Claims synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define What OC Core Does Not Claim

Define What OC Core Does Not Claim is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for What OC Core Does Not Claim. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind What OC Core Does Not Claim to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited

proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for What OC Core Does Not Claim states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize What OC Core Does Not Claim synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Release Scope vs Full Science Program

Define Release Scope vs Full Science Program is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the definition_model route for Release Scope vs Full Science Program. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Release Scope vs Full Science Program to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Release Scope vs Full Science Program states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Release Scope vs Full Science Program synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next

obligation begins by defining the next object before asking the reader to accept claims about it.

Define Claim Promotion, Demotion,

Define Claim Promotion, Demotion, and Background Obligations is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Claim Promotion, Demotion, and Background Obligations. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Claim Promotion, Demotion, and Background Obligations to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Claim Promotion, Demotion, and Background Obligations states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Claim Promotion, Demotion, and Background Obligations synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Block 18

Define Versioning

Define Versioning and Release Identity is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Versioning and Release Identity. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Versioning and Release Identity to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Versioning and Release Identity states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Versioning and Release Identity synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Public Release Asset Set

Define Public Release Asset Set is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Public Release Asset Set. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Public Release Asset Set to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Public Release Asset Set states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Public Release Asset Set synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Journal Package Map

Define Journal Package Map is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Journal Package Map. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Journal Package Map to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Journal Package Map states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Journal Package Map synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Citation

Define Citation and Metadata Governance is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Citation and Metadata Governance. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Citation and Metadata Governance to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Citation and Metadata Governance states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Citation and Metadata Governance synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Publication Boundary

Define Publication Boundary is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Publication Boundary. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Publication Boundary to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Publication Boundary states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Publication Boundary synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Owner Approval Boundary

Define Owner Approval Boundary is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Owner Approval Boundary. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Owner Approval Boundary to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Owner Approval Boundary states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Owner Approval Boundary synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Incident

Define Incident and Known-Error Lessons is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Incident and Known-Error Lessons. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Incident and Known-Error Lessons to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Incident and Known-Error Lessons states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Incident and Known-Error Lessons synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define External Use Guidance

Define External Use Guidance is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for External Use Guidance. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind External Use Guidance to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for External Use Guidance states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize External Use Guidance synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Block 19

Define What target release Establishes

Define What target release Establishes is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for What target release Establishes. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind What target release Establishes to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for What target release Establishes states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize What target release Establishes synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Scientific Contribution

Define Scientific Contribution is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Scientific Contribution. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims

without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Scientific Contribution to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Scientific Contribution states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Scientific Contribution synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define What Remains Open

Define What Remains Open is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for What Remains Open. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind What Remains Open to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for What Remains Open states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The gov-

erning boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize What Remains Open synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Research Roadmap

Define Research Roadmap is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Research Roadmap. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Research Roadmap to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Research Roadmap states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Research Roadmap synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Relation to Future Releases

Define Relation to Future Releases is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Relation to Future Releases. The paragraph draws on formal model and foundation and

states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Relation to Future Releases to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Relation to Future Releases states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Relation to Future Releases synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Practical Use by Scientists

Define Practical Use by Scientists and Institutions is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the definition_model route for Practical Use by Scientists and Institutions. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Practical Use by Scientists and Institutions to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Practical Use by Scientists and Institutions states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of

evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Practical Use by Scientists and Institutions synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Final Synthesis

Define Final Synthesis is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Final Synthesis. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Final Synthesis to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Final Synthesis states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Final Synthesis synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Block 999

Release framing

Release framing synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Independent-release framing

Independent-release framing synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next obligation begins by defining the next object before asking the reader to accept claims about it.

(P4.25) Spatially Propagating Excitation (proto-AP)

(P4.25) Spatially Propagating Excitation (proto-AP) carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

(P5.18) Blow-Up Regime (Runaway Excitation)

(P5.18) Blow-Up Regime (Runaway Excitation) carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

(P5.21) Emergence of Patterned Excitation

(P5.21) Emergence of Patterned Excitation carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Release-Engineering Reviewer

Release-Engineering Reviewer states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Synthesis Reviewer

Synthesis Reviewer states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Worked Attack Transcript E: Synthesis Surface

Worked Attack Transcript E: Synthesis Surface states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Use in this release

Use in this release synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Why the present release separates explanatory force from predictive promotion

Why the present release separates explanatory force from predictive promotion synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Current release truth

Current release truth synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc

recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Release consequence

Release consequence synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Proto-excitation

Proto-excitation synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Type~V Experiments: Excitation–Recovery Cycles

Type~V Experiments: Excitation–Recovery Cycles synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

(F5.17) No excitation cycle

(F5.17) No excitation cycle synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Institutions

Falsifiability via Institutions and Governance states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Final Unified Synthesis Release Gate

Final Unified Synthesis Release Gate synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Jets of Excitation Threshold

Jets of Excitation Threshold and Recovery Threshold synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Macro-Institutional Governance Processes

Macro-Institutional Governance Processes synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Epistemic Governance, Methodology,

Epistemic Governance, Methodology, and Scientific Cycles synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Unified Synthesis Support Dossiers

Unified Synthesis Support Dossiers synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Conceptual synthesis

Conceptual synthesis synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc

recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Unified Science Synthesis

Unified Science Synthesis synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Release theme

Release theme synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

OC Core 1.3.1 Release Source Tree

OC Core 1.3.1 Release Source Tree synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Manuscript/Release Patch Map

Manuscript/Release Patch Map synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Claim Governance

Claim Governance synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Synthesis Families

Synthesis Families synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Release Boundary

Release Boundary synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Unified Synthesis Support Dossiers

Unified Synthesis Support Dossiers synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Conceptual synthesis

Conceptual synthesis synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Unified Science Synthesis

Unified Science Synthesis synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Source Trace

Exact source bindings, path hashes, quality scorer hooks, and transition records are recorded in the generated artifact package manifest. They are kept out of the main prose to avoid turning the document into a ledger dump.