

OC Core Reviewer Attack and Response Map v1.3.3

Version: 1.3.3 Concept DOI for PDF citation: 10.5281/zenodo.17899134 Author: Alexander Yashin

Abstract

This review-space artifact is assembled from the current OC Core release aggregator, science-to-structure mapping, package cascade, terminal text contracts, and deterministic transition rules. It is not a GitHub or Zenodo publication action.

Reader Contract

Read this document as an assembled scientific route. Claims are bounded by their proof, evidence, replay, comparator, or falsifier route; unsupported all-domain or superiority claims are not promoted by package assembly.

Block 2

Define Reader Contract

Define Reader Contract is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Reader Contract. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Reader Contract to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Reader Contract states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Reader Contract synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize

established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Intended Audiences

Define Intended Audiences and Reading Paths is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Intended Audiences and Reading Paths. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Intended Audiences and Reading Paths to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Intended Audiences and Reading Paths states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Intended Audiences and Reading Paths synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define What OC Core Claims

Define What OC Core Claims is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for What OC Core Claims. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind What OC Core Claims to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical

computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for What OC Core Claims states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize What OC Core Claims synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define What OC Core Does Not Claim

Define What OC Core Does Not Claim is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for What OC Core Does Not Claim. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind What OC Core Does Not Claim to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for What OC Core Does Not Claim states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize What OC Core Does Not Claim synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis

draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Release Scope vs Full Science Program

Define Release Scope vs Full Science Program is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Release Scope vs Full Science Program. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Release Scope vs Full Science Program to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Release Scope vs Full Science Program states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Release Scope vs Full Science Program synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Claim Promotion, Demotion,

Define Claim Promotion, Demotion, and Background Obligations is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Claim Promotion, Demotion, and Background Obligations. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Claim Promotion, Demotion, and Background Obligations to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Claim Promotion, Demotion, and Background Obligations states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Claim Promotion, Demotion, and Background Obligations synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Block 13

Define Falsifier Registry

Define Falsifier Registry is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Falsifier Registry. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Falsifier Registry to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Falsifier Registry states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried

by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Falsifier Registry synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Counterexample Search

Define Counterexample Search is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Counterexample Search. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Counterexample Search to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Counterexample Search states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Counterexample Search synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Known Failure Modes

Define Known Failure Modes is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model`

route for Known Failure Modes. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Known Failure Modes to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Known Failure Modes states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Known Failure Modes synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Unsupported Strong Claims

Define Unsupported Strong Claims is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the definition_model route for Unsupported Strong Claims. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Unsupported Strong Claims to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Unsupported Strong Claims states what would make the local claim

weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Unsupported Strong Claims synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Demotion Rules

Define Demotion Rules is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Demotion Rules. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Demotion Rules to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Demotion Rules states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Demotion Rules synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Residual Scientific Risks

Define Residual Scientific Risks is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Residual Scientific Risks. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Residual Scientific Risks to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Residual Scientific Risks states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Residual Scientific Risks synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Full-Science Background Obligations

Define Full-Science Background Obligations is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Full-Science Background Obligations. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Full-Science Background Obligations to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only

through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Full-Science Background Obligations states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Full-Science Background Obligations synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Block 14

Define Novelty Criteria

Define Novelty Criteria is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Novelty Criteria. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Novelty Criteria to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Novelty Criteria states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Novelty Criteria synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize

established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Non-Equivalence Criteria

Define Non-Equivalence Criteria is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Non-Equivalence Criteria. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Non-Equivalence Criteria to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Non-Equivalence Criteria states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Non-Equivalence Criteria synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Overlap With Prior Art

Define Overlap With Prior Art is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Overlap With Prior Art. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Overlap With Prior Art to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical

computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Overlap With Prior Art states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Overlap With Prior Art synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Residual-Delta Analysis

Define Residual-Delta Analysis is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the definition_model route for Residual-Delta Analysis. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Residual-Delta Analysis to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Residual-Delta Analysis states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Residual-Delta Analysis synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on

reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Competitor-by-Competitor Comparison

Define Competitor-by-Competitor Comparison is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Competitor-by-Competitor Comparison. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Competitor-by-Competitor Comparison to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Competitor-by-Competitor Comparison states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Competitor-by-Competitor Comparison synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Response to “This Is Just Another Theory”

Define Response to “This Is Just Another Theory” is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Response to “This Is Just Another Theory”. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Response to “This Is Just Another Theory” to proof, evidence, or replay carries the evidential

burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Response to “This Is Just Another Theory” states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Response to “This Is Just Another Theory” synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Positioning of OC Core

Define Positioning of OC Core is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Positioning of OC Core. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Positioning of OC Core to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Positioning of OC Core states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Positioning of OC Core synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Block 16

Define Review Protocol

Define Review Protocol is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Review Protocol. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Review Protocol to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Review Protocol states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Review Protocol synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Cerberus Role Map

Define Cerberus Role Map is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Cerberus Role Map. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims

without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Cerberus Role Map to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Cerberus Role Map states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Cerberus Role Map synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Critical

Define Critical and High Findings is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the definition_model route for Critical and High Findings. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Critical and High Findings to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Critical and High Findings states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The

governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Critical and High Findings synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Closure Evidence

Define Closure Evidence is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Closure Evidence. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Closure Evidence to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Closure Evidence states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Closure Evidence synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Claim Corrections

Define Claim Corrections is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Claim Corrections. The paragraph draws on formal model and foundation and states the

local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Claim Corrections to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Claim Corrections states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Claim Corrections synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Hostile Reviewer Objections

Define Hostile Reviewer Objections is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the definition_model route for Hostile Reviewer Objections. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Hostile Reviewer Objections to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Hostile Reviewer Objections states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as

permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Hostile Reviewer Objections synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Response Matrix

Define Response Matrix is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Response Matrix. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Response Matrix to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Response Matrix states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Response Matrix synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Remaining Non-Blocking Caveats

Define Remaining Non-Blocking Caveats is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Remaining Non-Blocking Caveats. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Remaining Non-Blocking Caveats to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Remaining Non-Blocking Caveats states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Remaining Non-Blocking Caveats synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Block 18

Define Versioning

Define Versioning and Release Identity is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Versioning and Release Identity. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Versioning and Release Identity to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is

promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Versioning and Release Identity states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Versioning and Release Identity synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Public Release Asset Set

Define Public Release Asset Set is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the definition_model route for Public Release Asset Set. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Public Release Asset Set to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Public Release Asset Set states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Public Release Asset Set synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize

established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Journal Package Map

Define Journal Package Map is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Journal Package Map. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Journal Package Map to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Journal Package Map states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Journal Package Map synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Citation

Define Citation and Metadata Governance is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Citation and Metadata Governance. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Citation and Metadata Governance to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route

uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Citation and Metadata Governance states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Citation and Metadata Governance synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Publication Boundary

Define Publication Boundary is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the definition_model route for Publication Boundary. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Publication Boundary to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Publication Boundary states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Publication Boundary synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on

reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Owner Approval Boundary

Define Owner Approval Boundary is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Owner Approval Boundary. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Owner Approval Boundary to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Owner Approval Boundary states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Owner Approval Boundary synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define Incident

Define Incident and Known-Error Lessons is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Incident and Known-Error Lessons. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind Incident and Known-Error Lessons to proof, evidence, or replay carries the evidential bur-

den for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for Incident and Known-Error Lessons states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize Incident and Known-Error Lessons synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Define External Use Guidance

Define External Use Guidance is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the definition_model route for External Use Guidance. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Bind External Use Guidance to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

State limits and falsifiers for External Use Guidance states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Synthesize External Use Guidance synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

Block 999

Adversarial Review Structure

Adversarial Review Structure and Audience states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Limits of recovery

Limits of recovery states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

K-level criteria

K-level criteria and falsifiers after external review states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability of K_0K_0

Falsifiability of K_0K_0 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Fundamental Falsifiability Principles for K_0K_0

Fundamental Falsifiability Principles for K_0K_0 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk

carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Structural Falsifiability Conditions

Structural Falsifiability Conditions states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Boundary

Boundary and Region Falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Energy Functional

Energy Functional and Threshold Falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Cycle

Cycle and Evolution Falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Modal Spaces

Falsifiability via Modal Spaces and Modal Dimensions states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Meta-Cycles C_10

Falsifiability via Meta-Cycles C_10 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Cycles C_11

Falsifiability via Cycles C_11 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Universal Cycles C_12

Falsifiability via Universal Cycles C_12 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Percolation

Percolation and Threshold Falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Boundary

Boundary and Admissibility Falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Chemical Potentials

Falsifiability via Chemical Potentials and Thresholds states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk

carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Cycles C_4C_4

Falsifiability via Cycles C_4C_4 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Membrane

Falsifiability via Membrane and Electrical Boundary states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Neural Cycles C_5C_5

Falsifiability via Neural Cycles C_5C_5 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Cognitive Cycles C_6C_6

Falsifiability via Cognitive Cycles C_6C_6 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Social Cycles C_7C_7

Falsifiability via Social Cycles C_7C_7 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Civilisational Cycles C_8C_8

Falsifiability via Civilisational Cycles C_8C_8 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Scientific Cycles C_9C_9

Falsifiability via Scientific Cycles C_9C_9 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Dynamics

Falsifiability via Dynamics and Collapse states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifier

Falsifier and collapse boundary states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Theorem fate correction after external review

Theorem fate correction after external review carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Worked Examples, Counterexamples,

Worked Examples, Counterexamples, and Reader-Oriented Interpretive Checks carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose

to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

What would count as a real counterexample

What would count as a real counterexample carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Mathematics: Strict closure

Mathematics: Strict closure and counterexample playbook carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Simulation

Simulation and Counterexample Search carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Reviewer challenge 3: Minimality Component Witness

Reviewer challenge 3: Minimality Component Witness carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Reviewer challenge 4: Klevel Transition Witness

Reviewer challenge 4: Klevel Transition Witness carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Symbolic Systems

Falsifiability via Symbolic Systems and Writing carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Knowledge Systems

Falsifiability via Knowledge Systems and Epistemic Structure carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

(P10.11) Completeness Is Structurally Limited

(P10.11) Completeness Is Structurally Limited carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

(i) Structural falsifiability

- (i) Structural falsifiability carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Replay Matrix for Independent Review

Replay Matrix for Independent Review carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Reviewer challenge 5: Numeric Replay Quarantine

Reviewer challenge 5: Numeric Replay Quarantine carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Attack Family 3: The Empirical Rows Are Too Weak

Attack Family 3: The Empirical Rows Are Too Weak carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Formal-Mathematics Reviewer

Formal-Mathematics Reviewer carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Empirical-Statistics Reviewer

Empirical-Statistics Reviewer carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Publication-Metadata Reviewer

Publication-Metadata Reviewer carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Worked Attack Transcript B: Replay Surface

Worked Attack Transcript B: Replay Surface carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Reviewer challenge 7: Prior Art Positioning

Reviewer challenge 7: Prior Art Positioning states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Worked Attack Transcript C: Prior-Art Surface

Worked Attack Transcript C: Prior-Art Surface states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Phenomenon Coverage

Phenomenon Coverage and Limits states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Reviewer challenge 6: Phenomenon Coverage Model Card

Reviewer challenge 6: Phenomenon Coverage Model Card states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Reviewer challenge 8: Attack Matrix Distinct Surface Coverage

Reviewer challenge 8: Attack Matrix Distinct Surface Coverage states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Attack Family 4: Phenomenon Coverage Is Inflated

Attack Family 4: Phenomenon Coverage Is Inflated states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Visual Route - Reviewer Route Figures

Visual Route - Reviewer Route Figures states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Reviewer Navigation Matrix

Reviewer Navigation Matrix and Audit Checklist states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Review questions, compact route,

Review questions, compact route, and decisive checks states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Audit, provenance,

Audit, provenance, and review posture states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Compact reading order by reviewer role

Compact reading order by reviewer role states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Rapid critical reviewer

Rapid critical reviewer states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Formal mathematical reviewer

Formal mathematical reviewer states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Generalist scientific reviewer

Generalist scientific reviewer states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It

must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Reviewer note

Reviewer note states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Tuple

Tuple and hierarchy limits states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Reviewer acknowledgement

Reviewer acknowledgement states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Hostile-review backlog

Hostile-review backlog states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Shortest hostile-review checklist

Shortest hostile-review checklist states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Reviewer Entry Points

Reviewer Entry Points states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Does OC actually explain minimality versus relabeling attack?

Does OC actually explain minimality versus relabeling attack? states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Reviewer Checklist

Reviewer Checklist states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Reviewer Burden

Reviewer Burden and Author Burden states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Reviewer Response Method

Reviewer Response Method states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Claim Boundary

Claim Boundary and Research Limits states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate

scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Reviewer challenge 1: Theorem Proof Binding

Reviewer challenge 1: Theorem Proof Binding carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Reviewer challenge 2: Theorem Public Surface Binding

Reviewer challenge 2: Theorem Public Surface Binding carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Adversarial Review Method

Adversarial Review Method states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Attack Family 1: The Theory Is Only a Reframing

Attack Family 1: The Theory Is Only a Reframing states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Attack Family 2: The Formal Claims Are Theatre

Attack Family 2: The Formal Claims Are Theatre states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure

and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Attack Family 5: Public Wording Outruns Evidence

Attack Family 5: Public Wording Outruns Evidence carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Attack Family 6: The Package Is Not a Scientific Text

Attack Family 6: The Package Is Not a Scientific Text states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Reviewer Role Playbook

Reviewer Role Playbook states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Computational-Semantics Reviewer

Computational-Semantics Reviewer states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Release-Engineering Reviewer

Release-Engineering Reviewer states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Synthesis Reviewer

Synthesis Reviewer states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Minimum Hostile Review Walkthrough

Minimum Hostile Review Walkthrough states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

End-to-End Attack Drill

End-to-End Attack Drill states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Cheap Review Cascade

Cheap Review Cascade states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Worked Attack Transcript A: Theorem Surface

Worked Attack Transcript A: Theorem Surface carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Worked Attack Transcript D: Public Surface

Worked Attack Transcript D: Public Surface states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to

overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Worked Attack Transcript E: Synthesis Surface

Worked Attack Transcript E: Synthesis Surface states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Institutions

Falsifiability via Institutions and Governance states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Limitations of the current formalism

Limitations of the current formalism states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Limits of recovery

Limits of recovery states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Extended Falsifiability

Extended Falsifiability and Experimental Programme states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Meaning of Falsifiability for Structural Theories

Meaning of Falsifiability for Structural Theories states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Structural vs phenomenological falsifiability

Structural vs phenomenological falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Structural falsification channels

Structural falsification channels states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Cross-domain falsification logic

Cross-domain falsification logic states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsification criteria

Falsification criteria and tests states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Source-tradition remediation after external review

Source-tradition remediation after external review states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk

carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

K-level criteria

K-level criteria and falsifiers after external review states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Theorem fate correction after external review

Theorem fate correction after external review carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Meta-limit extension

Meta-limit extension states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Type~VII Experiments: Detectability

Type~VII Experiments: Detectability and Falsification states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Relation to Falsifiability

Relation to Falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability of K_0K_0

Falsifiability of K_0K_0 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Fundamental Falsifiability Principles for K_0K_0

Fundamental Falsifiability Principles for K_0K_0 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Structural Falsifiability Conditions

Structural Falsifiability Conditions states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Boundary

Boundary and Region Falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability of K_1K_1

Falsifiability of K_1K_1 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Structural

Structural and Topological Falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk

carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Energy Functional

Energy Functional and Threshold Falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Cycle

Cycle and Evolution Falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Embedding-Space

Embedding-Space and Transition Falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability of K_10

Falsifiability of K_10 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Reflexive

Falsifiability via Reflexive and Meta-Theoretical Coherence states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Category-Theoretical

Falsifiability via Category-Theoretical and Functorial Structure states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Modal Spaces

Falsifiability via Modal Spaces and Modal Dimensions states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Meta-Level Potentials P_{10}

Falsifiability via Meta-Level Potentials P_{10} states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Meta-Flows $J^{(10)}$

Falsifiability via Meta-Flows $J^{(10)}$ states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Meta-Cycles C_{10}

Falsifiability via Meta-Cycles C_{10} states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Structural Tension T_10

Falsifiability via Structural Tension T_10 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability of the Transition K_9 K_10

Falsifiability of the Transition K_9 K_10 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability of K_11

Falsifiability of K_11 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Meta-Meta Coherence

Falsifiability via Meta-Meta Coherence states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Higher-Order Categorical Structures

Falsifiability via Higher-Order Categorical Structures states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Higher-Order Modal Spaces

Falsifiability via Higher-Order Modal Spaces states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to

overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Potentials P_11

Falsifiability via Potentials P_11 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Flows $J^{(11)}$

Falsifiability via Flows $J^{(11)}$ states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Cycles C_11

Falsifiability via Cycles C_11 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Structural Tension T_11

Falsifiability via Structural Tension T_11 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability of the Transition K_10 K_11

Falsifiability of the Transition K_10 K_11 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability of K_12

Falsifiability of K_12 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Universal Structural Consistency

Falsifiability via Universal Structural Consistency states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Universal Modal

Falsifiability via Universal Modal and Categorical Structure states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Universal Potentials P_12

Falsifiability via Universal Potentials P_12 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Universal Flows $J^{(12)}$

Falsifiability via Universal Flows $J^{(12)}$ states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Universal Cycles C_12

Falsifiability via Universal Cycles C_12 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to

overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Universal Boundaries (K_12)

Falsifiability via Universal Boundaries (K_12) states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability of K_11 K_12 Transition

Falsifiability of K_11 K_12 Transition states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability of K_2K_2

Falsifiability of K_2K_2 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Topological

Topological and Connectivity Falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Percolation

Percolation and Threshold Falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Boundary

Boundary and Admissibility Falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Potentials, Flows

Potentials, Flows and Field Falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Dynamic

Dynamic and Evolutionary Falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Transition

Transition and Embedding Falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability of K_3K_3

Falsifiability of K_3K_3 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Chemical Configuration

Falsifiability via Chemical Configuration states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk

carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Reaction Networks

Falsifiability via Reaction Networks states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via RAF Networks

Falsifiability via RAF Networks and Closure states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Chemical Potentials

Falsifiability via Chemical Potentials and Thresholds states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Boundaries

Falsifiability via Boundaries and Admissibility states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Dynamics

Falsifiability via Dynamics and Evolution states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Transition K_2 K_3K_2 K_3

Falsifiability via Transition K_2 K_3K_2 K_3 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability of K_4K_4

Falsifiability of K_4K_4 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Compartment Formation

Falsifiability via Compartment Formation states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Biological Potentials P_4P_4

Falsifiability via Biological Potentials P_4P_4 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Flows J_4J_4

Falsifiability via Flows J_4J_4 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Cycles C_4C_4

Falsifiability via Cycles C_4C_4 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical

toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Membrane-Bound Information

Falsifiability via Membrane-Bound Information and Regulation states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Structural Tension T_4T_4

Falsifiability via Structural Tension T_4T_4 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Transition K_3 K_4K_3 K_4

Falsifiability via Transition K_3 K_4K_3 K_4 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability of K_5K_5

Falsifiability of K_5K_5 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Membrane

Falsifiability via Membrane and Electrical Boundary states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Electrical Potentials P_5P_5

Falsifiability via Electrical Potentials P_5P_5 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Ion Flows J_5J_5

Falsifiability via Ion Flows J_5J_5 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Neural Cycles C_5C_5

Falsifiability via Neural Cycles C_5C_5 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Stochastic Logic

Falsifiability via Stochastic Logic and Information Flow states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Structural Tension T_5T_5

Falsifiability via Structural Tension T_5T_5 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability of Transition K_4 K_5K_4 K_5

Falsifiability of Transition K_4 K_5K_4 K_5 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission

to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability of K_6K_6

Falsifiability of K_6K_6 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Representational Structure

Falsifiability via Representational Structure states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Binding Dynamics

Falsifiability via Binding Dynamics states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Predictive Processing

Falsifiability via Predictive Processing states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Comparison

Falsifiability via Comparison and Selection states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Memory

Falsifiability via Memory and Stability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Cognitive Flows J_6J_6

Falsifiability via Cognitive Flows J_6J_6 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Cognitive Cycles C_6C_6

Falsifiability via Cognitive Cycles C_6C_6 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Structural Tension T_6T_6

Falsifiability via Structural Tension T_6T_6 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability of Transition K_5 K_6K_5 K_6

Falsifiability of Transition K_5 K_6K_5 K_6 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability of K_7K_7

Falsifiability of K_7K_7 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical

toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Communication Structure

Falsifiability via Communication Structure states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Trust

Falsifiability via Trust and Cohesion states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Roles

Falsifiability via Roles and Normative Structure states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Coordination Dynamics

Falsifiability via Coordination Dynamics states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Resource Flows J_7J_7

Falsifiability via Resource Flows J_7J_7 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Social Cycles C_7C_7

Falsifiability via Social Cycles C_7C_7 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Structural Tension T_7T_7

Falsifiability via Structural Tension T_7T_7 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability of Transition K_6 K_7K_6 K_7

Falsifiability of Transition K_6 K_7K_6 K_7 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability of K_8K_8

Falsifiability of K_8K_8 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Technology

Falsifiability via Technology and Infrastructure states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Cultural Dynamics

Falsifiability via Cultural Dynamics states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried

by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Civilisational Flows J_8J_8

Falsifiability via Civilisational Flows J_8J_8 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Civilisational Cycles C_8C_8

Falsifiability via Civilisational Cycles C_8C_8 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Structural Tension T_8T_8

Falsifiability via Structural Tension T_8T_8 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability of Transition K_7 K_8K_7 K_8

Falsifiability of Transition K_7 K_8K_7 K_8 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability of K_9K_9

Falsifiability of K_9K_9 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Coherence

Falsifiability via Coherence and Logical Consistency states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Paradigm Dynamics

Falsifiability via Paradigm Dynamics states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Epistemic Potentials

Falsifiability via Epistemic Potentials and Explanatory Power states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Methodological Structure

Falsifiability via Methodological Structure states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Scientific Flows J_9J_9

Falsifiability via Scientific Flows J_9J_9 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Scientific Cycles C_9C_9

Falsifiability via Scientific Cycles C_9C_9 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to

overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Structural Tension T_9T_9

Falsifiability via Structural Tension T_9T_9 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability of the Transition K_8 K_9K_8 K_9

Falsifiability of the Transition K_8 K_9K_8 K_9 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability

Falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Structural Meaning of Falsifiability

Structural Meaning of Falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Universal Falsifiability Criteria

Universal Falsifiability Criteria states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Cross-Level Falsifiability Structure

Cross-Level Falsifiability Structure states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Dynamics

Falsifiability via Dynamics and Collapse states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifiability via Embedding Spaces

Falsifiability via Embedding Spaces states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability in Practice: Multi-Domain Implementation

Falsifiability in Practice: Multi-Domain Implementation states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifier

Falsifier and collapse boundary states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Claim Boundary

Claim Boundary and Research Limits states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate

scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

FM-T133-ID-TT-IDENTITY-INV-FALSE-END-FALSE-RES-FALSE-CLAIM-FALSE

FM-T133-ID-TT-IDENTITY-INV-FALSE-END-FALSE-RES-FALSE-CLAIM-FALSE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-IDENTITY-INV-FALSE-END-FALSE-RES-FALSE-CLAIM-TRUE

FM-T133-ID-TT-IDENTITY-INV-FALSE-END-FALSE-RES-FALSE-CLAIM-TRUE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-IDENTITY-INV-FALSE-END-FALSE-RES-TRUE-CLAIM-FALSE

FM-T133-ID-TT-IDENTITY-INV-FALSE-END-FALSE-RES-TRUE-CLAIM-FALSE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-IDENTITY-INV-FALSE-END-FALSE-RES-TRUE-CLAIM-TRUE

FM-T133-ID-TT-IDENTITY-INV-FALSE-END-FALSE-RES-TRUE-CLAIM-TRUE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-IDENTITY-INV-FALSE-END-TRUE-RES-FALSE-CLAIM-FALSE

FM-T133-ID-TT-IDENTITY-INV-FALSE-END-TRUE-RES-FALSE-CLAIM-FALSE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use

the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-IDENTITY-INV-FALSE-END-TRUE-RES-FALSE-CLAIM-TRUE

FM-T133-ID-TT-IDENTITY-INV-FALSE-END-TRUE-RES-FALSE-CLAIM-TRUE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-IDENTITY-INV-FALSE-END-TRUE-RES-TRUE-CLAIM-FALSE

FM-T133-ID-TT-IDENTITY-INV-FALSE-END-TRUE-RES-TRUE-CLAIM-FALSE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-IDENTITY-INV-FALSE-END-TRUE-RES-TRUE-CLAIM-TRUE

FM-T133-ID-TT-IDENTITY-INV-FALSE-END-TRUE-RES-TRUE-CLAIM-TRUE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-IDENTITY-INV-TRUE-END-FALSE-RES-FALSE-CLAIM-FALSE

FM-T133-ID-TT-IDENTITY-INV-TRUE-END-FALSE-RES-FALSE-CLAIM-FALSE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-IDENTITY-INV-TRUE-END-FALSE-RES-FALSE-CLAIM-TRUE

FM-T133-ID-TT-IDENTITY-INV-TRUE-END-FALSE-RES-FALSE-CLAIM-TRUE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the

presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-IDENTITY-INV-TRUE-END-FALSE-RES-TRUE-CLAIM-FALSE

FM-T133-ID-TT-IDENTITY-INV-TRUE-END-FALSE-RES-TRUE-CLAIM-FALSE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-IDENTITY-INV-TRUE-END-FALSE-RES-TRUE-CLAIM-TRUE

FM-T133-ID-TT-IDENTITY-INV-TRUE-END-FALSE-RES-TRUE-CLAIM-TRUE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-IDENTITY-INV-TRUE-END-TRUE-RES-FALSE-CLAIM-FALSE

FM-T133-ID-TT-IDENTITY-INV-TRUE-END-TRUE-RES-FALSE-CLAIM-FALSE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-IDENTITY-INV-TRUE-END-TRUE-RES-FALSE-CLAIM-TRUE

FM-T133-ID-TT-IDENTITY-INV-TRUE-END-TRUE-RES-FALSE-CLAIM-TRUE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-IDENTITY-INV-TRUE-END-TRUE-RES-TRUE-CLAIM-FALSE

FM-T133-ID-TT-IDENTITY-INV-TRUE-END-TRUE-RES-TRUE-CLAIM-FALSE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the

presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

FM-T133-ID-TT-RESIDUE-INV-FALSE-END-FALSE-RES-FALSE-CLAIM-FALSE

FM-T133-ID-TT-RESIDUE-INV-FALSE-END-FALSE-RES-FALSE-CLAIM-FALSE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-RESIDUE-INV-FALSE-END-FALSE-RES-FALSE-CLAIM-TRUE

FM-T133-ID-TT-RESIDUE-INV-FALSE-END-FALSE-RES-FALSE-CLAIM-TRUE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-RESIDUE-INV-FALSE-END-FALSE-RES-TRUE-CLAIM-FALSE

FM-T133-ID-TT-RESIDUE-INV-FALSE-END-FALSE-RES-TRUE-CLAIM-FALSE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-RESIDUE-INV-FALSE-END-FALSE-RES-TRUE-CLAIM-TRUE

FM-T133-ID-TT-RESIDUE-INV-FALSE-END-FALSE-RES-TRUE-CLAIM-TRUE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-RESIDUE-INV-FALSE-END-TRUE-RES-FALSE-CLAIM-FALSE

FM-T133-ID-TT-RESIDUE-INV-FALSE-END-TRUE-RES-FALSE-CLAIM-FALSE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the

presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-RESIDUE-INV-FALSE-END-TRUE-RES-FALSE-CLAIM-TRUE

FM-T133-ID-TT-RESIDUE-INV-FALSE-END-TRUE-RES-FALSE-CLAIM-TRUE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-RESIDUE-INV-FALSE-END-TRUE-RES-TRUE-CLAIM-FALSE

FM-T133-ID-TT-RESIDUE-INV-FALSE-END-TRUE-RES-TRUE-CLAIM-FALSE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-RESIDUE-INV-FALSE-END-TRUE-RES-TRUE-CLAIM-TRUE

FM-T133-ID-TT-RESIDUE-INV-FALSE-END-TRUE-RES-TRUE-CLAIM-TRUE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-RESIDUE-INV-TRUE-END-FALSE-RES-FALSE-CLAIM-FALSE

FM-T133-ID-TT-RESIDUE-INV-TRUE-END-FALSE-RES-FALSE-CLAIM-FALSE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-RESIDUE-INV-TRUE-END-FALSE-RES-FALSE-CLAIM-TRUE

FM-T133-ID-TT-RESIDUE-INV-TRUE-END-FALSE-RES-FALSE-CLAIM-TRUE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the

presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-RESIDUE-INV-TRUE-END-FALSE-RES-TRUE-CLAIM-FALSE

FM-T133-ID-TT-RESIDUE-INV-TRUE-END-FALSE-RES-TRUE-CLAIM-FALSE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-RESIDUE-INV-TRUE-END-FALSE-RES-TRUE-CLAIM-TRUE

FM-T133-ID-TT-RESIDUE-INV-TRUE-END-FALSE-RES-TRUE-CLAIM-TRUE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-RESIDUE-INV-TRUE-END-TRUE-RES-FALSE-CLAIM-FALSE

FM-T133-ID-TT-RESIDUE-INV-TRUE-END-TRUE-RES-FALSE-CLAIM-FALSE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-RESIDUE-INV-TRUE-END-TRUE-RES-FALSE-CLAIM-TRUE

FM-T133-ID-TT-RESIDUE-INV-TRUE-END-TRUE-RES-FALSE-CLAIM-TRUE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-RESIDUE-INV-TRUE-END-TRUE-RES-TRUE-CLAIM-FALSE

FM-T133-ID-TT-RESIDUE-INV-TRUE-END-TRUE-RES-TRUE-CLAIM-FALSE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the

presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

FM-T133-ID-TT-REBIRTH-INV-FALSE-END-FALSE-RES-FALSE-CLAIM-FALSE

FM-T133-ID-TT-REBIRTH-INV-FALSE-END-FALSE-RES-FALSE-CLAIM-FALSE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-REBIRTH-INV-FALSE-END-FALSE-RES-FALSE-CLAIM-TRUE

FM-T133-ID-TT-REBIRTH-INV-FALSE-END-FALSE-RES-FALSE-CLAIM-TRUE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-REBIRTH-INV-FALSE-END-FALSE-RES-TRUE-CLAIM-FALSE

FM-T133-ID-TT-REBIRTH-INV-FALSE-END-FALSE-RES-TRUE-CLAIM-FALSE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-REBIRTH-INV-FALSE-END-FALSE-RES-TRUE-CLAIM-TRUE

FM-T133-ID-TT-REBIRTH-INV-FALSE-END-FALSE-RES-TRUE-CLAIM-TRUE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-REBIRTH-INV-FALSE-END-TRUE-RES-FALSE-CLAIM-FALSE

FM-T133-ID-TT-REBIRTH-INV-FALSE-END-TRUE-RES-FALSE-CLAIM-FALSE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the

presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-REBIRTH-INV-FALSE-END-TRUE-RES-FALSE-CLAIM-TRUE

FM-T133-ID-TT-REBIRTH-INV-FALSE-END-TRUE-RES-FALSE-CLAIM-TRUE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-REBIRTH-INV-FALSE-END-TRUE-RES-TRUE-CLAIM-FALSE

FM-T133-ID-TT-REBIRTH-INV-FALSE-END-TRUE-RES-TRUE-CLAIM-FALSE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-REBIRTH-INV-FALSE-END-TRUE-RES-TRUE-CLAIM-TRUE

FM-T133-ID-TT-REBIRTH-INV-FALSE-END-TRUE-RES-TRUE-CLAIM-TRUE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-REBIRTH-INV-TRUE-END-FALSE-RES-FALSE-CLAIM-FALSE

FM-T133-ID-TT-REBIRTH-INV-TRUE-END-FALSE-RES-FALSE-CLAIM-FALSE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-REBIRTH-INV-TRUE-END-FALSE-RES-FALSE-CLAIM-TRUE

FM-T133-ID-TT-REBIRTH-INV-TRUE-END-FALSE-RES-FALSE-CLAIM-TRUE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the

presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-REBIRTH-INV-TRUE-END-FALSE-RES-TRUE-CLAIM-FALSE

FM-T133-ID-TT-REBIRTH-INV-TRUE-END-FALSE-RES-TRUE-CLAIM-FALSE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-REBIRTH-INV-TRUE-END-FALSE-RES-TRUE-CLAIM-TRUE

FM-T133-ID-TT-REBIRTH-INV-TRUE-END-FALSE-RES-TRUE-CLAIM-TRUE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-REBIRTH-INV-TRUE-END-TRUE-RES-FALSE-CLAIM-FALSE

FM-T133-ID-TT-REBIRTH-INV-TRUE-END-TRUE-RES-FALSE-CLAIM-FALSE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-REBIRTH-INV-TRUE-END-TRUE-RES-FALSE-CLAIM-TRUE

FM-T133-ID-TT-REBIRTH-INV-TRUE-END-TRUE-RES-FALSE-CLAIM-TRUE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

FM-T133-ID-TT-REBIRTH-INV-TRUE-END-TRUE-RES-TRUE-CLAIM-FALSE

FM-T133-ID-TT-REBIRTH-INV-TRUE-END-TRUE-RES-TRUE-CLAIM-FALSE states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the

presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

PHYSICAL_REVIEW_RESEARCH

PHYSICAL_REVIEW_RESEARCH states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Minimum Independent Scientific Review Packet

Minimum Independent Scientific Review Packet states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Limitations

Limitations states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Journal Owner-Review Packages

Journal Owner-Review Packages states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Limitations of the current formalism

Limitations of the current formalism states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Extended Falsifiability

Extended Falsifiability and Experimental Programme states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Meaning of Falsifiability for Structural Theories

Meaning of Falsifiability for Structural Theories states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Structural vs phenomenological falsifiability

Structural vs phenomenological falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Structural falsification channels

Structural falsification channels states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Cross-domain falsification logic

Cross-domain falsification logic states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsification criteria

Falsification criteria and tests states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It

must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Source-tradition remediation after external review

Source-tradition remediation after external review states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Meta-limit extension

Meta-limit extension states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Type~VII Experiments: Detectability

Type~VII Experiments: Detectability and Falsification states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Relation to Falsifiability

Relation to Falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability of K_1K_1

Falsifiability of K_1K_1 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Structural

Structural and Topological Falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Embedding-Space

Embedding-Space and Transition Falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability of K_10

Falsifiability of K_10 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Reflexive

Falsifiability via Reflexive and Meta-Theoretical Coherence states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Category-Theoretical

Falsifiability via Category-Theoretical and Functorial Structure states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Meta-Level Potentials P_10

Falsifiability via Meta-Level Potentials P_10 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Meta-Flows J^(10)

Falsifiability via Meta-Flows J^(10) states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Structural Tension T_10

Falsifiability via Structural Tension T_10 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability of the Transition K_9 K_10

Falsifiability of the Transition K_9 K_10 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability of K_11

Falsifiability of K_11 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Meta-Meta Coherence

Falsifiability via Meta-Meta Coherence states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried

by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Higher-Order Categorical Structures

Falsifiability via Higher-Order Categorical Structures states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Higher-Order Modal Spaces

Falsifiability via Higher-Order Modal Spaces states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Potentials P₁₁

Falsifiability via Potentials P₁₁ states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Flows $\hat{J}(11)$

Falsifiability via Flows $\hat{J}(11)$ states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Structural Tension T₁₁

Falsifiability via Structural Tension T₁₁ states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability of the Transition K_10 K_11

Falsifiability of the Transition K_10 K_11 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability of K_12

Falsifiability of K_12 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Universal Structural Consistency

Falsifiability via Universal Structural Consistency states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Universal Modal

Falsifiability via Universal Modal and Categorical Structure states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Universal Potentials P_12

Falsifiability via Universal Potentials P_12 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Universal Flows $\hat{J}(12)$

Falsifiability via Universal Flows $\hat{J}(12)$ states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to

overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Universal Boundaries (K_12)

Falsifiability via Universal Boundaries (K_12) states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability of K_11 K_12 Transition

Falsifiability of K_11 K_12 Transition states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability of K_2K_2

Falsifiability of K_2K_2 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Topological

Topological and Connectivity Falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Potentials, Flows

Potentials, Flows and Field Falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Dynamic

Dynamic and Evolutionary Falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Transition

Transition and Embedding Falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability of K_3K_3

Falsifiability of K_3K_3 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Chemical Configuration

Falsifiability via Chemical Configuration states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Reaction Networks

Falsifiability via Reaction Networks states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via RAF Networks

Falsifiability via RAF Networks and Closure states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk

carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Boundaries

Falsifiability via Boundaries and Admissibility states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Dynamics

Falsifiability via Dynamics and Evolution states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Transition K_2 K_3K_2 K_3

Falsifiability via Transition K_2 K_3K_2 K_3 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability of K_4K_4

Falsifiability of K_4K_4 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Compartment Formation

Falsifiability via Compartment Formation states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Biological Potentials P_4P_4

Falsifiability via Biological Potentials P_4P_4 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Flows J_4J_4

Falsifiability via Flows J_4J_4 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Membrane-Bound Information

Falsifiability via Membrane-Bound Information and Regulation states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Structural Tension T_4T_4

Falsifiability via Structural Tension T_4T_4 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Transition K_3 K_4K_3 K_4

Falsifiability via Transition K_3 K_4K_3 K_4 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability of K_5K_5

Falsifiability of K_5K_5 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It

must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Electrical Potentials P_5P_5

Falsifiability via Electrical Potentials P_5P_5 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Ion Flows J_5J_5

Falsifiability via Ion Flows J_5J_5 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Stochastic Logic

Falsifiability via Stochastic Logic and Information Flow states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Structural Tension T_5T_5

Falsifiability via Structural Tension T_5T_5 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability of Transition K_4 K_5K_4 K_5

Falsifiability of Transition K_4 K_5K_4 K_5 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability of K_6K_6

Falsifiability of K_6K_6 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Representational Structure

Falsifiability via Representational Structure states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Binding Dynamics

Falsifiability via Binding Dynamics states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Predictive Processing

Falsifiability via Predictive Processing states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Comparison

Falsifiability via Comparison and Selection states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Memory

Falsifiability via Memory and Stability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried

by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Cognitive Flows J_6J_6

Falsifiability via Cognitive Flows J_6J_6 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Structural Tension T_6T_6

Falsifiability via Structural Tension T_6T_6 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability of Transition K_5 K_6K_5 K_6

Falsifiability of Transition K_5 K_6K_5 K_6 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability of K_7K_7

Falsifiability of K_7K_7 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Communication Structure

Falsifiability via Communication Structure states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Trust

Falsifiability via Trust and Cohesion states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Roles

Falsifiability via Roles and Normative Structure states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Coordination Dynamics

Falsifiability via Coordination Dynamics states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Resource Flows J_7J_7

Falsifiability via Resource Flows J_7J_7 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Structural Tension T_7T_7

Falsifiability via Structural Tension T_7T_7 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability of Transition K_6 K_7K_6 K_7

Falsifiability of Transition K_6 K_7K_6 K_7 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk

carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability of K_8K_8

Falsifiability of K_8K_8 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Technology

Falsifiability via Technology and Infrastructure states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Cultural Dynamics

Falsifiability via Cultural Dynamics states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Civilisational Flows J_8J_8

Falsifiability via Civilisational Flows J_8J_8 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Structural Tension T_8T_8

Falsifiability via Structural Tension T_8T_8 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability of Transition K_7 K_8K_7 K_8

Falsifiability of Transition K_7 K_8K_7 K_8 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability of K_9K_9

Falsifiability of K_9K_9 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Coherence

Falsifiability via Coherence and Logical Consistency states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Paradigm Dynamics

Falsifiability via Paradigm Dynamics states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Epistemic Potentials

Falsifiability via Epistemic Potentials and Explanatory Power states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Methodological Structure

Falsifiability via Methodological Structure states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to

overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Scientific Flows J_9J_9

Falsifiability via Scientific Flows J_9J_9 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Structural Tension T_9T_9

Falsifiability via Structural Tension T_9T_9 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability of the Transition K_8 K_9K_8 K_9

Falsifiability of the Transition K_8 K_9K_8 K_9 states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability

Falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Structural Meaning of Falsifiability

Structural Meaning of Falsifiability states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Universal Falsifiability Criteria

Universal Falsifiability Criteria states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Cross-Level Falsifiability Structure

Cross-Level Falsifiability Structure states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability via Embedding Spaces

Falsifiability via Embedding Spaces states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Falsifiability in Practice: Multi-Domain Implementation

Falsifiability in Practice: Multi-Domain Implementation states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

Source Trace

Exact source bindings, path hashes, quality scorer hooks, and transition records are recorded in the generated artifact package manifest. They are kept out of the main prose to avoid turning the document into a ledger dump.