

OC Core 1.3.2 Expert Technical Spine

Formal Navigation for Reviewers of the Release Candidate Package

Alexander Yashin
Independent Researcher, Leipzig/Halle, Germany
ORCID 0009-0008-6166-0914

Version v1.3.2; release date: 28.04.2026

Technical Role

This spine gives a compact expert route through OC Core 1.3.2. It is meant for reviewers who want to inspect the formal and evidential architecture before reading the entire master monograph.

Core Grammar

OC Core represents a continuum through identity-bearing conditions, admissible realizations, thresholds, embeddings, and history-sensitive classification. The release-relevant grammar distinguishes:

- live continuation under preserved admissible realization;
- death or collapse when admissible realization is empty;
- residue after death without live identity;
- rebirth when later live structure is grounded in residue without being identical to the original continuum.

Claim-Support Classes

Class	Release meaning
FORMALLY_PROVED	The release contains or references a proof route adequate for the claim scope.
THEOREM_NATIVE_HELD_OUTSIDE_VALIDATED	The claim is retained only where bounded proof support exists.
OPERATIONALLY_SUPPORTED_WITHIN_BOUNDS	Empirical support is present, but the claim remains bounded by protocol and falsifier.
SIMULATION_ILLUSTRATION_ONLY	Simulation clarifies behavior without serving as standalone proof.
PUBLIC_ROUTE_DISCOVERY_ONLY	Only route is exposed for audit, not used as strong support.
FRONTIER_WORK	Future research surface; not a canonical Core promotion.

Release Technical Invariants

- No canonical claim is promoted by a support packet alone.
- No prediction claim is accepted without replay protocol, code, fixture or data, output hash, tolerance envelope, and falsifier.
- No external criticism response is treated as closure unless release-visible evidence, proof route, replay, or owner-gate terminal state exists.
- No private reviewer-source material or private model transcript is included in the public package.
- No publication action is lawful while the no-send lock remains true.

Primary Artifact Map

Artifact	Expert use
Master monograph	Full formal narrative, definitions, proof route, domain appendices, and reviewer navigation.
Journal core	Compact source-audited theory kernel.
Methods companion	Build, replay, source-audit, and release-governance route.
Critique map	Objection families, response surfaces, and blocker ledger reading order.
Release dossier	Artifact inventory, gates, no-send lock, and owner action route.
Science blocker closure ledger	Row-level terminality of the release blockers.

Owner Review Boundary

OC Core 1.3.2 can be reviewed as a coherent release package. It still cannot publish itself. Owner approval, publication channel decision, and final artifact freeze confirmation are separate lawful actions.

Reviewer Routes

Reviewer	Technical route
Owner	No-send lock, owner packet, package freeze hash, release dossier, and publication risk memo.
Mathematical reviewer	Formal definitions, theorem roadmap, proof machinery appendix, closure ledger, and support map.
Domain reviewer	K/domain projection matrix, replay manifests, DRT strict salvage, and domain packet audit.
Reproducibility reviewer	Manifest, checksums, ZIP integrity, data/simulation manifests, and PDF text-quality scan.
Publication reviewer	LRGEF, Parfitian Cerberus, citation metadata, release notes, and postflight checklist.

Proven, Replayed, Future

Class	Technical interpretation
Proven or evidence-closed	Release support is anchored in definitions, theorem-fate rows, claim-ledger support, or the terminal closure ledger.
Replayed	Release support is anchored in deterministic package artifacts, data or fixture manifests, output hashes, and tolerance/falsifier records.
Future work	The item is deliberately outside 1.3.2 authority and may only become stronger through a later release gate.

Support-Map Discipline

The expert reader should use the prediction and promotion support map as a guardrail. It does not make weak statements strong. It binds risky words to their allowed support route: proof, replay, claim ledger, structural-only boundary, or future-work route. Any statement that cannot be bound must be rewritten before release.

Technical Acceptance Criteria

- six primary PDFs have current identity, adequate page count, and clean extracted text;
- all eighty-two closure rows carry row-level support class, source anchor, evidence refs, manuscript refs, release refs, and terminal rationale;
- the ZIP contains no unclassified legacy primary PDFs or nonpublic template payloads;
- every strong prediction or promoted-claim occurrence is represented in the support map;
- public release remains impossible until owner/channel actions are explicitly unlocked.

Technical Appendix A: Formal Review Table

Formal surface	Question to ask
Definitions	Are identity, admissible realization, collapse, residue, and rebirth defined before use?
Theorem route	Is every theorem-native phrase bound to a theorem-fate or proof-support row?
K-level system	Does each K-level projection state match the domain and inclusion ledgers?
Claim ledger	Does each promoted claim carry an allowed support class and evidence reference?
Release machine	Does the gate suite pass without enabling publication?

Technical Appendix B: Evidence Review Table

Evidence type	Sufficiency standard
Proof route	Source-audited formal statement, theorem-fate classification, and clear release scope.
Replay	Fixed inputs, executable or documented route, output hash, tolerance, and falsifier.
Source audit	Predecessor/source tradition named with bounded influence on OC claims.
Strict salvage	Workflow and reproducibility evidence without automatic Core promotion.
Owner gate	Explicit no-send terminal state and no outbound action.

Technical Appendix C: Decision Boundary

The release is technically strong when its evidence topology is inspectable. It does not need to solve every future theorem to be a good 1.3.2 baseline. It does need to prevent every unsupported strong phrase from becoming public authority. That is the purpose of the claim ledger, support map, closure ledger, and release gates working together.