

OC Core 1.3.2 Critique and Objection Map

Evidence-First Replies, Release Boundaries, and Remaining Publication Locks

Alexander Yashin

Independent Researcher, Leipzig/Halle, Germany

ORCID 0009-0008-6166-0914

Version v1.3.2; release date: 28.04.2026

Purpose

This artifact tells a reviewer where the serious objections are handled. It is deliberately conservative: a reply is accepted only when the release contains proof/evidence, replay, source audit, or a lawful owner-gate boundary.

Main Objection Families

Objection	Release response	Where to inspect
Overbroad theorem language	The theorem roadmap and proof machinery separate held-out theorem-native results from frontier or future extension work.	Master monograph, theorem roadmap, proof machinery appendix.
Unsupported prediction language	Quantitative or predictive language is allowed only with protocol, code, fixture or data, output hash, tolerance envelope, and falsifier.	Claim ledger, domain replay packets, release policy explainer.
Weak source tradition coverage	Source-audit and predecessor materials route GST, autopoiesis, complexity, identity, tipping points, and related traditions into bounded public-safe audit surfaces.	Source audit appendix and research packets.
DRT status ambiguity	DRT is strict salvage, not automatic Core authority. Promotion requires workflow evidence and Core-gate reconciliation.	DRT strict-salvage packet.
External criticism handling	The Stanislav Tsukrov review line is represented by bounded public summaries, per-item release references, and evidence-first repairs.	Reviewer navigation matrix and Tsukrov repair packet.

Ethical/release-
governance risk

Parfitian Cerberus blocks
release readiness when severe
findings remain.

Parfit reports and LRGEF
state.

Tsukrov Review Route

The Tsukrov line is handled as a substantive scientific review, not as a public endorsement. Private reviewer-source material is not included in the package. The release includes bounded summaries, source filenames and hashes where allowed, response routing, evidence-first closure notes, manuscript/release references, and reviewer-navigation surfaces.

Eighty-Two Release Blockers

The release includes a canonical closure ledger with eighty-two rows. The ledger is not decorative. Each row records source anchor, affected claim/release surfaces, closure route, evidence requirement, terminal verdict, and reviewer note. The gate fails if blockers are merely noted without a terminal route.

What Remains Gated

External publication and value externalization remain owner-gated. That is not a scientific failure of the Core kernel; it is the correct publication boundary. Owner approval must be explicit and must match the artifact freeze hash.

Reviewer Checklist

- Confirm that all primary PDFs display OC Core 1.3.2 identity.
- Confirm that the master PDF preserves the Maria dedication.
- Confirm that no unresolved cross-references remain in extracted PDF text.
- Confirm that the release ZIP contains no nonpublic template payloads.
- Confirm that every strong theorem or quantitative claim has its support route.
- Confirm that publication remains locked until owner approval.

Reviewer Reading Paths

Reviewer	Path
Owner	Confirm the no-send lock, owner approval packet, publication risk framing, and release blocker terminality.
Mathematical reviewer	Inspect theorem-fate, proof machinery, tuple/K rigor, and support-map rows before reading domain packets.
Domain reviewer	Inspect domain projection, replay manifests, and strict-salvage boundaries before reading system-level claims.
Reproducibility reviewer	Inspect package manifest, checksums, data/simulation manifests, PDF quality, and ZIP composition.

Publication reviewer	Inspect LRGEF, Parfit, release notes, citation metadata, and postflight checklist.
----------------------	--

Proven, Replayed, Future

Class	Objection-handling meaning
Proven or evidence-closed	The objection is answered by a proof route, source-audited support class, theorem-fate row, or terminal closure ledger row.
Replayed	The objection is answered by a replay manifest, output hash, tolerance envelope, or strict-salvage workflow.
Future work	The objection requires a stronger later claim; 1.3.2 must not advertise that future claim as already settled.

Critical Objection Tests

The strongest objections to this release are not stylistic. A serious reviewer should ask whether OC Core overstates theorem status, treats support packets as canonical claims, smuggles private review material into public artifacts, uses prediction wording without replay support, or treats owner approval as automatic publication. The release is acceptable only if each of those objections has a visible artifact-level answer.

What Would Make the Release Fail

- unresolved cross-references in primary PDFs;
- local machine paths or private reviewer material in the ZIP;
- stale version identity or missing Maria dedication;
- any strong prediction claim without support route;
- any row in the eighty-two blocker ledger without evidence, manuscript, and release references;
- any public action while the no-send lock is true.

Critique Appendix A: Objection Severity

Severity	Release handling
Critical	Private leak, unsupported promotion, unresolved reference, missing blocker evidence, or broken no-send lock.
High	Ambiguous prediction language, stale version identity, or thin reviewer navigation.
Medium	Missing cross-reference from a support packet to the release dossier.
Low	Stylistic roughness that does not change claim scope or reproducibility.

Critique Appendix B: Strongest Remaining Attacks

The strongest fair attack is that OC Core can be overread as authority over unrelated problem classes or as an unbounded predictive engine. The release answers by forbidding that framing and binding all strong claims to support routes. A second attack is that domain projections may look stronger than their replay basis. The release answers by keeping domain packets bounded and by requiring support-map and replay references for risky words. A third attack is that reviewer-response material could leak private context. The release answers by using public-safe bounded summaries and hashes rather than private source text.

Critique Appendix C: Reviewer Verdict Template

A reviewer can accept the release as a bounded baseline if the package identity is current, all primary PDFs are substantive, all strong claims are mapped, the 82-row ledger is complete, the global verdict-invariant minimality theorem is visible, and no-send locks remain intact. A reviewer should reject publication language that claims unrelated-domain authority, unbounded predictive authority, or public action approval.