

OC Core Journal Core Article v1.3.3

Ontology of Continua Core release review artifact

Artifact role: Compact article-style scientific argument

Alexander Yashin

Independent Researcher

ORCID 0009-0008-6166-0914

Version 1.3.3

Release identity: oc_core_1_3_3

Concept DOI: 10.5281/zenodo.17899134

Logion is the research-instrument and institute-automation system used to prepare, check, package, and audit the work; it is not an author.

ESTRA is the methodological framework used in the work; it is not an author or affiliation.

Dedication

Dedicated to my dear wife Maria, without whom this work would have been impossible.

Acknowledgements

Substantive review and idea acknowledgements. They are acknowledged for review pressure, ideas, criticism, or external response that improved the work. Acknowledgement does not imply authorship, endorsement, publication approval, or agreement with the theory's release form.

- G. V. Apostolov
- Eduard Fadeev
- Gennady Alekseevich Nosov
- Sergey Shpadyrev
- Stanislav Tsukrov

Abstract

This article gives the compact review route through the model core. It states the scientific problem, the formal contribution, the evidence and falsification route, novelty boundaries, and the claims that are promoted for review.

Reader Contract

Read this document as a compressed argument. It is designed to be checked against the monograph and companion artifacts, not as an isolated replacement for them. The release promotes evidence-bound model-core claims and excludes unsupported complete-science closure, unrestricted all-domain numerical completion, or unrestricted superiority-over-modern-science claims.

Table of Contents

Dedication	1
Acknowledgements	1
Abstract	1
Reader Contract	1
1 Reader Orientation and Claim Boundaries	9
1.1 Reader Contract	9
1.2 Intended Audiences and Reading Paths	9
1.3 What OC Core Claims	10
1.4 What OC Core Does Not Claim	11
1.5 Release Scope vs Full Science Program	11
1.6 Claim Promotion, Demotion, and Background Obligations	12
2 The Continuum Problem	13
2.1 The Continuum Problem	13
2.2 The Problem of Liveness and Death	13
2.3 The Problem of Identity Through Change	14
2.4 The Problem of Boundaries	15
2.5 The Problem of Cross-Domain Formalization	15
2.6 Why Existing Frameworks Are Not Enough	16
2.7 Requirements for a Scientific Core Model	17
3 Systems-Theory Context	17
3.1 General Systems Theory	17
3.2 Autopoiesis and Organizational Closure	18
3.3 Dynamical Systems and Control Theory	19
3.4 Category, Topos, and Formal-Ontology Approaches	19
3.5 RAF Theory and Origin-of-Life Formalisms	20
3.6 Complexity, Information, and Emergence Measures	21
3.7 Causality and Identity Theories	21
3.8 Systems Engineering and Institutional Models	22
3.9 Comparator Method and Positioning Map	23
4 Claim Taxonomy and Promotion Rules	24
4.1 Claim Classes	24
4.2 Formal Proof Standard	24
4.3 Executable Semantics Standard	25
4.4 Empirical Evidence Standard	26
4.5 Simulation and Counterexample Standard	26
4.6 Negative Controls and Falsifiers	27
4.7 Source, Artifact, and Traceability Standard	28
4.8 Editorial and Reviewer Evidence Standard	28
5 The Core OC Tuple	29
5.1 The Core OC Tuple	29
5.2 Well-Formed Continua	30
5.3 Continuumness Functionals	30
5.4 Live Realizations	31
5.5 Lawful Transitions	32
5.6 Generalized Boundaries	32
5.7 Internal and External Relations	33

5.8	Foundation-Level Assumptions	34
5.9	Formal Limits of the Core Model	34
6	Theorem Inventory and Proof Route	35
6.1	Theorem Inventory	35
6.2	Dependency Graph	36
6.3	Core Foundation Theorems	36
6.4	Boundary Theorems	37
6.5	Identity and Rebirth Theorems	38
6.6	K-Level Theorems	38
6.7	Minimality and Independence Results	39
6.8	Counterexample Boundaries	40
6.9	Proof Closure Summary	40
7	Formalization Strategy	41
7.1	Formalization Strategy	41
7.2	Lean/Lake Subset	42
7.3	Typed Structures in Lean	42
7.4	Machine-Checked Theorem Subset	43
7.5	Finite Model Semantics	44
7.6	Witness Cases	44
7.7	Tamper and Negative Controls	45
7.8	Limits of the Formalized Subset	46
8	Evidence Ledger and Source Trace	46
8.1	Evidence Ledger	46
8.2	Mathematics Anchor	47
8.3	Physics Evidence Lane	48
8.4	Chemistry Evidence Lane	48
8.5	Biology Evidence Lane	49
8.6	Systems and Civilizational Evidence Lane	50
8.7	Simulations	50
8.8	Adversarial Simulations	51
8.9	Target-Blind and Held-Out Evidence	52
8.10	Evidence Promotion Boundaries	52
9	Falsifiers and Negative Controls	53
9.1	Falsifier Registry	53
9.2	Counterexample Search	54
9.3	Known Failure Modes	54
9.4	Unsupported Strong Claims	55
9.5	Demotion Rules	56
9.6	Residual Scientific Risks	56
9.7	Full-Science Background Obligations	57
10	Novelty and Prior-Art Boundary	58
10.1	Novelty Criteria	58
10.2	Non-Equivalence Criteria	58
10.3	Overlap With Prior Art	59
10.4	Residual-Delta Analysis	60
10.5	Competitor-by-Competitor Comparison	60
10.6	Response to “This Is Just Another Theory”	61
10.7	Positioning of OC Core	62

11	Release Synthesis	62
11.1	What the Target Release Establishes	62
11.2	Scientific Contribution	63
11.3	What Remains Open	64
11.4	Research Roadmap	64
11.5	Relation to Future Releases	65
11.6	Practical Use by Scientists and Institutions	66
11.7	Final Synthesis	66
12	Document Boundary	67
12.1	Core theorem route and scope	67
12.2	Theorem fate and scope discipline	67
12.3	Ontological Structure of the Model	67
12.4	Theorem 1: Monotonicity of dimensionality	68
12.5	Theorem 2: Impossibility of spontaneous dimension creation	68
12.6	Theorem 3: Death through boundary and embedding collapse	68
12.7	Theorem 9: Death as loss of cycles	68
12.8	Theorem 11: Threshold-expressivity incompatibility	68
12.9	Patch Model of Boundaries	69
12.10	Worked Example 1: collapse, residue, and rebirth in a minimal admissible-state model	69
12.11	Alternative-model competition	69
12.12	Theorem	69
12.13	Proof	69
12.14	Internal models	70
12.15	Type-IV Experiments: Internal Models and Coherence Testing	70
12.16	Type-III Experiments: Meta-Model Dynamics and Explanatory Power	70
12.17	(F10.27) Meta-model cycle collapse	70
12.18	(F6.14) Negative model confidence	70
12.19	(F6.33) Broken model cycle	71
12.20	(F6.42) Model-collapse at birth	71
12.21	(F9.28) Breakdown of the model cycle	71
12.22	(F9.36) No emergence of formal models	71
12.23	Serious model families	71
12.24	Jets of Meta-Modelling Operators F	72
12.25	Jets of Categories of Models C	72
12.26	Patch Model Jets and Local Instabilities	72
12.27	Jets of Model Spaces M	72
12.28	Role of kk-Level Structure in the Core Model	72
12.29	Proto-Representation and Internal Modelling Processes	73
12.30	Model Building and Theorisation Processes	73
12.31	Theorem on Birth of a New Dimension via ()	73
12.32	Theorem 6 (Birth of a new dimension)	73
12.33	Theorem 9 (No “backward” dimensional reduction for a living continuum)	74
12.34	Theorem 4: Impossibility of evolution outside the embedding space	74
12.35	Theorem 5: Necessity and sufficiency of compatibility with MM	74
12.36	Theorem 6: Structural tension and phase transitions	74
12.37	Theorem 7: Universal law of complexity growth	74
12.38	Theorem 8: Impossibility of eternal stabilisation	75

12.39	Theorem 10: Monotonic growth of embedding spaces	75
12.40	Theorem 12: Incompleteness of embedding spaces	75
12.41	Proof-bearing and nonclaim layers	75
12.42	Theorem Roadmap and Proof Navigation	75
12.43	Load-bearing theorem spine	76
12.44	Theorem fate correction after external review	76
12.45	Proof Machinery, Revision Law, Competition, and Compression	76
12.46	(F11.10) Failure of global coherence theorems	76
12.47	Proof obligations	76
12.48	Promoted theorem-native claim	77
12.49	Proof Construction, Verification, and Proof-Flows	77
12.50	Inference, Deduction, and Proof Processes	77
12.51	Master Theorems of Core 1.2	77
12.52	Representability Theorems for Levels $(K_2)K_2$, $(K_4)K_4$, $(K_8)K_8$. .	77
12.53	Theorem 1 (Representability of $(K_2)K_2$)	78
12.54	Theorem 2 (Representability of $(K_4)K_4$)	78
12.55	Theorem 3 (Representability of $(K_8)K_8$)	78
12.56	Compatibility Theorem $(K M)K M$	78
12.57	Theorem 4 (Necessary and sufficient conditions for compatibility $(K M)K M$)	79
12.58	Theorem on Impossibility of Evolution Outside $(M)M$	79
12.59	Theorem 5 (Impossibility of evolution outside the meta-domain)	79
12.60	Theorem on Death of a Continuum	79
12.61	Theorem 7 (Equivalence of death conditions)	79
12.62	Theorem on Phase Transition	80
12.63	Theorem on Impossibility of Degradational Evolution	80
12.64	Source Witnessing, Theorem Fate, and Publication Boundary	80
12.65	Executable Finite-Model Evidence	80
12.66	Prediction and theorem evidence boundaries	80
12.67	Hybrid-Escalation Evidence Bar and Execution Protocols	81
12.68	Global evidence bar	81
12.69	(P10.3) Proof-Flow Emergence	81
12.70	P4: Predictions for Proof/Computation Flows J^{10}	81
12.71	(P10.12) Proof Flows Have Attractor Structure	81
12.72	P1: Predictions About the Birth of Model-Spaces	82
12.73	(P11.2) Model-Space Dimensional Trigger	82
12.74	(P11.5) Universal Axes of Model-Spaces	82
12.75	(P11.6) Existence of Model-Topologies	82
12.76	(P11.17) The Model-Theoretic Cycle	82
12.77	(P11.21) Model-Space Fragmentation Reduces $k(K_{11})$	83
12.78	(P12.1) Dynamization Threshold of Model-Spaces	83
12.79	(P12.24) Fragmentation of Model-Dynamics Reduces $k(K_{12})$	83
12.80	(P12.26) No Stable Termination of Model-Dynamics	83
12.81	(P9.12) Proof-like Flows Are Emergent	84
12.82	(P9.26) Birth of Proof-Flow Attractors	84
12.83	Target-Blind Numeric Evidence	84
12.84	OC 1.3.3 Comparator and Novelty Matrix	84
12.85	Prior-Art Interpretation for Article Readers	84
12.86	Prior-Art Comparator and Novelty Boundary	85

12.87	Prior-Art and Literature Position	85
12.88	Master Monograph Appendix: Comparator And Novelty Matrix	85
12.89	OC133-NOVELTY-001	85
12.90	Appendix/OC_1_3_3_COMPARATOR_AND_NOVELTY_MATRIX.tex	85
12.91	Reviewer challenge 7: Prior Art Positioning	86
12.92	Prior-Art Historian	86
12.93	Worked Attack Transcript C: Prior-Art Surface	86
12.94	Reviewer challenge 6: Phenomenon Coverage Model Card	86
12.95	Practical Utility and Model Comparison Atlas	86
12.96	Serious model comparison matrix	87
12.97	Serious model comparison trace matrix	87
12.98	10. T133-KLEVEL: Declared adjacent K-level atlas/evaluator consistency theorem	87
12.99	Reviewer challenge 1: Theorem Proof Binding	87
12.100	Reviewer challenge 2: Theorem Public Surface Binding	87
12.101	Attack Family 5: Public Wording Outruns Evidence	88
12.102	Evidence-to-Wording Calibration	88
12.103	Claim-Family Evidence Recipes	88
12.104	Worked Attack Transcript A: Theorem Surface	88
12.105	Proof Machinery Appendix	88
12.106	Alternative-model competition matrix	89
12.107	Load-bearing proof tasks	89
12.108	Closure priority board	89
12.109	Ontological Structure of the Model	89
12.110	Theorem (global verdict-invariant minimality)	89
12.111	Proof	90
12.112	Theorem 1: Monotonicity of dimensionality	90
12.113	Theorem 2: Impossibility of spontaneous dimension creation	90
12.114	Theorem 3: Death through boundary and embedding collapse	90
12.115	Theorem 4: Impossibility of evolution outside the embedding space	90
12.116	Theorem 5: Necessity and sufficiency of compatibility with MM	91
12.117	Theorem 6: Structural tension and phase transitions	91
12.118	Theorem 7: Universal law of complexity growth	91
12.119	Theorem 8: Impossibility of eternal stabilisation	91
12.120	Theorem 9: Death as loss of cycles	91
12.121	Theorem 10: Monotonic growth of embedding spaces	92
12.122	Theorem 11: Threshold-expressivity incompatibility	92
12.123	Theorem 12: Incompleteness of embedding spaces	92
12.124	Patch Model of Boundaries	92
12.125	Proof-bearing and nonclaim layers	92
12.126	Theorem Roadmap and Proof Navigation	93
12.127	Load-bearing theorem spine	93
12.128	Theorem fate correction after external review	93
12.129	Worked Example 1: collapse, residue, and rebirth in a minimal admissible- state model	93
12.130	Proof Machinery, Revision Law, Competition, and Compression	94
12.131	Alternative-model competition	94
12.132	Internal models	94

12.133	Type~IV Experiments: Internal Models and Coherence Testing	94
12.134	Type~III Experiments: Meta-Model Dynamics and Explanatory Power	94
12.135	(F10.27) Meta-model cycle collapse	94
12.136	(F11.10) Failure of global coherence theorems	95
12.137	(F6.14) Negative model confidence	95
12.138	(F6.33) Broken model cycle	95
12.139	(F6.42) Model-collapse at birth	95
12.140	(F9.15) Inability to integrate cross-domain evidence	95
12.141	(F9.28) Breakdown of the model cycle	96
12.142	(F9.36) No emergence of formal models	96
12.143	Serious model families	96
12.144	What prior science could do, what remained fragmented, and what OC closes	96
12.145	Proof obligations	96
12.146	Promoted theorem-native claim	97
12.147	Jets of Meta-Modelling Operators F	97
12.148	Jets of Categories of Models C	97
12.149	Patch Model Jets and Local Instabilities	97
12.150	Jets of Model Spaces M	97
12.151	Role of kk-Level Structure in the Core Model	97
12.152	Proof Construction, Verification, and Proof-Flows	98
12.153	Proto-Representation and Internal Modelling Processes	98
12.154	Model Building and Theorisation Processes	98
12.155	Inference, Deduction, and Proof Processes	98
12.156	Master Theorems of Core 1.2	98
12.157	Representability Theorems for Levels (K ₂)K ₂ , (K ₄)K ₄ , (K ₈)K ₈ . .	99
12.158	Theorem 1 (Representability of (K ₂)K ₂)	99
12.159	Theorem 2 (Representability of (K ₄)K ₄)	99
12.160	Theorem 3 (Representability of (K ₈)K ₈)	99
12.161	Compatibility Theorem (K M)K M	100
12.162	Theorem 4 (Necessary and sufficient conditions for compatibility (K M)K M)	100
12.163	Theorem on Impossibility of Evolution Outside (M)M	100
12.164	Theorem 5 (Impossibility of evolution outside the meta-domain)	100
12.165	Theorem on Birth of a New Dimension via ()	100
12.166	Theorem 6 (Birth of a new dimension)	101
12.167	Theorem on Death of a Continuum	101
12.168	Theorem 7 (Equivalence of death conditions)	101
12.169	Theorem on Phase Transition	101
12.170	Theorem on Impossibility of Degradational Evolution	101
12.171	Theorem 9 (No “backward” dimensional reduction for a living continuum) .	102
12.172	Evidence Summary	102
12.173	Theorem and Proof Registry	102
12.174	1. T133-K0-RES: K0 resolution-relative distinguishability theorem	102
12.175	2. T133-OMEGA-STATUS: Typed liveness, death, residue, and rebirth... . .	103
12.176	3. T133-K-ZERO: Continuumness zero obstruction theorem	103
12.177	4. T133-BOUNDARY: Metric-threshold boundary specialization theorem . .	103
12.178	5. T133-HYBRID: Typed update and chart-labelled operator semantics the- orem	103
12.179	6. T133-DIM: Historical axis and effective-rank compatibility theorem	104

12.180	7. T133-CYCLE: Live-status cycle-mode requirement theorem	104
12.181	8. T133-ID: Identity, residue, and rebirth evidence-classification theorem . . .	104
12.182	9. T133-MIN: Declared semantic-verdict component independence theorem .	104
12.183	Does OC actually explain operators in non-smooth proof and rewrite domains?	105
12.184	Does OC actually explain theory change as live claim/evidence update? . . .	105
12.185	Theorem	105
12.186	Master Monograph Appendix: Boundary Representation Theorem	105
12.187	Boundary Representation Theorem	105
12.188	Master Monograph Appendix: Verdict Invariant Minimality Full Proof . . .	106
12.189	OC 1.3.3 Verdict-Invariant Minimality Full Proof	106
12.190	FM-T133-HYBRID-PROOF-UPDATE-POS	106
12.191	FM-T133-HYBRID-PROOF-UPDATE-NEG	106
12.192	FM-T133-HYBRID-PROOF-NO-RULE-NEG	106
12.193	Appendix/OC_1_3_3_BOUNDARY_REPRESENTATION_THEOREM.tex	107
12.194	Appendix/OC_1_3_3_VERDICT_INVARIANT_MINIMALITY_FULL_PROOF.tex	107
12.195	Evidence Inputs and Outputs	107
12.196	Evidence Reading Examples	107
12.197	Proof Machinery Appendix	108
12.198	Alternative-model competition matrix	108
12.199	Boundary Representation Theorem	108
12.200	Theorem	108
12.201	Proof	108
12.202	OC 1.3.3 Verdict-Invariant Minimality Full Proof	109
12.203	Load-bearing proof obligations	109
12.204	Closure priority board	109
12.205	Definitions Before Evidence IDs	109
12.206	Evidence	109
12.207	Results and Evidence Interpretation	110
12.208	(F9.15) Inability to integrate cross-domain evidence	110
12.209	What prior science could do, what remained fragmented, and what OC closes	110
13	Source Trace	110

1 Reader Orientation and Claim Boundaries

1.1 Reader Contract

Reader Contract is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Reader Contract. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Reader Contract to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Reader Contract states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Reader Contract synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

1.2 Intended Audiences and Reading Paths

Intended Audiences and Reading Paths is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Intended Audiences and Reading Paths. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Intended Audiences and Reading Paths to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited

proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Intended Audiences and Reading Paths states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Intended Audiences and Reading Paths synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

1.3 What OC Core Claims

What OC Core Claims is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for What OC Core Claims. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

What OC Core Claims to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

What OC Core Claims states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

What OC Core Claims synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

1.4 What OC Core Does Not Claim

What OC Core Does Not Claim is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for What OC Core Does Not Claim. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

What OC Core Does Not Claim to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

What OC Core Does Not Claim states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

What OC Core Does Not Claim synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

1.5 Release Scope vs Full Science Program

Release Scope vs Full Science Program is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Release Scope vs Full Science Program. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Release Scope vs Full Science Program to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only

becomes reviewable when its boundary, falsifier, and negative side are visible.

Release Scope vs Full Science Program states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Release Scope vs Full Science Program synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

1.6 Claim Promotion, Demotion, and Background Obligations

Claim Promotion, Demotion, and Background Obligations is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Claim Promotion, Demotion, and Background Obligations. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Claim Promotion, Demotion, and Background Obligations to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Claim Promotion, Demotion, and Background Obligations states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Claim Promotion, Demotion, and Background Obligations synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next

obligation begins by defining the next object before asking the reader to accept claims about it.

2 The Continuum Problem

2.1 The Continuum Problem

The Continuum Problem is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for The Continuum Problem. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

The Continuum Problem to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

The Continuum Problem states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

The Continuum Problem synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

2.2 The Problem of Liveness and Death

The Problem of Liveness and Death is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for The Problem of Liveness and Death. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

The Problem of Liveness and Death to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical

computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

The Problem of Liveness and Death states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

The Problem of Liveness and Death synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

2.3 The Problem of Identity Through Change

The Problem of Identity Through Change is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for The Problem of Identity Through Change. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

The Problem of Identity Through Change to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

The Problem of Identity Through Change states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

The Problem of Identity Through Change synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws

on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

2.4 The Problem of Boundaries

The Problem of Boundaries is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for The Problem of Boundaries. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

The Problem of Boundaries to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

The Problem of Boundaries states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

The Problem of Boundaries synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

2.5 The Problem of Cross-Domain Formalization

The Problem of Cross-Domain Formalization is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for The Problem of Cross-Domain Formalization. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

The Problem of Cross-Domain Formalization to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to

proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

The Problem of Cross-Domain Formalization states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

The Problem of Cross-Domain Formalization synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

2.6 Why Existing Frameworks Are Not Enough

Why Existing Frameworks Are Not Enough is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Why Existing Frameworks Are Not Enough. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Why Existing Frameworks Are Not Enough to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Why Existing Frameworks Are Not Enough states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Why Existing Frameworks Are Not Enough synthesizes the local route for the reader. It states

what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

2.7 Requirements for a Scientific Core Model

Requirements for a Scientific Core Model is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Requirements for a Scientific Core Model. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Requirements for a Scientific Core Model to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Requirements for a Scientific Core Model states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Requirements for a Scientific Core Model synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

3 Systems-Theory Context

3.1 General Systems Theory

General Systems Theory is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for General Systems Theory. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or

universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

General Systems Theory to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

General Systems Theory states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

General Systems Theory synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

3.2 Autopoiesis and Organizational Closure

Autopoiesis and Organizational Closure is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Autopoiesis and Organizational Closure. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Autopoiesis and Organizational Closure to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Autopoiesis and Organizational Closure states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research.

Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Autopoiesis and Organizational Closure synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

3.3 Dynamical Systems and Control Theory

Dynamical Systems and Control Theory is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Dynamical Systems and Control Theory. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Dynamical Systems and Control Theory to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Dynamical Systems and Control Theory states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Dynamical Systems and Control Theory synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

3.4 Category, Topos, and Formal-Ontology Approaches

Category, Topos, and Formal-Ontology Approaches is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Category, Topos, and Formal-Ontology Approaches. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or

comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Category, Topos, and Formal-Ontology Approaches to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Category, Topos, and Formal-Ontology Approaches states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Category, Topos, and Formal-Ontology Approaches synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

3.5 RAF Theory and Origin-of-Life Formalisms

RAF Theory and Origin-of-Life Formalisms is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for RAF Theory and Origin-of-Life Formalisms. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

RAF Theory and Origin-of-Life Formalisms to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

RAF Theory and Origin-of-Life Formalisms states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried

by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

RAF Theory and Origin-of-Life Formalisms synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

3.6 Complexity, Information, and Emergence Measures

Complexity, Information, and Emergence Measures is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Complexity, Information, and Emergence Measures. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Complexity, Information, and Emergence Measures to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Complexity, Information, and Emergence Measures states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Complexity, Information, and Emergence Measures synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

3.7 Causality and Identity Theories

Causality and Identity Theories is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model`

route for Causality and Identity Theories. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Causality and Identity Theories to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Causality and Identity Theories states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Causality and Identity Theories synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

3.8 Systems Engineering and Institutional Models

Systems Engineering and Institutional Models is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Systems Engineering and Institutional Models. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Systems Engineering and Institutional Models to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Systems Engineering and Institutional Models states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to over-

state scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Systems Engineering and Institutional Models synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

3.9 Comparator Method and Positioning Map

Comparator Method and Positioning Map is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Comparator Method and Positioning Map. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Comparator Method and Positioning Map to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Comparator Method and Positioning Map states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Comparator Method and Positioning Map synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

4 Claim Taxonomy and Promotion Rules

4.1 Claim Classes

Claim Classes is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Claim Classes. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Claim Classes to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Claim Classes states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Claim Classes synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

4.2 Formal Proof Standard

Formal Proof Standard is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Formal Proof Standard. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Formal Proof Standard to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data;

otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Formal Proof Standard states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Formal Proof Standard synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

4.3 Executable Semantics Standard

Executable Semantics Standard is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the definition_model route for Executable Semantics Standard. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Executable Semantics Standard to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Executable Semantics Standard states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Executable Semantics Standard synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

4.4 Empirical Evidence Standard

Empirical Evidence Standard is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Empirical Evidence Standard. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Empirical Evidence Standard to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Empirical Evidence Standard states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Empirical Evidence Standard synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

4.5 Simulation and Counterexample Standard

Simulation and Counterexample Standard is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Simulation and Counterexample Standard. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Simulation and Counterexample Standard to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support

route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Simulation and Counterexample Standard states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Simulation and Counterexample Standard synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

4.6 Negative Controls and Falsifiers

Negative Controls and Falsifiers is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Negative Controls and Falsifiers. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Negative Controls and Falsifiers to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Negative Controls and Falsifiers states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Negative Controls and Falsifiers synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

4.7 Source, Artifact, and Traceability Standard

Source, Artifact, and Traceability Standard is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Source, Artifact, and Traceability Standard. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Source, Artifact, and Traceability Standard to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Source, Artifact, and Traceability Standard states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Source, Artifact, and Traceability Standard synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

4.8 Editorial and Reviewer Evidence Standard

Editorial and Reviewer Evidence Standard is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Editorial and Reviewer Evidence Standard. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Editorial and Reviewer Evidence Standard to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only

through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Editorial and Reviewer Evidence Standard states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Editorial and Reviewer Evidence Standard synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

5 The Core OC Tuple

5.1 The Core OC Tuple

The Core OC Tuple is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for The Core OC Tuple. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

The Core OC Tuple to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

The Core OC Tuple states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

The Core OC Tuple synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local

results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

5.2 Well-Formed Continua

Well-Formed Continua is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Well-Formed Continua. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Well-Formed Continua to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Well-Formed Continua states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Well-Formed Continua synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

5.3 Continuumness Functionals

Continuumness Functionals is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Continuumness Functionals. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Continuumness Functionals to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics;

exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Continuumness Functionals states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Continuumness Functionals synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

5.4 Live Realizations

Live Realizations is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Live Realizations. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Live Realizations to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Live Realizations states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Live Realizations synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next

object before asking the reader to accept claims about it.

5.5 Lawful Transitions

Lawful Transitions is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Lawful Transitions. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Lawful Transitions to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Lawful Transitions states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Lawful Transitions synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

5.6 Generalized Boundaries

Generalized Boundaries is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Generalized Boundaries. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Generalized Boundaries to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted

only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Generalized Boundaries states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Generalized Boundaries synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

5.7 Internal and External Relations

Internal and External Relations is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Internal and External Relations. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Internal and External Relations to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Internal and External Relations states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Internal and External Relations synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

5.8 Foundation-Level Assumptions

Foundation-Level Assumptions is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Foundation-Level Assumptions. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Foundation-Level Assumptions to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Foundation-Level Assumptions states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Foundation-Level Assumptions synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

5.9 Formal Limits of the Core Model

Formal Limits of the Core Model is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Formal Limits of the Core Model. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Formal Limits of the Core Model to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only

becomes reviewable when its boundary, falsifier, and negative side are visible.

Formal Limits of the Core Model states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Formal Limits of the Core Model synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

6 Theorem Inventory and Proof Route

6.1 Theorem Inventory

Theorem Inventory is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Theorem Inventory. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Theorem Inventory to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Theorem Inventory states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Theorem Inventory synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

6.2 Dependency Graph

Dependency Graph is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Dependency Graph. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Dependency Graph to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Dependency Graph states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Dependency Graph synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

6.3 Core Foundation Theorems

Core Foundation Theorems is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Core Foundation Theorems. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Core Foundation Theorems to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only

becomes reviewable when its boundary, falsifier, and negative side are visible.

Core Foundation Theorems states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Core Foundation Theorems synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

6.4 Boundary Theorems

Boundary Theorems is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Boundary Theorems. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Boundary Theorems to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Boundary Theorems states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Boundary Theorems synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

6.5 Identity and Rebirth Theorems

Identity and Rebirth Theorems is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Identity and Rebirth Theorems. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Identity and Rebirth Theorems to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Identity and Rebirth Theorems states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Identity and Rebirth Theorems synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

6.6 K-Level Theorems

K-Level Theorems is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for K-Level Theorems. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

K-Level Theorems to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable

when its boundary, falsifier, and negative side are visible.

K-Level Theorems states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

K-Level Theorems synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

6.7 Minimality and Independence Results

Minimality and Independence Results is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Minimality and Independence Results. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Minimality and Independence Results to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Minimality and Independence Results states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Minimality and Independence Results synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

6.8 Counterexample Boundaries

Counterexample Boundaries is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Counterexample Boundaries. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Counterexample Boundaries to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Counterexample Boundaries states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Counterexample Boundaries synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

6.9 Proof Closure Summary

Proof Closure Summary is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Proof Closure Summary. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Proof Closure Summary to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only

becomes reviewable when its boundary, falsifier, and negative side are visible.

Proof Closure Summary states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Proof Closure Summary synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

7 Formalization Strategy

7.1 Formalization Strategy

Formalization Strategy is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Formalization Strategy. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Formalization Strategy to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Formalization Strategy states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Formalization Strategy synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

7.2 Lean/Lake Subset

Lean/Lake Subset is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Lean/Lake Subset. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Lean/Lake Subset to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Lean/Lake Subset states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Lean/Lake Subset synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

7.3 Typed Structures in Lean

Typed Structures in Lean is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Typed Structures in Lean. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Typed Structures in Lean to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only

becomes reviewable when its boundary, falsifier, and negative side are visible.

Typed Structures in Lean states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Typed Structures in Lean synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

7.4 Machine-Checked Theorem Subset

Machine-Checked Theorem Subset is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the definition `_model route` for Machine-Checked Theorem Subset. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Machine-Checked Theorem Subset to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Machine-Checked Theorem Subset states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Machine-Checked Theorem Subset synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

7.5 Finite Model Semantics

Finite Model Semantics is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Finite Model Semantics. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Finite Model Semantics to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Finite Model Semantics states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Finite Model Semantics synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

7.6 Witness Cases

Witness Cases is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Witness Cases. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Witness Cases to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable

when its boundary, falsifier, and negative side are visible.

Witness Cases states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Witness Cases synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

7.7 Tamper and Negative Controls

Tamper and Negative Controls is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the definition `_model` route for Tamper and Negative Controls. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Tamper and Negative Controls to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Tamper and Negative Controls states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Tamper and Negative Controls synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

7.8 Limits of the Formalized Subset

Limits of the Formalized Subset is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Limits of the Formalized Subset. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Limits of the Formalized Subset to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Limits of the Formalized Subset states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Limits of the Formalized Subset synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

8 Evidence Ledger and Source Trace

8.1 Evidence Ledger

Evidence Ledger is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Evidence Ledger. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Evidence Ledger to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted

only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Evidence Ledger states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Evidence Ledger synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

8.2 Mathematics Anchor

Mathematics Anchor is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Mathematics Anchor. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Mathematics Anchor to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Mathematics Anchor states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Mathematics Anchor synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

8.3 Physics Evidence Lane

Physics Evidence Lane is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Physics Evidence Lane. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Physics Evidence Lane to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Physics Evidence Lane states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Physics Evidence Lane synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

8.4 Chemistry Evidence Lane

Chemistry Evidence Lane is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Chemistry Evidence Lane. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Chemistry Evidence Lane to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only

becomes reviewable when its boundary, falsifier, and negative side are visible.

Chemistry Evidence Lane states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Chemistry Evidence Lane synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

8.5 Biology Evidence Lane

Biology Evidence Lane is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Biology Evidence Lane. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Biology Evidence Lane to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Biology Evidence Lane states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Biology Evidence Lane synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

8.6 Systems and Civilizational Evidence Lane

Systems and Civilizational Evidence Lane is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Systems and Civilizational Evidence Lane. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Systems and Civilizational Evidence Lane to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Systems and Civilizational Evidence Lane states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Systems and Civilizational Evidence Lane synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

8.7 Simulations

Simulations is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Simulations. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Simulations to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; oth-

erwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Simulations states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Simulations synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

8.8 Adversarial Simulations

Adversarial Simulations is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Adversarial Simulations. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Adversarial Simulations to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Adversarial Simulations states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Adversarial Simulations synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

8.9 Target-Blind and Held-Out Evidence

Target-Blind and Held-Out Evidence is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Target-Blind and Held-Out Evidence. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Target-Blind and Held-Out Evidence to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Target-Blind and Held-Out Evidence states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Target-Blind and Held-Out Evidence synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

8.10 Evidence Promotion Boundaries

Evidence Promotion Boundaries is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Evidence Promotion Boundaries. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Evidence Promotion Boundaries to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited

proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Evidence Promotion Boundaries states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Evidence Promotion Boundaries synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

9 Falsifiers and Negative Controls

9.1 Falsifier Registry

Falsifier Registry is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Falsifier Registry. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Falsifier Registry to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Falsifier Registry states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Falsifier Registry synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next

object before asking the reader to accept claims about it.

9.2 Counterexample Search

Counterexample Search is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Counterexample Search. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Counterexample Search to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Counterexample Search states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Counterexample Search synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

9.3 Known Failure Modes

Known Failure Modes is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Known Failure Modes. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Known Failure Modes to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only

as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Known Failure Modes states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Known Failure Modes synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

9.4 Unsupported Strong Claims

Unsupported Strong Claims is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Unsupported Strong Claims. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Unsupported Strong Claims to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Unsupported Strong Claims states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Unsupported Strong Claims synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

9.5 Demotion Rules

Demotion Rules is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Demotion Rules. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Demotion Rules to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Demotion Rules states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Demotion Rules synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

9.6 Residual Scientific Risks

Residual Scientific Risks is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Residual Scientific Risks. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Residual Scientific Risks to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only

becomes reviewable when its boundary, falsifier, and negative side are visible.

Residual Scientific Risks states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Residual Scientific Risks synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

9.7 Full-Science Background Obligations

Full-Science Background Obligations is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Full-Science Background Obligations. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Full-Science Background Obligations to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Full-Science Background Obligations states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Full-Science Background Obligations synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

10 Novelty and Prior-Art Boundary

10.1 Novelty Criteria

Novelty Criteria is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Novelty Criteria. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Novelty Criteria to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Novelty Criteria states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Novelty Criteria synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

10.2 Non-Equivalence Criteria

Non-Equivalence Criteria is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Non-Equivalence Criteria. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Non-Equivalence Criteria to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited

proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Non-Equivalence Criteria states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Non-Equivalence Criteria synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

10.3 Overlap With Prior Art

Overlap With Prior Art is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Overlap With Prior Art. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Overlap With Prior Art to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Overlap With Prior Art states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Overlap With Prior Art synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

10.4 Residual-Delta Analysis

Residual-Delta Analysis is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Residual-Delta Analysis. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Residual-Delta Analysis to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Residual-Delta Analysis states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Residual-Delta Analysis synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

10.5 Competitor-by-Competitor Comparison

Competitor-by-Competitor Comparison is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Competitor-by-Competitor Comparison. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Competitor-by-Competitor Comparison to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support

route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Competitor-by-Competitor Comparison states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Competitor-by-Competitor Comparison synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

10.6 Response to “This Is Just Another Theory”

Response to “This Is Just Another Theory” is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Response to “This Is Just Another Theory”. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Response to “This Is Just Another Theory” to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Response to “This Is Just Another Theory” states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Response to “This Is Just Another Theory” synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

10.7 Positioning of OC Core

Positioning of OC Core is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Positioning of OC Core. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Positioning of OC Core to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Positioning of OC Core states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Positioning of OC Core synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

11 Release Synthesis

11.1 What the Target Release Establishes

What the Target Release Establishes is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for What target release Establishes. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

What the Target Release Establishes to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is

promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

What the Target Release Establishes states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

What the Target Release Establishes synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

11.2 Scientific Contribution

Scientific Contribution is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Scientific Contribution. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Scientific Contribution to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Scientific Contribution states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Scientific Contribution synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next

object before asking the reader to accept claims about it.

11.3 What Remains Open

What Remains Open is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for What Remains Open. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

What Remains Open to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

What Remains Open states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

What Remains Open synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

11.4 Research Roadmap

Research Roadmap is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Research Roadmap. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Research Roadmap to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only

as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Research Roadmap states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Research Roadmap synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

11.5 Relation to Future Releases

Relation to Future Releases is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Relation to Future Releases. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Relation to Future Releases to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Relation to Future Releases states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Relation to Future Releases synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

11.6 Practical Use by Scientists and Institutions

Practical Use by Scientists and Institutions is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Practical Use by Scientists and Institutions. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Practical Use by Scientists and Institutions to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; otherwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Practical Use by Scientists and Institutions states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Practical Use by Scientists and Institutions synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

11.7 Final Synthesis

Final Synthesis is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to fill one future paragraph that completes the `definition_model` route for Final Synthesis. The paragraph draws on formal model and foundation and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: may define model terms and scope; may not promote empirical or universal claims without later proof/evidence slots. With the object named, the next move is to expose the support route instead of relying on assertion.

Final Synthesis to proof, evidence, or replay carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses empirical computational evidence, formal model and foundation, machine checked and finite semantics; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: may support promoted claims only through cited proof/data; oth-

erwise marks the claim as partial, planned, or missing. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

Final Synthesis states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by empirical computational evidence, review attack response and limits. The governing boundary is: must prevent overclaiming and must route unsupported strength to limits or background research. Once the boundary is explicit, the manuscript may synthesize the local consequence without inflating it.

Final Synthesis synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on reproducibility governance and artifacts, review attack response and limits but does not add new scientific strength beyond the evidence already named. The boundary remains: may synthesize established local results but must not add new unsupported claims. The next obligation begins by defining the next object before asking the reader to accept claims about it.

12 Document Boundary

12.1 Core theorem route and scope

Core theorem route and scope carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.2 Theorem fate and scope discipline

Theorem fate and scope discipline carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.3 Ontological Structure of the Model

Ontological Structure of the Model is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for Ontological Structure of the Model. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.4 Theorem 1: Monotonicity of dimensionality

Theorem 1: Monotonicity of dimensionality carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.5 Theorem 2: Impossibility of spontaneous dimension creation

Theorem 2: Impossibility of spontaneous dimension creation carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.6 Theorem 3: Death through boundary and embedding collapse

Theorem 3: Death through boundary and embedding collapse carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.7 Theorem 9: Death as loss of cycles

Theorem 9: Death as loss of cycles carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.8 Theorem 11: Threshold-expressivity incompatibility

Theorem 11: Threshold-expressivity incompatibility carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.9 Patch Model of Boundaries

Patch Model of Boundaries is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for Patch Model of Boundaries. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.10 Worked Example 1: collapse, residue, and rebirth in a minimal admissible-state model

Worked Example 1: collapse, residue, and rebirth in a minimal admissible-state model is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for Worked Example 1: collapse, residue, and rebirth in a minimal admissible-state model. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.11 Alternative-model competition

Alternative-model competition is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for Alternative-model competition. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.12 Theorem

Theorem carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.13 Proof

Proof carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims

without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.14 Internal models

Internal models is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for Internal models. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.15 Type~IV Experiments: Internal Models and Coherence Testing

Type~IV Experiments: Internal Models and Coherence Testing is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for Type~IV Experiments: Internal Models and Coherence Testing. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.16 Type~III Experiments: Meta-Model Dynamics and Explanatory Power

Type~III Experiments: Meta-Model Dynamics and Explanatory Power is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for Type~III Experiments: Meta-Model Dynamics and Explanatory Power. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.17 (F10.27) Meta-model cycle collapse

(F10.27) Meta-model cycle collapse is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for (F10.27) Meta-model cycle collapse. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.18 (F6.14) Negative model confidence

(F6.14) Negative model confidence is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for (F6.14) Negative model confidence. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is

conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.19 (F6.33) Broken model cycle

(F6.33) Broken model cycle is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for (F6.33) Broken model cycle. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.20 (F6.42) Model-collapse at birth

(F6.42) Model-collapse at birth is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for (F6.42) Model-collapse at birth. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.21 (F9.28) Breakdown of the model cycle

(F9.28) Breakdown of the model cycle is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for (F9.28) Breakdown of the model cycle. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.22 (F9.36) No emergence of formal models

(F9.36) No emergence of formal models is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for (F9.36) No emergence of formal models. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.23 Serious model families

Serious model families is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for Serious model families. The paragraph draws on historical toc recovery and states the local vocabulary before any proof,

replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.24 Jets of Meta-Modelling Operators F

Jets of Meta-Modelling Operators F is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for Jets of Meta-Modelling Operators F. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.25 Jets of Categories of Models C

Jets of Categories of Models C is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for Jets of Categories of Models C. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.26 Patch Model Jets and Local Instabilities

Patch Model Jets and Local Instabilities is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for Patch Model Jets and Local Instabilities. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.27 Jets of Model Spaces M

Jets of Model Spaces M is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for Jets of Model Spaces M. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.28 Role of kk-Level Structure in the Core Model

Role of kk-Level Structure in the Core Model is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route

for Role of kk-Level Structure in the Core Model. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.29 Proto-Representation and Internal Modelling Processes

Proto-Representation and Internal Modelling Processes is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for Proto-Representation and Internal Modelling Processes. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.30 Model Building and Theorisation Processes

Model Building and Theorisation Processes is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for Model Building and Theorisation Processes. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.31 Theorem on Birth of a New Dimension via ()

Theorem on Birth of a New Dimension via () carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.32 Theorem 6 (Birth of a new dimension)

Theorem 6 (Birth of a new dimension) carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.33 Theorem 9 (No “backward” dimensional reduction for a living continuum)

Theorem 9 (No “backward” dimensional reduction for a living continuum) carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.34 Theorem 4: Impossibility of evolution outside the embedding space

Theorem 4: Impossibility of evolution outside the embedding space carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.35 Theorem 5: Necessity and sufficiency of compatibility with MM

Theorem 5: Necessity and sufficiency of compatibility with MM carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.36 Theorem 6: Structural tension and phase transitions

Theorem 6: Structural tension and phase transitions carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.37 Theorem 7: Universal law of complexity growth

Theorem 7: Universal law of complexity growth carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source

route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.38 Theorem 8: Impossibility of eternal stabilisation

Theorem 8: Impossibility of eternal stabilisation carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.39 Theorem 10: Monotonic growth of embedding spaces

Theorem 10: Monotonic growth of embedding spaces carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.40 Theorem 12: Incompleteness of embedding spaces

Theorem 12: Incompleteness of embedding spaces carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.41 Proof-bearing and nonclaim layers

Proof-bearing and nonclaim layers carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.42 Theorem Roadmap and Proof Navigation

Theorem Roadmap and Proof Navigation carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support

is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.43 Load-bearing theorem spine

Load-bearing theorem spine carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.44 Theorem fate correction after external review

Theorem fate correction after external review carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.45 Proof Machinery, Revision Law, Competition, and Compression

Proof Machinery, Revision Law, Competition, and Compression carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.46 (F11.10) Failure of global coherence theorems

(F11.10) Failure of global coherence theorems carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.47 Proof obligations

Proof obligations carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes

stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.48 Promoted theorem-native claim

Promoted theorem-native claim carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.49 Proof Construction, Verification, and Proof-Flows

Proof Construction, Verification, and Proof-Flows carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.50 Inference, Deduction, and Proof Processes

Inference, Deduction, and Proof Processes carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.51 Master Theorems of Core 1.2

Master Theorems of Core 1.2 carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.52 Representability Theorems for Levels (K_2)K_2, (K_4)K_4, (K_8)K_8

Representability Theorems for Levels (K_2)K_2, (K_4)K_4, (K_8)K_8 carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose

to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.53 Theorem 1 (Representability of (K₂)K₂)

Theorem 1 (Representability of (K₂)K₂) carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.54 Theorem 2 (Representability of (K₄)K₄)

Theorem 2 (Representability of (K₄)K₄) carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.55 Theorem 3 (Representability of (K₈)K₈)

Theorem 3 (Representability of (K₈)K₈) carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.56 Compatibility Theorem (K M)K M

Compatibility Theorem (K M)K M carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.57 Theorem 4 (Necessary and sufficient conditions for compatibility (K M)K M)

Theorem 4 (Necessary and sufficient conditions for compatibility (K M)K M) carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.58 Theorem on Impossibility of Evolution Outside (M)M

Theorem on Impossibility of Evolution Outside (M)M carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.59 Theorem 5 (Impossibility of evolution outside the meta-domain)

Theorem 5 (Impossibility of evolution outside the meta-domain) carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.60 Theorem on Death of a Continuum

Theorem on Death of a Continuum carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.61 Theorem 7 (Equivalence of death conditions)

Theorem 7 (Equivalence of death conditions) carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source

route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.62 Theorem on Phase Transition

Theorem on Phase Transition carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.63 Theorem on Impossibility of Degradational Evolution

Theorem on Impossibility of Degradational Evolution carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.64 Source Witnessing, Theorem Fate, and Publication Boundary

Source Witnessing, Theorem Fate, and Publication Boundary carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.65 Executable Finite-Model Evidence

Executable Finite-Model Evidence carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.66 Prediction and theorem evidence boundaries

Prediction and theorem evidence boundaries carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support

is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.67 Hybrid-Escalation Evidence Bar and Execution Protocols

Hybrid-Escalation Evidence Bar and Execution Protocols carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.68 Global evidence bar

Global evidence bar carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.69 (P10.3) Proof-Flow Emergence

(P10.3) Proof-Flow Emergence carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.70 P4: Predictions for Proof/Computation Flows J¹⁰

P4: Predictions for Proof/Computation Flows J¹⁰ carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.71 (P10.12) Proof Flows Have Attractor Structure

(P10.12) Proof Flows Have Attractor Structure carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery;

exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.72 P1: Predictions About the Birth of Model-Spaces

P1: Predictions About the Birth of Model-Spaces carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.73 (P11.2) Model-Space Dimensional Trigger

(P11.2) Model-Space Dimensional Trigger carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.74 (P11.5) Universal Axes of Model-Spaces

(P11.5) Universal Axes of Model-Spaces carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.75 (P11.6) Existence of Model-Topologies

(P11.6) Existence of Model-Topologies carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.76 (P11.17) The Model-Theoretic Cycle

(P11.17) The Model-Theoretic Cycle carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material,

comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.77 (P11.21) Model-Space Fragmentation Reduces $k(K_{11})$

(P11.21) Model-Space Fragmentation Reduces $k(K_{11})$ carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.78 (P12.1) Dynamization Threshold of Model-Spaces

(P12.1) Dynamization Threshold of Model-Spaces carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.79 (P12.24) Fragmentation of Model-Dynamics Reduces $k(K_{12})$

(P12.24) Fragmentation of Model-Dynamics Reduces $k(K_{12})$ carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.80 (P12.26) No Stable Termination of Model-Dynamics

(P12.26) No Stable Termination of Model-Dynamics carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.81 (P9.12) Proof-like Flows Are Emergent

(P9.12) Proof-like Flows Are Emergent carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.82 (P9.26) Birth of Proof-Flow Attractors

(P9.26) Birth of Proof-Flow Attractors carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.83 Target-Blind Numeric Evidence

Target-Blind Numeric Evidence carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.84 OC 1.3.3 Comparator and Novelty Matrix

OC 1.3.3 Comparator and Novelty Matrix is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for OC 1.3.3 Comparator and Novelty Matrix. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.85 Prior-Art Interpretation for Article Readers

Prior-Art Interpretation for Article Readers is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for Prior-Art Interpretation for Article Readers. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.86 Prior-Art Comparator and Novelty Boundary

Prior-Art Comparator and Novelty Boundary is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for Prior-Art Comparator and Novelty Boundary. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.87 Prior-Art and Literature Position

Prior-Art and Literature Position is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for Prior-Art and Literature Position. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.88 Master Monograph Appendix: Comparator And Novelty Matrix

Master Monograph Appendix: Comparator And Novelty Matrix is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for Master Monograph Appendix: Comparator And Novelty Matrix. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.89 OC133-NOVELTY-001

OC133-NOVELTY-001 is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for OC133-NOVELTY-001. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.90 Appendix/OC_1_3_3_COMPARATOR_AND_NOVELTY_MATRIX.tex

Appendix/OC_1_3_3_COMPARATOR_AND_NOVELTY_MATRIX.tex is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for appendix/OC_1_3_3_COMPARATOR_AND_NOVELTY_MATRIX.tex. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.91 Reviewer challenge 7: Prior Art Positioning

Reviewer challenge 7: Prior Art Positioning states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.92 Prior-Art Historian

Prior-Art Historian is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for Prior-Art Historian. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.93 Worked Attack Transcript C: Prior-Art Surface

Worked Attack Transcript C: Prior-Art Surface states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.94 Reviewer challenge 6: Phenomenon Coverage Model Card

Reviewer challenge 6: Phenomenon Coverage Model Card states what would make the local claim weaker, false, incomplete, or research-only. The release cannot use the presence of evidence as permission to overstate scope. It must name the falsifier, negative control, reviewer objection, or residual risk carried by historical toc recovery. The governing boundary is: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.95 Practical Utility and Model Comparison Atlas

Practical Utility and Model Comparison Atlas is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for Practical Utility and Model Comparison Atlas. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.96 Serious model comparison matrix

Serious model comparison matrix is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for Serious model comparison matrix. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.97 Serious model comparison trace matrix

Serious model comparison trace matrix is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for Serious model comparison trace matrix. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.98 10. T133-KLEVEL: Declared adjacent K-level atlas/evaluator consistency theorem

10. T133-KLEVEL: Declared adjacent K-level atlas/evaluator consistency theorem carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.99 Reviewer challenge 1: Theorem Proof Binding

Reviewer challenge 1: Theorem Proof Binding carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.100 Reviewer challenge 2: Theorem Public Surface Binding

Reviewer challenge 2: Theorem Public Surface Binding carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure

and source route; it does not promote stronger claims without current evidence. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

12.101 Attack Family 5: Public Wording Outruns Evidence

Attack Family 5: Public Wording Outruns Evidence carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

12.102 Evidence-to-Wording Calibration

Evidence-to-Wording Calibration carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

12.103 Claim-Family Evidence Recipes

Claim-Family Evidence Recipes carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

12.104 Worked Attack Transcript A: Theorem Surface

Worked Attack Transcript A: Theorem Surface carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

12.105 Proof Machinery Appendix

Proof Machinery Appendix carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as

this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.106 Alternative-model competition matrix

Alternative-model competition matrix synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.107 Load-bearing proof tasks

Load-bearing proof tasks carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.108 Closure priority board

Closure priority board synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.109 Ontological Structure of the Model

Ontological Structure of the Model synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.110 Theorem (global verdict-invariant minimality)

Theorem (global verdict-invariant minimality) carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source

route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.111 Proof

Proof carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.112 Theorem 1: Monotonicity of dimensionality

Theorem 1: Monotonicity of dimensionality carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.113 Theorem 2: Impossibility of spontaneous dimension creation

Theorem 2: Impossibility of spontaneous dimension creation carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.114 Theorem 3: Death through boundary and embedding collapse

Theorem 3: Death through boundary and embedding collapse carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.115 Theorem 4: Impossibility of evolution outside the embedding space

Theorem 4: Impossibility of evolution outside the embedding space carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains

readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.116 Theorem 5: Necessity and sufficiency of compatibility with MM

Theorem 5: Necessity and sufficiency of compatibility with MM carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.117 Theorem 6: Structural tension and phase transitions

Theorem 6: Structural tension and phase transitions carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.118 Theorem 7: Universal law of complexity growth

Theorem 7: Universal law of complexity growth carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.119 Theorem 8: Impossibility of eternal stabilisation

Theorem 8: Impossibility of eternal stabilisation carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.120 Theorem 9: Death as loss of cycles

Theorem 9: Death as loss of cycles carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths

and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.121 Theorem 10: Monotonic growth of embedding spaces

Theorem 10: Monotonic growth of embedding spaces carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.122 Theorem 11: Threshold-expressivity incompatibility

Theorem 11: Threshold-expressivity incompatibility carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.123 Theorem 12: Incompleteness of embedding spaces

Theorem 12: Incompleteness of embedding spaces carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.124 Patch Model of Boundaries

Patch Model of Boundaries synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.125 Proof-bearing and nonclaim layers

Proof-bearing and nonclaim layers carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths

and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.126 Theorem Roadmap and Proof Navigation

Theorem Roadmap and Proof Navigation carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.127 Load-bearing theorem spine

Load-bearing theorem spine carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.128 Theorem fate correction after external review

Theorem fate correction after external review carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.129 Worked Example 1: collapse, residue, and rebirth in a minimal admissible-state model

Worked Example 1: collapse, residue, and rebirth in a minimal admissible-state model synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.130 Proof Machinery, Revision Law, Competition, and Compression

Proof Machinery, Revision Law, Competition, and Compression carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.131 Alternative-model competition

Alternative-model competition synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.132 Internal models

Internal models synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.133 Type~IV Experiments: Internal Models and Coherence Testing

Type~IV Experiments: Internal Models and Coherence Testing synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.134 Type~III Experiments: Meta-Model Dynamics and Explanatory Power

Type~III Experiments: Meta-Model Dynamics and Explanatory Power synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.135 (F10.27) Meta-model cycle collapse

(F10.27) Meta-model cycle collapse synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on

historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.136 (F11.10) Failure of global coherence theorems

(F11.10) Failure of global coherence theorems carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

12.137 (F6.14) Negative model confidence

(F6.14) Negative model confidence synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.138 (F6.33) Broken model cycle

(F6.33) Broken model cycle synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.139 (F6.42) Model-collapse at birth

(F6.42) Model-collapse at birth synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.140 (F9.15) Inability to integrate cross-domain evidence

(F9.15) Inability to integrate cross-domain evidence carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure

and source route; it does not promote stronger claims without current evidence. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

12.141 (F9.28) Breakdown of the model cycle

(F9.28) Breakdown of the model cycle synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.142 (F9.36) No emergence of formal models

(F9.36) No emergence of formal models synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.143 Serious model families

Serious model families synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.144 What prior science could do, what remained fragmented, and what OC closes

What prior science could do, what remained fragmented, and what OC closes synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.145 Proof obligations

Proof obligations carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.146 Promoted theorem-native claim

Promoted theorem-native claim carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.147 Jets of Meta-Modelling Operators F

Jets of Meta-Modelling Operators F synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.148 Jets of Categories of Models C

Jets of Categories of Models C synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.149 Patch Model Jets and Local Instabilities

Patch Model Jets and Local Instabilities synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.150 Jets of Model Spaces M

Jets of Model Spaces M synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.151 Role of kk-Level Structure in the Core Model

Role of kk-Level Structure in the Core Model synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis

draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.152 Proof Construction, Verification, and Proof-Flows

Proof Construction, Verification, and Proof-Flows carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.153 Proto-Representation and Internal Modelling Processes

Proto-Representation and Internal Modelling Processes synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.154 Model Building and Theorisation Processes

Model Building and Theorisation Processes synthesizes the local route for the reader. It states what has been established, what remains bounded, and why the next section follows. The synthesis draws on historical toc recovery but does not add new scientific strength beyond the evidence already named. The boundary remains: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.155 Inference, Deduction, and Proof Processes

Inference, Deduction, and Proof Processes carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.156 Master Theorems of Core 1.2

Master Theorems of Core 1.2 carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only

as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.157 Representability Theorems for Levels (K_2)K_2, (K_4)K_4, (K_8)K_8

Representability Theorems for Levels (K_2)K_2, (K_4)K_4, (K_8)K_8 carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.158 Theorem 1 (Representability of (K_2)K_2)

Theorem 1 (Representability of (K_2)K_2) carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.159 Theorem 2 (Representability of (K_4)K_4)

Theorem 2 (Representability of (K_4)K_4) carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.160 Theorem 3 (Representability of (K_8)K_8)

Theorem 3 (Representability of (K_8)K_8) carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.161 Compatibility Theorem (K M)K M

Compatibility Theorem (K M)K M carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.162 Theorem 4 (Necessary and sufficient conditions for compatibility (K M)K M)

Theorem 4 (Necessary and sufficient conditions for compatibility (K M)K M) carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.163 Theorem on Impossibility of Evolution Outside (M)M

Theorem on Impossibility of Evolution Outside (M)M carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.164 Theorem 5 (Impossibility of evolution outside the meta-domain)

Theorem 5 (Impossibility of evolution outside the meta-domain) carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.165 Theorem on Birth of a New Dimension via ()

Theorem on Birth of a New Dimension via () carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source

route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.166 Theorem 6 (Birth of a new dimension)

Theorem 6 (Birth of a new dimension) carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.167 Theorem on Death of a Continuum

Theorem on Death of a Continuum carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.168 Theorem 7 (Equivalence of death conditions)

Theorem 7 (Equivalence of death conditions) carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.169 Theorem on Phase Transition

Theorem on Phase Transition carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.170 Theorem on Impossibility of Degradational Evolution

Theorem on Impossibility of Degradational Evolution carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The

support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.171 Theorem 9 (No “backward” dimensional reduction for a living continuum)

Theorem 9 (No “backward” dimensional reduction for a living continuum) carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.172 Evidence Summary

Evidence Summary carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.173 Theorem and Proof Registry

Theorem and Proof Registry carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.174 1. T133-K0-RES: K0 resolution-relative distinguishability theorem

1. T133-K0-RES: K0 resolution-relative distinguishability theorem carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.175 2. T133-OMEGA-STATUS: Typed liveness, death, residue, and rebirth...

2. T133-OMEGA-STATUS: Typed liveness, death, residue, and rebirth... carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.176 3. T133-K-ZERO: Continuumness zero obstruction theorem

3. T133-K-ZERO: Continuumness zero obstruction theorem carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.177 4. T133-BOUNDARY: Metric-threshold boundary specialization theorem

4. T133-BOUNDARY: Metric-threshold boundary specialization theorem carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.178 5. T133-HYBRID: Typed update and chart-labelled operator semantics theorem

5. T133-HYBRID: Typed update and chart-labelled operator semantics theorem carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.179 6. T133-DIM: Historical axis and effective-rank compatibility theorem

6. T133-DIM: Historical axis and effective-rank compatibility theorem carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.180 7. T133-CYCLE: Live-status cycle-mode requirement theorem

7. T133-CYCLE: Live-status cycle-mode requirement theorem carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.181 8. T133-ID: Identity, residue, and rebirth evidence-classification theorem

8. T133-ID: Identity, residue, and rebirth evidence-classification theorem carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.182 9. T133-MIN: Declared semantic-verdict component independence theorem

9. T133-MIN: Declared semantic-verdict component independence theorem carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.183 Does OC actually explain operators in non-smooth proof and rewrite domains?

Does OC actually explain operators in non-smooth proof and rewrite domains? carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.184 Does OC actually explain theory change as live claim/evidence update?

Does OC actually explain theory change as live claim/evidence update? carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.185 Theorem

Theorem carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.186 Master Monograph Appendix: Boundary Representation Theorem

Master Monograph Appendix: Boundary Representation Theorem carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.187 Boundary Representation Theorem

Boundary Representation Theorem carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted

only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.188 Master Monograph Appendix: Verdict Invariant Minimality Full Proof

Master Monograph Appendix: Verdict Invariant Minimality Full Proof carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.189 OC 1.3.3 Verdict-Invariant Minimality Full Proof

OC 1.3.3 Verdict-Invariant Minimality Full Proof carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.190 FM-T133-HYBRID-PROOF-UPDATE-POS

FM-T133-HYBRID-PROOF-UPDATE-POS carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.191 FM-T133-HYBRID-PROOF-UPDATE-NEG

FM-T133-HYBRID-PROOF-UPDATE-NEG carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.192 FM-T133-HYBRID-PROOF-NO-RULE-NEG

FM-T133-HYBRID-PROOF-NO-RULE-NEG carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics,

replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.193 Appendix/OC_1_3_3_BOUNDARY_REPRESENTATION_THEOREM.tex

Appendix/OC_1_3_3_BOUNDARY_REPRESENTATION_THEOREM.tex carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.194 Appendix/OC_1_3_3_VERDICT_INVARIANT_MINIMALITY_FULL_PROOF.tex

Appendix/OC_1_3_3_VERDICT_INVARIANT_MINIMALITY_FULL_PROOF.tex carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.195 Evidence Inputs and Outputs

Evidence Inputs and Outputs carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.196 Evidence Reading Examples

Evidence Reading Examples carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

12.197 Proof Machinery Appendix

Proof Machinery Appendix carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.198 Alternative-model competition matrix

Alternative-model competition matrix is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for Alternative-model competition matrix. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.199 Boundary Representation Theorem

Boundary Representation Theorem carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.200 Theorem

Theorem carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.201 Proof

Proof carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.202 OC 1.3.3 Verdict-Invariant Minimality Full Proof

OC 1.3.3 Verdict-Invariant Minimality Full Proof carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.203 Load-bearing proof obligations

Load-bearing proof obligations carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.204 Closure priority board

Closure priority board is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for Closure priority board. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.205 Definitions Before Evidence IDs

Definitions Before Evidence IDs carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.206 Evidence

Evidence carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.207 Results and Evidence Interpretation

Results and Evidence Interpretation carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

12.208 (F9.15) Inability to integrate cross-domain evidence

(F9.15) Inability to integrate cross-domain evidence carries the evidential burden for the surrounding claim. The release text must show how the reader moves from prose to proof, finite semantics, replay material, comparator evidence, or source trace. The mapped route uses historical toc recovery; exact paths and hashes stay in the source trace so the paragraph remains readable. The support is promoted only as far as this boundary permits: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The support route only becomes reviewable when its boundary, falsifier, and negative side are visible.

12.209 What prior science could do, what remained fragmented, and what OC closes

What prior science could do, what remained fragmented, and what OC closes is introduced here as a reader-facing obligation, not as a file name or process label. The reader task is to recover the historical scientific content route for What prior science could do, what remained fragmented, and what OC closes. The paragraph draws on historical toc recovery and states the local vocabulary before any proof, replay, or comparison is allowed to carry weight. Its boundary is conservative: historical recovery restores structure and source route; it does not promote stronger claims without current evidence. The next paragraph continues the same scientific route while preserving source trace and claim boundary.

13 Source Trace

Exact source bindings, path hashes, quality scorer hooks, and transition records are recorded in the review package manifest. They are kept out of the main prose to avoid turning the document into a ledger dump.