

OC Core 1.3 Journal Core: A Source-Audited Revalidation of Collapse and Residue

Alexander Yashin

Independent Researcher

ORCID: 0009-0008-6166-0914

Abstract

This article revalidates a bounded kernel of the Ontology of Continua directly from the tagged Core 1.2 LaTeX sources and the locked December 11, 2025 PDF under a strict source-audit discipline. The positive claim is narrower but stronger: the surviving kernel supports a source-audited classification theorem on post-collapse death and residue. When a continuum loses every admissible realization, the original continuum is dead and any surviving post-collapse structure is residue rather than continued live identity. A separate companion control proposition states the bounded rebirth condition for later live continuations in the same or a related embedding space, with the later continuum itself live during the rebirth interval; that companion branch is not a premise of Theorem A. Figure 1 renders the grammar; Figure 2 shows the support boundary that keeps the claim externally defensible. The contribution is both scientific and methodological. Scientifically, the paper restores a lawful theorem chain from the public Core 1.2 source corpus instead of relying on optimistic summary layers. Methodologically, it shows how unresolved theorem families are excluded rather than rhetorically blended into a stronger claim. The result is a bounded foundations article with a fully exposed support boundary.

Problem Statement

Can the surviving source-audited OC Core kernel support a bounded article on collapse and residue, with a separately scoped rebirth-control companion, under a strict source-audit discipline? The problem is not whether the entire inherited OC corpus can be restated attractively. The real question is whether a bounded subset of source-corpus claims survives a hostile audit strongly enough to support a standalone mathematical foundations paper. That distinction matters because the inherited package mixed preserved axioms, preserved definitions, reformulated theorem families, and removed noncanonical artefacts into one outward-facing narrative. The manuscript validates only the source-corpus rows that survive the repaired canon and dependency audit and feed the main proof. The manuscript does not claim a generally defended axis/state lift theorem or full external readiness of the inherited OC Core theorem corpus. Accordingly, the problem is solved only if the main theorem chain can be reconstructed from source-corpus material that remains canon-clean after repair, if the argument exposes where the defended case ends, and if the paper remains falsifiable in the precise sense that renewed audit or contrary formal analysis could overturn it.

Main Result

The main result is a bounded source-audited classification theorem about lawful post-collapse identity, not a universal completion of the inherited ontology.

Theorem A (source-audited derived post-collapse death/residue classification). Let K be a continuum in the audited OC Core kernel. If K loses every admissible realization under its

current threshold and embedding regime, then the original continuum is dead, and any surviving post-collapse structure is to be classified as residue rather than as a still-live instance of K .

The manuscript carries this result in revised form: Within the surviving source-audited OC Core kernel, once a continuum loses every admissible realization, the original continuum is dead and any surviving post-collapse structure is residue rather than a still-live instance of that continuum. A companion Proposition B states the sufficient rebirth-control test for later live continuations in the same or a related embedding space, with nonempty admissibility for the later continuum during the rebirth interval; it is kept outside Theorem A so that the main theorem stops exactly where the proof-obligation registry says it stops. The paper does not present Theorem A as a new primitive source theorem. It presents it as a derived classification result whose substantive force comes from the restored death theorem and the residue classification route; Definition 12.5 fixes the residue criterion, while Definition 12.6 and the irreversibility corollary support only the companion Proposition B branch. The visible article presents one named main result, supported by 2 derived lemmas, 1 supporting axiom cluster, and 4 supporting definitions reproduced in the article, plus a separately named companion rebirth-control proposition. The inherited theorem families that formerly underwrote broader lift or representability claims are not used here unless they survive separate revalidation. The paper therefore asks the reader to evaluate one cleanly bounded source-audited argument. It does not ask the reader to accept the whole inherited framework on trust, and it does not smuggle open theorem families through stylistic compression.

Definitions and Quantitative Observables

The manuscript fixes four load-bearing notions: admissible realization, death, residue, and rebirth. Admissible realization is the nonempty state region that keeps a continuum lawfully live under its current thresholds and embedding regime. Death is the loss of that admissible realization. Residue is the structural trace that can remain after death without preserving live identity. Rebirth is the emergence, in the same or a related embedding space, of a later continuum that is itself live during the rebirth interval, inherits at least one structural element from residue, satisfies birth conditions for a level, and is not identical with the original continuum. The article also keeps a small operational vocabulary for later projections. These observables are not used to inflate the present argument into a full universal law; they are included because they specify what later mathematical or domain-level projections would have to measure if the bounded theorem grammar is taken seriously. These observables matter because they turn the argument from an ontological slogan into a falsifiable grammar. They tell the reader what kind of counterexample would matter, what kind of terminal loss counts as death, and what kind of post-collapse persistence claim is prohibited by the manuscript. - **contradiction_load**: Minimal mismatch between required differences and currently expressible axes / admissible coordinates. - **minimal_lift_rank**: Smallest number of new axes or auxiliary state coordinates required to restore expressivity without changing the declared contradiction packet. - **collapse_threshold**: Boundary at which no admissible realization survives under the current thresholds and embedding constraints. - **admissible_volume_or_fiber_survival_measure**: Positive-size witness of surviving admissible states or surviving exact fibers; zero at collapse. - **stabilization_cost**: Margin between current contradiction load and the nearest collapse or lift-trigger threshold.

Source Audit and Canon Repair

The manuscript is a source-grounded projection of the audited science corpus. The main theorem chain is rebuilt from the tagged Core 1.2 LaTeX repository and the canonical compiled PDF, not

from later optimistic summaries. Every load-bearing row in the main argument is required to survive three linked repairs before it can carry weight: source witnessing, canonical uniqueness, and dependency exactness. This is the central methodological discipline of the paper. The tagged public source snapshot is v1.2.1 at 2c61b7879ed36cd8366d87892a066082b6418ce8. For the bounded surviving kernel, the theorem-bearing draft sources are concentrated in the axiom, core-results, and collapse/rebirth source modules of that public release. This compact article is companion-dependent for locator-level page and line audit: the article body reproduces the row identities and proof roles, while the companion source-audit appendix and release support package [11,12] carry the locator matrix used to verify page, line, source-file, and dependency binding. Companion dossiers extend the article with the full source witness matrix, theorem-support ledger, chronology dossier, and projection atlases, but none of those companions relax the rule that the main theorem chain must be carried by the audited Core 1.2 kernel alone. Version-provenance note: the audited theorem substrate is the tagged Core 1.2 source/PDF corpus; this article is the Core 1.3 journal-core projection of that bounded substrate; the OC Core 1.3.3 monograph and support package cited in [11,12] are companion locator and reproducibility containers for the same source-audit route. They add locator matrices, review targets, and release evidence, but they do not replace the Core 1.2 source rows as theorem support for the article’s positive claim. That repair changes the scientific meaning of publication readiness. A row cannot remain theorem-admissible merely because it once appeared inside an optimistic summary layer. If a row loses unique canonical binding, depends on unresolved rebinding, or is removed from the surviving OC theory, the row is excluded from the main article argument. In the present manuscript, that discipline removes the inherited lift-heavy theorem family from the defended case and leaves a narrower but cleaner theorem grammar. The repaired corpus is therefore best read as an explicit partition of admissible source material. Some rows survive and support the main theorem chain. Some rows remain scientifically interesting but require separate revalidation. Others are removed from the present article. This manuscript treats that partition as part of the scientific contribution rather than as editorial housekeeping. Representative source-corpus witnesses used directly in the present bounded argument are the following:

- Theorem A (source-audited post-collapse death/residue classification): bounded classification theorem proved from the audited source-corpus chain Source Theorem 3 (Death through boundary and embedding collapse), Axiom 3.2 (Death condition), Definition 12.1 (Collapse), Definition 12.3 (Internal collapse), Definition 12.4 (External collapse), and Definition 12.5 (Residue).
- Lemma 1 (Collapse entails death): derived from the audited source-corpus support chain Source Theorem 3 (Death through boundary and embedding collapse), Axiom 3.2 (Death condition), Definition 12.1 (Collapse), Definition 12.3 (Internal collapse), Definition 12.4 (External collapse).
- Lemma 2 (Post-collapse trace is residue): derived from the audited source-corpus support chain Source Theorem 3 (Death through boundary and embedding collapse), Axiom 3.2 (Death condition), Definition 12.1 (Collapse), Definition 12.3 (Internal collapse), Definition 12.4 (External collapse), Definition 12.5 (Residue).
- Lemma 3 (Later live continuum is rebirth): companion rebirth-control row derived from the audited source-corpus support chain Source Corollary 3.2 (Irreversibility of death), Axiom 3.3 (Irreversibility of death), Definition 12.5 (Residue), and Definition 12.6 (Rebirth). It supports Proposition B, not Theorem A.
- Definition 12.1 (Collapse): A continuum K collapses at time t^* if the admissible state space becomes empty, continuumness decays to zero, and every candidate configuration violates at least one existence or stability threshold.
- Definition 12.3 (Internal collapse): Internal collapse occurs when collapse is caused solely by the internal evolution operator $E = (F, G, H, Q, R, S, U)$ acting on K while the embedding space M remains structurally static over the relevant interval.
- Definition 12.4 (External collapse): External collapse occurs when the embedding space M changes so that no configuration of K remains compatible with the new constraints, even though the prior internal evolution stayed within the previously admissible re-

gion. - Definition 12.5 (Residue): The residue of a collapsed continuum K is the set of structures in the embedding space that remain after $\Omega(K) = \emptyset$; residues may persist without preserving the original live identity. - Definition 12.6 (Rebirth): A rebirth event occurs when, after the collapse of K , a new continuum K' appears in the same or a related embedding space during an interval where $\Omega(K) = \emptyset$ and $k(K, t) = 0$, has $\Omega(K') \neq \emptyset$ during the rebirth interval, inherits at least one structural element from residue, and satisfies the birth conditions for some level K_y . - Axiom 3.2 (Death condition): A continuum dies at time t^* when $\Omega(K(t^*)) = \emptyset$; after death the operators F, G, H, Q, R, S, U are no longer defined for that continuum. - Axiom 3.3 (Irreversibility of death): No operator acting within the same level can restore a dead continuum; any new live continuum is considered a new entity. - Source Theorem 3 (Death through boundary and embedding collapse): derived from the audited source-corpus support chain Axiom 3.2 (Death condition), Definition 12.1 (Collapse), Definition 12.3 (Internal collapse), Definition 12.4 (External collapse). - Source Corollary 3.2 (Irreversibility of death): derived from the audited source-corpus support chain Axiom 3.3 (Irreversibility of death), Definition 12.6 (Rebirth).

The compact locator table below states how the article is meant to be audited. It is not a substitute for the companion locator matrix; it gives source-file anchors for the load-bearing rows and points to the companion-controlled ledger that carries the fuller page, line, and dependency audit.

article row	proof role in this article	direct source-file anchors in this release	companion locator authority
Theorem A	derived main classification result	<code>content/04_results.tex:166</code> <code>content/12_collapse_rebirth.tex:208</code>	M66ter Mono- Appendix D and OC_CORE_1_3_MONOGRAPH_THEOREM_RE [11,12]
Lemma 1	collapse entails death	<code>content/04_results.tex:166</code> <code>appendix/B_axioms_full.tex:156</code> <code>content/12_collapse_rebirth.tex:338</code>	M66ter Mono- Appendix D and OC_CORE_1_3_MONOGRAPH_THEOREM_RE [11,12]
Lemma 2	trace after death is residue	<code>content/04_results.tex:166</code> <code>appendix/B_axioms_full.tex:156</code> <code>content/12_collapse_rebirth.tex:338</code>	M66ter Mono- Appendix D and OC_CORE_1_3_MONOGRAPH_THEOREM_RE [11,12]
Proposition B	companion rebirth-control route	<code>content/04_results.tex:187</code> <code>appendix/B_axioms_full.tex:164</code> <code>content/12_collapse_rebirth.tex:324</code>	M67ter Mono- Appendix D and OC_CORE_1_3_MONOGRAPH_THEOREM_RE [11,12]
Excluded lift and representability families	no support role in Theorem A	<code>content/20_oc_core_1_3_theorem_roadmap.tex:58</code> <code>content/20_oc_core_1_3_theorem_roadmap.tex:231-232</code> <code>appendix/M_oc_core_1_source_fundamental.tex:3</code>	theorems ledger and theorem-review ledger [11,12]

Theorem Ladder and Admissible Support

The positive proof architecture is organized as a ladder instead of a slogan because the manuscript wants the reader to see exactly where the result becomes legal. Stage 1 fixes death as loss of admissible realization. Stage 2 adds residue as a trace-preserving but identity-nonpreserving aftermath.

Stage 3 composes those source-corpus rows into Theorem A. A separate companion branch uses irreversibility and the rebirth definition to state Proposition B for later live continuations. This ladder is important for two reasons. First, it prevents the paper from hiding a weak middle step. Second, it makes the argument readable to editors and reviewers who need to know whether the paper is really proving one proposition or quietly shifting across several incompatible meanings of collapse. - Once admissible realization is empty, the original continuum is dead and no longer lawfully live. - Residue records which structural traces survive after collapse without preserving the original continuum as live. - Together, the restored death theorem and residue definition yield the bounded Theorem A classification: after admissible-state loss, the original live identity ends and residue may remain without preserving that identity. - Separately, irreversibility and the rebirth definition yield Proposition B: a later live continuation grounded in residue may be classified as rebirth only under the stated sufficient witness condition, including same-or-related embedding, live admissibility for K' , residue inheritance, and birth conditions for some level, not as a premise of Theorem A.

For local navigation, Proposition B is the companion rebirth-control branch described in the theorem ladder and proved in the companion paragraph of the lemma-chain section below. The full source-level support path is exposed in the master monograph's theorem roadmap and worked-example sections, where it remains outside the premise set of Theorem A.

The supporting source rows used in the article are the following: - Theorem A (source-audited post-collapse death/residue classification): Bounded theorem stating that death and residue semantics survive source-corpus revalidation. - Definition 12.1 (Collapse): Collapse is defined by the loss of a nonempty admissible state space rather than by metaphorical failure language. - Definition 12.3 (Internal collapse): Internal collapse isolates endogenously generated destructive evolution as one lawful terminal mechanism. - Definition 12.4 (External collapse): External collapse isolates embedding-driven incompatibility as a distinct lawful terminal mechanism. - Definition 12.5 (Residue): Definition 12.5 names the surviving post-collapse trace as residue once the death theorem has already ruled out persistence of the original live continuum. - Definition 12.6 (Rebirth): Definition 12.6 names the companion rebirth-control condition used by Proposition B once the irreversibility corollary has already ruled out restoration of the original entity. - Axiom 3.2 (Death condition): Death is fixed by the source-corpus death condition once admissible realization becomes empty. - Axiom 3.3 (Irreversibility of death): Irreversibility forbids restoration of the dead continuum as the same entity. - Source Theorem 3 (Death through boundary and embedding collapse): Exact source-corpus theorem witness for death through admissible-state collapse in the restored Core 1.2 results corpus. - Source Corollary 3.2 (Irreversibility of death): Exact source-corpus corollary witness used by the companion Proposition B branch, not by the Theorem A death/residue route.

The derived proof-spine rows promoted into the manuscript are the following: - Lemma 1 (Collapse entails death): If the admissible state space becomes empty, the original continuum is dead and cannot lawfully persist as a live continuum. - Lemma 2 (Post-collapse trace is residue): After collapse, any surviving structure is residue rather than a still-live instance of the original continuum. - Lemma 3 (Later live continuum is rebirth): Companion row for Proposition B; any later live continuum grounded in residue is rebirth of a new continuum rather than persistence of the original one only under the stated witness condition: same-or-related embedding space, $\Omega(K') \neq \emptyset$ during the rebirth interval, residue inheritance, and birth conditions for some level.

Lemma Chain and Proof of Theorem A

The manuscript does not treat Theorem A as an unsupported rhetorical synthesis. It is proved as a bounded source-audited death/residue classification theorem: a short lemma chain extracted from the surviving kernel is composed into one explicit main result whose source provenance is fully exposed in the companion materials. - If the admissible state space becomes empty, the original continuum is dead and cannot lawfully persist as a live continuum. - After collapse, any surviving structure is residue rather than a still-live instance of the original continuum. Proof of Lemma 1. Axiom 3.2 gives the death condition directly, and Source Theorem 3 in the restored Core 1.2 results corpus promotes that axiom into an explicit theorem: a continuum dies when its admissible realization becomes empty. Definition 12.1 strengthens that terminal event by adding vanishing continuumness and universal threshold failure, while Definitions 12.3 and 12.4 show that the same terminal semantics holds for both internal and external routes to collapse. Therefore the empty admissible set is not a temporary excursion; it is lawful terminal loss of the original live continuum. Proof of Lemma 2. Lemma 1 has already established that collapse ends the life of the original continuum. Source Theorem 3 therefore rules out any reading on which a surviving post-collapse structure is still the original live object. Definitions 12.1 and 12.5 then fix the lawful classification criterion for the remaining trace: it may persist structurally in the embedding space, but only as residue and not as continued live identity. Proof of Theorem A. Lemma 1 establishes the death of the original continuum after admissible-space collapse. Lemma 2 then classifies any surviving structure as post-collapse residue rather than continued live identity. Theorem A is thus a derived death/residue classification theorem reconstructed from the restored death theorem and the source-corpus residue criterion; it is not offered as a free-standing primitive theorem beyond the surviving source corpus. No excluded lift theorem is used, no hidden representability family is imported, and no stronger transition law is presumed beyond the bounded post-collapse identity grammar stated above. Companion proof of Proposition B. Source Corollary 3.2 together with Axiom 3.3 excludes any same-level or identity-preserving restoration of a dead continuum. Once that prohibition is in place, a later continuum in the same or a related embedding space, with $\Omega(K') \neq \emptyset$ during the rebirth interval, grounded in post-collapse trace, and satisfying the relevant birth conditions is numerically new rather than persistent continuation of the original one. Definition 12.6 fixes the lawful sufficient classification of that later live case as rebirth. This companion proof is useful for article navigation but is not a premise of Theorem A.

Proof Architecture

The proof is conservative in the strongest useful sense. It does not attempt to reconstruct the whole inherited root law from whatever remains salvageable. Instead it proves that a smaller, cleaner post-collapse death/residue grammar already follows from the surviving kernel. The argument begins with the restored death theorem because that is the exact source-corpus row that makes terminal loss lawful. Residue is then added as the semantic control on what can and cannot be said afterward, while rebirth remains a separately scoped companion control. A second layer of the proof is exclusionary rather than additive. The manuscript explicitly refuses to use unvalidated lift-support theorems as hidden bridges from contradiction to dimensional growth. This is not a loss of rigor but an increase in rigor. By forcing the positive paper to live without those supports, the argument reveals exactly which part of the root law is externally defensible now and which part still belongs to future work. A third layer is editorially crucial: the manuscript keeps preserved source support, revised theorem wording, and excluded inherited theorem families visibly distinct. The reader can therefore audit the distance between surviving source support, revised wording, and

excluded theorem families without having to reconstruct the whole developmental history of the project.

Appendix-Only and Excluded Support Boundary

The present route does not keep a shadow theorem body in reserve. Any inherited theorem family that would be needed to defend a general contradiction-to-lift claim is outside the main article unless it survives separate revalidation with explicit provenance and exact dependency support. At the current manuscript boundary, no theorem family remains in a provisional support limbo. The inherited lift and representability families are excluded from the main article rather than presented as tacitly available support.

Literature Screen

The paper is not written as if it were the first text ever to discuss collapse, viability, persistence, or regime change. Its literature screen is used in a narrower and more conservative way: it orients the reader to adjacent vocabularies and then keeps the proof of Theorem A inside the audited OC source-corpus chain listed above. The cited external works are therefore comparator and context witnesses, not premises in the article's formal derivation. - YASHIN_OC_CORE_2025: Primary archival witness for the exact PDF theorem corpus audited by the present article. Alexander Yashin, *Ontology of Continua - Core v1.2.0*, Zenodo, 2025, DOI 10.5281/zenodo.17903912, <https://zenodo.org/records/17903912>. - OC_CORE_PUBLIC_TAG_V121: Public LaTeX source lock used to witness exact theorem, axiom, and definition bodies in the audited OC corpus. Alexander Yashin, *ontology-of-continua-core-main*, GitHub repository, tag v1.2.1, commit 2c61b7879ed36cd8366d87892a066082b6418ce8, <https://github.com/alexanderyashin/ontology-of-continua-core-main>. - GUARINO_1998: Formal-ontology baseline for category discipline and ontology-engineering vocabulary. Nicola Guarino, *Formal Ontology and Information Systems*, in *Formal Ontology in Information Systems*, IOS Press, 1998. - GRENON_SMITH_2004: Formal-ontology baseline for dynamic identity and process structure. Pierre Grenon and Barry Smith, *SNAP and SPAN: Towards Dynamic Spatial Ontology*, *Spatial Cognition and Computation* 4(1), 2004. - LOWE_2006: Metaphysical baseline for identity, persistence, and category vocabulary. E. J. Lowe, *The Four-Category Ontology: A Metaphysical Foundation for Natural Science*, Oxford University Press, 2006. - THOM_1994: Structural-transition baseline for qualitative regime-change language. Rene Thom, *Structural Stability and Morphogenesis: An Outline of a General Theory of Models*, Westview Press, 1994. - AUBIN_1991: Viability-theory baseline for admissible-state survival under constraints. Jean-Pierre Aubin, *Viability Theory*, Birkhauser, 1991. - STROGATZ_2015: Dynamical-systems baseline for bifurcation and qualitative change. Steven H. Strogatz, *Nonlinear Dynamics and Chaos: With Applications to Physics, Biology, Chemistry, and Engineering*, 2nd ed., Westview Press, 2015. - CONLEY_1978: Invariant-set baseline for terminal structure and loss of persistence. Charles Conley, *Isolated Invariant Sets and the Morse Index*, American Mathematical Society, 1978. - MILNOR_1985: Dynamical-systems baseline for attractor persistence and new post-transition objects. John Milnor, *On the concept of attractor*, *Communications in Mathematical Physics* 99 (1985), 177-195. The compact article does not use these references to adjudicate priority or to assert that any named work lacks a particular theorem, section, or proof analogue. It uses them only as high-level orientation to adjacent vocabularies. Pinpoint comparator adjudication is delegated to the supporting source-audit and review matrices rather than compressed into the article body. | comparator | orientation role | article-level use | boundary of use | | — | — | — | — | | GUARINO_1998_AND_GRENON_SMITH_2004 |

formal ontology of identity and change | background vocabulary for reading identity claims | not a premise in the article's source-corpus proof | | LOWE_2006 | metaphysical identity and persistence categories | background vocabulary for persistence questions | not a premise in the article's source-corpus proof | | AUBIN_1991 | admissible-state survival under constraints | background vocabulary for admissible-state survival | not a premise in the article's source-corpus proof | | CONLEY_1978_AND_MILNOR_1985 | persistence failure and new post-transition objects | background vocabulary for terminal loss and later structures | not a premise in the article's source-corpus proof | | THOM_1994_AND_STROGATZ_2015 | qualitative transition taxonomy | background vocabulary for qualitative transitions | not a premise in the article's source-corpus proof | The source witness matrix, theorem-support dossier, and supplementary appendix accompany the article as supporting materials rather than as bibliography items. This literature screen is therefore a high-level background map, not an auditable exclusion boundary over the cited traditions. The paper does not claim to supersede catastrophe theory, viability theory, invariant-set theory, or nonlinear dynamics, and it does not claim that those works lack local analogues without a separate pinpoint comparator audit. Its article-level comparative claim is narrower: within the audited OC source family, the paper makes explicit a derived Theorem A that separates death from residue under one strictly audited chain of support, while keeping rebirth as a separately scoped companion control.

Novelty and Prior-Art Boundary

Within the surviving source-audited OC Core kernel, once a continuum loses every admissible realization, the original continuum is dead and any surviving post-collapse structure is residue rather than a still-live instance of that continuum. A companion Proposition B gives the sufficient rebirth-control test for a later live continuum grounded in that residue, appearing in the same or a related embedding space and satisfying the source definition's nonempty-admissibility and birth-condition requirements. The main proof does not claim a universal contradiction-to-lift theorem, a full representability theory, or completed universal closure. It claims only a source-audited classification theorem on death and residue after admissible-state loss. The novelty claim is therefore bounded in theorem scope and deliberately modest. Relative to the inherited OC corpus, the manuscript contributes a conservative source-audit repair that separates surviving theorem support from removed or unvalidated material and shows how the surviving source theorem and residue definition support a post-collapse non-persistence classification. Relative to broader foundational discourse, the compact article makes no priority claim over whole traditions and does not use whole-book or whole-paper citations as negative evidence. Its positive contribution is narrower: a source-audited derived classification after admissible-state loss, together with a reproducible method for rebuilding such a classification from heterogeneous theoretical corpora without silently importing unresolved premises. The closest orientation comparator is the viability-kernel baseline because it gives a disciplined way to discuss whether admissible evolution exists under constraints. The article-level contribution is stated only for the audited OC chain: it makes the post-emptiness identity consequence explicit inside that chain and keeps the rebirth branch as a companion control rather than a premise of Theorem A. Source-specific comparison details remain in supporting matrices where locator-level checking can be maintained. | external baseline | orientation role | article-level use | added article-level content in Theorem A | | — | — | — | — | | Aubin viability-kernel result class | admissible-state survival vocabulary | orientation for the admissibility trigger | the OC source chain derives the post-emptiness identity consequence used by Theorem A | | Conley-Milnor persistence-failure language | persistence and transition vocabulary | orientation for later-object language | the OC source chain keeps death, residue, and companion rebirth-control roles explicit | - Article-level

explicitness in Theorem A: the surviving source theorem and the residue definition are assembled into one auditable post-collapse classification, so admissible-state emptiness is read through the OC source chain as death of the original continuum and surviving structure is read as residue rather than survival. - Companion explicitness in Proposition B: the irreversibility corollary and rebirth definition state the sufficient later-live-continuation control, but that branch is not counted as a premise of Theorem A. That boundary is essential for honest journal positioning. The paper is not strong because it says everything. It is strong because it says exactly what is presently defensible, states why stronger inherited claims are withheld, and converts that restraint into a reproducible methodological contribution that a hostile reader can audit claim by claim against the companion source materials.

Cross-Domain Interpretation and Scope Discipline

The manuscript has implications beyond a single formal kernel, but it does not claim that those implications are already proved as a universal cross-domain theorem. Table 1 therefore functions as a bounded projection map rather than as proof of complete downstream closure. Mathematics, domain science, and later domain families are shown as projection targets whose admissibility depends on separate theorem programs and empirical or formal validation routes. This distinction is important for editorial honesty. A generalist venue needs to understand why the work matters beyond one notation system, but it also needs to see that the manuscript does not inflate projection potential into accomplished proof. The paper therefore uses cross-domain language only to identify where the collapse-residue-rebirth grammar should be tested next and what would count as a failed projection. Tier 1 mathematics remains outside the main theorem chain in the present article, and the cross-domain atlas is used only to mark later test lanes and downstream research families without silently promoting them into proved support. In that sense the paper offers a general law grammar and a disciplined research agenda at the same time. It does not confuse the one with the other.

Figure 1. Collapse, residue, and rebirth grammar

Caption: Figure 1 demonstrates the defended identity grammar. A live continuum remains inside its admissible region while the relevant state space is nonempty. Collapse occurs when admissible realization is lost. Residue may remain as structural trace without preserving live identity. Rebirth is available only when a later continuum appears in the same or a related embedding space, has a nonempty admissible region during the rebirth interval, is grounded in residue, and satisfies the birth conditions for some level.

```
live continuum K
-> admissible-state loss
-> death of K
-> residue as non-live structural trace
-> later live K' in same or related embedding space, with nonempty admissibility, residue in
-> rebirth, not persistence of K
```

Figure 2. Support boundary for the theorem ladder

Caption: Figure 2 demonstrates the support boundary that keeps the article externally defensible. The positive Theorem A route uses the restored death theorem and the residue definition. The irreversibility corollary and rebirth definition belong to the companion Proposition B branch, not to

the proof of Theorem A. Excluded lift-heavy theorem families remain outside the proof of Theorem A and cannot be imported by compression.

```
restored death theorem
+ residue definition
=> bounded derived post-collapse death/residue classification
```

```
irreversibility corollary
+ rebirth definition
=> companion Proposition B support, not a Theorem A premise
```

```
excluded lift / representability families
=> no support role in Theorem A
```

Table 1. Bounded projection map

projection family	present role	admissibility condition	nonclaim boundary
post-collapse identity theorem	main article result	source-audited support chain remains canon-clean	no universal persistence theory
mathematics and formal methods	later theorem-program route	separate proof, Lean, or finite witness route passes	not used as empirical proof here
natural-science domains	later empirical projection route	observable, benchmark, replay, uncertainty, and falsifier rows pass	not promoted as complete downstream closure
cross-domain route selection	bounded practical-utility lane	the practical utility atlas row UNIFIED_USE_001_CROSS_DOMAIN_ROUTE_SELECTION remains source-bound and support-classed as operationally bounded	not a claim that enterprise, AI, or are already certified as independent projection families

Reviewer Objections and Resolutions

The manuscript includes a concrete objection-resolution layer because recurring scientific objections should be surfaced before they return as review failures. - Objection: The inherited root slogan overreaches by treating contradiction-driven lift and collapse as equally defended in the current corpus. Resolution: The article restricts the defended claim to collapse, residue, and rebirth and explicitly excludes the general lift branch from the theorem it asks the reader to accept. - Objection: Optimistic summary layers can mix surviving, removed, and unresolved rows into one apparent theorem body. Resolution: Only canon-clean and dependency-exact rows survive into the manuscript, and excluded rows remain outside the main theorem chain. - Objection: Collapse language can become metaphorical unless it is tied to admissible-state loss and identity rules. Resolution: The manuscript binds collapse to admissible-space emptiness, residue to post-collapse structural trace, and rebirth to post-collapse continuation without identity preservation. - Objection: A foundations

paper can overclaim cross-domain closure by narrating future projections as accomplished proof. Resolution: Cross-domain material is carried only as a bounded projection map and explicit future test agenda, never as completed proof.

Falsifiability and Failure Modes

The article should be rejected if any of the following conditions is met: - a positive-body source row loses canonical uniqueness or dependency exactness under renewed audit; - an admissible-space collapse is shown to occur without the residue and rebirth distinctions used in the positive theorem grammar; - a later continuation can be identified with the original continuum without violating the manuscript's own collapse semantics; - an excluded or unvalidated theorem family is required in order for Theorem A to go through; - the projection table is found to overstate downstream closure rather than marking bounded future tests.

Limitations and Nonclaims

- The manuscript does not claim universal closure of the full inherited OC Core 1.2 theorem corpus.
- It does not claim that a general contradiction-driven axis or state lift theorem is already externally defended in the main proof.
- It does not claim that the projection families listed in Table 1 are already proved across mathematics, natural science, and broader domain families.
- It does not ask the reader to equate exclusion from the main proof with scientific uselessness; several excluded theorem families remain valid revalidation targets for later papers.

Evidence and Reproducibility

The present article is anchored to the compiled Core 1.2 PDF 'Ontology of Continua - Core 1.2' (Version 1.2 - December 11, 2025) and to the tagged public repository snapshot v1.2.1. The evidentiary center of gravity is not prose elegance but source fidelity under repaired canon constraints. A complete reproduction therefore requires four checks. First, the source-corpus claim inventory must reproduce the same surviving rows. Second, the canon repair must reproduce the same unique bindings and exact dependency outcomes for those rows. Third, the positive theorem ladder must still be reconstructible without calling excluded theorem families back into service. Fourth, the figure and table assets must regenerate from the same canonical inputs with the same captions, provenance, and bounded interpretation. Because the manuscript is intentionally conservative, reproducibility includes the possibility of reproducing failure. If a renewed audit changes the status of a support row, the manuscript is supposed to change with it. That is a scientific feature of the current method, not an embarrassment to be hidden. The same audited source basis also preserves the explicit declared limitations already present in Core 1.2. These limitations are not editorial noise; they are part of the truth conditions under which the present bounded theorem is submitted: - Bridging from the structural language of OC to concrete datasets remains nontrivial and requires domain-specific modelling. - Quantitative models for $(K_x \rightarrow K_{x+1})$ transitions remain incomplete and are only available in partial case-specific form. - Threshold taxonomy is structurally complete, but explicit functional forms still have to be specified separately for each system class. - Operational measures of expressive capacity for realistic cognitive, social and theoretical systems are not yet fully developed. - Inter-continuum interactions are structurally represented, but quantitative theories for complex coupled continua remain largely schematic.

Figures and Table Callouts

- Figure 1 summarizes the bounded law of collapse, residue, and rebirth, and marks the lift branch as outside the present main theorem chain.
- Figure 2 shows the theorem ladder together with the support-status discipline that separates surviving support from excluded inherited theorem families.
- Table 1 maps the article to later publication families and domain projections without overstating present closure.

References

- [1] Alexander Yashin, *Ontology of Continua - Core v1.2.0*, Zenodo, 2025, DOI 10.5281/zenodo.17903912, <https://zenodo.org/records/17903912>. [2] Alexander Yashin, *ontology-of-continua-core-main*, GitHub repository, tag v1.2.1, commit 2c61b7879ed36cd8366d87892a066082b6418ce8, <https://github.com/alexanderyashin/ontology-of-continua-core-main>. [3] Nicola Guarino, *Formal Ontology and Information Systems*, in *Formal Ontology in Information Systems*, IOS Press, 1998. [4] Pierre Grenon and Barry Smith, *SNAP and SPAN: Towards Dynamic Spatial Ontology*, *Spatial Cognition and Computation* 4(1), 2004. [5] E. J. Lowe, *The Four-Category Ontology: A Metaphysical Foundation for Natural Science*, Oxford University Press, 2006. [6] Rene Thom, *Structural Stability and Morphogenesis: An Outline of a General Theory of Models*, Westview Press, 1994. [7] Jean-Pierre Aubin, *Viability Theory*, Birkhauser, 1991. [8] Steven H. Strogatz, *Nonlinear Dynamics and Chaos: With Applications to Physics, Biology, Chemistry, and Engineering*, 2nd ed., Westview Press, 2015. [9] Charles Conley, *Isolated Invariant Sets and the Morse Index*, American Mathematical Society, 1978. [10] John Milnor, On the concept of attractor, *Communications in Mathematical Physics* 99 (1985), 177-195. [11] Alexander Yashin, *OC Core 1.3.3 Master Monograph*, Appendix D, Core 1.3 Source-Audit Appendix, release package `releases/oc_core_1_3/monograph/OC_CORE_1_3_MASTER_MONOGRAPH_EN.pdf`, 2026. [12] Alexander Yashin, *OC Core 1.3.3 Release Support Package*, `releases/oc_core_1_3/editorial/OC_CORE_1_3_MONOGRAPH_EN.pdf` and `releases/oc_core_1_3/editorial/OC_CORE_1_3_RELEASE_REVIEW_TARGETS_latest.json`, 2026.