

# Mars

This article is about the planet. For other uses, see [Mars \(disambiguation\)](#).

**Mars** is the fourth [planet](#) from the [Sun](#) and the second smallest planet in the [Solar System](#), after [Mercury](#). Named after the [Roman](#) god of war, it is often referred to as the “Red Planet” because the iron oxide prevalent on its surface gives it a reddish appearance.\*[16] Mars is a [terrestrial planet](#) with a thin atmosphere, having surface features reminiscent both of the impact [craters](#) of the Moon and the volcanoes, valleys, deserts, and [polar ice caps](#) of Earth.

The rotational period and seasonal cycles of Mars are likewise similar to those of Earth, as is the tilt that produces the seasons. Mars is the site of [Olympus Mons](#), the largest [volcano](#) and second-highest known mountain in the Solar System, and of [Valles Marineris](#), one of the largest canyons in the Solar System. The smooth [Borealis basin](#) in the northern hemisphere covers 40% of the planet and may be a giant impact feature.\*[17]\*[18] Mars has two moons, [Phobos](#) and [Deimos](#), which are small and irregularly shaped. These may be captured asteroids,\*[19]\*[20] similar to [5261 Eureka](#), a Mars trojan.

On 28 September 2015, NASA announced the presence of briny flowing [salt water](#) on the Martian surface.\*[21]

Until the first successful Mars flyby in 1965 by [Mariner 4](#), many speculated about the presence of liquid water on the planet's surface. This was based on observed periodic variations in light and dark patches, particularly in the polar [latitudes](#), which appeared to be seas and continents; long, dark striations were interpreted by some as irrigation channels for liquid water. These straight line features were later explained as [optical illusions](#), though geological evidence gathered by uncrewed missions suggests that Mars once had large-scale water coverage on its surface at some earlier stage of its life.\*[22] In 2005, radar data revealed the presence of large quantities of water ice at the poles\*[23] and at mid-latitudes.\*[24]\*[25] The Mars rover [Spirit](#) sampled chemical compounds containing water molecules in March 2007. The [Phoenix](#) lander directly sampled water ice in shallow Martian soil on July 31, 2008.\*[26]


It is theorized by some scientists that life on Earth may have begun on Mars and was ferried to Earth via a Martian derived asteroid, due to the lack of certain adequate conditions present on Earth when life is believed to have evolved.\*[27]

Mars is host to seven functioning spacecraft: five in orbit—*2001 Mars Odyssey*, *Mars Express*, *Mars Reconnaissance Orbiter*, MAVEN and Mars Orbiter Mission—and two on the surface—Mars Exploration Rover *Opportunity* and the Mars Science Laboratory *Curiosity*. Observations by the *Mars Reconnaissance Orbiter* have revealed possible flowing water during the warmest months on Mars.\*[28] In 2013, NASA's *Curiosity* rover discovered that Mars's soil contains between 1.5% and 3% water by mass (albeit attached to other compounds and thus not freely accessible).\* [29]

There are ongoing investigations assessing the past habitability potential of Mars, as well as the possibility of extant life. *In situ* investigations have been performed by the *Viking* landers, *Spirit* and *Opportunity* rovers, *Phoenix* lander, and *Curiosity* rover. Future astrobiology missions are planned, including the Mars 2020 and ExoMars rovers.\*[30]\*[31]\*[32]\*[33]

Mars can easily be seen from Earth with the naked eye, as can its reddish coloring. Its apparent magnitude reaches −2.91,\*[7] which is surpassed only by [Jupiter](#), [Venus](#), the Moon, and the Sun. Optical ground-based telescopes are typically limited to resolving features about 300 kilometers (190 mi) across when Earth and Mars are closest because of Earth's atmosphere.\*[34]

## 1 Physical characteristics



Mars compared to Earth



Animation (00:40) showing major features

Mars is approximately half the diameter of Earth, and its surface area is only slightly less than the total area of Earth's dry land.\*[7] Mars is less dense than Earth, having about 15% of Earth's volume and 11% of Earth's mass.

Although Mars is larger and more massive than Mercury, Mercury has a higher density. This results in the two planets having a nearly identical gravitational pull at the surface—that of Mars is stronger by less than 1%. The red-orange appearance of the Martian surface is caused by iron(III) oxide, more commonly known as hematite, or rust.\*[35] It can also look like butterscotch,\*[36] and other common surface colors include golden, brown, tan, and greenish, depending on the minerals present.\*[36]

## 1.1 Internal structure


Like Earth, Mars has differentiated into a dense metallic core overlaid by less dense materials.\*[37] Current models of its interior imply a core region about  $1,794 \pm 65$  kilometers ( $1,115 \pm 40$  mi) in radius, consisting primarily of iron and nickel with about 16–17% sulfur.\*[38] This iron(II) sulfide core is thought to be twice as rich in lighter elements than Earth's core.\*[39] The core is surrounded by a silicate mantle that formed many of the tectonic and volcanic features on the planet, but it now appears to be dormant. Besides silicon and oxygen, the most abundant elements in the Martian crust are iron, magnesium, aluminum, calcium, and potassium. The average thickness of the planet's crust is about 50 km (31 mi), with a maximum thickness of 125 km (78 mi).\*[39] Earth's crust, averaging 40 km (25 mi), is only one third as thick as Mars's crust, relative to the sizes of the two planets. The InSight lander planned for 2016 will use a seismometer to better constrain the models of the interior.\*[40]

## 1.2 Surface geology

Main article: Geology of Mars

Mars is a terrestrial planet that consists of minerals containing silicon and oxygen, metals, and other elements that typically make up rock. The surface of Mars is primarily composed of tholeiitic basalt,\*[41] although parts are more silica-rich than typical basalt and may be similar to andesitic rocks on Earth or silica glass. Regions of low albedo show concentrations of plagioclase feldspar, with northern low albedo regions displaying higher than normal concentrations of sheet silicates and high-silicon glass. Parts of the southern highlands include detectable amounts of high-calcium pyroxenes. Localized concentrations of hematite and olivine have also been found.\*[42] Much of the surface is deeply covered by finely grained iron(III) oxide dust.\*[43]\*[44]

Although Mars has no evidence of a current structured global magnetic field,\*[48] observations show that parts of the planet's crust have been magnetized, and that alternating polarity reversals of its dipole field have occurred in the past. This paleomagnetism of magnetically susceptible minerals has properties that are similar to the




*Geologic Map of Mars (USGS; July 14, 2014)  
(full map / video)\*[45]\*[46]\*[47]*

alternating bands found on the ocean floors of Earth. One theory, published in 1999 and re-examined in October 2005 (with the help of the *Mars Global Surveyor*), is that these bands demonstrate plate tectonics on Mars four billion years ago, before the planetary dynamo ceased to function and the planet's magnetic field faded away.\*[49]

During the Solar System's formation, Mars was created as the result of a stochastic process of run-away accretion out of the protoplanetary disk that orbited the Sun. Mars has many distinctive chemical features caused by its position in the Solar System. Elements with comparatively low boiling points, such as chlorine, phosphorus, and sulphur, are much more common on Mars than Earth; these elements were probably removed from areas closer to the Sun by the young star's energetic solar wind.\*[50]

After the formation of the planets, all were subjected to the so-called "Late Heavy Bombardment". About 60% of the surface of Mars shows a record of impacts from that era,\*[51]\*[52]\*[53] whereas much of the remaining surface is probably underlain by immense impact basins caused by those events. There is evidence of an enormous impact basin in the northern hemisphere of Mars, spanning 10,600 by 8,500 km (6,600 by 5,300 mi), or roughly four times larger than the Moon's South Pole – Aitken basin, the largest impact basin yet discovered.\*[17]\*[18] This theory suggests that Mars was struck by a Pluto-sized body about four billion years ago. The event, thought to be the cause of the Martian hemispheric dichotomy, created the smooth Borealis basin that covers 40% of the planet.\*[54]\*[55]

The geological history of Mars can be split into many periods, but the following are the three primary periods:\*[57]\*[58]



*Artist's impression shows how Mars may have looked about four billion years ago.\* [56]*

- **Noachian period** (named after Noachis Terra): Formation of the oldest extant surfaces of Mars, 4.5 billion years ago to 3.5 billion years ago. Noachian age surfaces are scarred by many large impact craters. The Tharsis bulge, a volcanic upland, is thought to have formed during this period, with extensive flooding by liquid water late in the period.
- **Hesperian period** (named after Hesperia Planum): 3.5 billion years ago to 2.9–3.3 billion years ago. The Hesperian period is marked by the formation of extensive lava plains.
- **Amazonian period** (named after Amazonis Planitia): 2.9–3.3 billion years ago to present. Amazonian regions have few meteorite impact craters, but are otherwise quite varied. Olympus Mons formed during this period, along with lava flows elsewhere on Mars.

Some geological activity is still taking place on Mars. The Athabasca Valles is home to sheet-like lava flows up to about 200 Mya. Water flows in the grabens called the Cerberus Fossae occurred less than 20 Mya, indicating equally recent volcanic intrusions.\* [59] On February 19, 2008, images from the *Mars Reconnaissance Orbiter* showed evidence of an avalanche from a 700 m high cliff.\* [60]

### 1.3 Soil

Main article: Martian soil

The *Phoenix* lander returned data showing Martian soil to be slightly alkaline and containing elements such as magnesium, sodium, potassium and chlorine. These nutrients are found in gardens on Earth, and they are necessary for growth of plants.\* [61] Experiments performed by the lander showed that the Martian soil has a basic pH of 7.7, and contains 0.6% of the salt perchlorate.\* [62]\* [63]\* [64]\* [65]

Streaks are common across Mars and new ones appear frequently on steep slopes of craters, troughs, and valleys. The streaks are dark at first and get lighter with



*Exposure of silica-rich dust uncovered by the Spirit rover*

age. Sometimes, the streaks start in a tiny area which then spread out for hundreds of metres. They have also been seen to follow the edges of boulders and other obstacles in their path. The commonly accepted theories include that they are dark underlying layers of soil revealed after avalanches of bright dust or dust devils.\* [66] Several explanations have been put forward, some of which involve water or even the growth of organisms.\* [67]\* [68]


### 1.4 Hydrology

Main article: Water on Mars

Liquid water cannot exist on the surface of Mars due to low atmospheric pressure, which is about 100 times thinner than Earth's,\* [69] except at the lowest elevations for short periods.\* [70]\* [71] The two polar ice caps appear to be made largely of water.\* [72]\* [73] The volume of water ice in the south polar ice cap, if melted, would be sufficient to cover the entire planetary surface to a depth of 11 meters (36 ft).\* [74] A permafrost mantle stretches from the pole to latitudes of about 60°.\* [72]

Large quantities of water ice are thought to be trapped within the thick cryosphere of Mars. Radar data from *Mars Express* and the *Mars Reconnaissance Orbiter* show large quantities of water ice both at the poles (July 2005)\* [23]\* [75] and at middle latitudes (November 2008).\* [24] The Phoenix lander directly sampled water ice in shallow Martian soil on July 31, 2008.\* [26]

Landforms visible on Mars strongly suggest that liquid water has existed on the planet's surface. Huge linear swathes of scoured ground, known as outflow channels, cut across the surface in around 25 places. These are thought to record erosion which occurred during the catastrophic release of water from subsurface




*Photomicrograph taken by Opportunity showing a gray hematite concretion, indicative of the past presence of liquid water*

aquifers, though some of these structures have also been hypothesized to result from the action of glaciers or lava.\*[76]\*[77] One of the larger examples, Ma'adim Vallis is 700 km (430 mi) long and much bigger than the Grand Canyon with a width of 20 km (12 mi) and a depth of 2 km (1.2 mi) in some places. It is thought to have been carved by flowing water early in Mars's history.\*[78] The youngest of these channels are thought to have formed as recently as only a few million years ago.\*[79] Elsewhere, particularly on the oldest areas of the Martian surface, finer-scale, dendritic networks of valleys are spread across significant proportions of the landscape. Features of these valleys and their distribution strongly imply that they were carved by runoff resulting from rain or snow fall in early Mars history. Subsurface water flow and groundwater sapping may play important subsidiary roles in some networks, but precipitation was probably the root cause of the incision in almost all cases.\*[80]

Along crater and canyon walls, there are also thousands of features that appear similar to terrestrial gullies. The gullies tend to be in the highlands of the southern hemisphere and to face the Equator; all are poleward of 30° latitude. A number of authors have suggested that their formation process involves liquid water, probably from melting ice,\*[81]\*[82] although others have argued for formation mechanisms involving carbon dioxide frost or the movement of dry dust.\*[83]\*[84] No partially degraded gullies have formed by weathering and no superimposed impact craters have been observed, indicating that these are young features, possibly even active today.\*[82]

Other geological features, such as deltas and alluvial fans preserved in craters, are further evidence for warmer, wetter conditions at some interval or intervals in earlier Mars history.\*[85] Such conditions necessarily require the widespread presence of crater lakes across a large pro-

portion of the surface, for which there is also independent mineralogical, sedimentological and geomorphological evidence.\*[86]



*Composition of "Yellowknife Bay" rocks – rock veins are higher in calcium and sulfur than "Portage" soil – APXS results – Curiosity rover (March 2013).*

Further evidence that liquid water once existed on the surface of Mars comes from the detection of specific minerals such as hematite and goethite, both of which sometimes form in the presence of water.\*[87] In 2004, *Opportunity* detected the mineral jarosite. This forms only in the presence of acidic water, which demonstrates that water once existed on Mars.\*[88] More recent evidence for liquid water comes from the finding of the mineral gypsum on the surface by NASA's Mars rover Opportunity in December 2011.\*[89]\*[90] Additionally, the study leader Francis McCubbin, a planetary scientist at the University of New Mexico in Albuquerque looking at hydroxals in crystalline minerals from Mars, states that the amount of water in the upper mantle of Mars is equal to or greater than that of Earth at 50–300 parts per million of water, which is enough to cover the entire planet to a depth of 200–1,000 m (660–3,280 ft).\*[91]

On March 18, 2013, NASA reported evidence from instruments on the *Curiosity* rover of mineral hydration, likely hydrated calcium sulfate, in several rock samples including the broken fragments of "Tintina" rock and

"Sutton Inlier" rock as well as in veins and nodules in other rocks like "Knorr" rock and "Wernicke" rock.\*[92]\*[93]\*[94] Analysis using the rover's DAN instrument provided evidence of subsurface water, amounting to as much as 4% water content, down to a depth of 60 cm (24 in), in the rover's traverse from the *Bradbury Landing* site to the *Yellowknife Bay* area in the *Glenelg* terrain.\*[92]

On September 28, 2015, NASA announced that they had found conclusive evidence of hydrated brine flows on recurring slope lineae, based on spectrometer readings of the darkened areas of slopes.\*[95]\*[96]\*[97] These observations provided confirmation of earlier hypotheses based on timing of formation and rate of growth that these dark streaks resulted from water flowing in the very shallow subsurface.\*[98] The streaks contain hydrated salts, perchlorates, which have water molecules in their crystal

structure.\*[99] The streaks flow downhill in Martian summer, when the temperature is above –23 degrees Celsius, and freeze at lower temperatures.\*[100]

Some researchers think that much of the low northern plains of the planet were covered with an ocean hundreds of meters deep, though this remains controversial.\*[101] In March 2015, scientists stated that such ocean might have been the size of Earth's Arctic Ocean. This finding was derived from the ratio of water and deuterium in the modern Martian atmosphere compared to the ratio found on Earth. Eight times as much deuterium was found at Mars than exists on Earth, suggesting that ancient Mars had significantly higher levels of water. Results from the *Curiosity* rover had previously found a high ratio of deuterium in Gale Crater, though not significantly high enough to suggest the presence of an ocean. Other scientists caution that this new study has not been confirmed, and point out that Martian climate models have not yet shown that the planet was warm enough in the past to support bodies of liquid water.\*[102]

#### 1.4.1 Polar caps

Main article: Martian polar ice caps



North polar early summer ice cap (1999)



South polar midsummer ice cap (2000)

Mars has two permanent polar ice caps. During a pole's winter, it lies in continuous darkness, chilling the surface and causing the deposition of 25–30% of the atmosphere into slabs of CO<sub>2</sub> ice (dry ice).\*[103] When the poles are again exposed to sunlight, the frozen CO<sub>2</sub> sublimes, creating enormous winds that sweep off the poles as fast as 400 km/h (250 mph). These seasonal actions transport large amounts of dust and water vapor, giving rise to Earth-like frost and large cirrus clouds. Clouds of water-ice were photographed by the *Opportunity* rover in 2004.\*[104]

The polar caps at both poles consist primarily (70%) of water ice. Frozen carbon dioxide accumulates as a com-

paratively thin layer about one metre thick on the north cap in the northern winter only, whereas the south cap has a permanent dry ice cover about eight metres thick. This permanent dry ice cover at the south pole is peppered by flat floored, shallow, roughly circular pits, which repeat imaging shows are expanding by meters per year; this suggests that the permanent CO<sub>2</sub> cover over the south pole water ice is degrading over time.\*[105] The northern polar cap has a diameter of about 1,000 km (620 mi) during the northern Mars summer,\*[106] and contains about 1.6 million cubic kilometres (380,000 cu mi) of ice, which, if spread evenly on the cap, would be 2 km (1.2 mi) thick.\*[107] (This compares to a volume of 2.85 million cubic kilometres (680,000 cu mi) for the Greenland ice sheet.) The southern polar cap has a diameter of 350 km (220 mi) and a thickness of 3 km (1.9 mi).\*[108] The total volume of ice in the south polar cap plus the adjacent layered deposits has also been estimated at 1.6 million cubic km.\*[109] Both polar caps show spiral troughs, which recent analysis of SHARAD ice penetrating radar has shown are a result of katabatic winds that spiral due to the Coriolis Effect.\*[110]\*[111]

The seasonal frosting of some areas near the southern ice cap results in the formation of transparent 1-metre-thick slabs of dry ice above the ground. With the arrival of spring, sunlight warms the subsurface and pressure from subliming CO<sub>2</sub> builds up under a slab, elevating and ultimately rupturing it. This leads to geyser-like eruptions of CO<sub>2</sub> gas mixed with dark basaltic sand or dust. This process is rapid, observed happening in the space of a few days, weeks or months, a rate of change rather unusual in geology – especially for Mars. The gas rushing underneath a slab to the site of a geyser carves a spiderweb-like pattern of radial channels under the ice, the process being the inverted equivalent of an erosion network formed by water draining through a single plug-hole.\*[112]\*[113]\*[114]\*[115]


## 1.5 Geography and naming of surface features

Main article: Geography of Mars

See also: Category:Surface features of Mars

Although better remembered for mapping the Moon, Johann Heinrich Mädler and Wilhelm Beer were the first "areographers". They began by establishing that most of Mars's surface features were permanent and by more precisely determining the planet's rotation period. In 1840, Mädler combined ten years of observations and drew the first map of Mars. Rather than giving names to the various markings, Beer and Mädler simply designated them with letters; Meridian Bay (Sinus Meridiani) was thus feature "a".\*[116]

Today, features on Mars are named from a variety of sources. Albedo features are named for classical mythology. Craters larger than 60 km are named for deceased



A *MOLA-based topographic map* showing highlands (red and orange) dominating the southern hemisphere of Mars, lowlands (blue) the northern. Volcanic plateaus delimit the northern plains in some regions, whereas the highlands are punctuated by several large impact basins.

scientists and writers and others who have contributed to the study of Mars. Craters smaller than 60 km are named for towns and villages of the world with populations of less than 100,000. Large valleys are named for the word "Mars" or "star" in various languages; small valleys are named for rivers.<sup>\*[117]</sup>

Large albedo features retain many of the older names, but are often updated to reflect new knowledge of the nature of the features. For example, *Nix Olympica* (the snows of Olympus) has become *Olympus Mons* (Mount Olympus).<sup>\*[118]</sup> The surface of Mars as seen from Earth is divided into two kinds of areas, with differing albedo. The paler plains covered with dust and sand rich in reddish iron oxides were once thought of as Martian "continents" and given names like *Arabia Terra* (*land of Arabia*) or *Amazonis Planitia* (*Amazonian plain*). The dark features were thought to be seas, hence their names *Mare Erythraeum*, *Mare Sirenum* and *Aurorae Sinus*. The largest dark feature seen from Earth is *Syrtis Major Planum*.<sup>\*[119]</sup> The permanent northern polar ice cap is named *Planum Boreum*, whereas the southern cap is called *Planum Australis*.

Mars's equator is defined by its rotation, but the location of its **Prime Meridian** was specified, as was Earth's (at Greenwich), by choice of an arbitrary point; Mädler and Beer selected a line in 1830 for their first maps of Mars. After the spacecraft **Mariner 9** provided extensive imagery of Mars in 1972, a small crater (later called *Airy-0*), located in the *Sinus Meridiani* ("Middle Bay" or "Meridian Bay"), was chosen for the definition of 0.0° longitude to coincide with the original selection.<sup>\*[120]</sup>

Because Mars has no oceans and hence no "sea level", a zero-elevation surface also had to be selected as a reference level; this is also called the *areoid*<sup>\*[121]</sup> of Mars, analogous to the terrestrial **geoid**. Zero altitude was defined by the height at which there is 610.5 Pa (6.105 mbar) of atmospheric pressure.<sup>\*[122]</sup> This pressure corresponds to the **triple point** of water, and it is about 0.6% of the sea level surface pressure on Earth (0.006 atm).<sup>\*[123]</sup> In practice, today this surface is defined directly from satellite gravity measurements.

### 1.5.1 Map of quadrangles

For mapping purposes, the **United States Geological Survey** divides the surface of Mars into thirty "quadrangles", each named for a prominent physiographic feature within that quadrangle.<sup>\*[124]\*[125]</sup> The quadrangles can be seen and explored via the interactive image map below.

The thirty cartographic quadrangles of Mars, defined by the **United States Geological Survey**.<sup>\*[1]\*[2]</sup> The quadrangles are numbered with the prefix "MC" for "Mars Chart."<sup>\*[3]</sup> Click on a quadrangle name link and you will be taken to the corresponding article. North is at the top; 0°N 180°W / 0°N 180°W is at the far left on the equator. The map images were taken by the **Mars Global Surveyor**.

1. ^ Morton, Oliver (2002). *Mapping Mars: Science, Imagination, and the Birth of a World*. New York: Picador USA. p. 98. ISBN 0-312-24551-3.
2. ^ "Online Atlas of Mars". *Ralpheschliman.com*. Retrieved December 16, 2012.
3. ^ "Catalog Page for PIA03467". *Photojournal.jpl.nasa.gov*. February 16, 2002. Retrieved December 16, 2012.

0°N 180°W / 0°N 180°W

0°N 0°W / 0°N –0°E

90°N 0°W / 90°N –0°E

MC-01

Mare Boreum

MC-02

Diacria

MC-03

Arcadia

MC-04

Mare Acidalium

MC-05

Ismenius Lacus

MC-06

Casius

MC-07

Cebrenia

MC-08

Amazonis  
MC-09

Thaumasia  
MC-26

Tharsis  
MC-10

Argyre  
MC-27

Lunae Palus  
MC-11

Noachis  
MC-28

Oxia Palus  
MC-12

Hellas  
MC-29

Arabia  
MC-13

Eridania  
MC-30

Syrtis Major  
MC-14

Mare Australe

Amenthes  
MC-15

### 1.5.2 Impact topography

Elysium  
MC-16



Memnonia  
MC-17

Phoenicis  
MC-18

Coprates  
MC-19

Margaritifer  
MC-20

Sabaeus  
MC-21

Iapygia  
MC-22

Tyrrhenum  
MC-23


Aeolis  
MC-24

Phaethontis  
MC-25

*Bonneville crater and Spirit rover's lander*


The dichotomy of Martian topography is striking: northern plains flattened by lava flows contrast with the southern highlands, pitted and cratered by ancient impacts. Research in 2008 has presented evidence regarding a theory proposed in 1980 postulating that, four billion years ago, the northern hemisphere of Mars was struck by an object one-tenth to two-thirds the size of Earth's Moon. If validated, this would make the northern hemisphere of Mars the site of an impact crater 10,600 by 8,500 km (6,600 by 5,300 mi) in size, or roughly the area of Europe, Asia, and Australia combined, surpassing the South Pole–Aitken basin as the largest impact crater in the Solar System.\*[17]\*[18]

Mars is scarred by a number of impact craters: a total of 43,000 craters with a diameter of 5 km (3.1 mi) or greater have been found.\*[127] The largest confirmed of these is the Hellas impact basin, a light albedo feature clearly visible from Earth.\*[128] Due to the smaller mass of Mars, the probability of an object colliding with the planet is about half that of Earth. Mars is located closer to the



*Fresh asteroid impact on Mars 3°20'N 219°23'E / 3.34°N 219.38°E – before/March 27 & after/March 28, 2012 (MRO).<sup>\*</sup>[126]*

asteroid belt, so it has an increased chance of being struck by materials from that source. Mars is also more likely to be struck by short-period comets, *i.e.*, those that lie within the orbit of Jupiter.<sup>\*</sup>[129] In spite of this, there are far fewer craters on Mars compared with the Moon, because the atmosphere of Mars provides protection against small meteors. Some craters have a morphology that suggests the ground became wet after the meteor impacted.<sup>\*</sup>[130]



*MOLA colorized shaded-relief map of western hemisphere of Mars showing Tharsis bulge (shades of red and brown). Tall volcanoes appear white.*

### 1.5.3 Volcanoes



*Viking orbiter view of Olympus Mons*

Main article: Volcanism on Mars

The shield volcano Olympus Mons (*Mount Olympus*) is an extinct volcano in the vast upland region **Tharsis**, which contains several other large volcanoes. Olympus Mons is roughly three times the height of **Mount Everest**, which in comparison stands at just over 8.8 km (5.5 mi).<sup>\*</sup>[131] It is either the tallest or second tallest mountain in the Solar System, depending on how it is measured, with various sources giving figures ranging from about 21 to 27 km (13 to 17 mi) high.<sup>\*</sup>[132]<sup>\*</sup>[133]

### 1.5.4 Tectonic sites

The large canyon, **Valles Marineris** (Latin for *Mariner Valleys*, also known as Agathadaemon in the old canal


maps), has a length of 4,000 km (2,500 mi) and a depth of up to 7 km (4.3 mi). The length of Valles Marineris is equivalent to the length of Europe and extends across one-fifth the circumference of Mars. By comparison, the **Grand Canyon** on Earth is only 446 km (277 mi) long and nearly 2 km (1.2 mi) deep. Valles Marineris was formed due to the swelling of the Tharsis area which caused the crust in the area of Valles Marineris to collapse. In 2012, it was proposed that Valles Marineris is not just a **graben**, but also a plate boundary where 150 km (93 mi) of **transverse motion** has occurred, making Mars a planet with possibly a two-plate tectonic arrangement.<sup>\*</sup>[134]<sup>\*</sup>[135]

### 1.5.5 Holes

Images from the Thermal Emission Imaging System (THEMIS) aboard NASA's Mars Odyssey orbiter have revealed seven possible cave entrances on the flanks of the volcano **Arsia Mons**.<sup>\*</sup>[136] The caves, named after loved ones of their discoverers, are collectively known as the "seven sisters".<sup>\*</sup>[137] Cave entrances measure from 100 to 252 m (328 to 827 ft) wide and they are estimated to be at least 73 to 96 m (240 to 315 ft) deep. Because light does not reach the floor of most of the caves, it is possible that they extend much deeper than these lower estimates and widen below the surface. "Dena" is the only exception; its floor is visible and was measured to be 130 m (430 ft) deep. The interiors of these caverns may be protected from micrometeoroids, UV radiation, solar flares and high energy particles that bombard the planet's surface.<sup>\*</sup>[138]

## 1.6 Atmosphere

Main article: Atmosphere of Mars



Escaping atmosphere on Mars (carbon, oxygen, and hydrogen) by MAVEN in UV.\* [139]

Mars lost its magnetosphere 4 billion years ago,\* [140] possibly because of numerous asteroid strikes,\* [141] so the solar wind interacts directly with the Martian ionosphere, lowering the atmospheric density by stripping away atoms from the outer layer. Both Mars Global Surveyor and Mars Express have detected ionised atmospheric particles trailing off into space behind Mars,\* [140]\* [142] and this atmospheric loss is being studied by the MAVEN orbiter. Compared to Earth, the atmosphere of Mars is quite rarefied. Atmospheric pressure on the surface today ranges from a low of 30 Pa (0.030 kPa) on Olympus Mons to over 1,155 Pa (1.155 kPa) in Hellas Planitia, with a mean pressure at the surface level of 600 Pa (0.60 kPa).\* [143] The highest atmospheric density on Mars is equal to that found 35 km (22 mi)\* [144] above Earth's surface. The resulting mean surface pressure is only 0.6% of that of Earth (101.3 kPa). The scale height of the atmosphere is about 10.8 km (6.7 mi),\* [145] which is higher than Earth's (6 km (3.7 mi)) because the surface gravity of Mars is only about 38% of Earth's, an effect offset by both the lower temperature and 50% higher average molecular weight of the atmosphere of Mars.


The atmosphere of Mars consists of about 96% carbon dioxide, 1.93% argon and 1.89% nitrogen along with traces of oxygen and water.\* [7]\* [146] The atmosphere is quite dusty, containing particulates about 1.5  $\mu\text{m}$  in diameter which give the Martian sky a tawny color when seen from the surface.\* [147]

Methane has been detected in the Martian atmosphere with a mole fraction of about 30 ppb;\* [15]\* [148] it occurs in extended plumes, and the profiles imply that the methane was released from discrete regions. In northern midsummer, the principal plume contained 19,000 metric tons of methane, with an estimated source strength

*The tenuous atmosphere of Mars visible on the horizon.*

of 0.6 kilograms per second.\* [149]\* [150] The profiles suggest that there may be two local source regions, the first centered near 30°N 260°W / 30°N 260°W and the second near 0°N 310°W / 0°N 310°W.\* [149] It is estimated that Mars must produce 270 tonnes per year of methane.\* [149]\* [151]

Methane can exist in the Martian atmosphere for only a limited period before it is destroyed—estimates of its lifetime range from 0.6–4 years.\* [149]\* [152] Its presence despite this short lifetime indicates that an active source of the gas must be present. Volcanic activity, cometary impacts, and the presence of methanogenic microbial life forms are among possible sources. Methane could also be produced by a non-biological process called *serpentization*\* [lower-alpha 2] involving water, carbon dioxide, and the mineral olivine, which is known to be common on Mars.\* [153]



*Potential sources and sinks of methane ( $\text{CH}_4$ ) on Mars.*

The Curiosity rover, which landed on Mars in August

2012, is able to make measurements that distinguish between different isotopologues of methane,<sup>\*</sup> [154] but even if the mission is to determine that microscopic Martian life is the source of the methane, the life forms likely reside far below the surface, outside of the rover's reach.<sup>\*</sup> [155] The first measurements with the Tunable Laser Spectrometer (TLS) indicated that there is less than 5 ppb of methane at the landing site at the point of the measurement.<sup>\*</sup> [156]<sup>\*</sup> [157]<sup>\*</sup> [158]<sup>\*</sup> [159] On September 19, 2013, NASA scientists, from further measurements by *Curiosity*, reported no detection of atmospheric methane with a measured value of  $0.18 \pm 0.67$  ppbv corresponding to an upper limit of only 1.3 ppbv (95% confidence limit) and, as a result, conclude that the probability of current methanogenic microbial activity on Mars is reduced.<sup>\*</sup> [160]<sup>\*</sup> [161]<sup>\*</sup> [162]

The Mars Orbiter Mission by India is searching for methane in the atmosphere,<sup>\*</sup> [163] while the ExoMars Trace Gas Orbiter, planned to launch in 2016, would further study the methane as well as its decomposition products, such as formaldehyde and methanol.<sup>\*</sup> [164]

On 16 December 2014, NASA reported the *Curiosity* rover detected a “tenfold spike”, likely localized, in the amount of methane in the Martian atmosphere. Sample measurements taken “a dozen times over 20 months” showed increases in late 2013 and early 2014, averaging “7 parts of methane per billion in the atmosphere.” Before and after that, readings averaged around one-tenth that level.<sup>\*</sup> [165]<sup>\*</sup> [166]

Ammonia was also tentatively detected on Mars by the Mars Express satellite, but with its relatively short lifetime, it is not clear what produced it.<sup>\*</sup> [167] Ammonia is not stable in the Martian atmosphere and breaks down after a few hours. One possible source is volcanic activity.<sup>\*</sup> [167]

### 1.6.1 Aurora

In 1994 the European Space Agency's Mars Express found an ultraviolet glow coming from “magnetic umbrellas” in the southern hemisphere. Mars does not have a global magnetic field which guides charged particles entering the atmosphere. Mars has multiple umbrella-shaped magnetic fields mainly in the southern hemisphere, which are remnants of a global field that decayed billions of years ago.

In late December 2014, NASA's MAVEN spacecraft detected evidence of widespread auroras in Mars's northern hemisphere and descended to approximately 20–30 degrees North latitude of Mars's equator. The particles causing the aurora penetrated into the Martian atmosphere, creating auroras below 100 km above the surface, Earth's auroras range from 100 km to 500 km above the surface. Magnetic fields in the solar wind drape over Mars, into the atmosphere, and the charged particles follow the solar wind magnetic field lines into the atmo-

sphere, causing auroras to occur outside the magnetic umbrellas.<sup>\*</sup> [168]

On 18 March 2015, NASA reported the detection of an aurora that is not fully understood and an unexplained dust cloud in the atmosphere of Mars.<sup>\*</sup> [169]


## 1.7 Climate

Main article: [Climate of Mars](#)

Dust storm on Mars.



November 18, 2012



November 25, 2012

Opportunity and *Curiosity* rovers are noted.

Of all the planets in the Solar System, the seasons of Mars are the most Earth-like, due to the similar tilts of the two planets' rotational axes. The lengths of the Martian seasons are about twice those of Earth's because Mars's greater distance from the Sun leads to the Martian year being about two Earth years long. Martian surface temperatures vary from lows of about  $-143^{\circ}\text{C}$  ( $-225^{\circ}\text{F}$ ) at the winter polar caps<sup>\*</sup> [9] to highs of up to  $35^{\circ}\text{C}$  ( $95^{\circ}\text{F}$ ) in equatorial summer.<sup>\*</sup> [10] The wide range in temperatures is due to the thin atmosphere which cannot store much solar heat, the low atmospheric pressure, and the low thermal inertia of Martian soil.<sup>\*</sup> [170] The planet is also 1.52 times as far from the Sun as Earth, resulting in just 43% of the amount of sunlight.<sup>\*</sup> [171]


If Mars had an Earth-like orbit, its seasons would be similar to Earth's because its axial tilt is similar to Earth's. The comparatively large eccentricity of the Martian orbit has a significant effect. Mars is near perihelion when it is summer in the southern hemisphere and winter in the north, and near aphelion when it is winter in the southern hemisphere and summer in the north. As a result, the seasons in the southern hemisphere are more extreme and the seasons in the northern are milder than would otherwise be the case. The summer temperatures in the south can be up to  $30\text{ K}$  ( $30^{\circ}\text{C}$ ;  $54^{\circ}\text{F}$ ) warmer than the equivalent summer temperatures in the north.<sup>\*</sup> [172]

Mars also has the largest dust storms in the Solar System. These can vary from a storm over a small area, to gigantic storms that cover the entire planet. They tend to occur when Mars is closest to the Sun, and have been shown to increase the global temperature.<sup>\*</sup> [173]

## 2 Orbit and rotation

Main article: Orbit of Mars

Mars's average distance from the Sun is roughly 230 mil-



*Mars is about 230 million kilometres (143,000,000 mi) from the Sun; its orbital period is 687 (Earth) days, depicted in red. Earth's orbit is in blue.*

lion kilometres (143,000,000 mi), and its orbital period is 687 (Earth) days. The solar day (or sol) on Mars is only slightly longer than an Earth day: 24 hours, 39 minutes, and 35.244 seconds. A Martian year is equal to 1.8809 Earth years, or 1 year, 320 days, and 18.2 hours.<sup>\*[7]</sup>

The axial tilt of Mars is 25.19 degrees relative to its orbital plane, which is similar to the axial tilt of Earth.<sup>\*[7]</sup> As a result, Mars has seasons like Earth, though on Mars, they are nearly twice as long because its orbital period is that much longer. Currently, the orientation of the north pole of Mars is close to the star Deneb.<sup>\*[12]</sup> Mars passed an aphelion in March 2010<sup>\*[174]</sup> and its perihelion in March 2011.<sup>\*[175]</sup> The next aphelion came in February 2012<sup>\*[175]</sup> and the next perihelion came in January 2013.<sup>\*[175]</sup>

Mars has a relatively pronounced orbital eccentricity of about 0.09; of the seven other planets in the Solar System, only Mercury has a larger orbital eccentricity. It is known that in the past, Mars has had a much more circular orbit than it does currently. At one point, 1.35 million Earth years ago, Mars had an eccentricity of roughly 0.002, much less than that of Earth today.<sup>\*[176]</sup> Mars's cycle of eccentricity is 96,000 Earth years compared to Earth's cycle of 100,000 years.<sup>\*[177]</sup> Mars also has a much longer cycle of eccentricity with a period of 2.2 million Earth years, and this overshadows the 96,000-year cycle in the eccentricity graphs. For the last 35,000 years, the orbit of Mars has been getting slightly more eccentric because of the gravitational effects of the other planets. The closest distance between Earth and Mars will continue to mildly

decrease for the next 25,000 years.<sup>\*[178]</sup>

## 3 Search for life

Main articles: Life on Mars and Viking lander biological experiments

The current understanding of planetary habitability —



*Viking 1 Lander – sampling arm created deep trenches, scooping up material for tests (Chryse Planitia).*

the ability of a world to develop environmental conditions favorable to the emergence of life—favors planets that have liquid water on their surface. Most often this requires the orbit of a planet to lie within the habitable zone, which for the Sun extends from just beyond Venus to about the semi-major axis of Mars.<sup>\*[179]</sup> During perihelion, Mars dips inside this region, but the planet's thin (low-pressure) atmosphere prevents liquid water from existing over large regions for extended periods. The past flow of liquid water demonstrates the planet's potential for habitability. Some recent evidence has suggested that any water on the Martian surface may have been too salty and acidic to support regular terrestrial life.<sup>\*[180]</sup>

The lack of a magnetosphere and the extremely thin atmosphere of Mars are a challenge: the planet has little heat transfer across its surface, poor insulation against bombardment of the solar wind and insufficient atmospheric pressure to retain water in a liquid form (water instead sublimes to a gaseous state). Mars is also nearly, or perhaps totally, geologically dead; the end of volcanic activity has apparently stopped the recycling of chemicals and minerals between the surface and interior of the planet.<sup>\*[181]</sup>


Evidence suggests that the planet was once significantly more habitable than it is today, but whether living organisms ever existed there remains unknown. The Viking probes of the mid-1970s carried experiments designed to detect microorganisms in Martian soil at their respective landing sites and had positive results, including a temporary increase of CO<sub>2</sub> production on exposure to water and nutrients. This sign of life was later disputed by some scientists, resulting in a continuing debate, with NASA scientist Gilbert Levin asserting that Viking may have found life. A re-analysis of the Viking data, in light of modern knowledge of extremophile forms of



*Curiosity rover self-portrait at "Rocknest" (October 31, 2012), with the rim of Gale Crater and the slopes of Aeolis Mons in the distance.*

life, has suggested that the Viking tests were not sophisticated enough to detect these forms of life. The tests could even have killed a (hypothetical) life form.\*[182] Tests conducted by the Phoenix Mars lander have shown that the soil has a **alkaline pH** and it contains magnesium, sodium, potassium and chloride.\*[183] The soil nutrients may be able to support life, but life would still have to be shielded from the intense ultraviolet light.\*[184] A recent analysis of martian meteorite EETA79001 found 0.6 ppm  $\text{ClO}_4^-$ , 1.4 ppm  $\text{ClO}_3^-$ , and 16 ppm  $\text{NO}_3^-$ , most likely of martian origin. The  $\text{ClO}_3^-$  suggests presence of other highly oxidizing oxychlorines such as  $\text{ClO}_2^-$  or  $\text{ClO}$ , produced both by UV oxidation of Cl and X-ray radiolysis of  $\text{ClO}_4^-$ . Thus only highly refractory and/or well-protected (sub-surface) organics or life forms are likely to survive.\*[185] In addition, recent analysis of the Phoenix WCL showed that the  $\text{Ca}(\text{ClO}_4)_2$  in the Phoenix soil has not interacted with liquid water of any form, perhaps for as long as 600 Myr. If it had, the highly soluble  $\text{Ca}(\text{ClO}_4)_2$  in contact with liquid water would have formed only  $\text{CaSO}_4$ . This suggests a severely arid environment, with minimal or no liquid water interaction.\*[186]

Some scientists have proposed that carbonate globules found in **meteorite ALH84001**, which is thought to have originated from Mars, could be fossilized microbes extant on Mars when the meteorite was blasted from the Martian surface by a meteor strike some 15 million years



*Alga crater – detection of impact glass deposits (green spots) – possible site for preserved ancient life.\*[187]*

ago. This proposal has been met with skepticism, and an exclusively inorganic origin for the shapes has also been proposed.\*[188]

Small quantities of **methane** and **formaldehyde** detected by Mars orbiters are both claimed to be possible evidence for life, as these chemical compounds would quickly break down in the Martian atmosphere.\*[189]\*[190] Alternatively, these compounds may instead be replenished by volcanic or other geological means, such as serpentinization.\*[153]

Impact glass, formed by the impact of meteors, which on Earth can preserve signs of life, has been found on the surface of the impact craters on Mars.\*[191]\*[192] Likewise, the glass in impact craters on Mars could have preserved some signs of life if life existed at the site.\*[193]\*[194]\*[195]

## 4 Habitability

See also: Planetary habitability

The **German Aerospace Center** discovered that Earth lichens can survive in simulated Mars conditions, making the presence of life more plausible according to researcher **Tilman Spohn**.\*[196] The simulation based temperatures, atmospheric pressure, minerals, and light on data from Mars probes.\*[196] An instrument called **REMS** is designed to provide new clues about the signature of the Martian general circulation, microscale weather systems, local hydrological cycle, destructive potential of UV radiation, and subsurface habitability based on ground-atmosphere interaction.\*[197]\*[198] It landed on Mars as part of *Curiosity* (MSL) in August 2012.

## 5 Exploration

Main article: **Exploration of Mars**

In addition to observation from Earth, some of the lat-



Panorama of Gusev crater, where Spirit rover examined volcanic basalts

est Mars information comes from seven active probes on or in-orbit around Mars, including five orbiters and two rovers. This includes *2001 Mars Odyssey*,<sup>\*</sup> [199] *Mars Express*, *Mars Reconnaissance Orbiter*, MAVEN, Mars Orbiter Mission, *Opportunity*, and *Curiosity*.

Dozens of crewless spacecraft, including orbiters, landers, and rovers, have been sent to Mars by the Soviet Union, the United States, Europe, and India to study the planet's surface, climate, and geology. The public can request images of Mars via the HiWish program.

The Mars Science Laboratory, named *Curiosity*, launched on November 26, 2011, and reached Mars on August 6, 2012 UTC. It is larger and more advanced than the Mars Exploration Rovers, with a movement rate up to 90 m (300 ft) per hour.<sup>\*</sup> [200] Experiments include a laser chemical sampler that can deduce the make-up of rocks at a distance of 7 m (23 ft).<sup>\*</sup> [201] On February 10, 2013, the *Curiosity* rover obtained the first deep rock samples ever taken from another planetary body, using its on-board drill.<sup>\*</sup> [202]

On September 24, 2014, Mars Orbiter Mission (MOM), launched by the Indian Space Research Organisation, reached Mars orbit. ISRO launched MOM on November 5, 2013, with the aim of analyzing the Martian atmosphere and topography. The Mars Orbiter Mission used a Hohmann transfer orbit to escape Earth's gravitational influence and catapult into a nine-month-long voyage to Mars. The mission is the first successful Asian interplanetary mission.<sup>\*</sup> [203]

## 5.1 Future

Main article: Exploration of Mars § Timeline of Mars exploration

Planned for March 2016 is the launch of the *InSight* lander, together with two identical CubeSats that will fly by Mars and provide landing telemetry. The lander and CubeSats are planned to arrive at Mars in September 2016.<sup>\*</sup> [204]

The European Space Agency, in collaboration with Roscosmos, will deploy the ExoMars Trace Gas Orbiter

and *Schiaparelli* lander in 2016, and the ExoMars rover in 2018. NASA plans to launch its Mars 2020 astrobiology rover in 2020.


The United Arab Emirates' *Mars Hope* orbiter is planned for launch in 2020, reaching Mars orbit in 2021. The probe will make a global study of the Martian atmosphere.<sup>\*</sup> [205]

Several plans for a human mission to Mars have been proposed throughout the 20th century and into the 21st century, but no active plan has an arrival date sooner than 2025.


## 6 Astronomy on Mars

Main article: Astronomy on Mars

With the existence of various orbiters, landers, and



Phobos transits the Sun (Opportunity; March 10, 2004).




Comet Siding Spring to pass near Mars on October 19, 2014 (Hubble; March 11, 2014).

rovers, it is now possible to do astronomy from Mars. Although Mars's moon Phobos appears about one third the angular diameter of the full moon as it appears from Earth, Deimos appears more or less star-like and appears only slightly brighter than Venus does from Earth.<sup>\*</sup> [206]


There are various phenomena, well-known on Earth, that have been observed on Mars, such as meteors and auroras.\* [207] A transit of Earth as seen from Mars will occur on November 10, 2084.\* [208] There are also transits of Mercury and transits of Venus, and the moons Phobos and Deimos are of sufficiently small angular diameter that their partial “eclipses” of the Sun are best considered transits (see [Transit of Deimos from Mars](#)).\* [209]\* [210]

On October 19, 2014, Comet Siding Spring passed extremely close to Mars, so close that the coma may have enveloped Mars.\* [211]\* [212]\* [213]\* [214]\* [215]\* [216]



*Tracking sunspots from Mars*

Comet Siding Spring Mars flyby on October 19, 2014  
(artist's concepts)



POV: Universe



POV: Comet



POV: Mars




Close encounter of Comet Siding Spring with the planet Mars  
(composite image; Hubble ST; October 19, 2014).

## 7 Viewing

Because the orbit of Mars is eccentric, its apparent magnitude at opposition from the Sun can range from  $-3.0$  to  $-1.4$ . The minimum brightness is magnitude  $+1.6$  when the planet is in conjunction with the Sun.\* [11] Mars usually appears distinctly yellow, orange, or red; the actual color of Mars is closer to butterscotch, and the redness seen is just dust in the planet's atmosphere. NASA's *Spirit* rover has taken pictures of a greenish-brown, mud-colored landscape with blue-grey rocks and patches of light red sand.\* [217] When farthest away from Earth, it is more than seven times as far from the latter as when it is closest. When least favorably positioned, it can be lost in the Sun's glare for months at a time. At its most favorable times—at 15- or 17-year intervals, and always between late July and late September—a lot of surface detail can be seen with a telescope. Especially noticeable, even at low magnification, are the polar ice caps.\* [218]


As Mars approaches opposition, it begins a period of retrograde motion, which means it will appear to move backwards in a looping motion with respect to the back-



*Animation of the apparent retrograde motion of Mars in 2003 as seen from Earth*

ground stars. The duration of this retrograde motion lasts for about 72 days, and Mars reaches its peak luminosity in the middle of this motion.\* [219]

## 7.1 Closest approaches



*Mars as seen from Earth orbit by Hubble*


### 7.1.1 Relative

The point at which Mars's geocentric longitude is 180° different from the Sun's is known as **opposition**, which is near the time of closest approach to Earth. The time of opposition can occur as much as 8.5 days away from the closest approach. The distance at close approach varies between about 54\* [220] and about 103 million km due to the planets' elliptical orbits, which causes comparable variation in angular size.\* [221] The last Mars opposition occurred on April 8, 2014 at a distance of about 93 million km.\* [222] The next Mars opposition occurs on May 22, 2016 at a distance of 76 million km.\* [222] The average time between the successive oppositions of Mars, its

synodic period, is 780 days but the number of days between the dates of successive oppositions can range from 764 to 812.\* [223]

As Mars approaches opposition it begins a period of retrograde motion, which makes it appear to move backwards in a looping motion relative to the background stars. The duration of this retrograde motion is about 72 days.

### 7.1.2 Absolute, around the present time



of Mars, which occur every 15 or 17 years and are distinguished because Mars is close to perihelion, making it even closer to Earth.


## 8.1 Ancient and medieval observations

The existence of Mars as a wandering object in the night sky was recorded by the ancient Egyptian astronomers and by 1534 BCE they were familiar with the retrograde motion of the planet.<sup>\*[225]</sup> By the period of the Neo-Babylonian Empire, the Babylonian astronomers were making regular records of the positions of the planets and systematic observations of their behavior. For Mars, they knew that the planet made 37 synodic periods, or 42 circuits of the zodiac, every 79 years. They also invented arithmetic methods for making minor corrections to the predicted positions of the planets.<sup>\*[226]</sup><sup>\*[227]</sup>


In the fourth century BCE, Aristotle noted that Mars disappeared behind the Moon during an occultation, indicating the planet was farther away.<sup>\*[228]</sup> Ptolemy, a Greek living in Alexandria,<sup>\*[229]</sup> attempted to address the problem of the orbital motion of Mars. Ptolemy's model and his collective work on astronomy was presented in the multi-volume collection *Almagest*, which became the authoritative treatise on Western astronomy for the next fourteen centuries.<sup>\*[230]</sup> Literature from ancient China confirms that Mars was known by Chinese astronomers by no later than the fourth century BCE.<sup>\*[231]</sup> In the fifth century CE, the Indian astronomical text *Surya Siddhanta* estimated the diameter of Mars.<sup>\*[232]</sup> In the East Asian cultures, Mars is traditionally referred to as the “fire star” (火星), based on the Five elements.<sup>\*[233]</sup><sup>\*[234]</sup><sup>\*[235]</sup>

During the seventeenth century, Tycho Brahe measured the diurnal parallax of Mars that Johannes Kepler used to make a preliminary calculation of the relative distance to the planet.<sup>\*[236]</sup> When the telescope became available, the diurnal parallax of Mars was again measured in an effort to determine the Sun-Earth distance. This was first performed by Giovanni Domenico Cassini in 1672. The early parallax measurements were hampered by the quality of the instruments.<sup>\*[237]</sup> The only occultation of Mars by Venus observed was that of October 13, 1590, seen by Michael Maestlin at Heidelberg.<sup>\*[238]</sup> In 1610, Mars was viewed by Galileo Galilei, who was first to see it via telescope.<sup>\*[239]</sup> The first person to draw a map of Mars that displayed any terrain features was the Dutch astronomer Christiaan Huygens.<sup>\*[240]</sup>


## 8.2 Martian “canals”



Map of Mars by Giovanni Schiaparelli



Mars sketched as observed by Lowell sometime before 1914. (South top)



Map of Mars from Hubble Space Telescope as seen near the 1999 opposition. (North top)

Main article: [Martian canal](#)

By the 19th century, the resolution of telescopes reached a level sufficient for surface features to be identified. A perihelic opposition of Mars occurred on September 5, 1877. In that year, Italian astronomer Giovanni Schiaparelli used a 22 cm (8.7 in) telescope in Milan to help produce the first detailed map of Mars. These maps notably contained features he called *canali*, which were later shown to be an optical illusion. These *canali* were supposedly long, straight lines on the surface of Mars, to which he gave names of famous rivers on Earth. His term, which means “channels” or “grooves”, was popularly mis-translated in English as “canals”.<sup>\*[241]</sup><sup>\*[242]</sup>

Influenced by the observations, the orientalist Percival Lowell founded an observatory which had 30 and 45 cm (12 and 18 in) telescopes. The observatory was used for the exploration of Mars during the last good opportunity in 1894 and the following less favorable oppositions. He published several books on Mars and life on the planet, which had a great influence on the public.<sup>\*[243]</sup><sup>\*[244]</sup> The *canali* were also found by other astronomers, like Henri Joseph Perrotin and Louis Thollon in Nice, using one of the largest telescopes of that time.<sup>\*[245]</sup><sup>\*[246]</sup>

The seasonal changes (consisting of the diminishing of the polar caps and the dark areas formed during Martian summer) in combination with the canals lead to speculation about life on Mars, and it was a long-held belief that Mars contained vast seas and vegetation. The telescope never reached the resolution required to give proof to

any speculations. As bigger telescopes were used, fewer long, straight *canali* were observed. During an observation in 1909 by Flammarion with an 84 cm (33 in) telescope, irregular patterns were observed, but no *canali* were seen.\*[247]

Even in the 1960s articles were published on Martian biology, putting aside explanations other than life for the seasonal changes on Mars. Detailed scenarios for the metabolism and chemical cycles for a functional ecosystem have been published.\*[248]

### 8.3 Spacecraft visitation

Main article: Exploration of Mars

Once spacecraft visited the planet during NASA's



Foothills of Aeolis Mons (“Mount Sharp”) (white-balanced image).


Mariner missions in the 1960s and 70s these concepts were radically broken. In addition, the results of the Viking life-detection experiments aided an intermission in which the hypothesis of a hostile, dead planet was generally accepted.\*[249]

Mariner 9 and Viking allowed better maps of Mars to be made using the data from these missions, and another major leap forward was the Mars Global Surveyor mission, launched in 1996 and operated until late 2006, that allowed complete, extremely detailed maps of the Martian topography, magnetic field and surface minerals to be obtained.\*[250] These maps are now available online; for example, at Google Mars. Mars Reconnaissance Orbiter and Mars Express continued exploring with new instruments, and supporting lander missions. NASA provides two online tools: Mars Trek, which provides visualizations of the planet using data from 50 years of exploration, and Experience Curiosity, which simulates traveling on Mars in 3-D with Curiosity.\*[251]

## 9 In culture

Main articles: Mars in culture and Mars in fiction

Mars is named after the Roman god of war. In different cultures, Mars represents masculinity and youth. Its symbol, a circle with an arrow pointing out to the upper right, is also used as a symbol for the male gender.



The many failures in Mars exploration probes resulted in a satirical counter-culture blaming the failures on an Earth-Mars “Bermuda Triangle”, a “Mars Curse”, or a “Great Galactic Ghoul” that feeds on Martian spacecraft.\*[252]

### 9.1 Intelligent “Martians”

Main article: Mars in fiction

The fashionable idea that Mars was populated by intelligent Martians exploded in the late 19th century. Schiaparelli’s “canali” observations combined with Percival Lowell’s books on the subject put forward the standard notion of a planet that was a drying, cooling, dying world with ancient civilizations constructing irrigation works.\*[253]

Many other observations and proclamations by notable personalities added to what has been termed “Mars Fever”.\*[254] In 1899 while investigating atmospheric radio noise using his receivers in his Colorado Springs lab, inventor Nikola Tesla observed repetitive signals that he later surmised might have been radio communications coming from another planet, possibly Mars. In a 1901 interview Tesla said:

It was some time afterward when the thought flashed upon my mind that the disturbances I had observed might be due to an intelligent control. Although I could not decipher their meaning, it was impossible for me to think of them as having been entirely accidental. The feeling is constantly growing on me that I had been the first to hear the greeting of one planet to another.\*[255]

Tesla's theories gained support from Lord Kelvin who, while visiting the United States in 1902, was reported



An 1893 soap ad playing on the popular idea that Mars was populated

to have said that he thought Tesla had picked up Martian signals being sent to the United States.<sup>\*[256]</sup> Kelvin “emphatically” denied this report shortly before departing America: “What I really said was that the inhabitants of Mars, if there are any, were doubtless able to see New York, particularly the glare of the electricity.”<sup>\*[257]</sup>


In a *New York Times* article in 1901, Edward Charles Pickering, director of the Harvard College Observatory, said that they had received a telegram from Lowell Observatory in Arizona that seemed to confirm that Mars was trying to communicate with Earth.<sup>\*[258]</sup>

Early in December 1900, we received from Lowell Observatory in Arizona a telegram that a shaft of light had been seen to project from Mars (the Lowell observatory makes a specialty of Mars) lasting seventy minutes. I wired these facts to Europe and sent out neostyle copies through this country. The observer there is a careful, reliable man and there is no reason to doubt that the light existed. It was given as from a well-known geographical point on Mars. That was all. Now the story has gone the world over. In Europe it is stated that I have been in communication with Mars, and all sorts of exaggerations have sprung up. Whatever the light was, we have no means of knowing. Whether it had intelligence or not, no one can say. It is absolutely inexplicable.<sup>\*[258]</sup>

Pickering later proposed creating a set of mirrors in Texas, intended to signal Martians.<sup>\*[259]</sup>

In recent decades, the high-resolution mapping of the surface of Mars, culminating in Mars Global Surveyor, revealed no artifacts of habitation by “intelligent” life, but pseudoscientific speculation about intelligent life on Mars continues from commentators such as Richard C. Hoagland. Reminiscent of the *canali* controversy, some speculations are based on small scale features perceived in the spacecraft images, such as ‘pyramids’ and the ‘Face on Mars’. Planetary astronomer Carl Sagan wrote:

Mars has become a kind of mythic arena onto which we have projected our Earthly hopes and fears.<sup>\*[242]</sup>



Martian tripod illustration from the 1906 French edition of The War of the Worlds by H.G. Wells

The depiction of Mars in fiction has been stimulated by its dramatic red color and by nineteenth century scientific speculations that its surface conditions might support not just life but intelligent life.<sup>\*[260]</sup> Thus originated a large number of science fiction scenarios, among which is H. G. Wells' *The War of the Worlds*, published in 1898, in which Martians seek to escape their dying planet by invading Earth. A subsequent US radio adaptation of *The War of the Worlds* on October 30, 1938, by Orson Welles was presented as a live news broadcast and became notorious for causing a public panic when many listeners mistook it for the truth.<sup>\*[261]</sup>

Influential works included Ray Bradbury's *The Martian Chronicles*, in which human explorers accidentally destroy a Martian civilization, Edgar Rice Burroughs' *Barsoom* series, C. S. Lewis' novel *Out of the Silent Planet* (1938),<sup>\*[262]</sup> and a number of Robert A. Heinlein stories before the mid-sixties.<sup>\*[263]</sup>

Jonathan Swift made reference to the moons of Mars, about 150 years before their actual discovery by Asaph Hall, detailing reasonably accurate descriptions of their orbits, in the 19th chapter of his novel *Gulliver's Travels*.\*[264]

A comic figure of an intelligent Martian, Marvin the Martian, appeared on television in 1948 as a character in the Looney Tunes animated cartoons of Warner Brothers, and has continued as part of popular culture to the present.\*[265] In the 1950s, TV shows such as *I Love Lucy* made light of the popular belief in life on Mars; for example, when Lucy and Ethel were hired to portray Martians landing on the top of the Empire State Building as a publicity stunt for an upcoming movie.

After the Mariner and Viking spacecraft had returned pictures of Mars as it really is, an apparently lifeless and canal-less world, these ideas about Mars had to be abandoned, and a vogue for accurate, realist depictions of human colonies on Mars developed, the best known of which may be Kim Stanley Robinson's *Mars* trilogy. Pseudo-scientific speculations about the Face on Mars and other enigmatic landmarks spotted by space probes have meant that ancient civilizations continue to be a popular theme in science fiction, especially in film.\*[266]


The theme of a Martian colony that fights for independence from Earth is a major plot element in the novels of Greg Bear as well as the movie *Total Recall* (based on a short story by Philip K. Dick) and the television series *Babylon 5*. Some video games also use this element, including *Red Faction* and the *Zone of the Enders* series. Mars (and its moons) were also the setting for the popular *Doom* video game franchise and the later *Martian Gothic*.



Enhanced-color HiRISE image of Deimos (not to scale), showing its smooth blanket of regolith.

Mars has two relatively small natural moons, Phobos (about 22 km (14 mi) in diameter) and Deimos (about 12 km (7.5 mi) in diameter), which orbit close to the planet. Asteroid capture is a long-favored theory, but their origin remains uncertain.\*[267] Both satellites were discovered in 1877 by Asaph Hall; they are named after the characters Phobos (panic/fear) and Deimos (terror/dread), who, in Greek mythology, accompanied their father Ares, god of war, into battle. Mars was the Roman counterpart of Ares.\*[268]\*[269] In modern Greek, though, the planet retains its ancient name Ares (Aris: Αρης).\*[270]

From the surface of Mars, the motions of Phobos and Deimos appear different from that of the Moon. Phobos rises in the west, sets in the east, and rises again in just 11 hours. Deimos, being only just outside synchronous orbit – where the orbital period would match the planet's period of rotation – rises as expected in the east but slowly. Despite the 30 hour orbit of Deimos, 2.7 days elapse between its rise and set for an equatorial observer, as it slowly falls behind the rotation of Mars.\*[271]



Orbits of Phobos and Deimos (to scale)

## 10 Moons

Main articles: Moons of Mars, Phobos (moon) and Deimos (moon)



Enhanced-color HiRISE image of Phobos, showing a series of mostly parallel grooves and crater chains, with its crater Stickney at right


Because the orbit of Phobos is below synchronous altitude, the tidal forces from the planet Mars are gradually lowering its orbit. In about 50 million years, it could either crash into Mars's surface or break up into a ring structure around the planet.\*[271]

The origin of the two moons is not well understood. Their

low albedo and carbonaceous chondrite composition have been regarded as similar to asteroids, supporting the capture theory. The unstable orbit of Phobos would seem to point towards a relatively recent capture. But both have circular orbits, near the equator, which is unusual for captured objects and the required capture dynamics are complex. Accretion early in the history of Mars is also plausible, but would not account for a composition resembling asteroids rather than Mars itself, if that is confirmed.

A third possibility is the involvement of a third body or some kind of impact disruption.<sup>\*[272]</sup> More recent lines of evidence for Phobos having a highly porous interior,<sup>\*[273]</sup> and suggesting a composition containing mainly phyllosilicates and other minerals known from Mars,<sup>\*[274]</sup> point toward an origin of Phobos from material ejected by an impact on Mars that reaccreted in Martian orbit,<sup>\*[275]</sup> similar to the prevailing theory for the origin of Earth's moon. Although the VNIR spectra of the moons of Mars resemble those of outer-belt asteroids, the thermal infrared spectra of Phobos are reported to be inconsistent with chondrites of any class.<sup>\*[274]</sup>

Mars may have additional moons smaller than 50 to 100 metres (160 to 330 ft) in diameter, and a dust ring is predicted between Phobos and Deimos.<sup>\*[20]</sup>



Orbits of moons and spacecraft orbiting Mars.<sup>\*[276]</sup>

## 11 Far future

See also: Timeline of the far future

Although predictions of the future can never be absolutely certain,<sup>\*[277]</sup> present scientific understanding in various fields has allowed a projected course for the furthest future events to be sketched out, if only in the broadest strokes.

- 25,000 years from now. The northern Martian polar ice cap could recede as Mars reaches a warming peak of the northern hemisphere during the ~50,000 year perihelion precession aspect of its Milankovitch cycle.<sup>\*[278]\*[279]</sup>

- 20–70 million years from now. Mars' moon Phobos will get close enough to the surface to be torn apart by tidal stresses. A fraction of the resulting debris is likely to give Mars a planetary ring, which will last somewhere between one and one hundred million years.<sup>\*[280]\*[281]</sup>
- 1.5–1.6 billion years from now. The Sun's increasing luminosity will cause its circumstellar habitable zone to move outwards; as the amount of carbon dioxide increases in Mars's atmosphere, its surface temperature will rise to levels akin to Earth during the ice age.<sup>\*[282]\*[283]</sup>
- 7.5 billion years from now. Earth and Mars may become tidally locked with the expanding Sun.<sup>\*[283]</sup>
- 7.9 billion years from now. The Sun will reach the tip of the red-giant branch of the Hertzsprung–Russell diagram, reaching its maximum radius of 256 times the present-day value.<sup>\*[284]</sup> In the process, Mercury, Venus, very likely Earth, and possibly Mars will be destroyed.<sup>\*[285]</sup>

## 12 Gallery

- Streaks – on slopes in Acheron Fossae.
- Avalanche – down 700 m slope (north pole).
- Nanedi Valles inner channel.
- Valles Marineris (*2001 Mars Odyssey*).
- Mars – cave entrances (possible).
- Mars – suspected lava-tube skylight.
- Mars – North Pole area.

## 13 See also

- C/2013 A1—a comet passing near Mars in 2014
- Colonization of Mars
- Composition of Mars
- Darian calendar—time-keeping system
- Geodynamics on Mars
- Geology of Mars
- Extraterrestrial life
- Exploration of Mars
- List of artificial objects on Mars
- List of chasmata on Mars

- List of craters on Mars
- List of mountains on Mars
- List of quadrangles on Mars
- List of rocks on Mars
- List of valles on Mars
- Seasonal flows on warm Martian slopes
- Terraforming of Mars
- 2007 WD5—asteroid near-encounter with Mars on January 30, 2008
- Water on Mars

## 14 Notes

- [1] Best-fit ellipsoid
- [2] There are many *serpentization* reactions. Olivine is a solid solution between forsterite and fayalite whose general formula is  $(\text{Fe}, \text{Mg})_2\text{SiO}_4$ . The reaction producing methane from olivine can be written as: *Forsterite + Fayalite + Water + Carbonic acid  $\rightarrow$  Serpentine + Magnetite + Methane*, or (in balanced form):  $18\text{Mg}_2\text{SiO}_4 + 6\text{Fe}_2\text{SiO}_4 + 26\text{H}_2\text{O} + \text{CO}_2 \rightarrow 12\text{Mg}_3\text{Si}_2\text{O}_5(\text{OH})_4 + 4\text{Fe}_3\text{O}_4 + \text{CH}_4$

## 15 References

- [1] Simon, J.L.; Bretagnon, P.; Chapront, J.; Chapront-Touzé, M.; Francou, G.; Laskar, J. (February 1994). “Numerical expressions for precession formulae and mean elements for the Moon and planets”. *Astronomy and Astrophysics* **282** (2): 663–683. Bibcode:1994A&A...282..663S.
- [2] “The MeanPlane (Invariable plane) of the Solar System passing through the barycenter”. April 3, 2009. Retrieved April 10, 2009. (produced with Solex 10 written by Aldo Vitagliano; see also *invariable plane*)
- [3] Seidelmann, P. Kenneth; Archinal, Brent A.; A'Hearn, Michael F.; et al. (2007). “Report of the IAU/IAG Working Group on cartographic coordinates and rotational elements: 2006”. *Celestial Mechanics and Dynamical Astronomy* **98** (3): 155–180. Bibcode:2007CeMDA..98..155S. doi:10.1007/s10569-007-9072-y.
- [4] Lodders, Katharina; Fegley, Bruce (1998). *The planetary scientist's companion*. Oxford University Press US. p. 190. ISBN 0-19-511694-1.
- [5] Konopliv, Alex S.; Asmar, Sami W.; Folkner, William M.; Karatekin, Özgür; Nunes, Daniel C.; et al. (January 2011). “Mars high resolution gravity fields from MRO, Mars seasonal gravity, and other dynamical parameters”. *Icarus* **211** (1): 401–428. Bibcode:2011Icar..211..401K. doi:10.1016/j.icarus.2010.10.004.
- [6] Folkner, W. M.; et al. (1997). “Interior Structure and Seasonal Mass Redistribution of Mars from Radio Tracking of Mars Pathfinder”. *Science* **278** (5344): 1749–1752. Bibcode:1997Sci...278.1749F. doi:10.1126/science.278.5344.1749. ISSN 0036-8075.
- [7] Williams, David R. (September 1, 2004). “Mars Fact Sheet”. *National Space Science Data Center*. NASA. Retrieved June 24, 2006.
- [8] Mallama, A. (2007). “The magnitude and albedo of Mars”. *Icarus* **192** (2): 404–416. Bibcode:2007Icar..192..404M. doi:10.1016/j.icarus.2007.07.011.
- [9] “What is the typical temperature on Mars?”. *Astronomy-cafe.net*. Retrieved August 14, 2012.
- [10] “Mars Exploration Rover Mission: Spotlight”. *Marsrover.nasa.gov*. June 12, 2007. Retrieved August 14, 2012.
- [11] Mallama, A. (2011). “Planetary magnitudes”. *Sky and Telescope* **121** (1): 51–56.
- [12] Barlow, Nadine G. (2008). *Mars: an introduction to its interior, surface and atmosphere*. Cambridge planetary science **8**. Cambridge University Press. p. 21. ISBN 0-521-85226-9.
- [13] Krasnopolsky, Vladimir A.; Feldman, Paul D. (2001). “Detection of Molecular Hydrogen in the Atmosphere of Mars”. *Science* **294** (5548): 1914–1917. Bibcode:2001Sci...294.1914K. doi:10.1126/science.1065569. PMID 11729314.
- [14] Clancy, R. T.; Sandor, B. J.; Moriarty-Schieven, G. H. (2004). “A measurement of the 362 GHz absorption line of Mars atmospheric H<sub>2</sub>O<sub>2</sub>”. *Icarus* **168** (1): 116–121. Bibcode:2004Icar..168..116C. doi:10.1016/j.icarus.2003.12.003.
- [15] Formisano, V.; Atreya, S.; Encrenaz, T.; Ignatiev, N.; Giuranna, M. (2004). “Detection of Methane in the Atmosphere of Mars”. *Science* **306** (5702): 1758–1761. Bibcode:2004Sci...306.1758F. doi:10.1126/science.1101732. PMID 15514118.
- [16] “The Lure of Hematite”. *Science@NASA*. NASA. March 28, 2001. Retrieved December 24, 2009.
- [17] Yeager, Ashley (July 19, 2008). “Impact May Have Transformed Mars”. *ScienceNews.org*. Retrieved August 12, 2008.
- [18] Sample, Ian (June 26, 2008). “Cataclysmic impact created north-south divide on Mars”. London: Science @ guardian.co.uk. Retrieved August 12, 2008.
- [19] Millis, John P. “Mars Moon Mystery”. *space.about.com*.
- [20] Adler, M.; Owen, W. and Riedel, J. (2012). “Use of MRO Optical Navigation Camera to Prepare for Mars Sample Return” (PDF). *Concepts and Approaches for Mars Exploration, held June 12–14, 2012 in Houston, Texas. LPI Contribution No. 1679, id.4337* **1679**: 4337. Bibcode:2012LPICo1679.4337A.

- [21] "NASA Confirms Evidence That Liquid Water Flows on Today's Mars". NASA.
- [22] "NASA Images Suggest Water Still Flows in Brief Spurts on Mars". NASA/JPL. December 6, 2006. Retrieved January 4, 2007.
- [23] "Water ice in crater at Martian north pole". ESA. July 28, 2005. Retrieved March 19, 2010.
- [24] "Scientists Discover Concealed Glaciers on Mars at Mid-Latitudes". University of Texas at Austin. November 20, 2008. Archived from the original on July 25, 2011. Retrieved March 19, 2010.
- [25] Staff (February 21, 2005). "Mars pictures reveal frozen sea". ESA. Retrieved March 19, 2010.
- [26] "NASA Spacecraft Confirms Martian Water, Mission Extended". Science @ NASA. July 31, 2008. Retrieved August 1, 2008.
- [27] "Life on earth 'began on Mars'". *the Guardian*.
- [28] "NASA – NASA Spacecraft Data Suggest Water Flowing on Mars". Nasa.gov. August 4, 2011. Retrieved September 19, 2011.
- [29] Jha, Alok. "Nasa's Curiosity rover finds water in Martian soil". theguardian.com. Retrieved November 6, 2013.
- [30] Jarell, Elizabeth M (February 26, 2015). "Using Curiosity to Search for Life". Mars Daily. Retrieved August 9, 2015.
- [31] "The Mars Exploration Rover Mission" (PDF). NASA. November 2013. p. 20. Retrieved August 9, 2015.
- [32] Wilks, Jeremy (May 21, 2015). "Mars mystery: ExoMars mission to finally resolve question of life on red planet". EuroNews. Retrieved August 9, 2015.
- [33] Howell, Elizabeth (January 5, 2015). "Life on Mars? NASA's next rover aims to find out". The Christian Science Monitor. Retrieved August 9, 2015.
- [34] THE RED PLANET: A SURVEY OF MARS Slide 2 Earth Telescope View of Mars index
- [35] Peplow, Mark. "How Mars got its rust". *BioEd Online*. MacMillan Publishers Ltd. Retrieved March 10, 2007.
- [36] NASA – *Mars in a Minute: Is Mars Really Red?* (Transcript)
- [37] Nimmo, Francis; Tanaka, Ken (2005). "Early Crustal Evolution Of Mars". *Annual Review of Earth and Planetary Sciences* **33** (1): 133–161. Bibcode:2005AREPS..33..133N. doi:10.1146/annurev.earth.33.092203.122637.
- [38] Rivoldini, A.; Van Hoolst, T.; Verhoeven, O.; Mocquet, A.; Dehant, V. (June 2011). "Geodesy constraints on the interior structure and composition of Mars". *Icarus* **213** (2): 451–472. Bibcode:2011Icar..213..451R. doi:10.1016/j.icarus.2011.03.024.
- [39] Jacqué, Dave (September 26, 2003). "APS X-rays reveal secrets of Mars' core". Argonne National Laboratory. Retrieved July 1, 2006.
- [40] Webster, Guy; Brown, Dwayne; Napier, Gary (19 May 2014). "Construction to Begin on 2016 NASA Mars Lander". NASA. Retrieved 2 April 2015.
- [41] McSween, Harry Y.; Taylor, G. Jeffrey; Wyatt, Michael B. (May 2009). "Elemental Composition of the Martian Crust". *Science* **324** (5928): 736–739. Bibcode:2009Sci...324..736M. doi:10.1126/science.1165871.
- [42] Bandfield, Joshua L. (June 2002). "Global mineral distributions on Mars". *Journal of Geophysical Research (Planets)* **107** (E6): 9–1. Bibcode:2002JGRE..107.5042B. doi:10.1029/2001JE001510.
- [43] Christensen, Philip R.; et al. (June 27, 2003). "Morphology and Composition of the Surface of Mars: Mars Odyssey THEMIS Results". *Science* **300** (5628): 2056–2061. Bibcode:2003Sci...300.2056C. doi:10.1126/science.1080885. PMID 12791998.
- [44] Golombek, Matthew P. (June 27, 2003). "The Surface of Mars: Not Just Dust and Rocks". *Science* **300** (5628): 2043–2044. doi:10.1126/science.1082927. PMID 12829771.
- [45] Tanaka, Kenneth L.; Skinner, James A., Jr.; Dohm, James M.; Irwin, Rossman P., III; Kolb, Eric J.; Fortezzo, Corey M.; Platz, Thomas; Michael, Gregory G.; Hare, Trent M. (July 14, 2014). "Geologic Map of Mars – 2014". USGS. Retrieved July 22, 2014.
- [46] Krisch, Joshua A. (July 22, 2014). "Brand New Look at the Face of Mars". *New York Times*. Retrieved July 22, 2014.
- [47] Staff (July 14, 2014). "Mars – Geologic map – Video (00:56)". USGS. Retrieved July 22, 2014.
- [48] Valentine, Theresa; Amde, Lishan (November 9, 2006). "Magnetic Fields and Mars". Mars Global Surveyor @ NASA. Retrieved July 17, 2009.
- [49] Neal-Jones, Nancy; O'Carroll, Cynthia. "New Map Provides More Evidence Mars Once Like Earth". NASA/Goddard Space Flight Center. Retrieved December 4, 2011.
- [50] Halliday, A. N.; Wänke, H.; Birck, J.-L.; Clayton, R. N. (2001). "The Accretion, Composition and Early Differentiation of Mars". *Space Science Reviews* **96** (1/4): 197–230. Bibcode:2001SSRv...96..197H. doi:10.1023/A:1011997206080.
- [51] Zharkov, V. N. (1993). *The role of Jupiter in the formation of planets*. pp. 7–17. Bibcode:1993GMS....74....7Z.
- [52] Lunine, Jonathan I.; Chambers, John; Morbidelli, Alessandro; Leshin, Laurie A. (2003). "The origin of water on Mars". *Icarus* **165** (1): 1–8. Bibcode:2003Icar..165....1L. doi:10.1016/S0019-1035(03)00172-6.
- [53] Barlow, N. G. (October 5–7, 1988). H. Frey, eds. *Conditions on Early Mars: Constraints from the Cratering Record. MEVTW Workshop on Early Tectonic and Volcanic Evolution of Mars. LPI Technical Report 89-04* (Easton, Maryland: Lunar and Planetary Institute). p. 15. Bibcode:1989eamd.work...15B.

- [54] "Giant Asteroid Flattened Half of Mars, Studies Suggest". Scientific American. Retrieved June 27, 2008.
- [55] Chang, Kenneth (June 26, 2008). "Huge Meteor Strike Explains Mars's Shape, Reports Say". New York Times. Retrieved June 27, 2008.
- [56] "Mars: The Planet that Lost an Ocean's Worth of Water". Retrieved 19 June 2015.
- [57] Tanaka, K. L. (1986). "The Stratigraphy of Mars". *Journal of Geophysical Research* **91** (B13): E139–E158. Bibcode:1986JGR....91..139T. doi:10.1029/JB091iB13p0E139.
- [58] Hartmann, William K.; Neukum, Gerhard (2001). "Cratering Chronology and the Evolution of Mars". *Space Science Reviews* **96** (1/4): 165–194. Bibcode:2001SSRv...96..165H. doi:10.1023/A:1011945222010.
- [59] Mitchell, Karl L.; Wilson, Lionel (2003). "Mars: recent geological activity : Mars: a geologically active planet". *Astronomy & Geophysics* **44** (4): 4.16–4.20. Bibcode:2003A&G....44d..16M. doi:10.1046/j.1468-4004.2003.44416.x.
- [60] "Mars avalanche caught on camera". *Discovery Channel*. Discovery Communications. March 4, 2008. Retrieved March 4, 2009.
- [61] "Martian soil 'could support life'". BBC News. June 27, 2008. Retrieved August 7, 2008.
- [62] Chang, Alicia (August 5, 2008). "Scientists: Salt in Mars soil not bad for life". *USA Today*. Associated Press. Retrieved August 7, 2008.
- [63] "NASA Spacecraft Analyzing Martian Soil Data". JPL. Retrieved August 5, 2008.
- [64] Kounaves, S. P.; et al. (2010). "Wet Chemistry Experiments on the 2007 Phoenix Mars Scout Lander: Data Analysis and Results". *J. Geophys. Res.* **115**: E00-E10. Bibcode:2009JGRE..114.0A19K. doi:10.1029/2008JE003084.
- [65] Kounaves, S. P.; et al. (2010). "Soluble Sulfate in the Martian Soil at the Phoenix Landing Site". *Icarus* **37**: L09201. Bibcode:2010GeoRL..37.9201K. doi:10.1029/2010GL042613.
- [66] "Dust Devil Etch-A-Sketch (ESP\_013751\_1115)". NASA/JPL/University of Arizona. July 2, 2009. Retrieved January 1, 2010.
- [67] Schorghofer, Norbert; Aharonson, Oded; Khatiwala, Samar (2002). "Slope streaks on Mars: Correlations with surface properties and the potential role of water". *Geophysical Research Letters* **29** (23): 41–1. Bibcode:2002GeoRL..29w..41S. doi:10.1029/2002GL015889.
- [68] Gánti, Tibor; et al. (2003). "Dark Dune Spots: Possible Biomarkers on Mars?". *Origins of Life and Evolution of the Biosphere* **33** (4): 515–557. Bibcode:2003OLEB...33..515G. doi:10.1023/A:1025705828948.
- [69] "NASA – NASA Rover Finds Clues to Changes in Mars' Atmosphere". [nasa.gov](http://nasa.gov).
- [70] "NASA, Mars: Facts & Figures". Retrieved January 28, 2010.
- [71] Heldmann, Jennifer L.; et al. (May 7, 2005). "Formation of Martian gullies by the action of liquid water flowing under current Martian environmental conditions" (PDF). *Journal of Geophysical Research* **110** (E5): E05004. Bibcode:2005JGRE..11005004H. doi:10.1029/2004JE002261. Retrieved September 17, 2008. 'conditions such as now occur on Mars, outside of the temperature-pressure stability regime of liquid water' ...Liquid water is typically stable at the lowest elevations and at low latitudes on the planet because the atmospheric pressure is greater than the vapor pressure of water and surface temperatures in equatorial regions can reach 273 K for parts of the day [Haberle et al., 2001]'
- [72] Kostama, V.-P.; Kreslavsky, M. A.; Head, J. W. (June 3, 2006). "Recent high-latitude icy mantle in the northern plains of Mars: Characteristics and ages of emplacement". *Geophysical Research Letters* **33** (11): L11201. Bibcode:2006GeoRL..3311201K. doi:10.1029/2006GL025946. Retrieved August 12, 2007. 'Martian high-latitude zones are covered with a smooth, layered ice-rich mantle'.
- [73] Byrne, Shane; Ingersoll, Andrew P. (2003). "A Sublimation Model for Martian South Polar Ice Features". *Science* **299** (5609): 1051–1053. Bibcode:2003Sci...299.1051B. doi:10.1126/science.1080148. PMID 12586939.
- [74] "Mars' South Pole Ice Deep and Wide". NASA. March 15, 2007. Archived from the original on April 20, 2009. Retrieved March 16, 2007.
- [75] Whitehouse, David (January 24, 2004). "Long history of water and Mars". *BBC News*. Retrieved March 20, 2010.
- [76] Kerr, Richard A. (March 4, 2005). "Ice or Lava Sea on Mars? A Transatlantic Debate Erupts". *Science* **307** (5714): 1390–1391. doi:10.1126/science.307.5714.1390a. PMID 15746395.
- [77] Jaeger, W. L.; et al. (September 21, 2007). "Athabasca Valles, Mars: A Lava-Draped Channel System". *Science* **317** (5845): 1709–1711. Bibcode:2007Sci...317.1709J. doi:10.1126/science.1143315. PMID 17885126.
- [78] Lucchitta, B. K.; Rosanova, C. E. (August 26, 2003). "Valles Marineris; The Grand Canyon of Mars". USGS. Archived from the original on June 11, 2011. Retrieved March 11, 2007.
- [79] Murray, John B.; et al. (March 17, 2005). "Evidence from the Mars Express High Resolution Stereo Camera for a frozen sea close to Mars' equator". *Nature* **434** (703): 352–356. Bibcode:2005Natur.434..352M. doi:10.1038/nature03379. PMID 15772653.
- [80] Craddock, R.A.; Howard, A.D. (2002). "The case for rainfall on a warm, wet early Mars". *Journal of Geophysical Research* **107** (E11). Bibcode:2002JGRE..107.5111C. doi:10.1029/2001JE001505.

- [81] Malin, Michael C.; Edgett, K.S. (June 30, 2000). "Evidence for Recent Groundwater Seepage and Surface Runoff on Mars". *Science* **288** (5475): 2330–2335. Bibcode:2000Sci...288.2330M. doi:10.1126/science.288.5475.2330. PMID 10875910.
- [82] "NASA Images Suggest Water Still Flows in Brief Spurts on Mars". NASA. December 6, 2006. Retrieved December 6, 2006.
- [83] "Water flowed recently on Mars". BBC. December 6, 2006. Retrieved December 6, 2006.
- [84] "Water May Still Flow on Mars, NASA Photo Suggests". NASA. December 6, 2006. Retrieved April 30, 2006.
- [85] Lewis, K.W.; Aharonson, O. (2006). "Stratigraphic analysis of the distributary fan in Eberswalde crater using stereo imagery". *Journal of Geophysical Research* **111** (E06001). Bibcode:2006JGRE..11106001L. doi:10.1029/2005JE002558.
- [86] Matsubara, Y.; Howard, A.D.; Drummond, S.A. (2011). "Hydrology of early Mars: Lake basins". *Journal of Geophysical Research* **116** (E04001). Bibcode:2011JGRE..11604001M. doi:10.1029/2010JE003739.
- [87] "Mineral in Mars 'Berries' Adds to Water Story" (Press release). NASA. March 3, 2004. Archived from the original on November 9, 2007. Retrieved June 13, 2006.
- [88] "Mars Exploration Rover Mission: Science". NASA. July 12, 2007. Retrieved January 10, 2010.
- [89] "NASA – NASA Mars Rover Finds Mineral Vein Deposited by Water". Nasa.gov. December 7, 2011. Retrieved August 14, 2012.
- [90] "Rover Finds "Bulletproof" Evidence of Water on Early Mars". News.nationalgeographic.com. December 8, 2011. Retrieved August 14, 2012.
- [91] "Mars Has "Oceans" of Water Inside?". News.nationalgeographic.com. June 26, 2012. Retrieved August 14, 2012.
- [92] Webster, Guy; Brown, Dwayne (March 18, 2013). "Curiosity Mars Rover Sees Trend In Water Presence". NASA. Retrieved March 20, 2013.
- [93] Rincon, Paul (March 19, 2013). "Curiosity breaks rock to reveal dazzling white interior". BBC. Retrieved March 19, 2013.
- [94] Staff (March 20, 2013). "Red planet coughs up a white rock, and scientists freak out". MSN. Archived from the original on March 23, 2013. Retrieved March 20, 2013.
- [95] "NASA News Conference: Evidence of Liquid Water on Today's Mars". NASA. 28 September 2015. Retrieved 28 September 2015.
- [96] "NASA Confirms Evidence That Liquid Water Flows on Today's Mars". NASA. Retrieved 28 September 2015.
- [97] Ojha, L.; Wilhelm, M. B.; Murchie, S. L.; McEwen, A. S.; Wray, J. J.; Hanley, J.; Massé, M.; Chojnacki, M. (2015). "Spectral evidence for hydrated salts in recurring slope lineae on Mars". *Nature Geoscience*. doi:10.1038/ngeo2546.
- [98] McEwen, Alfred; Lujendra, Ojha; Dundas, Colin; Mattson, Sarah; Bryne, S.; Wray, J.; Cull, Selby; Murchie, Scott; Thomas, Nicholas; Gulick, Virginia (5 August 2011). "Seasonal Flows On Warm Martian Slopes". *Science* **333** (6043): 743–743. doi:10.1126/science.1204816. PMID 21817049. Retrieved 28 September 2015.
- [99] Drake, Nadia; 28, National Geographic PUBLISHED September. "NASA Finds 'Definitive' Liquid Water on Mars". *National Geographic News*. Retrieved 2015-09-29.
- [100] Moskowitz, Clara. "Water Flows on Mars Today, NASA Announces". Retrieved 2015-09-29.
- [101] Head, J.W.; et al. (1999). "Possible Ancient Oceans on Mars: Evidence from Mars Orbiter Laser Altimeter Data". *Science* **286** (5447): 2134–7. Bibcode:1999Sci...286.2134H. doi:10.1126/science.286.5447.2134. PMID 10591640.
- [102] Kaufman, Marc (March 5, 2015). "Mars Had an Ocean, Scientists Say, Pointing to New Data". *The New York Times*. Retrieved March 5, 2015.
- [103] Mellon, J. T.; Feldman, W. C.; Prettyman, T. H. (2003). "The presence and stability of ground ice in the southern hemisphere of Mars". *Icarus* **169** (2): 324–340. Bibcode:2004Icar..169..324M. doi:10.1016/j.icarus.2003.10.022.
- [104] "Mars Rovers Spot Water-Clue Mineral, Frost, Clouds". NASA. December 13, 2004. Retrieved March 17, 2006.
- [105] Malin, M.C.; Caplinger, M.A.; Davis, S.D. (2001). "Observational evidence for an active surface reservoir of solid carbon dioxide on Mars" (PDF). *Science* **294** (5549): 2146–8. Bibcode:2001Sci...294.2146M. doi:10.1126/science.1066416. PMID 11768358.
- [106] "MIRA's Field Trips to the Stars Internet Education Program". Mira.or. Retrieved February 26, 2007.
- [107] Carr, Michael H. (2003). "Oceans on Mars: An assessment of the observational evidence and possible fate". *Journal of Geophysical Research* **108** (5042): 24. Bibcode:2003JGRE..108.5042C. doi:10.1029/2002JE001963.
- [108] Phillips, Tony. "Mars is Melting, Science at NASA". Retrieved February 26, 2007.
- [109] Plaut, J. J.; et al. (2007). "Subsurface Radar Soundings of the South Polar Layered Deposits of Mars". *Science* **315** (5821): 92–5. Bibcode:2007Sci...316...92P. doi:10.1126/science.1139672. PMID 17363628.
- [110] Smith, Isaac B.; Holt, J. W. (2010). "Onset and migration of spiral troughs on Mars revealed by orbital radar". *Nature* **465** (4): 450–453. Bibcode:2010Nature....32..450P. doi:10.1038/nature09049.

- [111] "Mystery Spirals on Mars Finally Explained". Space.com. May 26, 2010. Retrieved May 26, 2010.
- [112] "NASA Findings Suggest Jets Bursting From Martian Ice Cap". Jet Propulsion Laboratory (NASA). August 16, 2006. Retrieved August 11, 2009.
- [113] Kieffer, H. H. (2000). "Mars Polar Science 2000" (PDF). Retrieved September 6, 2009.
- [114] Portyankina, G., ed. (2006). "Fourth Mars Polar Science Conference" (PDF). Retrieved August 11, 2009.
- [115] Kieffer, Hugh H.; Christensen, Philip R.; Titus, Timothy N. (May 30, 2006). "CO<sub>2</sub> jets formed by sublimation beneath translucent slab ice in Mars' seasonal south polar ice cap". *Nature* **442** (7104): 793–796. Bibcode:2006Natur.442..793K. doi:10.1038/nature04945. PMID 16915284.
- [116] Sheehan, William. "Areographers". *The Planet Mars: A History of Observation and Discovery*. Retrieved June 13, 2006.
- [117] Planetary Names: Categories for Naming Features on Planets and Satellites. Planetarynames.wr.usgs.gov. Retrieved on December 1, 2011.
- [118] "Viking and the Resources of Mars" (PDF). *Humans to Mars: Fifty Years of Mission Planning, 1950–2000*. Retrieved March 10, 2007.
- [119] Frommert, H.; Kronberg, C. "Christiaan Huygens". SEDS/Lunar and Planetary Lab. Retrieved March 10, 2007.
- [120] Archinal, B. A.; Caplinger, M. (Fall 2002). "Mars, the Meridian, and Mert: The Quest for Martian Longitude". *Abstract #P22D-06* (American Geophysical Union) **22**: 06. Bibcode:2002AGUFM.P22D..06A.
- [121] NASA (April 19, 2007). "Mars Global Surveyor: MOLA MEGDRs". geo.pds.nasa.gov. Retrieved June 24, 2011. Mars Global Surveyor: MOLA MEGDRs
- [122] Zeitler, W.; Ohlhof, T.; Ebner, H. (2000). "Recomputation of the global Mars control-point network" (PDF). *Photogrammetric Engineering & Remote Sensing* **66** (2): 155–161. Retrieved December 26, 2009.
- [123] Lunine, Cynthia J. (1999). *Earth: evolution of a habitable world*. Cambridge University Press. p. 183. ISBN 0-521-64423-2.
- [124] Morton, Oliver (2002). *Mapping Mars: Science, Imagination, and the Birth of a World*. New York: Picador USA. p. 98. ISBN 0-312-24551-3.
- [125] "Online Atlas of Mars". Ralpheeschliman.com. Retrieved December 16, 2012.
- [126] Webster, Guy; Brown, Dwayne (May 22, 2014). "NASA Mars Weathercam Helps Find Big New Crater". NASA. Retrieved May 22, 2014.
- [127] Wright, Shawn (April 4, 2003). "Infrared Analyses of Small Impact Craters on Earth and Mars". University of Pittsburgh. Archived from the original on June 12, 2007. Retrieved February 26, 2007.
- [128] "Mars Global Geography". *Windows to the Universe*. University Corporation for Atmospheric Research. April 27, 2001. Retrieved June 13, 2006.
- [129] Wetherill, G. W. (1999). "Problems Associated with Estimating the Relative Impact Rates on Mars and the Moon". *Earth, Moon, and Planets* **9** (1–2): 227–231. Bibcode:1974Moon....9..227W. doi:10.1007/BF00565406.
- [130] Costard, Francois M. (1989). "The spatial distribution of volatiles in the Martian hydrolithosphere". *Earth, Moon, and Planets* **45** (3): 265–290. Bibcode:1989EM&P...45..265C. doi:10.1007/BF00057747.
- [131] Chen, Junyong; et al. (2006). "Progress in technology for the 2005 height determination of Qomolangma Feng (Mt. Everest)". *Science in China Series D: Earth Sciences* **49** (5): 531–538. doi:10.1007/s11430-006-0531-1.
- [132] "Olympus Mons". mountainprofessor.com.
- [133] Glenday, Craig (2009). *Guinness World Records*. Random House, Inc. p. 12. ISBN 0-553-59256-4.
- [134] Wolpert, Stuart (August 9, 2012). "UCLA scientist discovers plate tectonics on Mars". UCLA. Retrieved August 13, 2012.
- [135] Lin, An (June 4, 2012). "Structural analysis of the Valles Marineris fault zone: Possible evidence for large-scale strike-slip faulting on Mars". *Lithosphere* **4** (4): 286–330. Bibcode:2012Lsphe...4..286Y. doi:10.1130/L192.1. Retrieved October 2, 2012.
- [136] Cushing, G. E.; Titus, T. N.; Wynne, J. J.; Christensen, P. R. (2007). "Themis Observes Possible Cave Skylights on Mars" (PDF). *Lunar and Planetary Science XXXVIII*. Retrieved August 2, 2007.
- [137] "NAU researchers find possible caves on Mars". *Inside NAU* **4** (12) (Northern Arizona University). March 28, 2007. Retrieved May 28, 2007.
- [138] "Researchers find possible caves on Mars". *Paul Rincon of BBC News*. March 17, 2007. Retrieved May 28, 2007.
- [139] Jones, Nancy; Steigerwald, Bill; Brown, Dwayne; Webster, Guy (October 14, 2014). "NASA Mission Provides Its First Look at Martian Upper Atmosphere". NASA. Retrieved October 15, 2014.
- [140] Philips, Tony (2001). "The Solar Wind at Mars". *Science@NASA*. Retrieved October 8, 2006.
- [141] "Multiple Asteroid Strikes May Have Killed Mars's Magnetic Field". WIRED. January 20, 2011.
- [142] Lundin, R.; et al. (2004). "Solar Wind-Induced Atmospheric Erosion at Mars: First Results from ASPERA-3 on Mars Express". *Science* **305** (5692): 1933–1936. Bibcode:2004Sci...305.1933L. doi:10.1126/science.1101860. PMID 15448263.
- [143] Bolonkin, Alexander A. (2009). *Artificial Environments on Mars*. Berlin Heidelberg: Springer. pp. 599–625. ISBN 978-3-642-03629-3.

- [144] Atkinson, Nancy (July 17, 2007). “The Mars Landing Approach: Getting Large Payloads to the Surface of the Red Planet”. Retrieved September 18, 2007.
- [145] Carr, Michael H. (2006). *The surface of Mars. Cambridge planetary science series 6* (Cambridge University Press). p. 16. ISBN 0-521-87201-4.
- [146] “Abundance and Isotopic Composition of Gases in the Martian Atmosphere from the Curiosity Rover”. *Sciencemag.org*. July 19, 2013. Retrieved August 19, 2013.
- [147] Lemmon, M. T.; et al. (2004). “Atmospheric Imaging Results from Mars Rovers”. *Science* **306** (5702): 1753–1756. Bibcode:2004Sci...306.1753L. doi:10.1126/science.1104474. PMID 15576613.
- [148] “Mars Express confirms methane in the Martian atmosphere”. ESA. March 30, 2004. Retrieved March 17, 2006.
- [149] Mumma, Michael J.; et al. (February 20, 2009). “Strong Release of Methane on Mars in Northern Summer 2003” (PDF). *Science* **323** (5917): 1041–1045. Bibcode:2009Sci...323.1041M. doi:10.1126/science.1165243. PMID 19150811.
- [150] Hand, Eric (October 21, 2008). “Plumes of methane identified on Mars” (PDF). Nature News. Retrieved August 2, 2009.
- [151] Krasnopolsky, Vladimir A. (February 2005). “Some problems related to the origin of methane on Mars”. *Icarus* **180** (2): 359–367. Bibcode:2006Icar..180..359K. doi:10.1016/j.icarus.2005.10.015.
- [152] Franck, Lefèvre; Forget, François (August 6, 2009). “Observed variations of methane on Mars unexplained by known atmospheric chemistry and physics”. *Nature* **460** (7256): 720–723. Bibcode:2009Natur.460..720L. doi:10.1038/nature08228. PMID 19661912.
- [153] Oze, C.; Sharma, M. (2005). “Have olivine, will gas: Serpentization and the abiogenic production of methane on Mars”. *Geophysical Research Letters* **32** (10): L10203. Bibcode:2005GeoRL..3210203O. doi:10.1029/2005GL022691.
- [154] Tenenbaum, David (June 9, 2008). “Making Sense of Mars Methane”. *Astrobiology Magazine*. Archived from the original on September 23, 2008. Retrieved October 8, 2008.
- [155] Steigerwald, Bill (January 15, 2009). “Martian Methane Reveals the Red Planet is not a Dead Planet”. NASA’s Goddard Space Flight Center (NASA). Archived from the original on January 17, 2009. Retrieved January 24, 2009.
- [156] “Mars Curiosity Rover News Telecon”. November 2, 2012.
- [157] Kerr, Richard A. (November 2, 2012). “Curiosity Finds Methane on Mars, or Not”. *Science (journal)*. Retrieved November 3, 2012.
- [158] Wall, Mike (November 2, 2012). “Curiosity Rover Finds No Methane on Mars — Yet”. *Space.com*. Retrieved November 3, 2012.
- [159] Chang, Kenneth (November 2, 2012). “Hope of Methane on Mars Fades”. New York Times. Retrieved November 3, 2012.
- [160] Webster, Christopher R.; Mahaffy, Paul R.; Atreya, Sushil K.; Flesch, Gregory J.; Farley, Kenneth A. (September 19, 2013). “Low Upper Limit to Methane Abundance on Mars”. *Science* **342**: 355–357. Bibcode:2013Sci...342..355W. doi:10.1126/science.1242902. Retrieved September 19, 2013.
- [161] Cho, Adrian (September 19, 2013). “Mars Rover Finds No Evidence of Burps and Farts”. *Science (journal)*. Retrieved September 19, 2013.
- [162] Chang, Kenneth (September 19, 2013). “Mars Rover Comes Up Empty in Search for Methane”. *New York Times*. Retrieved September 19, 2013.
- [163] “Mars Orbiter Mission – Payloads”. Indian Space Research Organisation (ISRO). ISRO. December 2014. Retrieved 23 December 2014.
- [164] Mustard, Jack (July 9, 2009) MEPAG Report to the Planetary Science Subcommittee. *lpi.usra.edu*. p. 3
- [165] Webster, Guy; Jones, Nancy Neal; Brown, Dwayne (December 16, 2014). “NASA Rover Finds Active and Ancient Organic Chemistry on Mars”. NASA. Retrieved December 16, 2014.
- [166] Chang, Kenneth (December 16, 2014). “A Great Moment’: Rover Finds Clue That Mars May Harbor Life”. *New York Times*. Retrieved December 16, 2014.
- [167] Whitehouse, David (July 15, 2004). “Dr. David Whitehouse – Ammonia on Mars could mean life”. *news.bbc.co.uk* (BBC News). Retrieved August 14, 2012.
- [168] “Auroras on Mars – NASA Science”. *science.nasa.gov*. Retrieved 2015-05-12.
- [169] Brown, Dwayne; Neal-Jones, Nancy; Steigerwald, Bill; Scott, Jim (18 March 2015). “NASA Spacecraft Detects Aurora and Mysterious Dust Cloud around Mars”. NASA. Release 15-045. Retrieved 18 March 2015.
- [170] “Mars’ desert surface...”. *MGCM Press release*. NASA. Retrieved February 25, 2007.
- [171] Kluger, Jeffrey (September 1, 1992). “Mars, in Earth’s Image”. *Discover Magazine*. Retrieved November 3, 2009.
- [172] Goodman, Jason C (September 22, 1997). “The Past, Present, and Possible Future of Martian Climate”. MIT. Archived from the original on November 10, 2010. Retrieved February 26, 2007.
- [173] Philips, Tony (July 16, 2001). “Planet Gobbling Dust Storms”. *Science @ NASA*. Retrieved June 7, 2006.
- [174] “Mars 2009/2010”. Students for the Exploration and Development of Space (SEDS). May 6, 2009. Retrieved December 28, 2007.
- [175] “Mars distance from the Sun from January 2011 to January 2015”. Retrieved January 27, 2012.

- [176] Vitagliano, Aldo (2003). "Mars' Orbital eccentricity over time". *Solex*. Universita' degli Studi di Napoli Federico II. Retrieved July 20, 2007.
- [177] Meeus, Jean (March 2003). "When Was Mars Last This Close?". International Planetarium Society. Archived from the original on May 16, 2011. Retrieved January 18, 2008.
- [178] Baalke, Ron (August 22, 2003). "Mars Makes Closest Approach In Nearly 60,000 Years". meteorite-list. Retrieved January 18, 2008.
- [179] Nowack, Robert L. "Estimated Habitable Zone for the Solar System". Department of Earth and Atmospheric Sciences at Purdue University. Retrieved April 10, 2009.
- [180] Briggs, Helen (February 15, 2008). "Early Mars 'too salty' for life". BBC News. Retrieved February 16, 2008.
- [181] Hannsson, Anders (1997). *Mars and the Development of Life*. Wiley. ISBN 0-471-96606-1.
- [182] "New Analysis of Viking Mission Results Indicates Presence of Life on Mars". Physorg.com. January 7, 2007. Retrieved March 2, 2007.
- [183] "Phoenix Returns Treasure Trove for Science". NASA/JPL. June 6, 2008. Retrieved June 27, 2008.
- [184] Bluck, John (July 5, 2005). "NASA Field-Tests the First System Designed to Drill for Subsurface Martian Life". NASA. Retrieved January 2, 2010.
- [185] Kounaves, S. P. et al., Evidence of martian perchlorate, chloride, and nitrate in Mars meteorite EETA79001: implications for oxidants and organics, *Icarus*, 2014, 229, 206–213, doi:10.1016/j.icarus.2013.11.012,
- [186] Kounaves, S. P.; et al. (2014). "Identification of the perchlorate parent salts at the Phoenix Mars landing site and implications". *Icarus* **232**: 226–231. Bibcode:2014Icar..232..226K. doi:10.1016/j.icarus.2014.01.016.
- [187] Staff (8 June 2015). "PIA19673: Spectral Signals Indicating Impact Glass on Mars". NASA. Retrieved 8 June 2015.
- [188] Golden, D. C.; et al. (2004). "Evidence for exclusively inorganic formation of magnetite in Martian meteorite ALH84001" (PDF). *American Mineralogist* **89** (5–6): 681–695. Retrieved December 25, 2010.
- [189] Krasnopol'sky, Vladimir A.; Maillard, Jean-Pierre; Owen, Tobias C. (2004). "Detection of methane in the Martian atmosphere: evidence for life?". *Icarus* **172** (2): 537–547. Bibcode:2004Icar..172..537K. doi:10.1016/j.icarus.2004.07.004.
- [190] Peplow, Mark (February 25, 2005). "Formaldehyde claim inflames Martian debate". *Nature*. doi:10.1038/news050221-15.
- [191] Nickel, Mark (April 18, 2014). "Impact glass stores bio-data for millions of years". Brown University. Retrieved June 9, 2015.
- [192] Schultz, P. H.; Harris, R. Scott; Clemett, S. J.; Thomas-Keprra, K. L.; Zárate, M. (June 2014). "Preserved flora and organics in impact melt breccias". *Geology* **42** (6): 515–518. Bibcode:2014Geo...42..515S. doi:10.1130/G35343.1.
- [193] Brown, Dwayne; Webster, Guy; Stacey, Kevin (June 8, 2015). "NASA Spacecraft Detects Impact Glass on Surface of Mars" (Press release). NASA. Retrieved June 9, 2015.
- [194] Stacey, Kevin (June 8, 2015). "Martian glass: Window into possible past life?". Brown University. Retrieved June 9, 2015.
- [195] Temming, Maria (June 12, 2015). "Exotic Glass Could Help Unravel Mysteries of Mars". *Scientific American*. Retrieved June 15, 2015.
- [196] "DLR – Surviving the conditions on Mars (26 April 2012)". *Dlr.de*. April 26, 2012. Retrieved December 16, 2012.
- [197] "MSL Science Corner: Rover Environmental Monitoring Station (REMS)". NASA/JPL. Retrieved September 9, 2009.
- [198] "Mars Science Laboratory Fact Sheet" (PDF). NASA/JPL. Retrieved June 20, 2011.
- [199] "NASA's Mars Odyssey Shifting Orbit for Extended Mission". NASA. October 9, 2008. Retrieved November 15, 2008.
- [200] "Mars Science Laboratory —Homepage". NASA. Archived from the original on July 30, 2009.
- [201] "Chemistry and Cam (ChemCam)". NASA.
- [202] "Curiosity Mars rover takes historic drill sample". BBC. February 10, 2013. Retrieved February 10, 2013.
- [203] "ISRO: Mars Orbiter Mission". *isro.gov.in*.
- [204] Messier, Douglas (May 27, 2015). "Two Tiny 'CubeSats' Will Watch 2016 Mars Landing". *Space.com*. Retrieved May 27, 2015.
- [205] Schreck, Adam (May 6, 2015). "UAE to explore Mars' atmosphere with probe named 'Hope'". *Excite News*. Associated Press. Retrieved May 31, 2015.
- [206] "Deimos". *Planetary Societies's Explore the Cosmos*. Archived from the original on June 5, 2011. Retrieved June 13, 2006.
- [207] Bertaux, Jean-Loup; et al. (2005). "Discovery of an aurora on Mars". *Nature* **435** (7043): 790–4. Bibcode:2005Natur.435..790B. doi:10.1038/nature03603. PMID 15944698.
- [208] Meeus, J.; Goffin, E. (1983). "Transits of Earth as seen from Mars". *Journal of the British Astronomical Association* **93** (3): 120–123. Bibcode:1983JBAA...93..120M.
- [209] Bell, J. F., III; et al. (July 7, 2005). "Solar eclipses of Phobos and Deimos observed from the surface of Mars". *Nature* **436** (7047): 55–57. Bibcode:2005Natur.436...55B. doi:10.1038/nature03437. PMID 16001060.

- [210] Staff (March 17, 2004). “Martian Moons Block Sun In Unique Eclipse Images From Another Planet” . *SpaceDaily*. Retrieved February 13, 2010.
- [211] Webster, Guy; Brown, Dwayne; Jones, Nancy; Steigerwald, Bill (October 19, 2014). “All Three NASA Mars Orbiters Healthy After Comet Flyby” . *NASA*. Retrieved October 20, 2014.
- [212] Agence France-Presse (October 19, 2014). “A Comet's Brush With Mars” . *New York Times*. Retrieved October 20, 2014.
- [213] Denis, Michel (October 20, 2014). “Spacecraft in great shape – our mission continues” . *European Space Agency*. Retrieved October 21, 2014.
- [214] Staff (October 21, 2014). “I'm safe and sound, tweets MOM after comet sighting” . *The Hindu*. Retrieved October 21, 2014.
- [215] Moorhead, Althea; Wiegert, Paul A.; Cooke, William J. (December 1, 2013). “The meteoroid fluence at Mars due to comet C/2013 A1 (Siding Spring)”. *Icarus* **231**: 13–21. Bibcode:2014Icar..231...13M. doi:10.1016/j.icarus.2013.11.028. Retrieved December 7, 2013.
- [216] Grossman, Lisa (December 6, 2013). “Fiercest meteor shower on record to hit Mars via comet” . *New Scientist*. Retrieved December 7, 2013.
- [217] Lloyd, John; John Mitchinson (2006). *The QI Book of General Ignorance*. Britain: Faber and Faber Limited. pp. 102, 299. ISBN 978-0-571-24139-2.
- [218] Peck, Akkana. “Mars Observing FAQ” . *Shallow Sky*. Retrieved June 15, 2006.
- [219] Zeilik, Michael (2002). *Astronomy: the Evolving Universe* (9th ed.). Cambridge University Press. p. 14. ISBN 0-521-80090-0.
- [220] Jacques Laskar (August 14, 2003). “Primer on Mars oppositions” . IMCCE, Paris Observatory. Retrieved October 1, 2010. (Solex results)
- [221] “Close Encounter: Mars at Opposition” . NASA. November 3, 2005. Retrieved March 19, 2010.
- [222] Sheehan, William (February 2, 1997). “Appendix 1: Oppositions of Mars, 1901–2035” . *The Planet Mars: A History of Observation and Discovery*. University of Arizona Press. Retrieved January 30, 2010.
- [223] The opposition of February 12, 1995 was followed by one on March 17, 1997. The opposition of July 13, 2065 will be followed by one on October 2, 2067. *Astropro 3000-year Sun-Mars Opposition Tables*
- [224] Rao, Joe (August 22, 2003). “NightSky Friday—Mars and Earth: The Top 10 Close Passes Since 3000 B.C.” . *Space.com*. Archived from the original on May 20, 2009. Retrieved June 13, 2006.
- [225] Novakovic, B. (2008). “Senenmut: An Ancient Egyptian Astronomer” . *Publications of the Astronomical Observatory of Belgrade* **85**: 19–23. arXiv:0801.1331. Bibcode:2008POBeo..85...19N.
- [226] North, John David (2008). *Cosmos: an illustrated history of astronomy and cosmology*. University of Chicago Press. pp. 48–52. ISBN 0-226-59441-6.
- [227] Swerdlow, Noel M. (1998). “Periodicity and Variability of Synodic Phenomenon” . *The Babylonian theory of the planets*. Princeton University Press. pp. 34–72. ISBN 0-691-01196-6.
- [228] Poor, Charles Lane (1908). *The solar system: a study of recent observations. Science series* **17** (G. P. Putnam's sons). p. 193.
- [229] Harland, David Michael (2007). “*Cassini at Saturn: Huygens results*” . p. 1. ISBN 0-387-26129-X
- [230] Hummel, Charles E. (1986). *The Galileo connection: resolving conflicts between science & the Bible*. InterVarsity Press. pp. 35–38. ISBN 0-87784-500-X.
- [231] Needham, Joseph; Ronan, Colin A. (1985). *The Shorter Science and Civilisation in China: An Abridgement of Joseph Needham's Original Text. The shorter science and civilisation in China* **2** (3rd ed.) (Cambridge University Press). p. 187. ISBN 0-521-31536-0.
- [232] Thompson, Richard (1997). “Planetary Diameters in the Surya-Siddhanta” (PDF). *Journal of Scientific Exploration* **11** (2): 193–200 [193–6]. Retrieved March 13, 2010.
- [233] de Groot, Jan Jakob Maria (1912). “Fung Shui” . *Religion in China – Universism: A Key to the Study of Taoism and Confucianism*. American Lectures on the History of Religions, volume 10. G. P. Putnam's Sons. p. 300. OCLC 491180.
- [234] Crump, Thomas (1992). *The Japanese Numbers Game: The Use and Understanding of Numbers in Modern Japan*. Nissan Institute/Routledge Japanese Studies Series. Routledge. pp. 39–40. ISBN 0-415-05609-8.
- [235] Hulbert, Homer Bezaleel (1909) [1906]. *The Passing of Korea*. Doubleday, Page & Company. p. 426. OCLC 26986808.
- [236] Taton, Reni (2003). Reni Taton, Curtis Wilson and Michael Hoskin, eds. *Planetary Astronomy from the Renaissance to the Rise of Astrophysics, Part A, Tycho Brahe to Newton*. Cambridge University Press. p. 109. ISBN 0-521-54205-7.
- [237] Hirshfeld, Alan (2001). *Parallax: the race to measure the cosmos*. Macmillan. pp. 60–61. ISBN 0-7167-3711-6.
- [238] Breyer, Stephen (1979). “Mutual Occultation of Planets” . *Sky and Telescope* **57** (3): 220. Bibcode:1979S&T....57..220A.
- [239] Peters, W. T. (1984). “The Appearance of Venus and Mars in 1610” . *Journal of the History of Astronomy* **15** (3): 211–214. Bibcode:1984JHA....15..211P.
- [240] Sheehan, William (1996). “2: Pioneers” . *The Planet Mars: A History of Observation and Discovery*. uapress.arizona.edu (Tucson: University of Arizona). Retrieved January 16, 2010.

- [241] Snyder, Dave (May 2001). “An Observational History of Mars”. Retrieved February 26, 2007.
- [242] Sagan, Carl (1980). *Cosmos*. New York City: Random House. p. 107. ISBN 0-394-50294-9.
- [243] Basalla, George (2006). “Percival Lowell: Champion of Canals”. *Civilized Life in the Universe: Scientists on Intelligent Extraterrestrials*. Oxford University Press US. pp. 67–88. ISBN 0-19-517181-0.
- [244] Dunlap, David W. (October 1, 2015). “Life on Mars? You Read It Here First.” . *New York Times*. Retrieved October 1, 2015.
- [245] Maria, K.; Lane, D. (2005). “Geographers of Mars”. *Isis* 96 (4): 477–506. doi:10.1086/498590. PMID 16536152.
- [246] Perrotin, M. (1886). “Observations des canaux de Mars”. *Bulletin Astronomique, Serie I* (in French) 3: 324–329. Bibcode:1886BuAsI..3..324P.
- [247] Zahnle, K. (2001). “Decline and fall of the Martian empire”. *Nature* 412 (6843): 209–213. doi:10.1038/35084148. PMID 11449281.
- [248] Salisbury, F. B. (1962). “Martian Biology”. *Science* 136 (3510): 17–26. Bibcode:1962Sci...136...17S. doi:10.1126/science.136.3510.17. JSTOR 1708777. PMID 17779780.
- [249] Ward, Peter Douglas; Brownlee, Donald (2000). *Rare earth: why complex life is uncommon in the universe. Copernicus Series* (2nd ed.) (Springer). p. 253. ISBN 0-387-95289-6.
- [250] Bond, Peter (2007). *Distant worlds: milestones in planetary exploration. Copernicus Series* (Springer). p. 119. ISBN 0-387-40212-8.
- [251] “New Online Tools Bring NASA’s Journey to Mars to a New Generation”. Retrieved 2015-08-05.
- [252] Dinerman, Taylor (September 27, 2004). “Is the Great Galactic Ghoul losing his appetite?”. *The space review*. Retrieved March 27, 2007.
- [253] “Percival Lowell’s Canals”. Retrieved March 1, 2007.
- [254] Fergus, Charles (2004). “Mars Fever”. *Research/Penn State* 24 (2). Retrieved August 2, 2007.
- [255] Tesla, Nikola (February 19, 1901). “Talking with the Planets”. Collier’s Weekly. Retrieved May 4, 2007.
- [256] Cheney, Margaret (1981). *Tesla, man out of time*. Englewood Cliffs, New Jersey: Prentice-Hall. p. 162. ISBN 978-0-13-906859-1. OCLC 7672251.
- [257] “Departure of Lord Kelvin”. *The New York Times*. May 11, 1902. p. 29.
- [258] Pickering, Edward Charles (January 16, 1901). “The Light Flash From Mars” (PDF). The New York Times. Archived from the original (PDF) on June 5, 2007. Retrieved May 20, 2007.
- [259] Fradin, Dennis Brindell (1999). *Is There Life on Mars?*. McElderry Books. p. 62. ISBN 0-689-82048-8.
- [260] Lightman, Bernard V. (1997). *Victorian Science in Context*. University of Chicago Press. pp. 268–273. ISBN 0-226-48111-5.
- [261] Lubertozi, Alex; Holmsten, Brian (2003). *The war of the worlds: Mars’ invasion of earth, inciting panic and inspiring terror from H.G. Wells to Orson Welles and beyond*. Sourcebooks, Inc. pp. 3–31. ISBN 1-57071-985-3.
- [262] Schwartz, Sanford (2009). *C. S. Lewis on the Final Frontier: Science and the Supernatural in the Space Trilogy*. Oxford University Press US. pp. 19–20. ISBN 0-19-537472-X.
- [263] Baker, Derek M. (2002). *The science fiction and fantasy readers’ advisory: the librarian’s guide to cyborgs, aliens, and sorcerers*. ALA readers’ advisory series. ALA Editions. p. 26. ISBN 0-8389-0831-4.
- [264] Darling, David. “Swift, Jonathan and the moons of Mars”. Retrieved March 1, 2007.
- [265] Rabkin, Eric S. (2005). *Mars: a tour of the human imagination*. Greenwood Publishing Group. pp. 141–142. ISBN 0-275-98719-1.
- [266] Miles, Kathy; Peters II, Charles F. “Unmasking the Face”. StarrySkies.com. Retrieved March 1, 2007.
- [267] “Close Inspection for Phobos”. *ESA website*. Retrieved June 13, 2006.
- [268] “Ares Attendants: Deimos & Phobos”. *Greek Mythology*. Retrieved June 13, 2006.
- [269] Hunt, G. E.; Michael, W. H.; Pascu, D.; Veverka, J.; Wilkins, G. A.; Woolfson, M. (1978). “The Martian satellites—100 years on”. *Quarterly Journal of the Royal Astronomical Society* 19: 90–109. Bibcode:1978QJRAS..19..90H.
- [270] “Greek Names of the Planets”. Archived from the original on May 9, 2010. Retrieved July 14, 2012. Aris is the Greek name of the planet Mars, the fourth planet from the sun, also known as the Red planet. Aris or Ares was the Greek god of War. See also the *Greek article* about the planet.
- [271] Arnett, Bill (November 20, 2004). “Phobos”. *nineplanets*. Retrieved June 13, 2006.
- [272] Ellis, Scott. “Geological History: Moons of Mars”. CalSpace. Archived from the original on May 17, 2007. Retrieved August 2, 2007.
- [273] Andert, T. P.; Rosenblatt, P.; Pätzold, M.; Häusler, B.; Dehant, V.; Tyler, G. L.; Marty, J. C. (May 7, 2010). “Precise mass determination and the nature of Phobos”. *Geophysical Research Letters* 37 (L09202): L09202. Bibcode:2010GeoRL..3709202A. doi:10.1029/2009GL041829.

- [274] Giuranna, M.; Roush, T. L.; Duxbury, T.; Hogan, R. C.; Geminale, A.; Formisano, V. (2010). *Compositional Interpretation of PFS/MEx and TES/MGS Thermal Infrared Spectra of Phobos* (PDF). *European Planetary Science Congress Abstracts*, Vol. 5. Retrieved October 1, 2010.
- [275] “Mars Moon Phobos Likely Forged by Catastrophic Blast”. *Space.com*. September 27, 2010. Retrieved October 1, 2010.
- [276] Webster, Guy (May 4, 2015). “Traffic Around Mars Gets Busy”. *NASA*. Retrieved May 5, 2015.
- [277] Rescher, Nicholas (1998). *Predicting the future: An introduction to the theory of forecasting*. State University of New York Press. ISBN 0-7914-3553-9.
- [278] Schorghofer, Norbert (23 September 2008). “Temperature response of Mars to Milankovitch cycles” (PDF). *Geophysical Research Letters* **35** (18): L18201. Bibcode:2008GeoRL..3518201S. doi:10.1029/2008GL034954.
- [279] Beech, Martin (2009). *Terraforming: The Creating of Habitable Worlds*. Springer. pp. 138–142.
- [280] Ian Sample. “Gravity will rip Martian moon apart to form dust and rubble ring”. *the Guardian*.
- [281] Black, B. A., and T. Mittal (2015), The demise of Phobos and development of a Martian ring system, *Nature Geosci*, advance online publication, doi:10.1038/ngeo2583.
- [282] Franck, S.; Bounama, C.; Von Bloh, W. (November 2005). “Causes and timing of future biosphere extinction” (PDF). *Biogeosciences Discussions* **2** (6): 1665–1679. Bibcode:2005BGD.....2.1665F. doi:10.5194/bgd-2-1665-2005. Retrieved 19 October 2011.
- [283] Kargel, Jeffrey Stuart (2004). *Mars: A Warmer, Wetter Planet*. Springer. p. 509. ISBN 978-1-85233-568-7. Retrieved 29 October 2007.
- [284] Rybicki, K. R.; Denis, C. (2001). “On the Final Destiny of the Earth and the Solar System”. *Icarus* **151** (1): 130–137. Bibcode:2001Icar..151..130R. doi:10.1006/icar.2001.6591.
- [285] Schroder, K. P.; Connon Smith, Robert (2008). “Distant Future of the Sun and Earth Revisited”. *Monthly Notices of the Royal Astronomical Society* **386** (1): 155–163. arXiv:0801.4031. Bibcode:2008MNRAS.386..155S. doi:10.1111/j.1365-2966.2008.13022.x.

## 16 External links

- Mars at DMOZ
- Mars Exploration Program at NASA.gov
- *On Mars: Exploration of the Red Planet 1958–1978* (1984) by the NASA History Office
- Google Mars, interactive maps of the planet

- Geody Mars, mapping site that supports NASA World Wind, Celestia, and other applications
- Mars Society, an international organization dedicated to the study, exploration, and settlement of Mars

### Images

- Mars images by NASA's Planetary Photojournal
- Mars images by NASA's Mars Exploration Program
- Mars images by Malin Space Science Systems
- HiRISE image catalog by the University of Arizona
- Anaglyphs from the Mars Rovers by Dual Moments
- 4 billion pixel panoramic view of Gale Crater at Wired.com (March 2013)
- Panoramic views of Mars (*Curiosity* rover 1 and *Curiosity* rover 2)

### Videos

- Rotating color globe of Mars by the National Oceanic and Atmospheric Administration
- Rotating geological globe of Mars by the United States Geological Survey
- NASA's *Curiosity* Finds Ancient Streambed – First Evidence of Water on Mars on YouTube by The Science Channel (2012, 4:31)
- Flight Into Mariner Valley by Arizona State University

### Cartographic resources

- Mars nomenclature and quadrangle maps with feature names by the United States Geological Survey
- Geological map of Mars by the United States Geological Survey
- Viking orbiter photomap by Eötvös Loránd University
- Mars Global Surveyor topographical map by Eötvös Loránd University

## 17 Text and image sources, contributors, and licenses

### 17.1 Text

- **Mars** *Source:* <https://en.wikipedia.org/wiki/Mars?oldid=694312574> *Contributors:* Joao, Peter Winnberg, Dreamyshade, Lee Daniel Crocker, Brion VIBBER, Eloquence, Mav, Bryan Derksen, Robert Merkel, Zundark, Berek, Tarquin, Stephen Gilbert, Jeronimo, --April, Dave McKee, Ed Poor, Mirwin, Eob, Danny, XJaM, JeLuF, Rmhermen, Christian List, MadSurgeon, Miguel~enwiki, Roadrunner, SimonP, Zoe, Waveguy, Arj, Arno, Hephaestos, Olivier, Xlation, Mbecker, Fransvannes, Spiff~enwiki, Edward, Patrick, D, Michael Hardy, Oliver Pereira, Lexor, David Martland, Gabbe, Ixfd64, Sannse, Cameron Dewe, Shoaler, GTBacchus, Minesweeper, Egil, Looxix~enwiki, Ihcoyc, Ahoerstemeier, Anders Feder, Stevenj, William M. Connolley, Zouhair, Plop, Notheruser, Mark Foskey, Setu, Александър, Salsa Shark, Cyan, Poor Yorick, Netsnipe, Susurus, Kwekubo, Rotem Dan, Evercat, Astudent, Ghewgill, Samuel~enwiki, BRG, Epo~enwiki, Schneelocke, Iseeaboar, Hike395, RodC, Adam Bishop, Vanished user 5zariu3jisj0j4irj, Timwi, JonMoore, Wikiborg, RickK, Reddi, Stone, Denni, Audin, Doradus, Haukurth, Birkett, Tpbradbury, Dragons flight, Morwen, Populus, Omegatron, Ed g2s, Rnbc, Babbler, Samsara, Thue, Xaven, Traroth, Nickshanks, Sandman~enwiki, Bloodshedder, Scott Sanchez, Lmov, Skood, Wetman, Chrisjj, Secretlondon, Jerzy, Flockmeal, Liam, Jni, Twang, Donarreiskoffer, Branddobbé, MattSal, Robbot, Zandperl, Alrasheedan, Baldhur, Nurg, Romanmn, Naddy, Mikepelley, PedroPVZ, Rursus, TMLutas, Mlaine, Roscoe x, Halibut, Caknuck, Bkell, Hadal, Uther-SRG, Borislav, Vikingstad, Anthony, SoLando, BovineBeast, Robert Happelberg, ShutterBugTrekker, Nephelin~enwiki, Alexwcovington, Centrx, Giftlite, Reubenbarton, DocWatson42, MPF, Marnanel, Djinn112, Awolf002, Jyril, Laudaka, YanA, Sj, TOttenville8, Yuri koval, Harp, Wolfkeeper, Ævar Arnfjörð Bjarmason, Levin, Lupin, Ferkelparade, Rbs, Herbee, Angmering, 0x6D667061, Braaropolis, Bradeos Graphon, Wwoods, Anton Mravcek, Everyking, Perl, Curps, Jonathan O'Donnell, Michael Devore, Henry Flower, Wikibob, Joe Kress, Cantus, Semorrison, Revth, Erdal Ronahi, Guanaco, Beowulf king, Mboverload, Darin, Matt Crypto, Python eggs, Bobblewik, Mateuszica, John Abbe, Wmahan, OldakQuill, Stevietheman, ChicXulub, Chowbok, JeffyJeffyMan2004, Latitudinarian, Kums, Pearbonn, Ran, Antandrus, The Singing Badger, HorsePunchKid, Beland, Eroica, MisfitToys, Piotrus, Scottperry, Vanished user 1234567890, Kaldari, Nils~enwiki, Josquius, Rdsmith4, Oneiros, Kesac, Wikster E, Latitude0116, Kevin B12, Tomruen, CharlieZeb, Kuralyov, Icarins, Gscshoyru, Nickptar, B.d.mills, Bradlegar, Neutrality, Urhixidur, Edsanville, TJSwoboda, Jafro, Ukexpat, Klemen Kocjancic, Trilobite, Tonik, M1ss1ontomars2k4, Adashiel, Lacrimosus, MaikSchreiber, Mike Rosoft, Mr Bound, N328KF, Poccil, DanielCD, JTN, Ultra-tomio, Dablaze, Simmie, Jkl, Discospinster, Solitude, Rich Farmbrough, Guanabot, GrantHenninger, Rameses, Vsmith, Edibobb, Florian Blaschke, MeltBanana, Ponder, Ibagli, Mani1, MuDavid, Aardark, Paul August, Robertbownerman, SpookyMulder, Bg~enwiki, Bender235, ESkog, NeilTarrant, Calamarain, Wild Bill, Kbhb3rd, Neko-chan, Evice, Brian0918, Mattingly23, RJHall, JamesR1701E, CanisRufus, Omnibus, JustPhil, MBisanz, El C, Huntster, Kwamikagami, Gnomz007, Worldtraveller, Aude, Shanes, Joaopais, Tom, Art LaPella, RoyBoy, Nickj, Mark R Johnson, Femto, Wareh, Dalf, Causa sui, Noren, Bobo192, NetBot, Apollo2011, Olve Utne, Viriditas, AllyUnion, Phidaux, Mpvdin, Jojit fb, Pierre2012, Nk, נקי דידג'רדו, TheProject, Scenton1, Kpbtm, Vorlon, MPerel, Sam Korn, Gsklee, Shikasta, Perceval, HasharBot~enwiki, Jumbuck, Stephen G. Brown, Bob rulz, Lyle~enwiki, Junior aspirin, Elanden, Keenan Pepper, Andrewpmk, Plumbago, Andrew Gray, A.T.M.Schipperijn, Riana, Yamlia, Lectonor, MarkGallagher, Scaracroe, Lightdarkness, RoySmith, TommyBoy, Mlm42, Hu, Malo, VladimirKorablin, Bart133, Metron4, Snowwolf, BanyanTree, Mmbaldwin, KingTT, Suruena, Katepaull, Evil Monkey, Aaarrrgh, Tedp, Amorymeltzer, Scuirinae, IMeowbot, Inge-Lyubov, Cmapm, Kusma, Ianblair23, Itsmine, Paolorausch, Gene Nygaard, Alai, Iustinus, Avram Fawcett, Kazvorpal, Kitch, Ceyockey, BerserkerBen, RyanGerbil10, Tariqabjot, Siafu, Gmaxwell, Newnoise~enwiki, WilliamKF, Plateau99, Bacteria, Kelly Martin, Woohookitty, Lost.goblin, Masterjamie, LOL, Asteron, PoccilScript, Volcanopele, Uncle G, Benhocking, HisHighness420, BillC, Jacobolus, Matey~enwiki, Bigfrozenhead, Benbest, Ikescs, Ma Baker, Pol098, ^demon, JeremyA, Kristaga, MONGO, Xalique, Bamf, Pi@k~enwiki, Astrophil, Sengkang, Someone42, GregorB, BlaiseFEgan, Eyreland, Mb1000, CharlesC, Wayward, DanHobley, Teemu Leisti, Lazareth, Giantsrule, Gerbrant, Emerson7, Forezt, Ashmoo, Graham87, Marskell, WBardwin, Magister Mathematicae, BD2412, Li-sung, FreplySpang, JIP, Seyon, MasterPlan, AnimAlu, Pentawing, Phasmatis, Drbogdan, Sjakkalle, Rjwilmsi, Koavf, Саша Стефановић, Ittiz, Loginnow, Vary, Hjb26, Stardust8212, Bruce1ee, Captain Disdain, Coyo, MZMcBride, Tawker, Mike s, SMC, Mike Peel, Nneonneo, Kazrak, Crazynas, Cww, Bubba73, Brighterorange, Bhadani, Sango123, Dbigwood, Yamamoto Ichiro, Ghalas, Marsbound2024, FayssalF, RCBot~enwiki, FlaBot, Figs, Ian Pitchford, RobertG, Black Sword, Flydpnkrtn, Latka, Crazycomputers, JiFish, MacRugail, SouthernNights, Chanting Fox, Itinerant1, Thememanwithoutapast, RexNL, Davide-Andrea, BjKa, Arctic.gnome, DannyZ, KFP, TeaDrinker, Carrionluggage, Goudzovski, Alphachimp, Srleffler, Johhny-turbo, Le Anh-Huy, Gareth E. Kegg, Bedford, Bschlee, MoRsE, Nomadtales, Chobot, Metropolitan90, Mordicai, Bgwhite, Gwernol, Rollie, EamonnPKeane, Slasher600, Satanael, YurikBot, Wavelength, Borgx, TexasAndroid, Liamscanlan, Eraserhead1, Deeptrivia, Chris Mounce, Brandmeister (old), Jeffthejiff, RussBot, Arado, Fabartus, Sillybilly, NorCalHistory, Witau, Zafiroblue05, Mrboh, Jengelh, Bergsten, BlongerBros, Yosef1987, CanadianCaesar, JimmyTheWig, RadioFan, Hydrargyrum, Van der Hoorn, Chensiyan, Stephenb, Rintrah, Polluxian, Jef-faenima, Gaius Cornelius, Kyorosuke, Wiint, Ugur Basak, TopAce~enwiki, Daveswagon, Marcus Cyron, Shanel, NawlinWiki, A314268, Shresht91, SEWilcoBot, Wiki alf, BGManofID, Bjf, Aeusoies1, Janke, Test-tools~enwiki, Grafen, Exir Kamalabadi, Agent003, Chunky Rice, Ashwinr, Smowton, Taco325i, Joeler31, Journalist, Adamwankenobi, Ydris, Nick, Wonglokking, Ghostreveries, Jimmyre, Cecil-Ward, ThrashedParanoid, Blu Aardvark, E rulez, Dfgarcia, PhilipC, Number 57, Moe Epsilon, Misza13, Grafikm fr, Semperf, Tony1, Kwnd, Gadget850, DeadEyeArrow, Bota47, Darkfred, Milkyeyes, Martinwilke1980, Tonywalton, Wknight94, AjaxSmack, Noosfractal, Tetracube, FF2010, American2, Capt Jim, Calaschysm, Jason Donaldson, Lt-wiki-bot, Encephalon, Kandrey89, Closedmouth, Jwissick, Fang Aili, Moogi, Pb30, Shirishag75, Bigboss sb, Reyk, GraemeL, Aeon1006, JoanneB, Kier07, Fram, Peter, Hurricane Devon, Geoffrey.landis, HereToHelp, ArielGold, Thefirstduude02, Nixer, Cromag, RunOrDie, Purples, Lyle zapato, Kungfuadam, RG2, Pnazemi, Renegade54, JDspeeder1, NeilN, Justice League 05, DearPrudence, Philip Stevens, GrinBot~enwiki, Iago Dali, SkerHawx, Serendipodous, Elliskev, Nick-D, Deuar, Sardanaphalus, Sintonak.X, Crystallina, KnightRider~enwiki, SmackBot, ZorkFox, Aim Here, Ttzz, Xkoalax, Jjbb, Bobet, TheFloppyOne, Zanter, Prodego, KnowledgeOfSelf, Martin.Budden, David.Mestel, Roofus, Jacek Kendysz, Jagged 85, Nickst, RedSpruce, EncycloPetey, Delldot, Eskimbot, ProveIt, Kintetsubuffalo, ComaDivine, Jpvinal, Flamarande, Edgar181, Orpheo, Aksi great, Onsly, PeterSymonds, Gilliam, Ohnoitsjamie, Hmains, Skizzik, Universal1300, Martial Law, Andy M. Wang, Vechs, Oneismany, Saros136, Ebill, Westsider, Happywaffle, Bluebot, Keegan, SlimJim, Gaiacarra, CKA3KA, Persian Poet Gal, Iain.dalton, Raymond arritt, Kunalmehta, Anchoress, MalafayaBot, Silly rabbit, SchfiftyThree, Hibernian, Rosameliamartinez, Bob the ducq, FTAAPJE, Dlocierekим's sock, J. Spencer, E9, Saturn7, NeoNerd, DHN-bot~enwiki, Leoniceno, D T G, Theredpill2003@hotmail.com, Mkamensek, Mcstxc7, Arsonal, LTH, Firetrap9254, A. B., Yanksox, Pastapuss, Modest Genius, Royboycrashfan, WDGraham, Zsinj, Kotra, Can't sleep, clown will eat me, Scott3, Shalom Yechiel, Tamfang, Jefffire, Scray, HoodedMan, Njál, Mrwuggs, OrphanBot, Jennica, MICdetroit, Astrobhadauria~enwiki, Darthgriz98, TheKMan, Cfassett, Starexplorer, Darwin's Bulldog, Aces lead, Seattlenow, Andy120290, Addshore, Whpq, SundarBot, Bummerdude62, Jmlk17, Lansey, Aldaron, Krich, Pondster123, Answerthis, Flyguy649, Iapetus, Downwards, Nibuod, Nakon, Will2710, Red1~enwiki, Aelffin, Dreadstar, Nutschig, RandomP, Thegraham, John oh, Crd721, The PIPE, Minority2005, DMacks, Bob Castle, Drc79, Zonk43, Maelnuneb, Kendrick7, Ericl, A5b, LeoNomis, Suthers, Kukini, BlackTerror, SashatoBot,

CFLeon, Lester, Harryboyles, Sophia, Kuru, John, T g7, AmiDaniel, Bernard192, Ninjagecko, Bilboon, Vgy7ujm, Millionsofleeches, Korean alpha for knowledge, Soumyasch, Breno, JoshuaZ, Edwy, Chodorkovskiy, JorisvS, Mgiganteus1, Hernoor, IronGargoyle, SpyMagician, Jess Mars, RomanSpa, Pogsquog, Ckatz, Riverkarl, The Man in Question, RandomCritic, ZincOrbie, Loadmaster, Slakr, Stwalkerster, Tac2z, Laogeodritt, Yvesnimmo, Suraj vas, Grandpafootsoldier, Samaster1991, KHAAAAAAAAN, Dicklyon, Funnybunny, Ryulong, Sijo Ripa, Gazjo, RichardF, Elb2000, Jose77, Michael Dinolfo, NuncAutNunquam, Kvng, Akademy, Politepunk, Tawkerbot, DabMachine, Webb.phillips, ILovePlankton, Iridescent, K, JMK, Jake1293, Michaelbusch, Shakedust, Dekael-enswiki, Polymerbringer, Paul venter, Lakers, Ktan, Joseph Solis in Australia, Scooter20, Halfblue, Newone, J Di, Dave420, Andrew Hampe, Diz syd 63, Hipporoo, Galaad2, CapitalR, Esurnir, Stereorock, Marysunshine, Civil Engineer III, Courcelles, NKayesmith, Sxicrisis, Eluchil404, Tawkerbot2, Aldo12xu, Serb4c, Alegoo92, Dlohcierekim, Broberds, Daniel5127, Chetvorno, Poolkris, Altonb, Firstmagnitude, Orangutan, Mr Woman, Fvasconcellos, Rondack, JForget, GeneralIroh, Taskmaster99, Mapsax, Vaughan Pratt, InvisibleK, WCari1930, Zooaman555, Tanthalas39, Ale jrb, Wafulz, Tuvas, Crescentnebula, Aherunar, Woudloper, Kris Schnee, Drinibot, Ruslik0, GHe, N2e, Chmee2, WeggeBot, Moreschi, Iptortal, Decadencecavv, Phedrus, Ispy1981, Trunks6, Zaraahmed100, Ufviper, TJDay, Lightblade, Danrok, Nboud, ChristTrekker, Reywas92, Chilambu, Steel, PorciusXX, DrunkenSmurf, Gogo Dodo, Travelbird, Llort, MF, Torvik, Daniel J. Leivick, B, Tawkerbot4, Gvil, Chrislk02, Invader-Zod, Optimist on the run, Salulljoica, Bungle, ErrantX, Omicronpersei8, Nicoisgreat111, Daniel Olsen, PsychoSmith, Tejas.B, Richhoncho, Kirk Hilliard, Casliber, Eubulide, Thijs!bot, Epbr123, Dbarnes99, Joshuagay, SchutteGod, Coelacan, NeutralPoint, ChunkySoup, King Bee, Saladguy, LeeG, Ultimus, Nowimnthing, KimDabelsteinPetersen, Dasani, Aster2, Ezkerraldean, RolfSander, Illexsquid, Keraunos, Hexgirls, Alexvickers, Headbomb, Oubiwan, Dtgriscom, Jcarle, Tapir Terrific, Bad Astronomer, A3RO, Electron9, TheTruthiness, Gonzaloluento, Aaaa123, RickKJr, Ligguma, Pegstarr, Aquilosity, GregMinton, Hcobb, Srose, Ericmachmer, Angie023, Dawnseeker2000, AlefZet, Northumbrian, Escarbot, Sbandrews, Porqin, KrakatoaKatie, Sidasta, Hires an editor, AntiVandalBot, Yupik, Majorly, Yonatan, Luna Santin, Targetter, Mukake, Snicket101, Opelio, Czj, Gníxon, RDT2, Caggy, David136a, 17Drew, Waerloeg, Jj137, RogueNinja, Ereiy0, Spangs, MDB913, Dr. Submillimeter, Modernist, SkoreKeep, Kerdek, Qwerty Binary, Fearless Son, W1219, Myanw, Willthepwn, Uchohan, Kaini, LordKael, PresN, Canadian-Bacon, Towelie55, HolyT, loeth, JAAnDbot, Milonica, Deflective, Hunsord, Fidelfair, MER-C, CosineKitty, BlindEagle, Something14, TV4Fun, FrankStratford, Instinct, QuantumG, Fetchcomms, IanOsgood, Foodlover3935, FactoidCow, Hamsterlopithicus, MLetterle, Andonic, Dcooper, Cjkporter, Aubadaurada, Rentaferret, MakeDamnSure, Christopher Cooper, Hardee67, Rothorpe, Jespley, Suduser85, Matiasmoreno-enswiki, Steveprutz, .anacondabot, Geniac, Yahel Guhan, Dphuler, Meeples, Magioladitis, WolfmanSF, Schmacky, Eisenmond, Pedro, Murgh, Bongwarrior, VoABoT II, Monowiki, Hasek is the best, JamesBWatson, Tomhannen, Eltner, Garrett123, AMK1211, Rivertorch, Davart, Jespinos, SHA0001, Steven Walling, WODUP, RoseAstronomer06, Recurring dreams, Martin Ginty, Jack Schmidling, Bullzeye101, Catgut, Ludes, Indon, Panser Born, Superworms, Animum, Cyktusi, Mpoulos2003-enswiki, Scottcabal, BatteryIncluded, Bloodredrover, ArthurWeasley, RahadyanS, BeaverWithChainsaw, BilCat, Allstarecho, Japo, Dck7777, Spellmaster, Dockworker, Just James, DerHexer, JaGa, Megalodon99, Torontobwoi, Patstuart, Info D, AOEU, Dudugryyan, Eschnett, Wikianon, Kheider, Erpbridge, NatureA16, Marcairhart, Xagyg, Pauly04, Hdt83, MartinBot, Schmloof, 12345tyuo, DonnyKerabatsos, Ariel, Arjun01, ARC Gritt, Motley Crue Rocks, LordPhobos, Ben MacDui, Ambi Valent, Mschel, R'n'B, Flo422, CommonsDelinker, AlexiusHoratius, Nono64, Leyo, PrestonH, Lilac Soul, Darth Logan, AlphaEta, Watch37264, J.delanoy, Tinewlint, Abecedare, Veritas Blue, DrKay, CFCF, Trusilver, Carre, Svetovid, Rgooderomite, Dangoo, Tom Paine, UBeR, DomBot, Hans Dunkelberg, Lonjers, Agordhandas12788, Yeti Hunter, Kudpung, Music4ever1, Ljones0920, Nothingofwater, ABTU, Acalamari, Rc3784, Downhometown, JAW92, WikiBone, Dispenser, Bot-Schafter, Ohfosho, Roger3245, Gman124, Phayne, Andy Johnston, Krako, Trumpet marietta 45750, Ljv05, OAC, Trvsdrllng, Gurchzilla, Leefatting, Chriswiki, Tpheiska-enswiki, HiLo48, Wmwife, DDR-Physiker-enswiki, Infinityfsho, NewEnglandYankee, Cadwaladr, Fountains of Bryn Mawr, Ohms law, SJP, Mvincce, SkogsRickard, Ligua124, Prilla, Charlesblack, Haljackey, Cometstyles, Apexfreak, WJBscribe, Action Jackson IV, Drazyr, Supergeo, Sarregouset, DM-Cer, Nat1, Cs302b, CardinalDan, Idiom-a-bot, BradDeharder, Spellcast, Idarin, Jrt224, Uncfan3200, Makewater, Cactus Guru, Lights, Goalie1998, Caribbean H.Q., Vexxl, Cpollak, HamatoKameko, Roaring phoenix, Deor, Jturner773, Spaceman13, VolkovBot, Preston47, Thedjatclubrock, Johan1298-enswiki, Meaningful Username, Ericdn, Leeo, Maile66, Rutherfordjigsaw, Bovineboy2008, Zoharby, Katydidit, Fences and windows, TheOtherJesse, CalviNet, Sdsds, Mattfox22, Philip Trueman, Drunkenmonkey, Chiros Sunrider, TxikiBoT, Spellcaster12, Tinsue, Dojarca, Renthead97, Eberk456, Malljaja, Mario0318, Miranda, Rei-bot, Playerfreakbass, FrstFrs, Anonymous Dissident, NVO, Ironman1503, Yunaresuka, Cosmium, Terence7, Eeron80, MasterSci, Demanufacture, JhsBot, Leafyplant, Slyssplace, The dyer man, Fbs. 13, LeaveSleaves, HuskyHuskie, Amog, Seb az86556, Pleroma, Onore Baka Sama, Nintendo121, Fartstank1996, Maxexcloo, Maxim, Bryan.dollery, ShapedNoise, Mr.Kennedy1, Pious7, Hellcat fighter, Tcmstr134, Norty512, Synthebot, Enviroboy, 11warnjames, Calypso5, Phantomdj, FKmailliW, Julian Herzog, WatermelonPotion, Insanity Incarnate, Kid45laundry, Jobberone, Wig-gstar69, TheN0ble2, Smerlinare, AlleborgoBot, Bob the Rabbid, FreyasCrystallizedAngels, LuigiManiac, Jim Furtado, Vsst, EmxBot, Tedstryk, Oniwanashuu, D. Recorder, Wraithdart, Mandynoty, Redandproud1, Viggio, Mediumemu, Justyb, Akira112, Lksadfafsl, Elisa Woods, SieBot, Ersatzaxiom, Dusti, I OWN I OWN I OWN, Jim77742, Tehtorpsol, PlanetStar, NonChalance, YonaBot, Spar-tan, Luboogers25, Oldag07, OlliffeObscurity, Legend, Buddyonline7, Parhamr, Caltas, Xymmax, Triwie, Carapar999, Vanished User 8a9b4725f8376, Stewartmacarth, Til Eulenspiegel, Wiljaneni, Jerryobject, Turbo T, Keilana, Chuckchuckerson, Maddiekate, Street-foo212, Android Mouse, Aillema, RadicalOne, Radon210, Cbsteffen, Azzjiggl, Mirkoruckles, Drorion, Themulemonk, Derajenator, Wikipedophilia, Happyfeet999, John dildo, Wikipedosucklol, JustAnotherGuy01, RedandProud2, Lookypoojky, Helloasd, Djuice8, I need a stupid username, Sibalsagi, WikiUser55, Belar, That paddy child kid, Crip22, Jknhkjdffhhhhh5454, Merik777, Timmyprpr, Andrew the coolest, Not Andrew, Mimihitam, Jacob beechler, Tezp, Oxymoron83, Antonio Lopez, Imdagironwiki, StivCa, Light-mouse, Tombomp, AMCKen, Radzewicz, Murlough23, Schnahoo, T42at102, Alex.muller, Triberocker, BenoniBot-enswiki, OKBot, Ben-nish, Svick, Maelgnwbott, LonelyMarble, Hiei-Touya-icedemon, AghastAmok, JohnnyMrNinja, Oldye, AWESOME-Odude, Jacob.jose, Sean.hoyland, Randomblue, Hamiltondaniel, Konomono33, Killerman1, Choptube, Ascidian, Statue2, Nash London, Florentino flor, Je-sus the savior, Marsterritory, Pinkadelica, Gregs gunners, Supraboy001, Schuyilar247, Escape Orbit, AndySmith84, C0nanPayne, Ayleuss, Wjmummert, Starcluster, Lol0075, Gladesc2, ImageRemovalBot, Athenean, SallyForth123, MenoBot, Martarius, Marzziano, Friend mole, ClueBot, Avenged Eightfold, PipepBot, Foxj. The Thing That Should Not Be, Sammmmtt, Revan13, John.D.Ward, Rjd0060, Plastikspork, Bobith2, Unbuttered Parsnip, Skater1345, Travisjoake22130, Taliska, Blaablaa-enswiki, Frmorrison, Ezzex, Harmony5, JTBJX, Gamehero, Gigarice, Nicieguyedc, Nanobear-enswiki, VgerNeedsTheInfo, Rotational, Filip.vidinovski, Suniti karunatillake, Neverquick, Lampofdoom, Phenylalanine, House13, Jlarvae, Gthy1, B2012ball21, FrancescoA-enswiki, Excirial, Jonapello22, Jusdafax, Hargitai, Nerguy, PixelBot, Sun Creator, BaconBoy914, Fukiyow, NuclearWarfare, Sepeople, SO-intO-yOuxX, Cenarium, Jotterbot, Jo Weber, Dustymars, Scog, Razorflame, SockPuppetForTomruen, Redthoreau, BOTarate, Stepheng3, John Paul Parks, Thingg, Bagunceiro, ApostleJoe, Goat217, Be-toCG, GrahamDo, Kubek15, Helzart, Claytopia3, TheLasso, Sethrasmussen121, DumZiBoT, Thetreesommars, Showbread89, Aaronbwsm, UltraCaution, Spotturtle, Bluhbluhbluh94, Sk8rbabbi202, DrOxacropheles, Belevkor, Rrnr, Aldude14, Ost316, Astrofreak92, Avoided, Stephen27, Mitch Ames, Blast Ulna, Noctibus, WikiDao, Anixea, Mikewilson614, Dahn10, Airplaneman, SugarPlumLove, Homrsmpl-snrulz, Headasploder, Xerbox, Kbdankbot, Olyus, Notimage2, Maldek, Kasey12297, Roentgenium111, Chihuahua22, Lagus970, DOI bot, Jojutton, HannahCRichards, Wonkinson, EisBot, SigmaTap, Ronjhones, Kbcfan, PC-Cat, Delfinis, CanadianLinuxUser, Leszek Jariczuuk.

Wælgæst wæfre, Dyadron, NjardarBot, Skyezx, Koolgirl560, LaaknorBot, CarsracBot, RebaFan1996, Glass Sword, Debresser, Favonian, LinkFA-Bot, West.andrew.g, Ks 7508, Peti610botH, Renatokeshet, Freshgroundcoffee, 84user, Sanawon, Numbo3-bot, Ace45954, The mars 789, Tide rolls, Sumguynamedj, Gail, SexualFinger, Wikichangerman, Drkay, Hugsnkisses1996, Nubar24, Margin1522, Luckas-bot, Yobot, Randomguy1234567890, Beerdola, LightingRod, Ninjalemming, II MusLiM HyBRID II, KamikazeBot, Dmarquard, AnomieBOT, KingofGnG, Archon 2488, SwiftlyTilt, 1exec1, Dwayne, JackieBot, Lwangaman, Brutchersp, Ivan2007, Materialscientist, Redranger141, RadioBroadcast, Citation bot, JohnFromPinckney, LilHelpa, Lqstuart, Obersachsebot, Xqbot, Link dude177, TinucherianBot II, Timir2, Intelati, Clydecoast, Drilnoth, Smk65536, Gilo1969, Boltz6100, Oncedarkness, Toa Nidhiki05, Tyrol5, Mlpearc, Gap9551, Arsia Mons, Jimwilcox79, GrouchoBot, Nintendodevinshang, Maria Sieglinda von Nudeldorf, Zefr, RibotBOT, Enceladusgeysers, Charvest, GhalyBot, Silbad, Samwb123, Fotaun, Zytroft, Diamondhead123, Celuci, DasallmächtigeJ, Green Cardamom, Dave3457, Depictionimage, Luke-polick, FrescoBot, Surv1v4ll1st, Originalwana, Kuliwil, Tobby72, Io Herodotus, Lookang, KokkaShinto, Majopius, Wiki-whisky, 培养 III, BiHVolum, Kwiki, TheLou75, Citation bot 1, Pinethicket, Metricmike, Tardblog, HRoestBot, Abductive, PrincessofLlyr, 10metreh, Rameshngbot, Tom.Reding, Supreme Deliciousness, Lithium cyanide, RedBot, Brian Everlasting, Gingermint, Mohehab, Σ, Amitrc7th, Forward Unto Dawn, Mikebarryrocks!, Ras67, Fartherred, Skounave, IVAN3MAN, Tim1357, Crosscountry511, Kgrad, FoxBot, Double sharp, TobeBot, Trappist the monk, Ksanexx, DixonDBot, Train2104, Arivu jevi, Tony24644, Vrenator, Begoon, Pilot850, Dianna, Jhenderson777, Earthandmoon, Patsfanwow, Tbhotch, Рулин, Deanmullen09, Hornlitz, Sideways713, Shanefb, DARTH SIDIOUS 2, Purz12, RjwilmsiBot, TjBot, Benyoche, Ripchip Bot, NerdyScienceDude, Burniester, Wintonian, Slon02, DASHBot, Steve03Mills, Emaus-Bot, John of Reading, WikitanvirBot, Oodgoog, Gfoley4, Inconsistentlysane, Ajraddatz, Pluszero, Giornorosso, GoingBatty, Heljqfy, MartinThoma, Gwillhickers, Wham Bam Rock II, Jmcencisom, Challisrussia, K6ka, Jap01, Lamb99, AvicBot, ZéroBot, Stoner4life, Josve05a, A2soup, Cosmoskramer, Emily Jensen, Nkwatra3, Noelww, Jdixo17, Stickyche97, AvicAWB, Hevron1998, Aeonx, H3llBot, Eni-agrom, NoOneAsked, Fabian Hassler, Ocaasi, Wabbott9, Samibrown98, Jman291, L1A1 FAL, 3sdanog, Sbmeiro, Boomchakalaka2, Brandmeister, Alvez3, L Kensington, Dante51763, JeanPiaget, Surajt88, R1r1f2, Epicstonemason, Sailsbystars, Fanyavizuri, Kajien176, Spongebob210, Scoliosis, Johnny893, -xwingsx-, ChuispastonBot, Tehrandomguy101, Lee60480, Kkylek, Planet photometry, Llightex, DASHBotAV, Aussie895, Layneah, Whoop whoop pull up, Mssipress, Jonininini, ClueBot NG, Xession, Moses-bot, Jboratko, Frietjes, Dingowasher, Habil zare, Kasirbot, Alexrybak, Helpful Pixie Bot, Vortex320, Bibcode Bot, BG19bot, Rodrigovalle, Alexandermcnabb, MKar, Guy vandegrift, Hz.tiang, Qwerty1219, Frze, AvocatoBot, Dodshe, Chris the Paleontologist, Cadiomals, Piisawesome, Jnanaranjan sahu, Cryptiddude, Sacchipersemp, Desildorf, Tratchy, Tycho Magnetic Anomaly-1, Colinmartin74, Zedshort, Silvio1973, Ubiquinoid, Holyjoe722, BattyBot, Tonyhayes, Hansen Sebastian, Nick.mon, Renilweb, EagerToddler39, Dexbot, Rezonansowy, Dissident93, Naapple, LightandDark2000, Mogism, CuriousMind01, Clockery, Siberian Patriot, TriniGoji, Havebased123, 3er40, Typesometext, 134340Goat, OeBoe, JustAMuggle, Reatlas, Joeinwiki, Xwoodsterchin, Rfassbind, MinecraftFan2012, PC-XT, F6Zman, Jcpag2012, SaturatedFats, Dustin V. S., Lindenhurst Liberty, Tony johnsong, CensoredScribe, Thevideodrome, Carbon6, JeanLucMargot, Exoplanetaryscience, RhinoMind, Cptmrmcmillan, Anrnusna, Barjimoa, Jamie.Taylor92, PlayStation 14, Monkbot, Allytoon, Filedelinkerbot, Scarlettail, Thecodingproject, Spideratseds, Poiuytrewqvtatav123321, Aelon51, SantaWinsAgain, Tex.Bold, OmoiEgaite, Tetra quark, Isambard Kingdom, CV9933, DN-boards1, TheWhistleGag, Supdiop, KasparBot, Edulovers, Nfrango, Huritisho, HalloweenNight, PlanetUser and Anonymous: 1408

## 17.2 Images

- **File:15-ml-06-phobos2-A067R1.jpg** *Source:* <https://upload.wikimedia.org/wikipedia/commons/2/24/15-ml-06-phobos2-A067R1.jpg> *License:* Public domain *Contributors:* <http://marsrovers.jpl.nasa.gov/gallery/press/opportunity/20040311a.html> (Raw image at <http://marsrovers.jpl.nasa.gov/gallery/all/1/p/045/1P132176262ESF05A6P2670R8M1.HTML>) *Original artist:* NASA/JPL/Cornell
- **File:391243main-MarsRover-ShelterIslandMeteorite-20091002-crop.jpg** *Source:* <https://upload.wikimedia.org/wikipedia/commons/a/a2/391243main-MarsRover-ShelterIslandMeteorite-20091002-crop.jpg> *License:* Public domain *Contributors:* [http://www.nasa.gov/images/content/391243main\\_mer20091002-full.jpg](http://www.nasa.gov/images/content/391243main_mer20091002-full.jpg) *Original artist:* NASA/JPL-Caltech
- **File:58606main\_image\_feature\_167\_jwfull.jpg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/8/88/58606main\\_image\\_feature\\_167\\_jwfull.jpg](https://upload.wikimedia.org/wikipedia/commons/8/88/58606main_image_feature_167_jwfull.jpg) *License:* Public domain *Contributors:* [http://www.nasa.gov/mission\\_pages/mars/images/mer-image\\_feature\\_167.html](http://www.nasa.gov/mission_pages/mars/images/mer-image_feature_167.html) (direct link; alt source) *Original artist:* NASA/JPL/Cornell
- **File:Adirondacksquare.jpg** *Source:* <https://upload.wikimedia.org/wikipedia/commons/0/0b/Adirondacksquare.jpg> *License:* Public domain *Contributors:* ? *Original artist:* ?
- **File:Apparent\_retrograde\_motion\_of\_Mars\_in\_2003.gif** *Source:* [https://upload.wikimedia.org/wikipedia/commons/7/70/Apparent\\_retrograde\\_motion\\_of\\_Mars\\_in\\_2003.gif](https://upload.wikimedia.org/wikipedia/commons/7/70/Apparent_retrograde_motion_of_Mars_in_2003.gif) *License:* CC BY-SA 3.0 *Contributors:* Own work *Original artist:* Eugene Alvin Villar (seav)
- **File:Block\_Island.jpg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/5/5f/Block\\_Island.jpg](https://upload.wikimedia.org/wikipedia/commons/5/5f/Block_Island.jpg) *License:* Public domain *Contributors:* <http://photojournal.jpl.nasa.gov/catalog/PIA12165> *Original artist:* NASA/JPL-Caltech/Cornell University
- **File:Comet-C2013A1-SidingSpring-NearMars-Hubble-20141019.jpg** *Source:* <https://upload.wikimedia.org/wikipedia/commons/e/e9/Comet-C2013A1-SidingSpring-NearMars-Hubble-20141019.jpg> *License:* Public domain *Contributors:* [http://www.nasa.gov/sites/default/files/comet\\_springs.jpg](http://www.nasa.gov/sites/default/files/comet_springs.jpg) *Original artist:* NASA, ESA, PSI, JHU/APL, STScI/AURA
- **File:Comet-SidingSpring-Passing-PlanetMars-On-20141019-ArtistConcept-20140905.jpg** *Source:* <https://upload.wikimedia.org/wikipedia/commons/d/df/Comet-SidingSpring-Passing-PlanetMars-On-20141019-ArtistConcept-20140905.jpg> *License:* Public domain *Contributors:* <http://mars.jpl.nasa.gov/msl/images/Comet-Siding-Spring-Mars-Artist-Concept-full.jpg> *Original artist:* NASA/JPL-Caltech
- **File:CometSidingSpring-HeadingTowardsMars-ArtistConcept-20141006.jpg** *Source:* <https://upload.wikimedia.org/wikipedia/commons/6/65/CometSidingSpring-HeadingTowardsMars-ArtistConcept-20141006.jpg> *License:* Public domain *Contributors:* [http://www.nasa.gov/sites/default/files/mars\\_comet-full\\_0.jpg](http://www.nasa.gov/sites/default/files/mars_comet-full_0.jpg) *Original artist:* NASA
- **File:Commons-logo.svg** *Source:* <https://upload.wikimedia.org/wikipedia/en/4/4a/Commons-logo.svg> *License:* ? *Contributors:* ? *Original artist:* ?
- **File:Deimos-MRO.jpg** *Source:* <https://upload.wikimedia.org/wikipedia/commons/8/8d/Deimos-MRO.jpg> *License:* Public domain *Contributors:* <http://marsprogram.jpl.nasa.gov/mro/gallery/press/20090309a.html> *Original artist:* NASA/JPL-caltech/University of Arizona
- **File:El\_Capitan\_sol27\_pancam.jpg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/2/26/El\\_Capitan\\_sol27\\_pancam.jpg](https://upload.wikimedia.org/wikipedia/commons/2/26/El_Capitan_sol27_pancam.jpg) *License:* Public domain *Contributors:* ? *Original artist:* NASA/JPL-Cornell

- **File:Eso1509a\_-\_Mars\_planet.jpg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/c/c3/Eso1509a\\_-\\_Mars\\_planet.jpg](https://upload.wikimedia.org/wikipedia/commons/c/c3/Eso1509a_-_Mars_planet.jpg) *License:* CC BY 4.0 *Contributors:* Artist's impression of Mars four billion years ago *Original artist:* ESO/M. Kornmesser
- **File:Folder\_Hexagonal\_Icon.svg** *Source:* [https://upload.wikimedia.org/wikipedia/en/4/48/Folder\\_Hexagonal\\_Icon.svg](https://upload.wikimedia.org/wikipedia/en/4/48/Folder_Hexagonal_Icon.svg) *License:* Cc-by-sa-3.0 *Contributors:* ? *Original artist:* ?
- **File:Hubble\_Globes\_of\_Mars.jpg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/9/97/Hubble\\_Globes\\_of\\_Mars.jpg](https://upload.wikimedia.org/wikipedia/commons/9/97/Hubble_Globes_of_Mars.jpg) *License:* Public domain *Contributors:* [http://nssdc.gsfc.nasa.gov/image/planetary/mars/hst\\_mars\\_opp\\_9709b.jpg](http://nssdc.gsfc.nasa.gov/image/planetary/mars/hst_mars_opp_9709b.jpg) *Original artist:* NASA/Hubble
- **File:Karte\_Mars\_Schiaparelli\_MKL1888.png** *Source:* [https://upload.wikimedia.org/wikipedia/commons/d/dd/Karte\\_Mars\\_Schiaparelli\\_MKL1888.png](https://upload.wikimedia.org/wikipedia/commons/d/dd/Karte_Mars_Schiaparelli_MKL1888.png) *License:* Public domain *Contributors:* Meyers Konversations-Lexikon (German encyclopaedia), 1888. *Original artist:* Unknown<a href='//www.wikidata.org/wiki/Q4233718' title='wikidata:Q4233718'><img alt='wikidata:Q4233718' src='https://upload.wikimedia.org/wikipedia/commons/thumb/f/ff/Wikidata-logo.svg/20px-Wikidata-logo.svg.png' width='20' height='11' srcset='https://upload.wikimedia.org/wikipedia/commons/thumb/f/ff/Wikidata-logo.svg/30px-Wikidata-logo.svg.png 1.5x, https://upload.wikimedia.org/wikipedia/commons/thumb/f/ff/Wikidata-logo.svg/40px-Wikidata-logo.svg.png 2x' data-file-width='1050' data-file-height='590' /></a>
- **File:Kirks\_Soap\_Yerkes\_Mars.jpg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/5/5f/Kirks\\_Soap\\_Yerkes\\_Mars.jpg](https://upload.wikimedia.org/wikipedia/commons/5/5f/Kirks_Soap_Yerkes_Mars.jpg) *License:* Public domain *Contributors:* Contemporary Astronomy à la second edition, by Jay M. Pasachoff, published by Saunders College Publishing 1981. ISBN 0-03-057861-2 *Original artist:* Further attribution given within to "American Institute of Physics, Niels Bohr Library". 1893 ad its self is attributed in text to an unnamed Chicago newspaper.
- **File:Lowell\_Mars\_channels.jpg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/f/f3/Lowell\\_Mars\\_channels.jpg](https://upload.wikimedia.org/wikipedia/commons/f/f3/Lowell_Mars_channels.jpg) *License:* Public domain *Contributors:* Яков Перельман - "Далёкие миры". СПб, типография Сойкина (**English transliteration:** Yakov Perelman - "Distant Worlds". St. Petersburg, Soykin printing house), 1914. *Original artist:* Percival Lowell
- **File:Mackinac\_Island.jpg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/5/5d/Mackinac\\_Island.jpg](https://upload.wikimedia.org/wikipedia/commons/5/5d/Mackinac_Island.jpg) *License:* Public domain *Contributors:* ? *Original artist:* ?
- **File:Mars,\_Earth\_size\_comparison.jpg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/c/cf/Mars%2C\\_Earth\\_size\\_comparison.jpg](https://upload.wikimedia.org/wikipedia/commons/c/cf/Mars%2C_Earth_size_comparison.jpg) *License:* Public domain *Contributors:* Images found in NASA *Original artist:* NASA (image modified by Jcpag2012)
- **File:Mars-express-volcanoes-sm.jpg** *Source:* <https://upload.wikimedia.org/wikipedia/commons/9/9d/Mars-express-volcanoes-sm.jpg> *License:* Public domain *Contributors:* <http://marsprogram.jpl.nasa.gov/express/gallery/artwork/marsis-radarpulses.html> (image link) *Original artist:* NASA/JPL/Corby Waste
- **File:Mars.ogv** *Source:* <https://upload.wikimedia.org/wikipedia/commons/d/dd/Mars.ogv> *License:* Public domain *Contributors:* Goddard Multimedia *Original artist:* NASA/Goddard Space Flight Center
- **File:MarsCuriosityRover-CoronationRock-N165-20120817-crop.jpg** *Source:* <https://upload.wikimedia.org/wikipedia/commons/f/f8/MarsCuriosityRover-CoronationRock-N165-20120817-crop.jpg> *License:* Public domain *Contributors:* [http://mars.jpl.nasa.gov/msl/images/msl\\_twirly20120817-660-full.jpg](http://mars.jpl.nasa.gov/msl/images/msl_twirly20120817-660-full.jpg) *Original artist:* NASA/JPL-Caltech/MSSS/LANL
- **File:MarsViking1Lander-BigJoeRock-19780211.jpg** *Source:* <https://upload.wikimedia.org/wikipedia/commons/1/1b/MarsViking1Lander-BigJoeRock-19780211.jpg> *License:* Public domain *Contributors:* Crop/Resize/JPG-Convert (using JASC Paint Shop Pro v 6.02) of file at [https://en.wikipedia.org/wiki/File:Mars\\_Viking\\_11h016.png](https://en.wikipedia.org/wiki/File:Mars_Viking_11h016.png) *Original artist:* NASA/Van der Hoorn
- **File:Mars\_23\_aug\_2003\_hubble.jpg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/5/58/Mars\\_23\\_aug\\_2003\\_hubble.jpg](https://upload.wikimedia.org/wikipedia/commons/5/58/Mars_23_aug_2003_hubble.jpg) *License:* Public domain *Contributors:* <http://hubblesite.org/newscenter/archive/releases/2005/34/image/j/> (image link) *Original artist:* NASA, ESA, and The Hubble Heritage Team (STScI/AURA)
- **File:Mars\_HST\_Mollweide\_map\_1999.png** *Source:* [https://upload.wikimedia.org/wikipedia/commons/d/da/Mars\\_HST\\_Mollweide\\_map\\_1999.png](https://upload.wikimedia.org/wikipedia/commons/d/da/Mars_HST_Mollweide_map_1999.png) *License:* Public domain *Contributors:* [http://hubblesite.org/gallery/album/entire\\_collection/pr1999027f/](http://hubblesite.org/gallery/album/entire_collection/pr1999027f/) (Original Tif, re-saved as PNG). *Original artist:* NASA.
- **File:Mars\_Hubble.jpg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/7/76/Mars\\_Hubble.jpg](https://upload.wikimedia.org/wikipedia/commons/7/76/Mars_Hubble.jpg) *License:* Public domain *Contributors:* <http://hubblesite.org/newscenter/archive/releases/2001/24/image/a/> (direct link) *Original artist:* NASA and The Hubble Heritage Team (STScI/AURA)
- **File:Mars\_Viking\_11d128.png** *Source:* [https://upload.wikimedia.org/wikipedia/commons/1/1b/Mars\\_Viking\\_11d128.png](https://upload.wikimedia.org/wikipedia/commons/1/1b/Mars_Viking_11d128.png) *License:* Public domain *Contributors:* Own work based on images in the NASA Viking image archive *Original artist:* "Roel van der Hoorn (Van der Hoorn)"
- **File:Mars\_atmosphere\_2.jpg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/c/cd/Mars\\_atmosphere\\_2.jpg](https://upload.wikimedia.org/wikipedia/commons/c/cd/Mars_atmosphere_2.jpg) *License:* Public domain *Contributors:* [http://solarsystem.nasa.gov/multimedia/gallery/Mars\\_atmosphere.jpg](http://solarsystem.nasa.gov/multimedia/gallery/Mars_atmosphere.jpg) *Original artist:* NASA
- **File:Mars\_oppositions\_2003-2018.png** *Source:* [https://upload.wikimedia.org/wikipedia/commons/4/48/Mars\\_oppositions\\_2003-2018.png](https://upload.wikimedia.org/wikipedia/commons/4/48/Mars_oppositions_2003-2018.png) *License:* Public domain *Contributors:* Own work *Original artist:* self
- **File:Mars\_rock\_Mimi\_by\_Spirit\_rover.jpg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/2/28/Mars\\_rock\\_Mimi\\_by\\_Spirit\\_rover.jpg](https://upload.wikimedia.org/wikipedia/commons/2/28/Mars_rock_Mimi_by_Spirit_rover.jpg) *License:* Public domain *Contributors:* <http://mars.nasa.gov/mer/gallery/press/spirit/20040213a.html> (image link) *Original artist:* NASA/JPL/Cornell
- **File:Mars\_symbol.svg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/b/b7/Mars\\_symbol.svg](https://upload.wikimedia.org/wikipedia/commons/b/b7/Mars_symbol.svg) *License:* Public domain *Contributors:* Own work *Original artist:* This vector image was created with Inkscape by Lexicon, and then manually replaced by sarang.
- **File:Mars\_topography\_(MOLA\_dataset)\_with\_poles\_HiRes.jpg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/2/2c/Mars\\_topography\\_%28MOLA\\_dataset%29\\_with\\_poles\\_HiRes.jpg](https://upload.wikimedia.org/wikipedia/commons/2/2c/Mars_topography_%28MOLA_dataset%29_with_poles_HiRes.jpg) *License:* Public domain *Contributors:* <http://mola.gsfc.nasa.gov/images.html> and <http://photojournal.jpl.nasa.gov/catalog/PIA02993> *Original artist:* NASA / JPL / USGS
- **File:Marsorbitssolarsystem.gif** *Source:* <https://upload.wikimedia.org/wikipedia/commons/5/54/Marsorbitssolarsystem.gif> *License:* CC BY-SA 3.0 *Contributors:* Own work *Original artist:* Lookang many thanks to author of original simulation = Todd K. Timberlake author of Easy Java Simulation = Francisco Esquembre
- **File:Martian\_north\_polar\_cap.jpg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/6/62/Martian\\_north\\_polar\\_cap.jpg](https://upload.wikimedia.org/wikipedia/commons/6/62/Martian_north_polar_cap.jpg) *License:* Public domain *Contributors:* [http://www.msss.com/mars\\_images/moc/may\\_2000/n\\_pole/](http://www.msss.com/mars_images/moc/may_2000/n_pole/) file *Original artist:* NASA/JPL/Malin Space Science Systems

- **File:Msl20110526\_MSL\_Artist\_Concept\_PIA14164-full.jpg** Source: [https://upload.wikimedia.org/wikipedia/commons/2/27/Msl20110526\\_MSL\\_Artist\\_Concept\\_PIA14164-full.jpg](https://upload.wikimedia.org/wikipedia/commons/2/27/Msl20110526_MSL_Artist_Concept_PIA14164-full.jpg) License: Public domain Contributors: <http://marsprogram.jpl.nasa.gov/msl/multimedia/images/?ImageID=3511> Original artist: NASA
- **File:NASA-14090-Comet-C2013A1-SidingSpring-Hubble-20140311.jpg** Source: <https://upload.wikimedia.org/wikipedia/commons/a/ac/NASA-14090-Comet-C2013A1-SidingSpring-Hubble-20140311.jpg> License: Public domain Contributors: [http://www.nasa.gov/sites/default/files/14-090-hubble-comet\\_0.jpg](http://www.nasa.gov/sites/default/files/14-090-hubble-comet_0.jpg) Original artist: NASA, ESA, and J.-Y. Li (Planetary Science Institute)
- **File:NASA-MarsRock-Yogi-SuperRes.jpg** Source: <https://upload.wikimedia.org/wikipedia/commons/c/c4/NASA-MarsRock-Yogi-SuperRes.jpg> License: Public domain Contributors: [http://mars.jpl.nasa.gov/MPF/ops/Yogi\\_super\\_res.jpg](http://mars.jpl.nasa.gov/MPF/ops/Yogi_super_res.jpg) Original artist: NASA/JPL/Dr. Timothy Parker
- **File:NASA\_Curiosity\_rover\_-\_Link\_to\_a\_Watery\_Past\_(692149main\_Williams-2pia16188-43).jpg** Source: [https:////upload.wikimedia.org/wikipedia/commons/7/79/NASA\\_Curiosity\\_rover\\_-\\_Link\\_to\\_a\\_Watery\\_Past\\_%28692149main\\_Williams-2pia16188-43%29.jpg](https:////upload.wikimedia.org/wikipedia/commons/7/79/NASA_Curiosity_rover_-_Link_to_a_Watery_Past_%28692149main_Williams-2pia16188-43%29.jpg) License: Public domain Contributors: Link to a Watery Past Original artist: NASA/JPL-Caltech/MSSS
- **File:Nasa\_mars\_opportunity\_rock\_water\_150\_eng\_02mar04.jpg** Source: [https://upload.wikimedia.org/wikipedia/commons/2/29/Nasa\\_mars\\_opportunity\\_rock\\_water\\_150\\_eng\\_02mar04.jpg](https://upload.wikimedia.org/wikipedia/commons/2/29/Nasa_mars_opportunity_rock_water_150_eng_02mar04.jpg) License: Public domain Contributors: <http://photojournal.jpl.nasa.gov/catalog/pia05474> Original artist: NASA/JPL/US Geological Survey
- **File:Office-book.svg** Source: <https://upload.wikimedia.org/wikipedia/commons/a/a8/Office-book.svg> License: Public domain Contributors: This and myself. Original artist: Chris Down/Tango project
- **File:Olympus\_Mons\_alt.jpg** Source: [https://upload.wikimedia.org/wikipedia/commons/0/00/Olympus\\_Mons\\_alt.jpg](https://upload.wikimedia.org/wikipedia/commons/0/00/Olympus_Mons_alt.jpg) License: Public domain Contributors: Edited version of File:Olympus Mons.jpg originally from [http://nssdc.gsfc.nasa.gov/photo\\_gallery/photogallery-mars.html#features](http://nssdc.gsfc.nasa.gov/photo_gallery/photogallery-mars.html#features). Original artist: Image by NASA, modifications by Seddon
- **File:Orbits\_of\_Phobos\_and\_Deimos.gif** Source: [https://upload.wikimedia.org/wikipedia/commons/d/db/Orbits\\_of\\_Phobos\\_and\\_Deimos.gif](https://upload.wikimedia.org/wikipedia/commons/d/db/Orbits_of_Phobos_and_Deimos.gif) License: CC BY-SA 2.5 Contributors: ? Original artist: ?
- **File:PIA00819left-MarsRock-BarnacleBill.gif** Source: <https://upload.wikimedia.org/wikipedia/commons/2/2f/PIA00819left-MarsRock-BarnacleBill.gif> License: Public domain Contributors: <http://photojournal.jpl.nasa.gov/figures/PIA00819left.gif> Original artist: NASA/JPL
- **File:PIA05482\_modest.jpg** Source: [https://upload.wikimedia.org/wikipedia/commons/f/fe/PIA05482\\_modest.jpg](https://upload.wikimedia.org/wikipedia/commons/f/fe/PIA05482_modest.jpg) License: Public domain Contributors: <http://photojournal.jpl.nasa.gov/catalog/pia05482> Original artist: NASA/JPL/Cornell
- **File:PIA07269-Mars\_Rover\_Opportunity-Iron\_Meteorite.jpg** Source: [https://upload.wikimedia.org/wikipedia/commons/6/62/PIA07269-Mars\\_Rover\\_Opportunity-Iron\\_Meteorite.jpg](https://upload.wikimedia.org/wikipedia/commons/6/62/PIA07269-Mars_Rover_Opportunity-Iron_Meteorite.jpg) License: Public domain Contributors: <http://photojournal.jpl.nasa.gov/catalog/PIA07269> (TIFF converted into 100% quality JPEG) Original artist: NASA/JPL/Cornell
- **File:PIA09089-RA3-hirise-closeup\_annotated.png** Source: [https://upload.wikimedia.org/wikipedia/en/d/d3/PIA09089-RA3-hirise-closeup\\_annotated.png](https://upload.wikimedia.org/wikipedia/en/d/d3/PIA09089-RA3-hirise-closeup_annotated.png) License: PD Contributors: ? Original artist: ?
- **File:PIA13418\_-\_Oileán\_Ruaidh\_meteorite\_on\_Mars\_(false\_colour).jpg** Source: [https://upload.wikimedia.org/wikipedia/commons/a/a9/PIA13418\\_-\\_Oile%C3%A1n\\_Ruaidh\\_meteorite\\_on\\_Mars\\_%28false\\_colour%29.jpg](https://upload.wikimedia.org/wikipedia/commons/a/a9/PIA13418_-_Oile%C3%A1n_Ruaidh_meteorite_on_Mars_%28false_colour%29.jpg) License: Public domain Contributors: NASA and JPL Original artist: NASA/JPL-Caltech/Cornell University
- **File:PIA14762-MarsCuriosityRover-BathurstInletRock.jpg** Source: <https://upload.wikimedia.org/wikipedia/commons/1/15/PIA14762-MarsCuriosityRover-BathurstInletRock.jpg> License: Public domain Contributors: <http://photojournal.jpl.nasa.gov/jpeg/PIA14762.jpg> Original artist: NASA/JPL-Caltech/Malin Space Science Systems
- **File:PIA15038\_-\_Spirit\_lander\_and\_Bonneville\_Crater\_on\_Mars.jpg** Source: [https://upload.wikimedia.org/wikipedia/commons/1/1c/PIA15038\\_-\\_Spirit\\_lander\\_and\\_Bonneville\\_Crater\\_on\\_Mars.jpg](https://upload.wikimedia.org/wikipedia/commons/1/1c/PIA15038_-_Spirit_lander_and_Bonneville_Crater_on_Mars.jpg) License: Public domain Contributors: <http://photojournal.jpl.nasa.gov/catalog/PIA15038> Original artist: NASA/JPL-Caltech/Univ. of Arizona
- **File:PIA16068\_-\_Mars\_Curiosity\_Rover\_-\_Aeolis\_Mons\_-\_20120817.jpg** Source: [https://upload.wikimedia.org/wikipedia/commons/b/bb/PIA16068\\_-\\_Mars\\_Curiosity\\_Rover\\_-\\_Aeolis\\_Mons\\_-\\_20120817.jpg](https://upload.wikimedia.org/wikipedia/commons/b/bb/PIA16068_-_Mars_Curiosity_Rover_-_Aeolis_Mons_-_20120817.jpg) License: Public domain Contributors: <http://photojournal.jpl.nasa.gov/jpeg/PIA16068.jpg> Original artist: NASA/JPL-Caltech/MSSS
- **File:PIA16187-MarsCuriosityRover-GoulburnRock-20120817-crop.jpg** Source: <https://upload.wikimedia.org/wikipedia/commons/d/d5/PIA16187-MarsCuriosityRover-GoulburnRock-20120817-crop.jpg> License: Public domain Contributors: [http://www.nasa.gov/sites/default/files/images/692138main\\_malin-4pia16187-43\\_full.jpg](http://www.nasa.gov/sites/default/files/images/692138main_malin-4pia16187-43_full.jpg) Original artist: NASA/JPL-Caltech/MSSS
- **File:PIA16192-MarsCuriosityRover-Target-JakeRock-20120927.jpg** Source: <https://upload.wikimedia.org/wikipedia/commons/3/3a/PIA16192-MarsCuriosityRover-Target-JakeRock-20120927.jpg> License: Public domain Contributors: <http://photojournal.jpl.nasa.gov/catalog/PIA16192> (direct link) Original artist: NASA/JPL-Caltech/MSSS
- **File:PIA16239\_High-Resolution\_Self-Portrait\_by\_Curiosity\_Rover\_Arm\_Camera.jpg** Source: [https://upload.wikimedia.org/wikipedia/commons/d/dc/PIA16239\\_High-Resolution\\_Self-Portrait\\_by\\_Curiosity\\_Rover\\_Arm\\_Camera.jpg](https://upload.wikimedia.org/wikipedia/commons/d/dc/PIA16239_High-Resolution_Self-Portrait_by_Curiosity_Rover_Arm_Camera.jpg) License: Public domain Contributors: <http://photojournal.jpl.nasa.gov/catalog/PIA16239> Original artist:
- Derivative work including grading, distortion correction, minor local adjustments and rendering from tiff-file: Julian Herzog
- **File:PIA16450-MarsDustStorm-20121118.jpg** Source: <https://upload.wikimedia.org/wikipedia/commons/b/b2/PIA16450-MarsDustStorm-20121118.jpg> License: Public domain Contributors: <http://photojournal.jpl.nasa.gov/jpeg/PIA16450.jpg> Original artist: NASA/JPL-Caltech/MSSS
- **File:PIA16452-MarsCuriosityRover-Rocknest3Rock-20121005.jpg** Source: <https://upload.wikimedia.org/wikipedia/commons/b/b1/PIA16452-MarsCuriosityRover-Rocknest3Rock-20121005.jpg> License: Public domain Contributors: <http://photojournal.jpl.nasa.gov/jpeg/PIA16452.jpg> Original artist: NASA/JPL-Caltech/Malin Space Science Systems
- **File:PIA16454-MarsDustStorm-20121125.jpg** Source: <https://upload.wikimedia.org/wikipedia/commons/9/9c/PIA16454-MarsDustStorm-20121125.jpg> License: Public domain Contributors: <http://photojournal.jpl.nasa.gov/jpeg/PIA16454.jpg> Original artist: NASA/JPL-Caltech/MSSS

- **File:PIA16791-MarsCuriosityRover-Composition-YellowknifeBayRocks.png** *Source:* <https://upload.wikimedia.org/wikipedia/commons/7/71/PIA16791-MarsCuriosityRover-Composition-YellowknifeBayRocks.png> *License:* Public domain *Contributors:* <http://photojournal.jpl.nasa.gov/catalog/PIA16791> *Original artist:* NASA/JPL-Caltech/University of Guelph
- **File:PIA16795-MarsCuriosityRover-TintinaRock-Context-20130119.jpg** *Source:* <https://upload.wikimedia.org/wikipedia/commons/3/32/PIA16795-MarsCuriosityRover-TintinaRock-Context-20130119.jpg> *License:* Public domain *Contributors:* <http://photojournal.jpl.nasa.gov/jpeg/PIA16795.jpg> *Original artist:* NASA/JPL-Caltech/MSSS
- **File:PIA17062-MarsCuriosityRover-HottahRockOutcrop-20120915.jpg** *Source:* <https://upload.wikimedia.org/wikipedia/commons/0/00/PIA17062-MarsCuriosityRover-HottahRockOutcrop-20120915.jpg> *License:* Public domain *Contributors:* <http://photojournal.jpl.nasa.gov/jpeg/PIA17062.jpg> *Original artist:* NASA/JPL-Caltech/MSSS
- **File:PIA17074-MarsOpportunityRover-EsperanceRock-20130223-f1.jpg** *Source:* <https://upload.wikimedia.org/wikipedia/commons/2/2d/PIA17074-MarsOpportunityRover-EsperanceRock-20130223-f1.jpg> *License:* Public domain *Contributors:* <http://photojournal.jpl.nasa.gov/catalog/PIA17074> (image link) *Original artist:* NASA/JPL-Caltech/Cornell Univ./Arizona State Univ.
- **File:PIA18381-Mars-FreshAsteroidImpact2012-Before27March-After28March.jpg** *Source:* <https://upload.wikimedia.org/wikipedia/commons/e/e8/PIA18381-Mars-FreshAsteroidImpact2012-Before27March-After28March.jpg> *License:* Public domain *Contributors:* <http://photojournal.jpl.nasa.gov/jpeg/PIA18381.jpg> *Original artist:* NASA/JPL-Caltech/MSSS
- **File:PIA18611-Mars-CometSidingSpringFlyby-20141009.jpg** *Source:* <https://upload.wikimedia.org/wikipedia/commons/1/12/PIA18611-Mars-CometSidingSpringFlyby-20141009.jpg> *License:* Public domain *Contributors:* [http://photojournal.jpl.nasa.gov/figures/PIA18611\\_fig1.jpg](http://photojournal.jpl.nasa.gov/figures/PIA18611_fig1.jpg) *Original artist:* NASA/JPL-Caltech
- **File:PIA18613-MarsMAVEN-Atmosphere-3UV-Views-20141014.jpg** *Source:* <https://upload.wikimedia.org/wikipedia/commons/0/00/PIA18613-MarsMAVEN-Atmosphere-3UV-Views-20141014.jpg> *License:* Public domain *Contributors:* <http://photojournal.jpl.nasa.gov/jpeg/PIA18613.jpg> *Original artist:* NASA/Univ. of Colorado
- **File:PIA19088-MarsCuriosityRover-MethaneSource-20141216.png** *Source:* <https://upload.wikimedia.org/wikipedia/commons/6/69/PIA19088-MarsCuriosityRover-MethaneSource-20141216.png> *License:* Public domain *Contributors:* <http://mars.jpl.nasa.gov/msl/images/methane-source-mars-rover-curiosity-pia19088-full.jpg> *Original artist:* NASA/JPL-Caltech
- **File:PIA19396-PlanetMars-OrbitsOfMoonsAndOrbiters-20150504.jpg** *Source:* <https://upload.wikimedia.org/wikipedia/commons/c/c0/PIA19396-PlanetMars-OrbitsOfMoonsAndOrbiters-20150504.jpg> *License:* Public domain *Contributors:* <http://photojournal.jpl.nasa.gov/jpeg/PIA19396.jpg> *Original artist:* NASA/JPL-Caltech
- **File:PIA19673-Mars-AlgaCrater-ImpactGlassDetected-MRO-20150608.jpg** *Source:* <https://upload.wikimedia.org/wikipedia/commons/1/17/PIA19673-Mars-AlgaCrater-ImpactGlassDetected-MRO-20150608.jpg> *License:* Public domain *Contributors:* <http://photojournal.jpl.nasa.gov/jpeg/PIA19673.jpg> *Original artist:* NASA/JPL-Caltech/JHUAPL/Univ. of Arizona
- **File:PIA19801-TrackingSunspotsOnTheSunFromMars-20150708.gif** *Source:* <https://upload.wikimedia.org/wikipedia/commons/a/a5/PIA19801-TrackingSunspotsOnTheSunFromMars-20150708.gif> *License:* Public domain *Contributors:* <http://photojournal.jpl.nasa.gov/browse/PIA19801.gif> *Original artist:* NASA/JPL-Caltech/MSSS/Texas A&M University
- **File:People\_icon.svg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/3/37/People\\_icon.svg](https://upload.wikimedia.org/wikipedia/commons/3/37/People_icon.svg) *License:* CC0 *Contributors:* Open-Clipart *Original artist:* OpenClipart
- **File:Phobos\_colour\_2008.jpg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/5/5c/Phobos\\_colour\\_2008.jpg](https://upload.wikimedia.org/wikipedia/commons/5/5c/Phobos_colour_2008.jpg) *License:* Public domain *Contributors:* <http://photojournal.jpl.nasa.gov/catalog/PIA10368> *Original artist:* NASA / JPL-Caltech / University of Arizona
- **File:Portal-puzzle.svg** *Source:* <https://upload.wikimedia.org/wikipedia/en/f/fd/Portal-puzzle.svg> *License:* Public domain *Contributors:* ? *Original artist:* ?
- **File:Pot\_of\_gold\_upclose.jpg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/8/81/Pot\\_of\\_gold\\_upclose.jpg](https://upload.wikimedia.org/wikipedia/commons/8/81/Pot_of_gold_upclose.jpg) *License:* Public domain *Contributors:* Transferred from en.wikipedia to Commons by Mike Peel using CommonsHelper. Primary source: <http://mars.nasa.gov/mer/gallery/press/spirit/20040615a.html> *Original artist:* NASA
- **File:Sol454\_Marte\_spirit.jpg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/4/41/Sol454\\_Marte\\_spirit.jpg](https://upload.wikimedia.org/wikipedia/commons/4/41/Sol454_Marte_spirit.jpg) *License:* Public domain *Contributors:* <http://marsrovers.jpl.nasa.gov/gallery/press/spirit/20050420a.html> *Original artist:* NASA/JPL
- **File:Solar\_system.jpg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/8/83/Solar\\_system.jpg](https://upload.wikimedia.org/wikipedia/commons/8/83/Solar_system.jpg) *License:* Public domain *Contributors:* ? *Original artist:* ?
- **File:South\_Polar\_Cap\_of\_Mars\_during\_Martian\_South\_summer\_2000.jpg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/c/cb/South\\_Polar\\_Cap\\_of\\_Mars\\_during\\_Martian\\_South\\_summer\\_2000.jpg](https://upload.wikimedia.org/wikipedia/commons/c/cb/South_Polar_Cap_of_Mars_during_Martian_South_summer_2000.jpg) *License:* Public domain *Contributors:* <http://photojournal.jpl.nasa.gov/catalog/PIA02393> [http://www.msss.com/mars\\_images/moc/4\\_27\\_00\\_spcap/](http://www.msss.com/mars_images/moc/4_27_00_spcap/) file *Original artist:* NASA/JPL/MSSS
- **File:Speakerlink-new.svg** *Source:* <https://upload.wikimedia.org/wikipedia/commons/3/3b/Speakerlink-new.svg> *License:* CC0 *Contributors:* Own work *Original artist:* Kelvinsong
- **File:Spirit\_Mars\_Silica\_April\_20\_2007.jpg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/d/dd/Spirit\\_Mars\\_Silica\\_April\\_20\\_2007.jpg](https://upload.wikimedia.org/wikipedia/commons/d/dd/Spirit_Mars_Silica_April_20_2007.jpg) *License:* Public domain *Contributors:* ? *Original artist:* ?
- **File:Symbol\_book\_class2.svg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/8/89/Symbol\\_book\\_class2.svg](https://upload.wikimedia.org/wikipedia/commons/8/89/Symbol_book_class2.svg) *License:* CC BY-SA 2.5 *Contributors:* Mad by Lokal\_Profil by combining: *Original artist:* Lokal\_Profil
- **File:Tharsis\_-\_Valles\_Marineris\_MOLA\_shaded\_colorized\_zoom\_32.jpg** *Source:* [https://upload.wikimedia.org/wikipedia/commons/2/22/Tharsis\\_-\\_Valles\\_Marineris\\_MOLA\\_shaded\\_colorized\\_zoom\\_32.jpg](https://upload.wikimedia.org/wikipedia/commons/2/22/Tharsis_-_Valles_Marineris_MOLA_shaded_colorized_zoom_32.jpg) *License:* Public domain *Contributors:* JMARS *Original artist:* NASA / JPL-Caltech / Arizona State University
- **File:USGS-MarsMap-sim3292-20140714-crop.png** *Source:* <https://upload.wikimedia.org/wikipedia/commons/1/1f/USGS-MarsMap-sim3292-20140714-crop.png> *License:* Public domain *Contributors:* [http://pubs.usgs.gov/sim/3292/pdf/sim3292\\_map.pdf](http://pubs.usgs.gov/sim/3292/pdf/sim3292_map.pdf) *Original artist:* USGS
- **File:War-of-the-worlds-tripod.jpg** *Source:* <https://upload.wikimedia.org/wikipedia/commons/5/5a/War-of-the-worlds-tripod.jpg> *License:* Public domain *Contributors:* Wells, H.G. War of the Worlds (1906, French ed.) *Original artist:* Henrique Alvim Correa

- **File:Wikibooks-logo.svg** *Source:* <https://upload.wikimedia.org/wikipedia/commons/f/fa/Wikibooks-logo.svg> *License:* CC BY-SA 3.0  
*Contributors:* Own work *Original artist:* User:Bastique, User:Ramac et al.
- **File:Wikinews-logo.svg** *Source:* <https://upload.wikimedia.org/wikipedia/commons/2/24/Wikinews-logo.svg> *License:* CC BY-SA 3.0  
*Contributors:* This is a cropped version of Image:Wikinews-logo-en.png. *Original artist:* Vectorized by Simon 01:05, 2 August 2006 (UTC) Updated by Time3000 17 April 2007 to use official Wikinews colours and appear correctly on dark backgrounds. Originally uploaded by Simon.
- **File:Wikiquote-logo.svg** *Source:* <https://upload.wikimedia.org/wikipedia/commons/f/fa/Wikiquote-logo.svg> *License:* Public domain  
*Contributors:* ? *Original artist:* ?
- **File:Wikisource-logo.svg** *Source:* <https://upload.wikimedia.org/wikipedia/commons/4/4c/Wikisource-logo.svg> *License:* CC BY-SA 3.0  
*Contributors:* Rei-artur *Original artist:* Nicholas Moreau
- **File:Wikiversity-logo-Snorky.svg** *Source:* <https://upload.wikimedia.org/wikipedia/commons/1/1b/Wikiversity-logo-en.svg> *License:* CC BY-SA 3.0 *Contributors:* Own work *Original artist:* Snorky
- **File:Wiktionary-logo-en.svg** *Source:* <https://upload.wikimedia.org/wikipedia/commons/f/f8/Wiktionsary-logo-en.svg> *License:* Public domain *Contributors:* Vector version of Image:Wiktionary-logo-en.png. *Original artist:* Vectorized by Fvasconcellos (talk · contribs), based on original logo tossed together by Brion Vibber

## 17.3 Content license

- Creative Commons Attribution-Share Alike 3.0