Game Client Requirements

Table of Contents

Purpose of the document . . . 5
Levels of Requirements . . . 6
- Description of Customer Config Level . . . 6
- Description of Bank Properties Level . . . 7

Requirements for Autoplay . . . 8
- Display Autoplay . . . 8
- Do not display line-specific payouts during Autoplay . . . 9
- Return the individual display of line payouts after Autoplay ends . . . 9
- Display an error after trying to use Autoplay in FRB mode . . . 10
- Allow reel speed control in Autoplay mode . . . 10

Requirements for Double Up . . . 11
- Enable/Disable DoubleUP . . . 11

Requirements for Buy Feature . . . 12
- Disable Buy feature . . . 12
- Disable Buy feature for Cash Bonus . . . 13

Requirements for Respin . . . 14
Requirements for Hold & Win Feature . . . 15
Requirements for Free Spin . . . 16
Requirements for Turboplay . . . 17
- Enable/Disable Turboplay . . . 17

Requirements for Big/Huge/Mega Win . . . 19
- Big Win animation structure . . . 19
- List of situations, when Big Win must be displayed . . . 20
- List of situations, when the Big Win must NOT be displayed . . . 21
- Big Win duration requirements . . . 21
- Maintain low-performance mode . . . 21

Requirements for Jackpots . . . 22
- Description of BigWin and Jackpot behavior . . . 22
- Enable/Disable jackpot notifications . . . 22

Requirements for Reality Check . . . 23
- Enable/disable Reality Check . . . 23
- Set the RC check&display interval . . . 23
- Set the RC reminder percent . . . 24
- Set the Info Page about Reality Check . . . 24
- Enable/Disable custom RC dialog . . . 24
- Enable/disable the Confirm button on RC Dialog . . . 25
- Enable/Disable bet history button in RC Dialog . . . 25
- Enable/Disable End Session/Exit button for RC Dialog . . . 25

Requirements for Loading Screen . . . 26
Loading Screen Base Structure . . . 26
Loading Screen Additional Unification Requirements . . . 27
Enable/Disable the Betsoft Logo display in Game . . . 27
Requirements for Main Game Screen . . . 28
Set the card distribution animation default speed . . . 28
Set regular reels spin time . . . 28
Enable/Disable the Sound Toggle display on the Main Screen . . . 29
Enable/Disable sounds in UE/ToGo games . . . 29
Set default language of the game . . . 30
Display game localization error . . . 30
Enable/Disable Forced Spin Stop . . . 30
Enable Spin Profiling . . . 31
Disable/Enable in-game history . . . 31
Set Game History endpoint . . . 32
Display game history in the same window . . . 32
Enable/disable holiday mode in the game . . . 33
Display TAP Panel symbols . . . 34
Requirements for Paytable . . . 35
Pause animations . . . 35
Enable/Disable usage of modified game scale . . . 35
Requirements for Rules tab . . . 36
Display Game RTP in Rules tab . . . 36
Allow to display Printable Rules . . . 36
Display the option that redirects to the full game rules . . . 37
Display the Maximum Possible Win (deprecated) . . . 38
Display Rules button on the main screen . . . 38
Requirements for Options tab . . . 39
Main requirements for the Options tab . . . 39
Requirements for certification-related features of game client . . . 40
Display game symbols on dice-like background images . . . 40
Enable/Disable current date&time display . . . 41
Enable/Disable game session duration display . . . 41
Enable/Disable Loss Limit display . . . 42
Enable/Disable the display of total bet and win amounts per session . . . 42
Enable/Disable the display of the remaining time of the game session duration limit . . . 43
Requirements for QLC . . . 44
Set customization of game localization for a specific licensee . . . 44
Set the storage path of the customization files . . . 45
Display custom error messages in the game . . . 45
Enable/Disable custom translations of main game’s messages . . . 46

Enable/Disable custom translations for tips and controls in game rules . . . 47
Enable/Disable game title's localization . . . 47
Requirements for displaying bets, payouts and player's balance . . . 48
Display payouts in real currency . . . 48
Set custom currency symbol . . . 49
Truncate fractional part of the monetary parameters . . . 49
Enable/Disable delayed wallet messages . . . 50
Send external wallet messages . . . 50
Pariplay Events / Post Message . . . 51
Stop the game when a Pariplay event message is received . . . 52
Continue the game from where it left off when receiving a Pariplay event message . . . 53
Stop Autoplay mode when a Pariplay event message is received . . . 53
Requirements for Home and Cashier-related functions . . . 54
Redirect player to the home page of the licensee's site . . . 54
Redirect the player to the Cashier's page . . . 54
Set launch home from Iframe . . . 55
Enable/disable using homeUrl and cashierUrl in parent window . . . 55
Enable/Disable open cashier in pop-up . . . 55
Enable/Disable redirect and close game on BuyIn . . . 56
Enable/Disable redirect without closing game on BuyIn or Home . . . 56
Enable/Disable pop-up messages about Guest/Free mode in the game . . . 56
Requirements for Free Round Bonus in game client . . . 57
Do not restart on FRB . . . 57
Additional game client requirements . . . 58
Set additional settings . . . 58
Redirect to full UNJ Rules . . . 58
Enable/Disable logout on error . . . 59
Specify the location of the customer-level settings . . . 59

Purpose of the document

This document will contain all requirements for the game client regulated at several levels. In other words, this is where the requirements for anything that can diversify the user experience of the game will be stored.

NOTE	We follow all these rules and cannot say which ones are requirements from licensees and which are not.

Levels of Requirements

A customer, a.k.a client, a.k.a licensee, wants to integrate our games into their system. The customer can also require that the games should have customized settings, which should apply to all game banks under his control.

Each requirement of a licensee can be described as:

1. Header in format "action verb + noun(feature's name)".
2. Paragraph with a more detailed description of the requirement.
3. BSG Implementation contains how we followed this requirement, depending on the levels:
    a. Customer Config level - encompasses and regulates settings from all banks related to a single licensee.
    b. Bank Properties level - regulates the appearance of games from a single bank of the licensee.
    c. Priorities - set of priorities between several settings on different level.

Description of Customer Config Level

In our system, all sets of customer-level settings is kept in a file with name like `u_crossgame_shared_config_descriptor`, which gets the desired configuration at the licensee's request.

Initially, a base config was created, containing all settings and their default values. Licensee-specific configs are inherited from this base config but also have their settings/modifications of settings that differ from the base config.

In this case, the execution priority is: Firstly, the licensee-level config applies. Secondly, the base config settings apply if there are no customizations to them on a licensee-level config.

The same happens if a config is made for certification/regulation. If the licensee-level config inherits from certification-level config and a parameter different from certification is specified, then the priority will be:

1. Licensee-level config,
2. Certification config,
3. Base config, if some parameters were not specified in previous configs.

Description of Bank Properties Level

As being said earlier, each licensee can have multiple banks.

Bank - a conditional unit on the BSG side, representing a separate online casino (site, portal) on the licensee's (ES) side. The bank is the basic unit for configuring the casino on the BSG side. There can be a different set of games, localizations, etc., for each bank.

Each bank has many properties that can describe and modify game client behavior.

Requirements for Autoplay

Autoplay is an option in games that allows the player to automatically initiate the start of the reels the number of times the player sets.

This mode is fully encapsulated on the client level. In other words, the server part should not know about its existence. However, the client may send an auto-spin marker in requests to the server for statistical purposes. This marker is usually applicable to Slot games only.

This mode performs the launch of the next game round after the end of the previous one automatically. The player doesn't need to press the Spin button each time manually. However, any other gameplay moments (like the Click-me bonus) requiring user action are not automated.

Below is a set of requirements, that needed to be met to successfully implement Autoplay in games.

Display Autoplay

Description

It should be possible to enable/disable the Autoplay option. If Autoplay is disabled, there should be no separate Autoplay tab, no empty spaces on the screen dedicated to this feature, and, in general, no mention of Autoplay in the Rules tab or elsewhere in the game.

BSG implementation

Customer Config level:

`autoplay` property with `allowed=true/false` attribute.

Bank Properties level:

`AUTOPLAY_MODE` with values:

- `ENABLED` — enabled for all games and currencies.
- `DISABLED` — disabled for all games and currencies.
- `ENABLED_FOR_CURRENCIES` — enabled only for specified currencies.
- `DISABLED_FOR_CURRENCIES` — disabled only for specified currencies.
- `ENABLED_FOR_GAMES` — enabled only for specified games.
- `DISABLED_FOR_GAMES` — disabled only for specified games.
- `ENABLED_FOR_CURRENCIES_AND_GAMES` — enabled for specified currencies and games.
- `DISABLED_FOR_CURRENCIES_AND_GAMES` — disabled for specified currencies and games.
- `DISABLED_FOR_CURRENCIES_AND_ENABLED_FOR_GAMES` — disabled for specified currencies, but enabled for specified games.

- `ENABLED_FOR_CURRENCIES_AND_DISABLED_FOR_GAMES` — enabled for specified currencies, but disabled for specified games.

To use most of the values of this property, these additional properties are required:

- `AUTOPLAY_VALUES` - defines a set of values, separated by `|`, where each value is the number of spins that can be used in the Autoplay option.
- `AUTOPLAY_CURRENCIES` - defines a set of three-letter currency codes in format `CC1|CC2|CC3`, for which Autoplay should be enabled/disabled.
- `AUTOPLAY_GAMES` - defines a set of gameIds in format `gameId1 | gameId2 | gameId3`, for which Autoplay should be enabled/disabled.

Priorities:

The disable option has a higher priority, i.e., Autoplay will not be displayed if one of the conditions is specified:

- `AUTOPLAY=DISABLED` or its other values with the text `DISABLED_FOR` for specific games/currencies from the `AUTOPLAY_CURRENCIES` and `AUTOPLAY_GAMES` settings.
- `autoplay allowed=false`.

Do not display line-specific payouts during Autoplay

During the Autoplay action, winning payouts on individual lines must not be displayed — only the total payout.

At the end of the spin, the game should show all winning lines together, displaying only the total amount of winnings, not individually.

Return the individual display of line payouts after Autoplay ends

After Autoplay mode ends, the system should return to the standard state if there is no other functionality.

Display an error after trying to use Autoplay in FRB mode

When you click on the AutoPlay button (including in the “i” window) during FRB mode, a dialog should open with the text:

```
This functionality is disabled during the Free Round Bonus. Please try once back in
normal game mode.
```

This dialog should also contain the “OK” button, which closes the dialog (the same behavior was supposed for the DoubleUp button, but for now, it is just inactive).

Allow reel speed control in Autoplay mode

Description

Allow the player to enable/disable fast reel spinning (like in turboplay mode) in Autoplay mode.

NOTE	Legacy requirement - this setting was used only in games with ToGo engine. In newer games autoplay spins always spin “in turbo version”. Displayed here for the historical purposes.

BSG implementation

Customer Config level:

`autoplay_quick_spin` property с атрибутом `allowed = true/false`.

Priorities:

The disable option has a higher priority, i.e., if Autoplay is not enabled in the game, the quick spin is not displayed as well.

Requirements for Double Up

Double Up - a feature in some games that allows the user to double or lose all or part of their winnings or part of their winnings. Most often presented as an emulation of the game “heads or tails”, but there are also other implementations, for example, based on cards (guess the color of a suit, etc.).

Additional requirements:

- The appearance of the Double Up window must be in the same style as other functions like Autoplay, as well as Paytable, Rules, and Options tabs.
- The DoubleUp button should be available only on the bet amount on which the win was received. When a player changes bets after receiving a win, the Double Up button should become unavailable.

Enable/Disable DoubleUP

Description

It must be possible to enable/disable the Double Up option.

If DoubleUp is disabled, no mention of this feature should be in the Rules (Rules tab) and other places in the game. There also should be no empty spaces on the screen allocated for this function in the game client.

BSG implementation

Customer Config level:

`gamble_feature` property with `allowed=true/false` attribute.

Bank Properties level:

- `DISABLE_DOUBLEUP = true/false` - disables DoubleUp display in every game and game mode.
- `DISABLE_DOUBLEUP_IN_CASH_BONUS = true/false` - disables Double Up display in cash bonus mode only.

Priorities:

The disable option has a higher priority, i.e., if `gamble_feature allowed=false` or `DISABLE_DOUBLEUP=true` or `DISABLE_DOUBLEUP_IN_CASH_BONUS = true` (if the player starts the game with Cash bonus) is specified.

Requirements for Buy Feature

Buy Feature is a game feature that allows the player to buy a certain number of Free Spins. In essence, it is an increased bet, guaranteed to give the player a roll of Free Spins in the current round.

The cost of the Buy Feature depends on the size of the current bet (Bet) and the multiplier N defined in the game's matrix model. Some games allow you to choose the number of Free Spins when you use a Buy Feature.

The advantage of this feature is that the player does not have to wait to get Free Spins after any combination of symbols. At the same time, the winnings from the purchased Free Spins may be less than the cost of the Buy Feature.

In some games, the Buy Feature has an additional Buy Coins feature that allows the Buy Feature amount to be reduced to 0. The player must achieve a specified symbol to reduce the amount. The "decrease" value is set during game design.

Disable Buy feature

Description

It must be possible to enable/disable the Buy Feature option for all games of the bank.

BSG implementation

Bank Properties Level:

`BUY_FEATURE_DISABLED` property with values `YES/NO`

Disable Buy feature for Cash Bonus

Description

It must be possible to enable/disable Buy Feature option for Cash bonuses mode specifically, without disabling it in other modes in a game.

BSG implementation

Bank Properties Level:

`BUY_FEATURE_DISABLED_FOR_CASH_BONUS` property with values `YES/NO`

NOTE	If enabled, the Buy Feature option is disabled for all games of the bank only during Cash Bonus.

Requirements for Respin

Respin — one or more bonus (free) spin(s) played automatically when certain conditions (pay line) are met in some slot games. It is Hold&Win's predecessor and works as follows:

1. After collecting a certain number of characters or after the appearance of a certain number of characters, the game goes into Respin mode.
    a. Example: "Poseidon" mode in the "Take Olympus" game, where at least one respin is guaranteed. After that, the game counts how many special symbols related to Poseidon collected. Each special symbol adds one more respin.
2. The player receives as many Respin attempts as he won during normal mode or as the system has set. The attempts are used automatically.
    a. The SPIN button must not be present during RESPIN mode. Only the Skip and Stop buttons should be.
3. Each spin reduces the remaining Respin counter by 1.
4. With each spin of the reels, the player can get any of the standard symbol winnings (same described in Paytable, more symbols in a line — more winnings).
    a. The winnings are credited immediately to the player's balance after each spin and, at the same time, summarized in the win field.
5. Once the last respin is played, the system goes into standard game mode. There should be no YOU WON/BIG WIN presentations.

Requirements for Hold & Win Feature

Hold & Win is a game option presented to the player as soon as a specified number of special symbols appear on the reels.

Hold & Win implementation types:

1. Standard — H&W starts in the game screen and does not change its view. The number of reels on the H&W screen equals the standard reel number on the game.
2. Incremental — the game screen is divided into N parts. Each part contains the same number of reels as in the main game. In this case, all screen parts except one are blocked and become available as soon as the player gets a certain number of characters on the active parts of the screen as a result of H&W.

H&W's workflow:

1. After a certain number of characters appear on the main reels, the game switches to H&W mode.
2. The reels clear off of other symbols, and only H&W symbols remain.
3. The player is awarded with three auto-spin attempts.
4. Each spin reduces the remaining spin counter by 1.
5. If another special symbol of this feature appears on the reels during a spin, the counter restores to 3.
6. Items 4 and 5 repeat until there are no more attempts.
7. As soon as the last spin is used, the game starts calculating the winnings based on the values written on the special symbols:
    a. If there is a numerical multiplier on the symbols, then the game sums up all multipliers from all symbols. The winnings are calculated as the bet multiplied by the resulting multiplier.
    b. If there are simple numerical values (without multiplication signs) on the symbols, these values indicate a specific amount of currency that will be credited to the player. The game summarizes all received sums from all symbols and gives the corresponding winnings to the player.

The maximum number of characters produced during this option is determined during development and is described in the protocol of each game that has this option.

Requirements for Free Spin

Free Spin is an in-game bonus that rewards a player with a few extra spins without charging a bet. In most cases, the trigger is the occurrence of several specific symbols scattered across the reels.

List of requirements for client-side implementation of Free Spins:

1. Selection of the final win value for the presentation after completion of the free spins bonus (if the feature has a corresponding win presentation) occurs if in the win presentation:
   - No explicit description of free spins specified: Complex Win (includes all wins from the previous real bet) displays, as it may not be transparent to the user why the win indicator differs from the value specified in the presentation
   - There is a description: the win is displayed exclusively for the free spin.

NOTE	After that, the BigWin with the same value can be displayed, which is acceptable, as the purpose of the BigWin presentation is different — to display a much bigger win.

2. Games that support sub-bonuses during free spins (a.k.a. multi-featured free spins) may have different specifics for updating the remaining free spins number on the server side. Nevertheless, the client should display the indicator update in the same way for all games at the time of FS Spin execution, regardless of SERVER SIDE specifics:
   a. Some games update on the FS Spin request. This behavior is considered correct by the SERVER SIDE part.
   b. In some games, the update occurs at the moment of FS 'SubRound' completion: the moment of using the last multi-spin occurred as a free spin award. This behavior should be considered incorrect by the game client, and additional logic should be implemented to present the remaining free spins number correctly.
3. During FreeSpin, Big Win presentations may be displayed if TurboPlay is not enabled.
4. At the end of FreeSpin, the total winnings from all free spins should be displayed.
5. During FREE SPIN there should be no SPIN button. Only STOP/SKIP because the spin starts automatically.

Requirements for Turboplay

The Turboplay option should be displayed in the Options tab of any game presented as an "on/off" switch. Turbo mode should not change the game’s behavior. It should only speed up the behavior implemented in normal mode by reducing the spin time.

List of changes from the normal mode behavior:

1. Reels should have a rotation time of approximately 1 sec.
2. Zoom animation of symbols should not be played. Only lines, win boxes, and payouts should be displayed for approximately 0.5 sec.
3. Skip the intro/outro animation and transition animation to features and show the feature immediately.
4. Skip intermediate animations in the feature and show the winnings immediately.
5. Skip Big Win. Display a final number around 1 sec instead of the final win accumulation in features.
6. Collapse animation should be shortened by half of the time if there is any in the game.
7. Turbo mode should not affect DoubleUp - the speed of animations playing in this functionality should not change.
8. Only tension reel animation should be displayed, without any tension sounds. The tension animation lasts as long as a regular spin in normal mode.
9. The spin button should always be active during the win presentation, leaving the possibility to skip the display of winning lines, collapse animation, and scatter animation to start a feature or the next spin immediately. This feature should be active whether the turbo mod is enabled or not.
10. During autoplay, after the win presentation, there should not be any pauses before starting the next spin. The time of normal win awarding should be shortened so that the full win amount will be withdrawn to the player’s balance before the next spin starts.
11. Do not play the scatter icon animation. Instead, display the payout and win boxes for 0,5 seconds only.
12. The option to enable/disable Turboplay must contain the following brief description: "Enabling turboplay will cause many animations to not play, or play at a much faster rate, resulting in a much faster spin to spin time."

д <<<<

Enable/Disable Turboplay

Description

There should be a possibility to enable/disable Turboplay option in a game. If Turboplay is disabled, there should be no mention of it in the game and there should be no “empty spaces” on the screen

dedicated to this feature.

BSG implementation

Customer Config level:

`turboplay` property with attributes:

- `allowed=true/false` — allows to display and use turboplay.
- `speed_id=[-1,0,1,2,3…]` — defines the reel spin animation's speed. If the game has basic turboplay mode, 0 equals to "OFF", and 1 equals "ON". For a game with multiple turboplay speed levels this attribute can have values from 1 to 3, where the higher the number, the faster the animation.
- `preferred=true/false` — this setting is set as preferred.

NOTE	There is currently no games, where turboplay has multiple speed levels. The setting is made for future updates/turboplay variations.

Requirements for Big/Huge/Mega Win

Big Win is a visual feature of informational value, emphasizing the user's attention on the big win. The change from Big Win to Mega and Huge Win depends on the size of the win itself and the game settings.

In all new games, a Big Win is a win that exceeds the bet by one of these values:

- Big Win animation starts when winnings are more than or equal to 20xBET.
- Huge Win animation starts when winnings are more than or equal to 45xBET.
- Mega Win animation starts when winnings are more than or equal to 75xBET.

BigWin, with an enabled Turboplay option (relevant for the desktop and mobile versions), should have an abbreviated presentation option - immediately present the final winnings for 1 second, then hide.

Big Win animation structure

The Big Win animation sequence was unified in most games. The Big Win animation can be divided into several stages:

1. Intro — animation of the appearance of each type of win (Big Win/Huge/Mega)
2. Animation of Big Win→Huge Win→Mega Win change — transition from outro-animation of the previous type of win to intro-animation of the next one.
3. Flare animation — highlights the main Big Win counter. Each type of Big Win has its own Flare animation.
4. Coin shower animation — looks like coins falling from the sides of the Big Win. Depending on the Big Win, other items (stones, amulets, etc.) may also be added to the coins — it depends on the game assets.
5. Outro — animation of the disappearance of each type of win.
6. Coin animation — animation that appears at the very end when the window with Big Win has already disappeared. It is almost similar to Coin Shower, but the point of appearance is from the middle of the top edge of the bottom bar.

List of situations, when Big Win must be displayed

1. When there are only win icons and enough winnings to activate Big Win. The central counter, often located under the field with reels and indicated by the text “WIN:”, should be displayed first, and then the Big Win presentation.
2. If the main payout is accompanied by features that do not give a separate payout (wild, multiplier) and the main payout is sufficient to trigger the Big Win presentation, the Big Win should be displayed instead of the central payout.
3. If features that pay or can pay (jackpot, special symbols, respin, etc.) are awarded to the main payout, then the Big Win is displayed only at the end of the round.

NOTE	In this case, by the start of the Big Win presentation, the Win field already shows all the winnings for the round. In other words, the BigWin is displayed only at the end of the round. A regular center counting should be displayed before Big Win, even if the amount is sufficient for BigWin.

4. If there is no main payout and the feature’s payout is sufficient for a Big Win presentation, the BigWin is displayed at the end of the round. In this case, by the start of the BigWin presentation, the Win field also already shows all the winnings for the round.
5. When, according to the results of the reels spinning, the winnings are enough, and FreeSpin is awarded — BigWin displays first, and then the FreeSpin is triggered.
6. In the FREESPIN game — when the results of spinning the reels are enough winnings.
7. After returning to the main game screen from DoubleUp when there are enough winnings if there was a win on the last DoubleUp step.
8. During Respin — after each spin of the reels, if there are enough winnings (for this spin). I.e., each Respin feature’s spin is processed separately, and the winnings are not summarized (relevant for MAIN/FREESPIN).
9. When UNJ jackpot was awarded.

NOTE	This requirement is outdated because the UNJ in its base form is disabled.

10. In the case that some game feature implements the win presentation upon completion (Example: Main Bonus Round & FreeSpins) and BigWin should be activated after the feature, the feature-level’s win presentation should be skipped to speed up gameplay, taking into account that these winnings are displayed to the player as part of BigWin.

NOTE	The client has not explicitly made this requirement mandatory for all new games. Nevertheless, we consider it mandatory because, in concept, the idea of such behavior is not directly related to a specific game.

List of situations, when the Big Win must NOT be displayed

1. BigWin feature should not be presented if there was a JACKPOT/JPv1 win (not to be confused with UNJ).
2. After the FREESPIN completion — in this case, only the YouWin dialog is displayed if there is a win.
3. After the completion of Respin in the form of total winnings for the Respin feature. BigWin after the Respin feature can be displayed, but only as winnings of the last Respin round if the win amount is enough.

Big Win duration requirements

1. In case the big/huge header is not final, the duration of the win count should be fixed (4 seconds).
2. If the big/huge/mega header is the final header, the win count should be at regular speed (should not accumulate the previous count acceleration). If necessary, the animation pauses to achieve a minimum header display duration (4+ seconds).
3. Minimum duration of BigWin counter = 2 s (at win ⇐ bet's duration).
4. The maximum duration of the BigWin counter is 8s for mobile, given the specificity of the audio constraints.
5. BigWin supports partial skipping of a presentation using a skip concept. It is used when skipping a presentation inside a BigWin feature. When activated, the skipping of the presentation skips to the final values. The intro, outro, and coin animations are not skipped. The intuitive visual cue to activate the skip concept is a SKIP button on the main UI panel, but activation of the skip concept will occur by clicking (or TOUCH for the MOBILE version) anywhere on the screen.

Maintain low-performance mode

BigWin must support low-performance mode. In this mode, there should be no coin shower animation.

Requirements for Jackpots

Jackpot is a prize pool that can be won at any time, sometimes by fulfilling the necessary conditions (e.g., making the maximum bet). As a rule, deductions to the fund are made from bets (depending on the type of jackpot - from all or only from maximum bets).

Currently, only jackpot version 4 (JPv4) is actively supported. The other jackpot types have either already been removed from support (JPv3, UNJ) or are in the process of being removed (JPv1).

In addition, the game can also be developed in two variants: JP (when the jackpot exists separately from the game and can be connected to several games) and NJP (when the jackpot has become an in-game feature and does not apply to other games).

Description of BigWin and Jackpot behavior

Displaying BigWin and Jackpots in JP games:

1. Jackpot and no win on reels — only the Jackpot presentation is played.
2. Jackpot and ANY win on the reels — Jackpot presentation is displayed, then the center counter, then BigWin (if there is enough winnings for BigWin).
3. Jackpot and a BigWin on reels — Jackpot presentation is displayed, then the central counter, then BigWin.

Displaying BigWin and Jackpots in NJP games (Jackpot is replaced by Prize):

1. When a Prize is displayed with no winnings on the reels: Jackpot presentation (Prize version), then BigWin (if there are enough winnings for BigWin)
2. When a Prize AND any win on the reels: Jackpot presentation (Prize version), then the center counter, then BigWin (if there is enough win for BigWin)

That is, there will be no BigWin presentation only when a single Jackpot is rolled, with no other winnings.

Enable/Disable jackpot notifications

Description

There should be a possibility to enable/disable the display of Jackpot Win Notifications.

BSG implementation

Bank Properties Level:

Property `USE_JP_NOTIFICATION` with values `YES/NO`, that allows to display Jackpot Win notifications.

Requirements for Reality Check

The idea of the functionality is to remind the player about the duration and results of his game with a certain periodicity. With a certain periodicity, the game displays a Reality Check Dialog (hereafter RC dialog or RC), which gives the player the right to choose whether to continue or end the game. At the same time, the player must not be able to place a bet from the timeout until the Reality Check is confirmed.

Enable/disable Reality Check

Description

There should be a possibility to enable/disable the Reality Check option.

If Reality Check is turned off, the message should not be displayed, and the game should not stop.

BSG implementation

Bank Properties level:

`ENABLE_REALITY_CHECK` property with values:

- NONE - disabled.
- PC - enabled for PC platform only
- MOBILE - enabled for Mobile platforms only
- ALL - enabled for all platforms

Priorities:

The disable option has a higher priority, i.e. if `ENABLE_RALITY_CHECK = NONE`, then the other RC related settings should not work.

Set the RC check&display interval

Description

There should be a possibility to control the interval, with which the player's game session gets checked for displaying RC dialog.

BSG implementation

Bank Properties level:

`REALITY_CHECK_INTERVAL` property that sets the time interval in seconds.

Set the RC reminder percent

There should be a possibility to set the percentage of the game session duration limit, after reaching which the additional message that the session duration limit is about to expire will display in the RC Dialog.

BSG implementation

Bank Properties level:

`REALITY_CHECK_LIMITS_REMINDER_PERCENT` property that allows to set the percent of game session duration limit in fractional number format like "0,52", after reaching which there will be an additional message in the RC dialog.

Set the Info Page about Reality Check

There should be a possibility to set a link for an INFO button that can be clicked to read detailed information about Reality Check.

BSG implementation

Bank Properties level:

`REALITY_CHECK_INFO_URL` property allows to define a URL, to which the INFO button in RC dialog should redirect.

Enable/Disable custom RC dialog

There should be a possibility to enable/disable RC Dialog, customized for the licensee. If its not enabled, the regular dialog should be used.

BSG implementation

Bank Properties level:

`ENABLE_REALITY_CHECK_CUSTOM_DIALOG` property enables the customized message for the RC, which should be passed in `UI_RC_MESSAGE` at the start of the game (in launch.jsp).

Enable/disable the Confirm button on RC Dialog

There should be a possibility to enable/disable the view of the CONFIRM button on the RC Dialog in a game.

CONFIRM — option, that allows player to close the RC Dialog and stay in the game.

BSG implementation

Bank Properties level:

`SHOW_UI_BUTTON_RC_CONFIRM` property with `true/false` values.

Enable/Disable bet history button in RC Dialog

There should be a possibility to enable/disable the HISTORY button in RC Dialog in game.

HISTORY — option that opens player's bet history in a separate window.

BSG implementation

Bank Properties level:

`SHOW_UI_BUTTON_RC_HISTORY` property with values `true/false`.

Enable/Disable End Session/Exit button for RC Dialog

There should be a possibility to enable/disable the END SESSION button in RC Dialog in a game.

End Session — option that allows player to end the game session and redirect the player to the home page of the licensee's website.

BSG implementation

Bank Properties level:

`SHOW_UI_BUTTON_RC_END_SESSION` property with values `true/false`.

Requirements for Loading Screen

Loading screen - the main (initial) loading of the game that occurs at startup, also sometimes called loading bar, preloader, loading screen.

Loading Screen Base Structure

Main requirement for the loading screen is that it must be unified in all games and platforms.

Loading Screen should consist of:

1. The game logo should be in the middle of the screen.
    a. When localization changes, the logo is not translated. The exception is the Chinese localizations — sometimes, a logo localization is requested for them.
2. The background should be a dimmed version of game's main screen background.
    a. For Nucleus Gaming games, the background remains a black color screen.
3. The additional feature's name (like Hold&Win), if there is one in the game, should be placed under the game logo.
4. Loading's Progress Bar — the process of loading the game assets, presented as a bar. It should be located under the logo and the name of the Additional feature.
5. The bottom panel, with a separate list of elements:
    a. Sound ON/OFF button should be located at the left part of the panel.
    b. The company's logo that developed the game should be in the middle of the panel.
    c. A button to return to the home page, the output of which, like the redirect URL, can be customized by bank/licensee level settings.

Loading Screen Additional Unification Requirements

1. If a description of the features is present, it should be up-to-date and consistent with the payout table.
2. The loading bar should be filled evenly with the number of uploaded files.
3. There should be a Sound On/Off button (a Sound button is added to the loading screen in new games).
4. If RESULT!=OK is received at ENTER, the error occurs after the loading bar is full.
5. If there are parameters whose values are received at the ENTER, they should not be hard coded.
    a. If the response to ENTER is delayed, descriptions containing parameters whose values are required to display this description should not be displayed on the screen (until these parameters are received).
    b. Before the ENTER response is received, the middle part of the screen should contain the game logo and the loading bar below it.
6. ReSkin: A branding logo can have a different appearance — depending on the window's size, it can have an oval or square border.

Enable/Disable the Betsoft Logo display in Game

Description

There should be a possibility to enable/disable the display of the BetSoft Logo at the game's loading screen and in the bottom panel of the Main Screen.

BSG implementation

Customer Config level:

Parameter `branding` with attributes:

- `override_embedded_preferred_setting=true/false` — allows the setting to overwrite the game's preset logo output value.
- `required=true/false` — forces the BetSoft logo to display.

Attribute priorities:

1. Both `true` — logo is displayed,
2. Both `false` — game will crash and display an error,
3. `override = true` and `required=false` — logo is NOT displayed,
4. `override=false` and `required=true` — game will crash and display an error.

Requirements for Main Game Screen

This article contains a set of requirements related to the game's main screen after the loading is completed.

Set the card distribution animation default speed

Description

In the card table games, there is an animation of card distribution to both the player and the dealer. There should be a possibility to set the default speed of the card distribution animation, which can be selected from three variants: slow (1), medium (2), and fast (3).

BSG implementation

Customer Config level:

Parameter `table_games_cards_animation_default_speed_id` with attributes `value = [1,2,3]`.

If a higher value is specified in the attribute, the system automatically changes the selected value to the highest possible value (3).

Set regular reels spin time

Description

There should be a possibility to set the minimum rotation time of the reels from pressing the SPIN button to a complete stop.

BSG implementation

Customer Config level:

Parameter `usual_flow_min_reels_spinning_time_in_secs` with attribute `value = [0,1,2,3,⋯]`.

Depending on the attribute's value, works as follows:

- If 0 is specified — there is no restriction, the rotation time corresponds to the one set during game development
- If more than 0 is specified — the rotation time must be greater than or equal to the specified value.

Priorities:

The option that sets the minimum spin time of the reels has priority over all other options that decrease/increase it. The minimum spin time in Turboplay must be similar to the value from the `usual_flow_min_reels_spinning_time_in_secs` setting.

Also, for Autoplay and Tension Reel features and others, animation duration should be calculated following the minimum value specified in this parameter.

Enable/Disable the Sound Toggle display on the Main Screen

Description

There should be a possibility to enable/disable the Sound Toggle option on the main game screen. The display of this option on the loading screen and in the Options/Autoplay/Paytable/Rules tabs remains unchanged.

BSG implementation

Customer Config level:

Parameter `permanent_sounds_toggle_accessibility` with attributes `preferred=true/false`.

Enable/Disable sounds in UE/ToGo games

Description

There should be a possibility to enable/disable the sounds in UE/ToGo games.

BSG implementation

Bank Properties Level:

Property `SOUND_MODE_BY_DEFAULT` with values:

- `UNREGULATED` — equivalent to the absence of the bank's property, the `SOUND_ON` value is not sent to the game client in this case.
- `DISABLED` — sound is disabled by default, the `SOUND_ON=0` value is sent to the game client.
- `ENABLED` — sound is enabled by default, the `SOUND_ON=1` value is sent to the game client.

Set default language of the game

Description

All text content and game assets should be translated to the default language if "lang" is not specified at the start of the game.

BSG implementation

Bank Properties Level:

Property `Default Language` with a selector, containing a list of language codes, supported by the system. Language, specified in this property, will be used in every game on the bank by default.

Display game localization error

Description

There should be a possibility to enable/disable the display of error message about missing localization.

BSG implementation

Bank Properties Level

Property `SHOW_GAME_LOCALIZATION_ERROR` with values `YES/NO`

Enable/Disable Forced Spin Stop

Description

There should be a possibility to allow player to use Forced Spin Stop feature.

Forced Spin Stop is an option that allows the player to stop the reels from spinning after the player places a bet and the game client receives a response from the server. It usually displays as the STOP button that replaces the SPIN button after the player places their bet.

BSG implementation

Customer Config level:

Parameter `forced_spin_stopping` with attribute `allowed=true/false`, that forces this feature to appear in game.

Enable Spin Profiling

Description

There should be a possibility to enable/disable the "Spin Profiling" functionality, which collects statistics on the duration of bet processing.

BSG implementation

Bank Properties Level:

`SPIN_PROFILING` property with values `YES/NO`, which adds into game client bet-related commands PRECSPINSTAT object, that contains parameters:

- SPINREQTIME - time of each spin request processing,
- CMD - command's name, used for placing bet (usually its PLACEBET),
- SPINANMTIME - reels spin time from start to finish.

Disable/Enable in-game history

Description

There should be a possibility to enable/disable access to the in-game history based on the provided URL.

BSG implementation

Bank Properties Level

Property `ENABLE_IN_GAME_HISTORY` with values `YES/NO`

Set Game History endpoint

Description

There should be a possibility to specify the endpoint for retrieving the bet history.

BSG implementation

Bank Properties Level

Property `GAME_HISTORY_URL` with String-type value.

Priorities

The disable option has a higher priority, i.e. if `ENABLE_IN_GAME_HISTORY = NO`, then the `GAME_HISTORY_URL` should not work.

Display game history in the same window

Description

Displays bet history in the same window or frame as the game.

BSG implementation

Bank Properties Level

Property `OPEN_GAME_HISTORY_IN_SAME_WINDOW` with values `YES/NO`, which allows to display game history in the same window as the game by using URL from `GAME_HISTORY_URL` property.

Priorities

The disable option has a higher priority, i.e. if `ENABLE_IN_GAME_HISTORY = NO`, then the `OPEN_GAME_HISTORY_IN_SAME_WINDOW` should not work.

Enable/disable holiday mode in the game

Description

There should be a possibility of switching the game into “holiday” mode, which should replace some game assets (game icon, some symbols, extra animations) with “holiday” ones.

BSG Implementation

Bank Properties level:

Property `CHRISTMAS_MODE` with values `true/false`.

NOTE	Not all BSG games currently have support for this mode. But, if the setting is enabled, the game client should also work, regardless of whether the game has support for it or not.

Display TAP Panel symbols

Description

TAP panel - panel with a set of links to the regulators' websites and some bet/win - related fields located at the top of the game screen. This panel was designed at the request of the PLAYTECH licensee.

This panel contains:

- Game management symbol
- Gambling regulation symbol
- Age registration symbol
- "Stop gambling addiction" Symbol

There should be a possibility to display those symbols, by pressing which the player will be redirected to the corresponding site.

BSG Implementation

Bank Properties Level:

There is a set of properties with String-type values (URLs, to be precise), each of which corresponds to one of the symbols:

- `GAME_MANAGMENT_URL` — redirects to the Game Management site.
- `GAMBLING_REGULATION_URL` — redirects to the Gambling Regulation site.
- `AGE_RESTRICTION_URL` — redirects to the Age Restriction site.
- `STOP_URL` — redirects to the site about gambling addiction.

Requirements for Paytable

Paytable is a game tab that displays information about the payouts of each symbol in the game, as well as all the extra features and their payouts.

There always should be a button on the game's main screen that allows you to open the Paytable. It is available only on the main screen in most cases and is unavailable during other features.

Pause animations

All animations/game states should pause when the Paytable tab opens. They should resume once the Paytable tab is closed.

Enable/Disable usage of modified game scale

Description

There should be a possibility to includes an instruction to maintain aspect ratio to requests to the game client.

BSG implementation

Bank Properties Level:

Property `KEEP_SCALE` with values `YES/NO`.

NOTE	This requirement is commonly used for UE and HTML5PC games.

Requirements for Rules tab

Rules tab — a tab that contains the description of the general game's process, a list of features and their workflow, and a description of all buttons presented in the game.

Display Game RTP in Rules tab

Description

There should be a possibility to display game's relevant RTP in Rules tab. In case if it has several math models, it should display minimum and maximum RTP in a format `RTP1% - RTP2%`.

BSG implementation

Customer Config level

`rtp_displaying` parameter with attributes:

- `allowed=true/false` — allows to display RTP in Rules,
- `required=true/false` — forces to display RTP as a mandatory parameter in all games.

Priorities:

`allowed` attribute has a higher priority, i.e. if `allowed=false` and `required=true/false`, the system should not display the RTP in the game.

Allow to display Printable Rules

Description

There should be a possibility to allow using the external game rules.

BSG implementation

Customer Config level:

`external_game_rules` parameter with `allowed=true/false` attribute.

Display the option that redirects to the full game rules

Description

Some licensees and/or certifications (like LGA/MGA and AAMS) require more detailed descriptions of game rules than we have in games.

Printable rules — a PDF file with game rules, opened in a new browser window using the Complete Game Rules / Help button or similar. The BSG provides these rules in the necessary languages.

There should be a possibility to display the Complete Game Rules button that redirects to a downloadable PDF file of complete game rules in a separate browser window, depending on the selected certification/language.

The path to the PDF files is specified in the settings.xml of the system. But at the same time, such a file may be missing. For example, the game starts in a language for which there isn't any PDF file — it was not translated.

BSG implementation

Customer Config level:

`static_game_rules` parameter with these attributes:

- `allow_difference_with_displaying_ingame_rtp = true/false` - allows the option to be displayed if the RTP in the rule file differs from the current one in the game.
- `preferred = true/false` - forces to display this type of rules.
- `rules_requirements_id` - specifies the identifier (file name) of the rules that needed to be loaded.
- `open_via = [URL_PLACEHOLDER]` - placeholder for the URL that will redirect to the rules.

Priorities:

Disable option has a higher priority, i.e. if `rtp_displaying allowed=true required=true` and `static_game_rules allow_difference_with_displaying_ingame_rtp=false`, and the `rules_requirements_id` and `open_via` are also specified, then the Complete Game Rules Button will not appear in the game.

Display the Maximum Possible Win (deprecated)

Description

There should be a possibility to control the displaying of maximum possible winnings parameter in the Rules tab of the game.

BSG implementation

Customer Config level:

`max_possible_win_displaying` parameter with attributes:

- `allowed=true/false` — allows to display Max Possible Win in the Rules tab.
- `required=true/false` — forces to display Max Possible Win with the Max Win Probability parameter.

NOTE	Currently Max Win Probability is not used, so the attribute `required` contains `false` value in the configs.

Display Rules button on the main screen

Description

There should be a possibility to enable/disable the displaying of a button that immediately opens the Rules tab on the main screen.

BSG implementation

Customer Config level:

`one_click_rules_accessibility` parameter with attributes:

- `required=true/false` - makes the displaying of a button permanent.
- `preferred=true/false` - allows to display Rules button on the main screen.

Priorities:

`preferred` attribute has higher priorities - if it’s disabled, the system will not display the Rules button, even if it’s "required".

Requirements for Options tab

Options — an in-game tab that opens by pressing the corresponding button or navigating from another similar page. The appearance of Options is as unified as in the Rules and Autoplay tabs. It contains all the game settings the player can interact with: adjusting the music(a.k.a. BGM or background music)/effects(a.k.a. SFX or sound effects) volume and enabling/disabling Turbo-play in this tab.

Main requirements for the Options tab

- There should be a hint defined for each button in the Options tab, which should be displayed when hovering over the "?" sign next to the option name:
  - BACKGROUND MUSIC: "Enables or disables all game background music."
  - SOUND FX: "Enables or disables all game sound effects."
  - TURBO PLAY: "Enabling Turboplay will cause many animations not to play, or play at a much faster rate, resulting in a much faster spin to spin time."
- If the BGM and SFX switches are in the same positions after interacting with them directly and not via the "Sound" button on the game’s main screen, the Sound button in MainUI changes both switches together.
- If the BGM and SFX switches are in different positions, after interacting with them directly and not via the "Sound" button on the game’s main screen, the Sound button in the MainUI only changes the switch from OFF position back to ON.

Requirements for certification-related features of game client

Certifications are sets of rules that casinos must follow to be authorized to conduct this type of business. Such rules include requirements for customization of the game.

For example, the Belgium certification has a set of customization requirements for the game's appearance.

Display game symbols on dice-like background images

Description

NOTE	This is the requirement for Belgium certification.

There should be a possibility to assign dice images to every symbol on the reels in every game.

All games must use a dice image with three visible faces. On the front part is placed the game's symbol, and on the remaining two are images (symbols) that correspond to the game's symbol payout.

Rules for assigning dice to the game's payout symbols:

1. Dice for regular symbols are assigned according to sorting their maximum payouts in ascending order.
   a. Dice numbered as dots are assigned first. The symbol with the lowest payout must be assigned to the dice with one dot.
   b. If there are not enough dice, the Chinese numbered dice are used according to the same principle.
2. The remaining dice with Chinese symbols must be used for bonus symbols.

BSG implementation

Bank Properties level

`CERTIFICATION` property with `BELGIUM` value — allows to set Belgian certification for the bank. At the same time, the `CUBE_SKIN_MODE=1` parameter will be passed to "launch. jsp", which loads the main game elements like all symbols on the reels will be displayed on cubes, according to the rules described above.

Enable/Disable current date&time display

Description

There should be a possibility to display current date and time in `YYYY/MM/DD HH:MM` format in player's time zone in the game client.

BSG implementation

Customer Config level:

Parameter `date_time_displaying` with attribute `required=true/false`, that forces date and time to display.

NOTE	This option is often enabled for LGA certification.

Enable/Disable game session duration display

Description

There should be a possibility to enable/disable display in the game the game session duration in the "HH:mm:ss" format on the game's main screen.

BSG implementation

Customer Config level:

Parameter `session_elapsed_time_displaying` with attribute `required=true/false` allows the display game session duration.

NOTE	This option is often enabled for UKGC certification.

Enable/Disable Loss Limit display

Description

There should be a possibility to enable/disable the display of the limit of the amount of bets that a player can lose during one game session on the game's main screen.

BSG implementation

Customer Config level: Parameter `loss_limit_displaying` with attribute `allowed = true/false`.

NOTE	Used in AAMS/SPANISH certifications.

Enable/Disable the display of total bet and win amounts per session

Description

There should be a possibility to enable/disable the display of bet amounts and winnings per game session in two separate parameters on the game's main screen.

BSG implementation

Customer Config level:

Parameters `session_bet_win_displaying` with attribute `allowed = true/false`.

NOTE	Used in AAMS/SPANISH certifications.

Enable/Disable the display of the remaining time of the game session duration limit

Description

There should be a possibility to enable/disable the display of the remaining time of a game session as a timer on the game's main screen.

NOTE	Used in AAMS/SPANISH certifications.

BSG implementation

Customer Config level:

Parameter `time_limit_displaying` with attribute `allowed = true/false`.

Requirements for QLC

Quick Localization Customization (a.k.a QLC) is a new option that allows you to start a custom translation of the game, which will have a higher priority than the default translation if the bank properties are set accordingly.

Paytable and Rules tabs translations are localized, and the game logo and some reels' symbols can be modified with this option at the licensee's request.

Set customization of game localization for a specific licensee

Description

There should be a possibility to set a localization of a game for a specified licensee or a certification, which will load the desired localization assets when requested.

BSG implementation

Customer Config level:

Parameter `quick_localization_customization` with attribute `modes`. This attribute specifies the name of the licensee's brand, which requires loading localization customization designed for it.

Bank Properties level:

The `CUSTOMER_BRAND_NAME` property contains the licensee's brand name and forces the game to load localizations and graphics designed specifically for that licensee.

Priorities:

1. `CUSTOMER_BRAND_NAME` has a higher priority. If `CUSTOMER_BRAND_NAME = null`, i.e., the property's value is empty, the game will load in the standard mode without any customization for the licensee. If this bank property is not null and, on the customer level, the standard config is specified, the game will still load the licensee's required assets and translations.
2. If the game does not have the required assets and the `CUSTOMER_BRAND_NAME` is set, the game must load standard assets, and no error should be displayed. Similarly, the game should not crash if the bank parameter is empty.

Set the storage path of the customization files

Description

There should be a possibility to set the distinctive path to folder that contains all assets for the required customization.

BSG implementation

Customer Config level

Parameter `content_path` with attribute `value = [string]`, that contains folder's path in format `/crossgame_shared_storage/content_[subcasino_name]/resources/`.

Priorities

Parameter `content_path` has a higher priority than `server_notifications`, `customized_main_translations`, and `tips_and_controls_translations`. If `content_path` is not specified or such a file is unavailable, all the above settings (if marked as `true`) will not work, and the game will display a general error message like: "A network error has occurred. Please try again and contact customer support if the error persists."

Display custom error messages in the game

Description

There should be a possibility to handle custom error messages defined at the licensee's request. The system should display scroll bars if the error message does not fit within the dialog box.

BSG Implementation

Client Side

Parameter `UI_ERROR_MESSAGE` with a string-type value, sent in the game client's command, allows you to display a custom error message in the game.

The minimum required set of supported tags is as follows: <li></li>, , , <br>, <br/>, <a></a>, , .

Dialogs' behavior remains the same as standard.

Bank Properties Level

Property `ERROR_CODES_XML_URL` with values `true/false` enables sending the error code received on the wallet operation to the game client.

The game client uses error code descriptions from an XML file on a "static server" (e.g., "common/html5/crossgame_shared_storage/resources/u_rd_2_translations/en/dialogs/server_notifications/translation_descriptor.xml") to display the localized error message to the player.

Customer Config level

Parameter `server_notifications` with attribute `provided = true/false`.

Priorities

Parameter `content_path` has a higher priority than `server_notifications`. If `content_path` is not specified or such a file is unavailable, server notifications (if marked as `true`) will not work, and the game will display a general error message like: "A network error has occurred. Please try again and contact customer support if the error persists."

Enable/Disable custom translations of main game's messages

Description

There should be a possibility to enable/disable the display of custom translations of the main game elements.

BSG implementation

Customer Config level

Parameters `customized_main_translations` with attributes `provided = true/false`.

Priorities

Parameter `content_path` has a higher priority than `customized_main_translations`. If `content_path` is not specified or such a file is unavailable, translations for main game elements (if marked as `true`) will not work, and the game will display a general error message like: "A network error has occurred. Please try again and contact customer support if the error persists."

Enable/Disable custom translations for tips and controls in game rules

Description

There should be a possibility to enable/disable the output of custom translations of descriptions of all game buttons in the Rules section.

BSG implementation

Customer Config level

Parameter `tips_and_controls_translations` with attributes `provided = true/false`.

Priorities

Parameter `content_path` has a higher priority than `tips_and_controls_translations`. If `content_path` is not specified or such a file is unavailable, translations for tips and control buttons (if marked as `true`) will not work, and the game will display a general error message like: "A network error has occurred. Please try again and contact customer support if the error persists."

NOTE	This parameter was used for GAN licensee, but this licensee was deactivated.

Enable/Disable game title's localization

Description

There should be a possibility to localize the game's title according to the player's language, passed at the start of the game.

BSG implementation

Bank Properties Level

Property `LOCALIZE_GAME_TITLE` with values `YES/NO`.

Requirements for displaying bets, payouts and player's balance

This article contains requirements related to displaying bets, payouts, wins and player's balance.

Display payouts in real currency

There should be a possibility to allow displaying all payouts in the game as real currency value with corresponding currency symbols in all currency-related fields and features (including Paytable, Rules, Autoplay, Buy Feature, Jackpots, Ticker at the bottom of the reels, etc.).

The currency symbol can be obtained from the server at the start of a game session.

NOTE	This requirement is used mainly in Belgium certification.

BSG Implementation

Customer Config level

`currency_displaying` parameter with `required=true/false` attribute.

Bank Properties level

`SEND_CURRENCY_SYMBOL` property with `true/false` values.

Priorities

The disable option takes priority. That is, if `currency_displaying required = false` or `SEND_CURRENCY_SYMBOL = false` is specified, the game will display payouts and other monetary values as intended in the game.

Set custom currency symbol

Description

There should be a possibility to customize currency symbol, which will be displayed in game.

BSG implementation

Bank Properties Level:

`CUSTOM_CURRENCY_SYMBOL` property, in which a `String` type value can be defined. Replaces the default currency code sent to the game client with a custom symbol.

NOTE	Used in the context of the SWEEPSTAKES protocol for FUN banks (banks with fake currencies).

Priorities

The disable option takes priority. That is, if `currency_displaying required = false` or `SEND_CURRENCY_SYMBOL = false` is specified, any currency symbols won't be displaying, including the custom ones.

Truncate fractional part of the monetary parameters

There should be a possibility to enable/disable the functionality of truncating fractional part from all monetary parameters of the game (bets, payouts, player's balance, as well as Paytable, Rules and other similar places).

NOTE	This requirement is commonly set for games on FUN-banks - banks that work on fake currency.

BSG Implementation

Bank Properties level

`SEND_TRUNCATE_CENTS` property with `true/false` values.

Priorities

The `SEND_TRUNCATE_CENTS=true` setting has priority over all bank/licensee settings that specify any numeric values of bets/wins/jackpots, etc. If it's enabled, other properties must also contain integer-type monetary values. Otherwise, an error will be displayed.

Enable/Disable delayed wallet messages

Description

There should be a possibility to enable/disable sending additional error codes (320/321) to the game client, that correspond to delays in Debit or Credit operations.

BSG implementation

Bank Properties Level

Property `SHOW_DELAYED_WALLET_MESSAGES` with values `YES/NO`.

Send external wallet messages

Description

There should be a possibility to enable/disable sending additional messages generated by the licensee to the game client side.

BSG implementation

Bank Properties Level

Property `SEND_EXT_WALLET_MESSAGES` with values `YES/NO`.

Pariplay Events / Post Message

Pariplay Events is a custom integration for game clients, representing communication between our server and the server of the Pariplay licensee. It is used to send messages during specified events and to process incoming events.

All Pariplay events are described using the PostMessage method, which allows you to send cross-domain requests safely.

Below is the list of events (and the reason for events occurrence) for which messages should be sent, with an example of the event body.

Table 1. Pariplay Events Messages List

Name	Appearance time	Body example
onAppFrameReady	during application initialization	`{"type":"onAppFrameReady"}`
currencyStatus	upon receiving currency information	`{"type":"currencyStatus","sender":"844","lang":"en","data":{"CurrencyCode":"EUR","CurrencySymbol":"€"}}`
gameDataLoaded	after receiving information from the server (typical case - receiving a response to an ENTER request)	`{"type":"gameDataLoaded","sender":"844","lang":"en","data":{"success":true,"LoadGameData":{"GameName":"Mr. Macau","CurrencyCode":"EUR"}}}`
gameReady	after gameDataLoaded, when the game is fully loaded and “click to continue” appears.	`{"type":"gameReady"}`
roundStart	at the start of the round	`{"type":"roundStart","sender":"844","lang":"en","data":{"totalBet":0.04}}`
roundStarted	at the start of the round after the balance update	`{"type":"roundStarted","sender":"844","lang":"en","data":{"id":"1972032174","balanceBefore":50}}`
ticketReceived	at the end of the game round, when the last response from the server is received	`{"type":"ticketReceived","sender":"844","lang":"en","data":{"balanceBefore":49.84,"balanceAfter":49.68,"win":0}}`
roundEnded	at the end of the round, after all animations of wins, bonuses, etc. have finished	`{"type":"roundEnded","sender":"844","lang":"en","data":{"id":"1972032176","win":0,"balanceAfter":49.68}}`
balance	at the start of the game, at the end of the round and when the balance changes	`{"type":"balance","sender":"844","lang":"en","data":{"amount":0.05}}`

help	when opening Printable Rules (the “Complete Game Rules” button on the “Rules” tab; if there is no “Rules” tab on the “Paytable” tab)	`{"type":"help","sender":"827","lang":"en","data":{"reason":"Ribbon","target":"http://default-beta.discreetgaming.com/html5/u_rd_2_thehive/_current_version/resources/u_translations/en/game_rules/static/aams/u_rd_2_thehive__game_rules.pdf?version=3"}}`
history	when bet history is opened from game’s menu	`{"type":"history","sender":"827","lang":"en","data":{"reason":"Ribbon"}}`
quit	when "HOME"(CUSTOM_HOME_URL=(api)) button is pressed	`{"type":"quit","sender":"844","lang":"en","data":{}}`
lobby	when "HOME"(CUSTOM_HOME_URL=(888bingo)) button is pressed	`{"data":{},"method":"lobby"}`
cashier	when "go to cashier"(CUSTOM_CASHIER_URL=(api)) button is pressed	`{"type":"cashier","sender":"844","lang":"en","data":{}}`
cashier	when "go to cashier"(CUSTOM_CASHIER_URL=(888bingo)) button is pressed	`{"data":{},"method":"cashier"}`

Stop the game when a Pariplay event message is received

The system should stop all animations within the game when the PAUSE button is pressed.

BSG Implementation

Customer Config Level

`pause_pp` - a Pariplay event, sent when the PAUSE button is pressed. Game animations are stopped when a message about this event is received.

Continue the game from where it left off when receiving a Pariplay event message

The games animation should be continued from where it was stopped when the RESUME button is pressed.

BSG Implementation

Customer Config Level

`resume_pp` - a Pariplay event, sent when the RESUME button is pressed. After receiving a message about this event, the game animations continue from when they were stopped.

Stop Autoplay mode when a Pariplay event message is received

Autoplay mode must stop when a Pariplay event is received. At the same time, if Autoplay Spin started, it must be finished.

BSG Implementation

Customer Config Level

`stopAutoBet_pp` - a Pariplay event, sent when the player wants to stop the Autoplay mode. When receiving a message about this event, the AutoPlay remaining spins counter resets, and the Autoplay itself stops. If an Autoplay spin starts during the shutdown, then this spin is played, but the system automatically does not start a new one after it ends.

Enable/Disable sending a message with postMessage

Description

There should be a possibility to enable/disable the process of sending a message to the opener window using the postMessage method.

BSG implementation

Bank Properties Level:

Property `POST_MESSAGE_TO_OPENER` with values `YES/NO`

NOTE	This restriction can be assigned to Pariplay message events and to other custom integrations that require sending via postMessage.

Requirements for Home and Cashier-related functions

This article contains a set of requirements, that can be applied to the launching and closing processes of the game client.

Redirect player to the home page of the licensee's site

Description

There should be a possibility to redirect player to a home page on the licensee's site by using a URL, specified by the licensee.

BSG implementation

Bank Properties Level:

Property `HOME_URL` with a String-type value, containing a URL, which can be used for redirecting player to the Home Page on the licensee's site.

Property `JS_HOME` with a String-type value, that defines a function, used for opening homeUrl.

Redirect the player to the Cashier's page

Description

There should be a possibility to redirect a player to the certain Cashier page, specified by the licensee.

BSG Implementation

Property `Cashier URL` with a string-type value, that contains a URL, which the game should use to redirect player to Cashier.

Property `NEED_JS_INSTANT_CASHIER` with values `YES/NO`, that allows to use a pre-defined function to redirect to the Cashier page.

Priorities

`Cashier_URL` has a higher priority. If this property is null or empty, the system won't be able to redirect player to cashier page, which also disables other properties.

Set launch home from Iframe

Description

If the game started in an iFrame, then at the end of the game session, instead of starting a logout process, the game should execute the logic of opening the home page of the licensee's site.

BSG implementation

Bank Properties Level:

`LAUNCH_HOME_FROM_IFRAME` property with values `YES/NO`.

Enable/disable using homeUrl and cashierUrl in parent window

Description

There should be a possibility to enable/disable the usage of homeUrl and cashierUrl in the parent window, one level above the game iframe.

BSG implementation

Bank Properties Level:

`NEED_WINDOW_PARENT_PARENT_LOCATION` property with values `YES/NO`,

Enable/Disable open cashier in pop-up

Description

There should be a possibility to force opening cashier page, where the player will be able to replenish their balance, in a pop-up window without redirecting from the game client.

If enabled, a balance replenishment pop-up window will appear when the BuyIn button is pressed.

BSG implementation

Bank Properties Level

Property `NEED_OPEN_CACHIER_POPUP` with values `YES/NO`. If enabled, clicking on BuyIn Cashier opens in a PopUp window (without the game itself redirecting to it).

Enable/Disable redirect and close game on BuyIn

Description

There should be a possibility to enable/disable the game closing action when the BuyIn is clicked, redirecting to the cashier in the parent window.

BSG implementation

Bank Properties Level

Property `NEED_REDIRECT_AND_CLOSE` with values `YES/NO`.

Enable/Disable redirect without closing game on BuyIn or Home

Description

There should be a possibility to enable/disable the redirection of the player to the Cashier page or Home page of the licensee's site without closing the game window when BuyIn is clicked by opening them in the frame/popup/window with the game.

BSG implementation

Bank Properties Level

Property `NEED_REDIRECT` with value `YES/NO`.

Enable/Disable pop-up messages about Guest/Free mode in the game

Description

There should be a possibility to enable/disable the pop-up messages with description about playing in GUEST/FREE mode.

BSG implementation

Bank Properties Level

Property `DONT_SHOW_MESSAGE_IN_TEST_MODE` with values `YES/NO`. If enabled, the message about playing in GUEST/FREE mode is disabled in all games when the game session is started in said modes.

Requirements for Free Round Bonus in game client

This article contains a set of requirements for displaying and using Free Rounds Bonus

Do not restart on FRB

Description

There should be a possibility to enable/disable the process of redirecting player from FRB mode to Real mode at the end of Free Round Bonus after the last FRB was played.

BSG implementation

Bank Properties Level

Property `NO_FRB_RESTART` with values `YES/NO`. If enabled, the game will not automatically change Free Round Bonus (FRB) mode to Real mode. The client will also not send the RESTART command once the FRB is completed.

Additional game client requirements

Set additional settings

Description

There should be a possibility to define a list of settings that applies to all game clients and can be sent in the starting link.

BSG implementation

Bank Properties Level:

Property `ADDITIONAL_FLASHVARS` with a String-type value, that contains a list of flags, needed to pass to the game client. List of flags is defined at the configuration stage.

Example of contents of `ADDITIONAL_FLASHVARS` property:

```
SHOW_HELP=1;SHOW_UNJ_HELP=0
```

where:

- `SHOW_HELP=1` - parameter that allows to display the Help button (displayed as "i" in the game),
- `SHOW_UNJ_HELP` - parameter that allows to display the Help button, specified for Universal Jackpot.

Redirect to full UNJ Rules

Description

There should be a possibility to display full rules for Universal Networking Jackpot.

BSG Implementation

Bank Properties Level:

Property `UNJ_HELP_URL` with a String-type value, that contains a URL for UNJ rules, which the game uses when player wants to access UNJ rules and description.

Enable/Disable logout on error

Description

There should be a possibility to enable/disable closing the game session in case an error occurs during the game.

BSG implementation

Bank Properties Level

Property `LOGOUT_ON_ERROR` with values `YES/NO`.

Specify the location of the customer-level settings

Description

There should be a possibility to define the path to file where all customer-level settings are contained.

BSG Implementation

Bank Properties Level

Property `CUSTOMER_SETTINGS_URL` with a String-type value, that contain a path to folder with the customer-level settings file.

Properties

`CUSTOMER_SETTINGS_URL` property has higher priority. If this property is empty/null, games on the desired bank won't have any customer-level customizations.