

```

ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace
$ mkdir livro-receitas

ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace
$ ls
livro-receitas/

ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace
$ cd livro-receitas

ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
$ git init
Initialized empty Git repository in H:/LetsCodeDegree/workspace/livro-
receitas/.git/

ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ ls
./ ../ .git/

ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git config --global user.email "alexandre.galieta@gmail.com"

ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git config --global user.name "Alexandre Magno"

ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git add*
git: 'add*' is not a git command. See 'git --help'.

The most similar command is
    add

ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git add.
git: 'add.' is not a git command. See 'git --help'.

The most similar command is
    add

ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git add .

ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git commit -m "commit inicial"
[master (root-commit) 557d392] commit inicial
1 file changed, 6 insertions(+)
create mode 100644 strogonoff.md

ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ ls
strogonoff.md

ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git status
On branch master
nothing to commit, working tree clean

```

```

ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ ls
strogonoff.md

ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ mkdir receitas

ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ dir
receitas  strogonoff.md

ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ mv strogonoff.md ./receitas

ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ ls
receitas/

ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ cd receitas

ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-
receitas/receitas (master)
$ ls
strogonoff.md

ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-
receitas/receitas (master)
$ cd ..

ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    deleted:    strogonoff.md

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    receitas/

no changes added to commit (use "git add" and/or "git commit -a")

ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git add strogonoff.md receitas
fatal: pathspec 'strogonoff.md' did not match any files

ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git add strogonoff.md

ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    deleted:    strogonoff.md

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    receitas/

```

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git add receitas
```

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    renamed:    strogonoff.md -> receitas/strogonoff.md
```

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git commit -m "cria pasta receitas, move arquivo para receitas"
[master 1c19508] cria pasta receitas, move arquivo para receitas
 1 file changed, 0 insertions(+), 0 deletions(-)
  rename strogonoff.md => receitas/strogonoff.md (100%)
```

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git status
On branch master
nothing to commit, working tree clean
```

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ ls
receitas/
```

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ echo > README.md
```

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ ls
README.md  receitas/
```

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    README.md
```

nothing added to commit but untracked files present (use "git add" to track)

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git add *
warning: LF will be replaced by CRLF in README.md.
The file will have its original line endings in your working directory
```

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ ls
README.md  receitas/
```

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   README.md
```

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git commit -m "adiciona index"
[master 193e5a7] adiciona index
1 file changed, 7 insertions(+)
create mode 100644 README.md
```

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ list config
bash: list: command not found
```

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ list config --list
bash: list: command not found
```

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=openssl
http.sslcainfo=C:/Program Files/Git/mingw64/ssl/certs/ca-bundle.crt
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager-core
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
user.email=alexandre.galieta@gmail.com
user.name=Alexandre Magno
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
core.editor=vscode
core.repositoryformatversion=0
core.filemode=false
core.bare=false
core.logallrefupdates=true
core.symlinks=false
core.ignorecase=true
```

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git remote add origin https://github.com/alexandre-magno-oliveira/livro-
receitas.git
```

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git remote -v
origin https://github.com/alexandre-magno-oliveira/livro-receitas.git (fetch)
origin https://github.com/alexandre-magno-oliveira/livro-receitas.git (push)
```

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git status
On branch master
nothing to commit, working tree clean
```

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git push origin master
fatal: 'origin' does not appear to be a git repository
fatal: Could not read from remote repository.
```

Please make sure you have the correct access rights

and the repository exists.

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to 'origin'
```

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git remote add origin https://github.com/alexandre-magno-oliveira/livro-
receitas.git
```

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git push origin master
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 8 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (8/8), 800 bytes | 266.00 KiB/s, done.
Total 8 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/alexandre-magno-oliveira/livro-receitas.git
 * [new branch]      master -> master
```

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$
```

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ ls
README.md  receitas/
```

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   README.md
```

no changes added to commit (use "git add" and/or "git commit -a")

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git add *
warning: LF will be replaced by CRLF in README.md.
The file will have its original line endings in your working directory
```

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    modified:   README.md
```

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git commit -m "adiciona receita pavê"
[master 1967196] adiciona receita pavê
1 file changed, 3 insertions(+)
```

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas
(master)
$ git push origin master
```

```
Enumerating objects: 5, done.  
Counting objects: 100% (5/5), done.  
Delta compression using up to 8 threads  
Compressing objects: 100% (3/3), done.  
Writing objects: 100% (3/3), 336 bytes | 336.00 KiB/s, done.  
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0  
remote: Resolving deltas: 100% (1/1), completed with 1 local object.  
To https://github.com/alexandre-magno-oliveira/livro-receitas.git  
193e5a7..1967196 master -> master
```

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas  
(master)  
$ git pull origin master  
From https://github.com/alexandre-magno-oliveira/livro-receitas  
* branch      master      -> FETCH_HEAD  
Already up to date.
```

```
ALEXANDRE@DESKTOP-89SVU3N MINGW64 /h/LetsCodeDegree/workspace/livro-receitas  
(master)  
$
```