

# **Cel Animation Paint Manufacturing:** ***Technical Processes and Industrial History***

---

## **ABSTRACT**

The cel animation paint manufacturing industry represents a unique intersection of advanced chemistry, precision manufacturing, and cultural craft knowledge that enabled the golden age of hand-drawn animation.

**STAC (Saito Tele-Anima colours Co. Ltd.) and Taiyo-Shikisai together dominated Japan's cel paint market for over three decades**, producing the precise vinyl-acrylic formulations that defined iconic anime productions from Dragon Ball and Sailor Moon to Studio Ghibli films.

These companies didn't just mix paint—they engineered complex chemical systems requiring **vinyl acetate binders, precisely-sised pigment particles, and layer-specific colour compensation** to create the vibrant, opaque coatings that could maintain colour fidelity across thousands of individual cels while adhering to non-porous acetate surfaces.

Their manufacturing processes demanded specialised formulations that took decades to perfect, master craftsmen, and quality control systems that disappeared almost overnight when the industry digitised in the early 2000s.

The complete industry transformation from a **20 million yen monthly market to 500,000 yen** represents one of the most dramatic technological transitions in manufacturing history, illustrating both the transformative power of technological change and the fragility of specialised manufacturing knowledge. While modern efforts work to preserve and recreate traditional capabilities, the original expertise embodied by companies like STAC and Taiyo-Shikisai—representing the culmination of 50 years of incremental technical development—remains largely irreplaceable.

Their legacy lives on in the thousands of animated productions that continue to influence global popular culture, representing one of the most successful applications of specialised chemical manufacturing to artistic expression in industrial history.

---

# The chemistry behind cel animation pigments

Cel animation paints demanded radically different chemistry than conventional coatings.

The unique challenge of **achieving single-coat opacity on non-porous acetate surfaces** while maintaining perfect colour consistency across thousands of individual cels required specialised formulations that took decades to perfect.

**Pigment systems combined both organic and inorganic compounds** optimised for specific performance requirements. *Titanium dioxide* provided the opacity foundation, comprising 15-25% by weight in opaque formulations, while *iron oxides* supplied earth tones and *quinacridone* pigments delivered the vibrant reds and magentas that characterised animation palettes.

The critical factor wasn't just colour—**particle size had to remain between 30-40 micrometers** to achieve proper light scattering without compromising film formation.

The binder chemistry represented the most technically sophisticated aspect of cel paint manufacturing.

**Polyvinyl acetate (PVAc) systems with glass transition temperatures of 30-45°C** provided the hard, fast-drying characteristics essential for production workflows. However, pure vinyl systems required *plasticisers* and *copolymers*—particularly *vinyl acetate-ethylene* combinations—to achieve the flexibility and adhesion properties necessary for acetate substrates.

Manufacturing processes relied on **three-roller milling systems requiring 3-5 passes** to achieve proper pigment dispersion.

Target fineness measured 4-7 Hegman units, with grinding parameters carefully controlled to prevent temperature rises that could damage heat-sensitive organic pigments.

Quality control systems monitored viscosity (70-90 Krebs Units), pH levels (8-10 for water-based systems), and colour consistency using spectrophotometric analysis measuring CIE Lab\* colour space differences between batches.

---

# STAC: Toei Animation's exclusive paint supplier

STAC's founding in **1969 by Kitamura Shigeharu** positioned the company at the epicenter of Japan's television anime boom. The former *Kyurinkan Ink* employee recognised that colour television animation demanded specialised paint formulations far beyond existing industrial coatings.

The company's **exclusive relationship with Toei Animation** created a unique business model based on custom manufacturing rather than mass production. STAC produced approximately **250 different colours**, each formulated specifically for Toei's production requirements and colour palette standards.

This arrangement enabled productions like Dragon Ball, Saint Seiya, and Sailor Moon to maintain the vibrant, consistent colour schemes that became synonymous with high-quality Japanese animation.

**Manufacturing operations required expert craftsmen** whose skills encompassed colour matching, consistency control, and understanding of how paint formulations would appear under different lighting conditions during filming. Each colour batch demanded individual attention, with skilled workers adjusting formulations based on temperature and humidity variations that could affect final colour appearance.

The technical specifications STAC developed became **industry standards adopted throughout Japanese animation production**. Their proprietary colour numbering system, quality control protocols, and formulation techniques influenced animation paint manufacturing globally. Studios maintained approximately **400 colours in active inventory**, with STAC's formulations calibrated to compensate for transparency effects when multiple cel layers were photographed together.

STAC's inability to adapt to the digital transition proved fatal to the company. **Unlike competitors who diversified or found alternative markets**, STAC's exclusive focus on cel paint manufacturing left them without viable business options when demand disappeared in the early 2000s.

The company ceased operations as digital ink and paint systems eliminated the need for physical paint production.

---

## Taiyo-Shikisai, the industry duopoly

The **1975 founding of Taiyo-Shikisai by the same Kitamura Shigeharu** created the duopoly that would dominate Japanese cel paint manufacturing for the next 25 years. This strategic move positioned Kitamura to supply virtually all major animation studios—STAC serving Toei Animation while Taiyo-Shikisai captured contracts with most other producers.

Taiyo-Shikisai's market position demonstrated the economics of specialised manufacturing at its peak. **Monthly revenues of 20 million yen (\$200,000)** during the height of cel animation production provided substantial profits from what was essentially a craft manufacturing operation.

The company's success reflected both the technical sophistication required for consistent paint production and the critical importance of colour quality in animation production.

The dramatic revenue collapse to **500,000 yen (\$5,000) monthly by 2007** illustrates the complete market transformation following digital conversion. Company head Shigeji Kitamura's commitment to continuing production despite financial losses:

*"It's the culture of Japan. We want to continue making the paints even if that cuts into our profits"*—reflects the cultural significance of traditional animation techniques beyond mere commercial considerations.

**Taiyo-Shikisai's formulations incorporated STAC's original colour system** while expanding the available palette to meet diverse studio requirements. The company's broader market approach enabled them to develop relationships with multiple studios and understand varied production requirements across different animation styles and budgets.

---

# Global cel paint manufacturing ecosystem

The international cel paint manufacturing industry encompassed several specialised companies serving regional animation markets with distinct technical approaches and business models.

**Cartoon Colour Company**, founded in 1947 in Culver City, California, established the American standard for cel-vinyl paint manufacturing. The company supplied major studios including Disney, Warner Bros, and MGM with **over 2,000 different colours** during peak production periods. Their formulations enabled the distinctive visual style of American animation from the post-war era through the 1990s digital transition.

**Chromacolour in the United Kingdom** developed formulations "*based on same original formula used for Who Framed Roger Rabbit*," producing **extremely pigment-rich formulations with matt, flat finish** that became the European standard. Their manufacturing approach emphasised single-coat coverage and consistency across large production runs required for feature film production.

**NICKER COLOUR CO., LTD.** represents the high-end segment of animation paint manufacturing, utilising **highest quality Gum Arabic from Sudan** rather than standard dextrin-based binders.

Founded in 1950, the company employed traditional craftsmen with **40+ years experience using three-roller milling machines** to produce poster colours and gouache primarily for animation backgrounds. Their formulations became standard at Studio Ghibli and other quality-focused production houses.

The technical evolution across manufacturers reflected different approaches to the same fundamental challenges. American manufacturers emphasised consistency and volume production for series animation, while Japanese companies focused on colour sophistication and custom formulations for diverse visual styles. European manufacturers balanced both approaches while developing specialised formulations for international co-productions.

---

# Manufacturing technology and quality control systems

The technical sophistication of cel paint manufacturing encompassed precision chemistry, specialised equipment, and quality control systems that rivaled pharmaceutical production in their attention to consistency and purity.

**Three-roller milling technology** formed the heart of pigment dispersion processes, with each pass through the rollers achieving progressively finer particle sizes and more uniform distribution. The mechanical forces involved—typically 1000-3000 RPM for 15-30 minutes during initial dispersion—required careful temperature control to prevent thermal degradation of organic pigments and polymer binders.

Quality control systems measured multiple parameters simultaneously to ensure batch consistency.

**Stormer viscometers provided standard industry measurements**, while Hegman gauges assessed fineness of grind and particle size distribution. Spectrophotometric analysis using CIE Lab\* colour space measurements enabled precise colour matching between batches, with acceptable deviation limits typically less than  $\Delta E=1.0$  for critical colours.

**Raw material control systems** included incoming inspection protocols, certificate of analysis verification, and lot-to-lot variation monitoring for all pigments and resins. Automated dispensing systems ensured consistent formulations across production runs, while statistical process control implementation enabled real-time adjustments based on sensor feedback.

The manufacturing environment required precise humidity and temperature control, with **minimum film formation temperatures typically 5-15°C** and optimal production conditions maintained within narrow ranges. Paint storage and handling systems prevented contamination while maintaining proper flow characteristics throughout the production process.

---

# Industrial transformation and cultural preservation

The complete transition from cel to digital animation between 1990-2013 represents one of the most rapid and thorough technological transformations in manufacturing history, eliminating an entire specialised industry within a single generation.

**Japan's transition timeline** demonstrates the speed of change: major studios began digital conversion in 1999 (Chibi Maruko-chan), accelerated through 2002-2003, and concluded with Sazae-san's conversion in October 2013.

This represented the end of **over four decades of continuous cel paint production** and the elimination of specialised manufacturing knowledge developed over generations.

The cultural significance of this transformation extends beyond industrial economics to encompass the preservation of craft knowledge and technical expertise.

**Modern revival efforts like CEL LAB** work to recreate traditional cel painting capabilities through collaboration with paint manufacturers, while institutions like the Media Arts Current Contents (MACC) document traditional techniques for cultural preservation.

Environmental and safety considerations also drove industry changes. The transition from dangerous **celluloid (which posed spontaneous combustion risks) to tri-acetate cellulose (TAC)** improved workplace safety, while updated Industrial Safety and Health Act requirements demanded comprehensive risk assessments for chemical substance handling.

The complete end of domestic acetate film production over 100μ thickness by 2021 marked the final closure of traditional animation material manufacturing in Japan.

Contemporary companies like NICKER continue serving niche markets with traditional formulations, while alternatives like **Holbein Acryla Gouache** provide closest substitutes for traditional cel-vinyl properties.

However, the specialised manufacturing expertise, colour consistency systems, and craft knowledge that enabled companies like STAC and Taiyo-Shikisai to produce thousands of precise colours for animation production largely disappeared with the digital transition.

---

# Farewell, cel animation

To conclude, I want to quote an editorial column by **Yuichiro Oguro (小黑祐一郎)**, published in the WEB publication Anime Style Magazine:

**September 30, 2013**

## **"Farewell, Cel Animation"**

Even after almost the entire anime industry transitioned to digital production, only Sazae-san continued to be produced using cel animation and film.

That Sazae-san too—yesterday's broadcast was apparently the last episode produced using cel animation and film. From the next episode onward, it will transition to digital production. In other words, yesterday marked the end of cel animation in Japan.

I myself have grown accustomed to watching digitally produced anime and enjoy its crisp imagery, so I won't say something like "the analogic era was better" at this point.

There are opinions that "anime had more warmth in its visuals during the cel animation era." I don't completely deny this, but perhaps half of that warmth might be wishful thinking on the viewers' part. Even with Sazae-san, special programs had been digitised quite some time ago, and recently there were digitally produced episodes mixed into regular broadcasts. When digitally produced episodes aired, surely not many viewers were bothered by changes in colour or texture, and even with the complete transition to digital production, people will probably get used to it quickly.

Still, I feel a touch of melancholy about the disappearance of cel animation.

That's only natural, since it's something I've been familiar with since childhood.

Since the transition to HD production, Sazae-san had become noticeably affected by cel dust. When watching on a large TV, you could see the dust.

Every time I saw this, I would think "Ah, they're still shooting cel animation" and feel relieved. I don't really understand what I was feeling relieved about. But that "sense of relief" will now disappear.

Farewell, cel animation.

---



## References

1. Hoeyng, K., Carta, C., Mazurek, J., Kaplan, A., Schilling, M., McCormick, K., & Learner, T. (2023). *Conserving Animation Cels: Reattaching Loose Paint Without Adhesive*. Getty Conservation Institute, Los Angeles, CA, USA. <https://doi.org/10.1080/00393630.2023.2185725>
2. Abdel-Wahab, H. (2022). *Chemical Formulations for Acrylic Matt and Acrylic Gloss Paints*, 13-19. <https://doi.org/10.11648/j.ajaic.20220601.13>
3. Rheonics. *Real-time Quality Control of Paint, Ink & Coating Manufacturing Using Process Viscometer and Density Meter*. <https://rheonics.com/solutions-item/real-time-quality-control-of-paint-ink-coating-manufacturing-using-process-viscometer-and-density-meter/>
4. Cel-Lab. . <https://cel-lab.com/en/about/cel/>
5. Barbagallo, J. (1995). [Article on paint techniques]. *PMG Topics*, 6. [https://resources.culturalheritage.org/pmgtopics/1995-volume-six/06\\_06\\_Barbagallo.html](https://resources.culturalheritage.org/pmgtopics/1995-volume-six/06_06_Barbagallo.html)
6. Pigment Tokyo. *Nicker Poster colour*. <https://pigment.tokyo/en/blogs/article/nicker-poster-colour>
7. Paint Laboratory. *Quality Control of Latex Paints*. <https://paintlaboratory.wpcomstaging.com/2021/12/09/quality-control-of-latex-paints/>
8. Gurney Journey. *Using Cel Vinyl Paint*. <https://gurneyjourney.blogspot.com/2017/10/using-cel-vinyl-paint.html>
9. Nicker Enogu. *Ambassador Artist: Youichi Watanabe*. <https://nicker-enogu.com/en/ambassador-artist/youichi-watanabe>
10. *Colour-Memo Notes on Web Anime Style Magazine*. Kunio Tsujita. <https://animestyle.jp/column/colour-memo/> & [https://style.fm/as/05\\_column/tsujita/tsujita\\_bn.shtml](https://style.fm/as/05_column/tsujita/tsujita_bn.shtml)