Vandex

HDFS

Web UI, REST API

Datanode Information


In operation


Node	Last contact	Capacity	Blocks	Block pool used	Version
virtual-node1.atp-fivt.org (138.201.93.209:50010)	Sun Apr 09 10:18:09 + 0300 2017	560.1 GB	7173	124.62 GB (22.25%)	2.6.0- cdh5.9.0
virtual-node2.atp-fivt.org (138.201.94.59:50010)	Sun Apr 09 10:18:09 + 0300 2017	560.1 GB	7191	124.65 GB (22.26%)	2.6.0- cdh5.9.0
virtual-node3.atp-fivt.org (138.201.95.93:50010)	Sun Apr 09 10:18:09 + 0300 2017	560.1 GB	7201	124.62 GB (22.25%)	2.6.0- cdh5.9.0


http://namenode-server:50070/dfshealth.html#tab-datanode


/data/wiki/en_articles_part

Permission	Owner	Group	Size	Last Modified	Replication	Block Size	Name
-rw-rr	hdfs	supergroup	73.3 MB	Sat Jan 07 22:59:55 +0300 2017	3	128 MB	articles-part











HDFS Federationv






WebHDFS


WebHDFS

> Direct access




WebHDFS

> Direct access



> HDFS proxies



→ HTTP request ····· RPC request ---> block request

```
$ curl -i http://virtual-master.atp-fivt.org:50070/webhdfs/v1/data/access_logs/big_log/
access.log.2015-12-10\?op=OPEN
HTTP/1.1 307 TEMPORARY_REDIRECT
Cache-Control: no-cache
Expires: Sun, 09 Apr 2017 08:32:02 GMT
Date: Sun, 09 Apr 2017 08:32:02 GMT
Pragma: no-cache
Expires: Sun, 09 Apr 2017 08:32:02 GMT
Date: Sun, 09 Apr 2017 08:32:02 GMT
Pragma: no-cache
Content-Type: application/octet-stream
X-FRAME-OPTIONS: SAMEORIGIN
Location: http://virtual-node1.atp-fivt.org:50075/webhdfs/v1/data/access_logs/
big_log/access.log.2015-12-10?op=OPEN&namenoderpcaddress=virtual-master.atp-fivt.
org:8020&offset=0
Content-Length: 0
Server: Jetty(6.1.26.cloudera.4)
```

```
$ curl -i http://virtual-node1.atp-fivt.org:50075/webhdfs/v1/data/access_logs/big_log/
access.log.2015-12-10\?op\=OPEN\&namenoderpcaddress\=virtual-master.atp-fivt.org:8020\&of
fset\=0\&length\=100
HTTP/1.1 200 OK
Access-Control-Allow-Methods: GET
Access-Control-Allow-Origin: *
Content-Type: application/octet-stream
Connection: close
Content-Length: 100
41.190.60.121 - [10/Dec/2015:00:00:00 +0400] ''GET /cgi-bin/commandit.cgi HTTP/1.1''
404 0 ''-'' ''Mozi%
```

actual data

```
$ curl -i -L http://virtual-master.atp-fivt.org:50070/webhdfs/v1/data/access logs/big log/
access.log.2015-12-10\?op=OPEN\&length\=100
HTTP/1.1 307 TEMPORARY_REDIRECT
Content-Type: application/octet-stream
X-FRAME-OPTIONS: SAMEORIGIN
Location: http://virtual-node2.atp-fivt.org:50075/webhdfs/v1/data/access_logs/big_
log/access.log.2015-12-10?op=OPEN&namenoderpcaddress=virtual-master.atp-fivt.org:
8020&length=100&offset=0
Content-Length: 0
Server: Jetty(6.1.26.cloudera.4)
HTTP/1.1 200 OK
Access-Control-Allow-Methods: GET
Access-Control-Allow-Origin: *
Content-Type: application/octet-stream
Connection: close
Content-Length: 100
41.190.60.121 - - [10/Dec/2015:00:00:00 +0400] ''GET /cgi-bin/commandit.cgi HTTP/1.1''
404 0 ''-'' ''Mozi%
```

```
$ curl -i -L http://virtual-master.atp-fivt.org:50070/webhdfs/v1/data/access logs/big log/
access.log.2015-12-10\?op=OPEN\&length\=100
HTTP/1.1 307 TEMPORARY_REDIRECT
Content-Type: application/octet-stream
X-FRAME-OPTIONS: SAMEORIGIN
Location: http://virtual-node2.atp-fivt.org:50075/webhdfs/v1/data/access_logs/big_
log/access.log.2015-12-10?op=OPEN&namenoderpcaddress=virtual-master.atp-fivt.org:
8020&length=100&offset=0  
Content-Length: 0
Server: Jetty(6.1.26.cloudera.4)
HTTP/1.1 200 OK
Access-Control-Allow-Methods: GET
Access-Control-Allow-Origin: *
Content-Type: application/octet-stream
Connection: close
Content-Length: 100
41.190.60.121 - - [10/Dec/2015:00:00:00 +0400] ''GET /cgi-bin/commandit.cgi HTTP/1.1''
404 0 ''-'' ''Mozi%
```

WebHDFS Operations (examples)

HTTP GET

- > OPEN read data
- > GETFILESTATUS get file meta information
- LISTSTATUS list directory

HTTP PUT

- > CREATE
- > MKDIRS
- > RENAME
- > SETREPLICATION

HTTP POST

> APPEND

HTTP DELETE

> DELETE

WebHDFS Operations (examples)

HTTP GET

- > OPEN read data
- > GETFILESTATUS get file meta information
- LISTSTATUS list directory

HTTP PUT

- > CREATE
- > MKDIRS
- > RENAME
- > SETREPLICATION

HTTP POST

> APPEND

HTTP DELETE

> DELETE

Summary

Summary

 you can use HDFS Web UI to list folders and find detailed information about file blocks

Summary

- you can use HDFS Web UI to list folders and find detailed information about file blocks
- you can use curl to move files through WebHDFS REST API, read / write files, ...

BigDATAteam