

ICPSR 38790

**Uniform Crime Reporting Program  
Data: Hate Crime Data  
(Record-Type Files), United States,  
2020**

*United States Department of Justice.  
Federal Bureau of Investigation*

ICPSR Codebook for Batch Header File

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

# Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/web/ICPSR/studies/38790/terms>

## Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

## ICPSR PROCESSING NOTES FOR #38790

*Uniform Crime Reporting Program Data: Hate Crime Data (Record-Type Files), United States, 2020*  
*DS 1: Batch Header File*

1. **Stata Limitations:** Due to Stata limitations, several string variables do not contain value labels within the Stata files.
2. **Undocumented Codes:**
  - a. The variable **REGION** contains an undocumented value of 9 which ICPSR has labeled "UNDOCUMENTED CODE." No additional information was provided.
  - b. Please note that the following variables within the data are blank or completely system missing and no additional information was provided: **LSTPOP1**, **LSTPOP2**, **LSTPOP3**, and **LSTPOP4**.
3. **Additional Information:** These studies are static data snapshots of the data available on the FBI website via the [Crime Data Explorer](#), which is continuously updated. For additional information on the Uniform Crime Reporting (UCR) Program, please visit the [UCR](#) website.

# **ICPSR 38790**

## **Uniform Crime Reporting Program Data: Hate Crime Data (Record-Type Files), United States, 2020**

### **Variable Description and Frequencies**

**Note:** Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

# Batch Header File

---

## REC\_BH: BH:RECORD TYPE

Designates this as the Batch Header

Value	Label	Unweighted Frequency	%
BH	Batch Header	24620	100.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

*Location:* 1-2 (width: 2; decimal: 0)

*Variable Type:* character

---

## STATNUM: NUMERIC STATE CODE

This is a two-digit value assigned to the state and is used to place the records in order by this value for FBI purposes.

These codes are specific to the FBI. They are not the same as FIPS codes.

Value	Label	Unweighted Frequency	%
1	Alabama	493	2.0 %
2	Arizona	190	0.8 %
3	Arkansas	352	1.4 %
4	California	956	3.9 %
5	Colorado	324	1.3 %
6	Connecticut	129	0.5 %
7	Delaware	84	0.3 %
8	Washington D.C.	8	0.0 %
9	Florida	1230	5.0 %
10	Georgia	833	3.4 %
11	Idaho	156	0.6 %
12	Illinois	1194	4.8 %
13	Indiana	451	1.8 %
14	Iowa	301	1.2 %
15	Kansas	474	1.9 %
16	Kentucky	727	3.0 %
17	Louisiana	317	1.3 %
18	Maine	261	1.1 %
19	Maryland	225	0.9 %
20	Massachusetts	512	2.1 %

Value	Label	Unweighted Frequency	%
21	Michigan	877	3.6 %
22	Minnesota	502	2.0 %
23	Mississippi	279	1.1 %
24	Missouri	732	3.0 %
25	Montana	149	0.6 %
26	Nebraska	343	1.4 %
27	Nevada	82	0.3 %
28	New Hampshire	264	1.1 %
29	New Jersey	660	2.7 %
30	New Mexico	165	0.7 %
31	New York	1262	5.1 %
32	North Carolina	832	3.4 %
33	North Dakota	147	0.6 %
34	Ohio	937	3.8 %
35	Oklahoma	511	2.1 %
36	Oregon	305	1.2 %
37	Pennsylvania	1906	7.7 %
38	Rhode Island	64	0.3 %
39	South Carolina	578	2.3 %
40	South Dakota	194	0.8 %
41	Tennessee	610	2.5 %
42	Texas	1319	5.4 %
43	Utah	203	0.8 %
44	Vermont	105	0.4 %
45	Virginia	497	2.0 %
46	Washington	333	1.4 %
47	West Virginia	545	2.2 %
48	Wisconsin	493	2.0 %
49	Wyoming	90	0.4 %
50	Alaska	55	0.2 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,620 valid cases out of 24,620 total cases.

- Minimum: 1.00
- Maximum: 99.00

*Location:* 3-4 (width: 2; decimal: 0)

*Variable Type:* numeric

---

## ORI: ORIGINATING AGENCY IDENTIFIER

This identifies the agency that is authorized to report crime data to the FBI.

Based upon 24,620 valid cases out of 24,620 total cases.

*Location:* 5-13 (width: 9; decimal: 0)

*Variable Type:* character

---

## BINCIDNO: BH:INCIDENT NUMBER

This field is set to blanks and is present so that the "incident number" is on every record in the same field position for sequencing purposes.

Value	Label	Unweighted Frequency	%
000000000000	-	24620	100.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

*Location:* 14-25 (width: 12; decimal: 0)

*Variable Type:* character

---

## ORIADDDT: DATE ORI WAS ADDED

This is the date that the UCR ORI was added or had update activity performed on it by UCR staff.

Value	Label	Unweighted Frequency	%
20180706	-	1399	5.7 %
20180710	-	1	0.0 %
20180727	-	3	0.0 %
20180730	-	1	0.0 %
20180813	-	1	0.0 %
20180905	-	3	0.0 %
20180906	-	1	0.0 %
20180907	-	4	0.0 %
20180913	-	1	0.0 %
20180914	-	2	0.0 %
20180917	-	2	0.0 %
20181001	-	1	0.0 %
20181004	-	1	0.0 %
20181011	-	2	0.0 %
20181024	-	5	0.0 %
20181107	-	1	0.0 %
20181109	-	17	0.1 %
20181110	-	1	0.0 %

Value	Label	Unweighted Frequency	%
20181129	-	8	0.0 %
20181211	-	1	0.0 %
20181220	-	1	0.0 %
20190116	-	1	0.0 %
20190118	-	2	0.0 %
20190123	-	1	0.0 %
20190130	-	1	0.0 %
20190205	-	1	0.0 %
20190211	-	1	0.0 %
20190212	-	2	0.0 %
20190213	-	5	0.0 %
20190220	-	5	0.0 %
20190403	-	1	0.0 %
20190515	-	2	0.0 %
20190522	-	2	0.0 %
20190612	-	1	0.0 %
20190619	-	1	0.0 %
20190718	-	1	0.0 %
20190731	-	1	0.0 %
20190905	-	1	0.0 %
20190906	-	1	0.0 %
20190909	-	1	0.0 %
20190910	-	20	0.1 %
20190911	-	4	0.0 %
20190918	-	28	0.1 %
20190919	-	19	0.1 %
20190920	-	3	0.0 %
20190924	-	1	0.0 %
20191002	-	3	0.0 %
20191010	-	3	0.0 %
20191011	-	1	0.0 %
20191101	-	1	0.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,620 valid cases out of 24,620 total cases.

- Mean: 20208697.50
- Median: 20210930.00



- Mode: 20210930.00
- Minimum: 20180706.00
- Maximum: 20210930.00
- Standard Deviation: 7384.27

*Location:* 26-33 (width: 8; decimal: 0)

*Variable Type:* numeric

## ORINIBRS: DATE ORI WENT NIBRS

This is the date that the ORI first began submitting incident-based data to the FBI. Will be blanks if the agency is not yet participating in NIBRS.

Value	Label	Unweighted Frequency	%
0	-	12741	51.8 %
19850101	-	1	0.0 %
19900101	-	1	0.0 %
19910101	-	388	1.6 %
19910201	-	2	0.0 %
19910301	-	4	0.0 %
19910401	-	3	0.0 %
19910601	-	2	0.0 %
19910801	-	1	0.0 %
19911001	-	2	0.0 %
19911101	-	2	0.0 %
19911201	-	1	0.0 %
19920101	-	259	1.1 %
19920201	-	9	0.0 %
19920301	-	7	0.0 %
19920401	-	5	0.0 %
19920501	-	8	0.0 %
19920601	-	8	0.0 %
19920701	-	3	0.0 %
19920801	-	7	0.0 %
19920901	-	3	0.0 %
19921001	-	1	0.0 %
19921101	-	3	0.0 %
19921201	-	3	0.0 %
19930101	-	31	0.1 %
19930301	-	2	0.0 %
19930401	-	2	0.0 %
19930501	-	3	0.0 %
19930601	-	2	0.0 %

Value	Label	Unweighted Frequency	%
19930701	-	5	0.0 %
19930801	-	3	0.0 %
19930901	-	2	0.0 %
19931001	-	2	0.0 %
19931101	-	2	0.0 %
19931201	-	9	0.0 %
19940101	-	246	1.0 %
19940201	-	1	0.0 %
19940301	-	3	0.0 %
19940401	-	3	0.0 %
19940501	-	1	0.0 %
19940601	-	1	0.0 %
19940701	-	1	0.0 %
19940801	-	1	0.0 %
19940901	-	1	0.0 %
19941001	-	1	0.0 %
19941101	-	3	0.0 %
19941201	-	3	0.0 %
19950101	-	355	1.4 %
19950201	-	4	0.0 %
19950301	-	7	0.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,620 valid cases out of 24,620 total cases.

- Mean: 9688052.53
- Minimum: 0.00
- Maximum: 20210301.00
- Standard Deviation: 10033838.24

*Location:* 34-41 (width: 8; decimal: 0)

*Variable Type:* numeric

---

## CITY: CITY NAME

This is the mailing address city for this agency.

Based upon 24,620 valid cases out of 24,620 total cases.

*Location:* 42-66 (width: 25; decimal: 0)

*Variable Type:* character

---

## STATECOD: STATE (ALPHA) ABBREVIATION

This is the state abbreviation

See Numeric State Code for the corresponding numeric state codes as well as the alphabetic codes.

Value	Label	Unweighted Frequency	%
AK	Alaska	55	0.2 %
AL	Alabama	493	2.0 %
AR	Arkansas	352	1.4 %
AS	American Samoa	1	0.0 %
AZ	Arizona	190	0.8 %
CA	California	956	3.9 %
CO	Colorado	324	1.3 %
CT	Connecticut	129	0.5 %
CZ	Canal Zone	1	0.0 %
DC	District of Columbia	8	0.0 %
DE	Delaware	84	0.3 %
FL	Florida	1230	5.0 %
FS	Federal	294	1.2 %
GA	Georgia	833	3.4 %
GM	Guam	4	0.0 %
HI	Hawaii	20	0.1 %
IA	Iowa	301	1.2 %
ID	Idaho	156	0.6 %
IL	Illinois	1194	4.8 %
IN	Indiana	451	1.8 %
KS	Kansas	474	1.9 %
KY	Kentucky	727	3.0 %
LA	Louisiana	317	1.3 %
MA	Massachusetts	512	2.1 %
MD	Maryland	225	0.9 %
ME	Maine	261	1.1 %
MI	Michigan	877	3.6 %
MN	Minnesota	502	2.0 %
MO	Missouri	732	3.0 %
MP	Northern Mariana Islands	1	0.0 %
MS	Mississippi	279	1.1 %
MT	Montana	149	0.6 %
NB	Nebraska	343	1.4 %
NC	North Carolina	832	3.4 %

Value	Label	Unweighted Frequency	%
ND	North Dakota	147	0.6 %
NH	New Hampshire	264	1.1 %
NJ	New Jersey	660	2.7 %
NM	New Mexico	165	0.7 %
NV	Nevada	82	0.3 %
NY	New York	1262	5.1 %
OH	Ohio	937	3.8 %
OK	Oklahoma	511	2.1 %
OR	Oregon	305	1.2 %
OT	Other	10	0.0 %
PA	Pennsylvania	1906	7.7 %
PR	Puerto Rico	29	0.1 %
RI	Rhode Island	64	0.3 %
SC	South Carolina	578	2.3 %
SD	South Dakota	194	0.8 %
TN	Tennessee	610	2.5 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,620 valid cases out of 24,620 total cases.

*Location:* 67-68 (width: 2; decimal: 0)

*Variable Type:* character

## POPGRP: POPULATION GROUP

This shows the population covered by the ORI. Group 0 is possessions; 1-7 are cities; 8-9 are counties. Sub-Group (position 75) is blank when not used. All populations are inclusive.

Value	Label	Unweighted Frequency	%
0	Possessions (Puerto Rico, Guam, Canal Zone, Virgin Islands, and American Samoa)	32	0.1 %
1	All cities 250,000 or over	0	0.0 %
1A	Cities 1,000,000 or over	12	0.0 %
1B	Cities from 500,000 thru 999,999	26	0.1 %
1C	Cities from 250,000 thru 499,999	54	0.2 %
2	Cities from 100,000 thru 249,999	236	1.0 %
3	Cities from 50,000 thru 99,999	509	2.1 %
4	Cities from 25,000 thru 49,999	939	3.8 %
5	Cities from 10,000 thru 24,999	2002	8.1 %
6	Cities from 2,500 thru 9,999	4313	17.5 %
7	Cities under 2,500	9382	38.1 %

Value	Label	Unweighted Frequency	%
8	Non-MSA Counties	0	0.0 %
8A	Non-MSA Counties 100,000 or over	3	0.0 %
8B	Non-MSA Counties from 25,000 thru 99,999	292	1.2 %
8C	Non-MSA Counties from 10,000 thru 24,999	647	2.6 %
8D	Non-MSA Counties under 10,000	2990	12.1 %
8E	Non-MSA State Police	181	0.7 %
9	MSA Counties	0	0.0 %
9A	MSA Counties 100,000 or over	183	0.7 %
9B	MSA Counties from 25,000 thru 99,999	482	2.0 %
9C	MSA Counties from 10,000 thru 24,999	296	1.2 %
9D	MSA Counties under 10,000	1817	7.4 %
9E	MSA State Police	224	0.9 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

*Location:* 69-70 (width: 2; decimal: 0)

*Variable Type:* character

---

## DIVISN: COUNTRY DIVISION

Geographic division in which the state is located (from 1 thru 9). The states comprising each division are as follows. The divisions are listed within region:

### Possessions

Possessions: American Samoa, Canal Zone, Guam, Puerto Rico, Virgin Islands

### Region I - Northeast

New England: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont

Middle Atlantic: New Jersey, New York, Pennsylvania

### Region II - North Central

East North Central: Illinois, Indiana, Michigan, Ohio, Wisconsin

West North Central: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota

### Region III - South

South Atlantic: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia

East South Central: Alabama, Kentucky, Mississippi, Tennessee

West South Central: Arkansas, Louisiana, Oklahoma, Texas

## Region IV - West

Mountain: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming

Pacific: Alaska, California, Hawaii, Oregon, Washington

Value	Label	Unweighted Frequency	%
0	Possessions	40	0.2 %
1	New England	1335	5.4 %
2	Middle Atlantic	3828	15.5 %
3	East North Central	3952	16.1 %
4	West North Central	2693	10.9 %
5	South Atlantic	4832	19.6 %
6	East South Central	2109	8.6 %
7	West South Central	2499	10.2 %
8	Mountain	1359	5.5 %
9	Pacific	1973	8.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

- Minimum: 0.00
- Maximum: 9.00

*Location:* 71-71 (width: 1; decimal: 0)

*Variable Type:* numeric

## REGION: COUNTRY REGION

Geographic Region in which the Country Division is located. The States and Divisions comprising each Region are shown in Country Division above.

Value	Label	Unweighted Frequency	%
0	Outlying Areas	40	0.2 %
1	North East	5163	21.0 %
2	North Central	6645	27.0 %
3	South	9440	38.3 %
4	West	3028	12.3 %
9	UNDOCUMENTED CODE	304	1.2 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

- Minimum: 0.00
- Maximum: 9.00

*Location:* 72-72 (width: 1; decimal: 0)

Variable Type: numeric

---

## AGINDIC: AGENCY INDICATOR

Distinguishes counties and colleges and universities from the cities.

Value	Label	Unweighted Frequency	%
0	Cvrd-by other	4581	18.6 %
1	City	11930	48.5 %
2	County	3031	12.3 %
3	Univ or college	845	3.4 %
4	State Police	1219	5.0 %
5	Other agency	3014	12.2 %
6	Other state agency	0	0.0 %
7	Tribal	0	0.0 %
8	Federal	0	0.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 73-73 (width: 1; decimal: 0)

Variable Type: numeric

---

## CORECTY: CORE CITY

This designates if the agency is the core city of a Metropolitan Statistical Area (MSA).

Value	Label	Unweighted Frequency	%
N	No	23960	97.3 %
Y	Yes	660	2.7 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

Location: 74-74 (width: 1; decimal: 0)

Variable Type: character

---

## COVBYORI: COVERED-BY ORI

This is the ORI of the agency that submits crime data for the agency represented by the Batch Header. For example, a county will often submit a return which includes the crime data for a city within that county. This field is blank if the agency is not a "covered-by".

Value	Label	Unweighted Frequency	%
	-	20039	81.4 %
AK0010100	-	1	0.0 %
AKAST0100	-	8	0.0 %
AL0010000	-	5	0.0 %
AL0020000	-	1	0.0 %
AL0030000	-	5	0.0 %
AL0030100	-	3	0.0 %
AL0150000	-	3	0.0 %
AL0220000	-	1	0.0 %
AL0240000	-	1	0.0 %
AL0250000	-	2	0.0 %
AL0330000	-	1	0.0 %
AL0340000	-	1	0.0 %
AL0350000	-	1	0.0 %
AL0380000	-	1	0.0 %
AL0390000	-	3	0.0 %
AL0410000	-	1	0.0 %
AL0430100	-	1	0.0 %
AL0440000	-	1	0.0 %
AL0450000	-	2	0.0 %
AL0470000	-	1	0.0 %
AL0480000	-	2	0.0 %
AL0490000	-	1	0.0 %
AL0510000	-	1	0.0 %
AL0520000	-	1	0.0 %
AL0580000	-	1	0.0 %
AL0590000	-	3	0.0 %
AL0600000	-	1	0.0 %
AL0610000	-	2	0.0 %
AL0620000	-	2	0.0 %
AL0640000	-	1	0.0 %
ALLEA0000	-	1	0.0 %
AR0020000	-	1	0.0 %
AR0040000	-	1	0.0 %
AR0060000	-	1	0.0 %
AR0120000	-	1	0.0 %
AR0130000	-	1	0.0 %
AR0190000	-	1	0.0 %
AR0210000	-	1	0.0 %



Value	Label	Unweighted Frequency	%
AR0260000	-	1	0.0 %
AR0300000	-	1	0.0 %
AR0320000	-	1	0.0 %
AR0320200	-	1	0.0 %
AR0330000	-	1	0.0 %
AR0350000	-	1	0.0 %
AR0380000	-	1	0.0 %
AR0400000	-	2	0.0 %
AR0410000	-	1	0.0 %
AR0450000	-	1	0.0 %
AR0470000	-	2	0.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,620 valid cases out of 24,620 total cases.

*Location:* 75-83 (width: 9; decimal: 0)

*Variable Type:* character

---

## FIELDNO: FBI FIELD OFFICE

The four-digit numeric code for the FBI field office whose territory covers the agency.

Value	Label	Unweighted Frequency	%
0	-	602	2.4 %
3010	-	619	2.5 %
3020	-	167	0.7 %
3030	-	53	0.2 %
3040	-	827	3.4 %
3050	-	307	1.2 %
3070	-	267	1.1 %
3090	-	1081	4.4 %
3110	-	312	1.3 %
3140	-	828	3.4 %
3150	-	465	1.9 %
3160	-	439	1.8 %
3170	-	502	2.0 %
3180	-	579	2.4 %
3190	-	621	2.5 %
3210	-	401	1.6 %

Value	Label	Unweighted Frequency	%
3220	-	869	3.5 %
3240	-	59	0.2 %
3280	-	26	0.1 %
3290	-	279	1.1 %
3310	-	451	1.8 %
3320	-	278	1.1 %
3330	-	635	2.6 %
3350	-	858	3.5 %
3370	-	246	1.0 %
3380	-	82	0.3 %
3390	-	349	1.4 %
3410	-	323	1.3 %
3420	-	729	3.0 %
3440	-	360	1.5 %
3460	-	254	1.0 %
3470	-	493	2.0 %
3480	-	837	3.4 %
3490	-	229	0.9 %
3510	-	568	2.3 %
3520	-	131	0.5 %
3530	-	320	1.3 %
3540	-	350	1.4 %
3560	-	72	0.3 %
3580	-	509	2.1 %
3600	-	637	2.6 %
3620	-	1225	5.0 %
3630	-	172	0.7 %
3650	-	1295	5.3 %
3670	-	305	1.2 %
3710	-	368	1.5 %
3720	-	320	1.3 %
3730	-	350	1.4 %
3750	-	491	2.0 %
3770	-	366	1.5 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,620 valid cases out of 24,620 total cases.

- Mean: 3324.95
- Median: 3410.00
- Mode: 3650.00
- Minimum: 0.00
- Maximum: 3920.00
- Standard Deviation: 581.03

*Location:* 84-87 (width: 4; decimal: 0)

*Variable Type:* numeric

## JUDDIST: JUDICIAL DISTRICT

This is the code of the judicial district in which the agency is located. It is a three-digit numeric code followed by a letter which designates the region within the state.

Value	Label	Unweighted Frequency	%
-	-	612	2.5 %
005M	-	144	0.6 %
010N	-	267	1.1 %
015S	-	83	0.3 %
020A	-	53	0.2 %
025A	-	171	0.7 %
030E	-	210	0.9 %
035W	-	139	0.6 %
040C	-	323	1.3 %
045E	-	321	1.3 %
050N	-	258	1.0 %
055S	-	55	0.2 %
060A	-	316	1.3 %
065A	-	132	0.5 %
070A	-	86	0.3 %
075A	-	23	0.1 %
080M	-	623	2.5 %
085N	-	358	1.5 %
090S	-	254	1.0 %
095M	-	295	1.2 %
100N	-	333	1.4 %
105S	-	199	0.8 %
110A	-	19	0.1 %
115A	-	154	0.6 %
120C	-	393	1.6 %
125N	-	465	1.9 %
130S	-	234	1.0 %
135N	-	176	0.7 %

Value	Label	Unweighted Frequency	%
140S	-	276	1.1 %
145N	-	152	0.6 %
150S	-	146	0.6 %
155A	-	474	1.9 %
160E	-	418	1.7 %
165W	-	311	1.3 %
170E	-	58	0.2 %
175M	-	50	0.2 %
180W	-	212	0.9 %
185A	-	245	1.0 %
190A	-	223	0.9 %
195A	-	508	2.1 %
200E	-	454	1.8 %
205W	-	415	1.7 %
210A	-	500	2.0 %
215N	-	122	0.5 %
220S	-	156	0.6 %
225E	-	350	1.4 %
230W	-	384	1.6 %
235A	-	145	0.6 %
240A	-	339	1.4 %
245A	-	82	0.3 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,620 valid cases out of 24,620 total cases.

*Location:* 88-91 (width: 4; decimal: 0)

*Variable Type:* character

## NBRSFLG: AGENCY NIBRS FLAG

This designates whether the ORI in a state is an active NIBRS agency or inactive.

Value	Label	Unweighted Frequency	%
	Inactive	12741	51.8 %
A	Active	11879	48.2 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

*Location:* 92-92 (width: 1; decimal: 0)

Variable Type: character

---

## INACTDTE: AGENCY INACTIVE DATE

This is the date that the agency became covered by another UCR agency and is no longer submitting UCR data. Will be blanks if the agency is not covered by another agency.

Value	Label	Unweighted Frequency	%
20150721	-	8	0.0 %
20151013	-	8	0.0 %
20160315	-	10	0.0 %
	Missing Data		
.	-	24594	99.9 %
	Total	24,620	100%

Based upon 26 valid cases out of 24,620 total cases.

- Mean: 20154500.85
- Median: 20151013.00
- Mode: 20160315.00
- Minimum: 20150721.00
- Maximum: 20160315.00
- Standard Deviation: 4688.98

Location: 93-100 (width: 8; decimal: 0)

Variable Type: numeric

---

## POP1: CURRENT POPULATION-1

This is the population for the agency or the population of the portion of the agency which is located in this county.

Based upon 24,620 valid cases out of 24,620 total cases.

- Mean: 13667.41
- Minimum: 0.00
- Maximum: 8300377.00
- Standard Deviation: 84522.90

Location: 101-107 (width: 7; decimal: 0)

Variable Type: numeric

---

## COUNTY1: UCR COUNTY CODE-1

This is the UCR county code for the agency or the UCR county code for that portion of the agency which is located in the county. These codes are specific to the FBI. They are not the same as FIPS codes. The FIPS county code equivalent is located in variable CFIPS1.

Value	Label	Unweighted Frequency	%
0 0	-	1114	4.5 %
0 1	-	389	1.6 %

Value	Label	Unweighted Frequency	%
0 2	-	571	2.3 %
0 3	-	413	1.7 %
0 4	-	383	1.6 %
0 5	-	406	1.6 %
0 6	-	417	1.7 %
0 7	-	411	1.7 %
0 8	-	343	1.4 %
0 9	-	391	1.6 %
00	-	1504	6.1 %
010	-	719	2.9 %
011	-	489	2.0 %
012	-	378	1.5 %
013	-	467	1.9 %
014	-	463	1.9 %
015	-	483	2.0 %
016	-	495	2.0 %
017	-	301	1.2 %
018	-	352	1.4 %
019	-	415	1.7 %
020	-	303	1.2 %
021	-	281	1.1 %
022	-	355	1.4 %
023	-	308	1.3 %
024	-	293	1.2 %
025	-	343	1.4 %
026	-	223	0.9 %
027	-	249	1.0 %
028	-	228	0.9 %
029	-	209	0.8 %
030	-	296	1.2 %
031	-	272	1.1 %
032	-	208	0.8 %
033	-	235	1.0 %
034	-	226	0.9 %
035	-	221	0.9 %
036	-	320	1.3 %
037	-	265	1.1 %
038	-	208	0.8 %
039	-	213	0.9 %

Value	Label	Unweighted Frequency	%
040	-	273	1.1 %
041	-	221	0.9 %
042	-	196	0.8 %
043	-	235	1.0 %
044	-	201	0.8 %
045	-	230	0.9 %
046	-	253	1.0 %
047	-	184	0.7 %
048	-	216	0.9 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,620 valid cases out of 24,620 total cases.

*Location:* 108-110 (width: 3; decimal: 0)

*Variable Type:* character

---

## MSA1: MSA CODE-1

This is the code of the metropolitan statistical area (MSA) in which the agency is located. These codes are specific to the FBI. They are not the same as FIPS codes.

Value	Label	Unweighted Frequency	%
00	-	1504	6.1 %
000	-	9773	39.7 %
004	-	15	0.1 %
009	-	43	0.2 %
013	-	22	0.1 %
015	-	9	0.0 %
018	-	78	0.3 %
023	-	25	0.1 %
025	-	15	0.1 %
027	-	104	0.4 %
032	-	24	0.1 %
036	-	12	0.0 %
037	-	10	0.0 %
038	-	7	0.0 %
041	-	17	0.1 %
042	-	9	0.0 %
043	-	16	0.1 %
046	-	35	0.1 %

Value	Label	Unweighted Frequency	%
048	-	17	0.1 %
050	-	224	0.9 %
055	-	23	0.1 %
057	-	4	0.0 %
059	-	54	0.2 %
064	-	53	0.2 %
069	-	21	0.1 %
073	-	60	0.2 %
074	-	23	0.1 %
076	-	21	0.1 %
078	-	49	0.2 %
080	-	13	0.1 %
082	-	8	0.0 %
087	-	21	0.1 %
088	-	29	0.1 %
089	-	10	0.0 %
090	-	9	0.0 %
092	-	11	0.0 %
096	-	23	0.1 %
098	-	78	0.3 %
099	-	9	0.0 %
100	-	19	0.1 %
101	-	17	0.1 %
102	-	8	0.0 %
103	-	41	0.2 %
104	-	18	0.1 %
105	-	100	0.4 %
106	-	117	0.5 %
108	-	57	0.2 %
109	-	8	0.0 %
110	-	16	0.1 %
115	-	8	0.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,620 valid cases out of 24,620 total cases.

*Location:* 111-113 (width: 3; decimal: 0)

*Variable Type:* character



---

## LSTPOP1: LAST POPULATION-1

This is the population of the agency in the previous census.

Value	Label	Unweighted Frequency	%
0	-	24620	100.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

*Location:* 114-114 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## POP2: CURRENT POPULATION-2

This is the population for the agency or the population of the portion of the agency which is located in this county.

Value	Label	Unweighted Frequency	%
0	-	23943	97.3 %
1	-	6	0.0 %
2	-	27	0.1 %
3	-	9	0.0 %
4	-	12	0.0 %
5	-	4	0.0 %
6	-	13	0.1 %
7	-	7	0.0 %
8	-	8	0.0 %
9	-	2	0.0 %
10	-	4	0.0 %
11	-	2	0.0 %
12	-	3	0.0 %
13	-	1	0.0 %
15	-	10	0.0 %
16	-	1	0.0 %
17	-	3	0.0 %
18	-	2	0.0 %
19	-	2	0.0 %
20	-	2	0.0 %

Value	Label	Unweighted Frequency	%
21	-	3	0.0 %
22	-	6	0.0 %
24	-	2	0.0 %
25	-	3	0.0 %
26	-	3	0.0 %
27	-	4	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %
32	-	1	0.0 %
33	-	3	0.0 %
34	-	5	0.0 %
35	-	1	0.0 %
36	-	3	0.0 %
37	-	2	0.0 %
38	-	1	0.0 %
40	-	2	0.0 %
41	-	4	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	2	0.0 %
45	-	2	0.0 %
46	-	1	0.0 %
47	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
52	-	2	0.0 %
53	-	2	0.0 %
54	-	2	0.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,620 valid cases out of 24,620 total cases.

- Mean: 80.65
- Minimum: 0.00
- Maximum: 129948.00
- Standard Deviation: 1755.48

*Location:* 115-120 (width: 6; decimal: 0)

**COUNTY2: UCR COUNTY CODE-2**

This is the UCR county code for the agency or the UCR county code for that portion of the agency which is located in the county. These codes are specific to the FBI. They are not the same as FIPS codes. The FIPS county code equivalent is located in variable CFIPS2.

Value	Label	Unweighted Frequency	%
0 0	-	22436	91.1 %
0 1	-	13	0.1 %
0 2	-	5	0.0 %
0 3	-	6	0.0 %
0 4	-	10	0.0 %
0 5	-	4	0.0 %
0 6	-	10	0.0 %
0 7	-	8	0.0 %
0 8	-	9	0.0 %
0 9	-	10	0.0 %
00	-	1504	6.1 %
010	-	26	0.1 %
011	-	13	0.1 %
012	-	11	0.0 %
013	-	7	0.0 %
014	-	15	0.1 %
015	-	10	0.0 %
016	-	19	0.1 %
017	-	6	0.0 %
018	-	9	0.0 %
019	-	15	0.1 %
020	-	6	0.0 %
021	-	7	0.0 %
022	-	20	0.1 %
023	-	13	0.1 %
024	-	12	0.0 %
025	-	20	0.1 %
026	-	5	0.0 %
027	-	6	0.0 %
028	-	9	0.0 %
029	-	5	0.0 %
030	-	5	0.0 %
031	-	5	0.0 %

Value	Label	Unweighted Frequency	%
032	-	14	0.1 %
033	-	5	0.0 %
034	-	5	0.0 %
035	-	5	0.0 %
036	-	5	0.0 %
037	-	15	0.1 %
038	-	3	0.0 %
039	-	6	0.0 %
040	-	4	0.0 %
041	-	9	0.0 %
042	-	11	0.0 %
043	-	7	0.0 %
044	-	5	0.0 %
045	-	12	0.0 %
046	-	1	0.0 %
047	-	5	0.0 %
048	-	7	0.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,620 valid cases out of 24,620 total cases.

*Location:* 121-123 (width: 3; decimal: 0)

*Variable Type:* character

---

## MSA2: MSA CODE-2

This is the code of the metropolitan statistical area (MSA) in which the agency is located. These codes are specific to the FBI. They are not the same as FIPS codes.

Value	Label	Unweighted Frequency	%
00	-	23940	97.2 %
000	-	211	0.9 %
004	-	1	0.0 %
009	-	2	0.0 %
023	-	2	0.0 %
027	-	1	0.0 %
032	-	1	0.0 %
036	-	2	0.0 %
042	-	2	0.0 %
043	-	4	0.0 %

Value	Label	Unweighted Frequency	%
046	-	1	0.0 %
048	-	1	0.0 %
050	-	11	0.0 %
057	-	2	0.0 %
059	-	2	0.0 %
064	-	9	0.0 %
080	-	1	0.0 %
082	-	1	0.0 %
087	-	1	0.0 %
096	-	1	0.0 %
098	-	13	0.1 %
109	-	1	0.0 %
124	-	1	0.0 %
125	-	1	0.0 %
128	-	2	0.0 %
131	-	1	0.0 %
137	-	1	0.0 %
141	-	2	0.0 %
142	-	3	0.0 %
151	-	7	0.0 %
156	-	2	0.0 %
160	-	32	0.1 %
161	-	8	0.0 %
163	-	5	0.0 %
165	-	8	0.0 %
170	-	3	0.0 %
174	-	1	0.0 %
179	-	4	0.0 %
184	-	2	0.0 %
186	-	1	0.0 %
188	-	10	0.0 %
194	-	1	0.0 %
197	-	23	0.1 %
198	-	9	0.0 %
202	-	3	0.0 %
207	-	6	0.0 %
210	-	1	0.0 %
214	-	1	0.0 %
216	-	6	0.0 %

Value	Label	Unweighted Frequency	%
220	-	5	0.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,620 valid cases out of 24,620 total cases.

*Location:* 124-126 (width: 3; decimal: 0)

*Variable Type:* character

---

## LSTPOP2: LAST POPULATION-2

This is the population of the agency in the previous census.

Value	Label	Unweighted Frequency	%
0	-	24620	100.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

*Location:* 127-127 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## POP3: CURRENT POPULATION-3

This is the population for the agency or the population of the portion of the agency which is located in this county.

Value	Label	Unweighted Frequency	%
0	-	24560	99.8 %
1	-	1	0.0 %
2	-	5	0.0 %
3	-	1	0.0 %
4	-	1	0.0 %
7	-	1	0.0 %
8	-	1	0.0 %
10	-	1	0.0 %
12	-	1	0.0 %
14	-	1	0.0 %

Value	Label	Unweighted Frequency	%
15	-	1	0.0 %
21	-	1	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %
34	-	1	0.0 %
37	-	1	0.0 %
50	-	1	0.0 %
55	-	1	0.0 %
58	-	1	0.0 %
61	-	1	0.0 %
91	-	1	0.0 %
96	-	1	0.0 %
104	-	1	0.0 %
105	-	1	0.0 %
109	-	1	0.0 %
123	-	2	0.0 %
135	-	1	0.0 %
144	-	1	0.0 %
190	-	1	0.0 %
376	-	1	0.0 %
468	-	1	0.0 %
603	-	1	0.0 %
648	-	1	0.0 %
861	-	1	0.0 %
904	-	1	0.0 %
961	-	1	0.0 %
969	-	1	0.0 %
978	-	1	0.0 %
1079	-	1	0.0 %
1095	-	1	0.0 %
1232	-	1	0.0 %
1268	-	1	0.0 %
1685	-	1	0.0 %
2021	-	1	0.0 %
2211	-	1	0.0 %
2693	-	1	0.0 %
2992	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5826	-	1	0.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,620 valid cases out of 24,620 total cases.

- Mean: 8.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60219.00
- Standard Deviation: 552.86

*Location:* 128-132 (width: 5; decimal: 0)

*Variable Type:* numeric

## COUNTY3: UCR COUNTY CODE-3

This is the UCR county code for the agency or the UCR county code for that portion of the agency which is located in the county. These codes are specific to the FBI. They are not the same as FIPS codes. The FIPS county code equivalent is located in variable CFIPS3.

Value	Label	Unweighted Frequency	%
0 0	-	23056	93.6 %
0 1	-	1	0.0 %
0 3	-	1	0.0 %
0 5	-	1	0.0 %
0 9	-	1	0.0 %
00	-	1504	6.1 %
010	-	1	0.0 %
011	-	1	0.0 %
014	-	1	0.0 %
015	-	3	0.0 %
017	-	2	0.0 %
018	-	3	0.0 %
021	-	2	0.0 %
022	-	1	0.0 %
023	-	2	0.0 %
026	-	1	0.0 %
033	-	1	0.0 %
034	-	3	0.0 %
040	-	1	0.0 %
043	-	1	0.0 %



Value	Label	Unweighted Frequency	%
046	-	3	0.0 %
047	-	1	0.0 %
050	-	1	0.0 %
057	-	1	0.0 %
059	-	2	0.0 %
061	-	2	0.0 %
065	-	1	0.0 %
068	-	2	0.0 %
069	-	1	0.0 %
070	-	4	0.0 %
073	-	2	0.0 %
079	-	1	0.0 %
080	-	1	0.0 %
082	-	1	0.0 %
083	-	2	0.0 %
087	-	3	0.0 %
091	-	1	0.0 %
095	-	2	0.0 %
097	-	1	0.0 %
099	-	1	0.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

*Location:* 133-135 (width: 3; decimal: 0)

*Variable Type:* character

---

## MSA3: MSA CODE-3

This is the code of the metropolitan statistical area (MSA) in which the agency is located. These codes are specific to the FBI. They are not the same as FIPS codes.

Value	Label	Unweighted Frequency	%
00	-	24560	99.8 %
000	-	14	0.1 %
048	-	1	0.0 %
098	-	1	0.0 %
142	-	1	0.0 %
160	-	1	0.0 %
161	-	1	0.0 %
163	-	1	0.0 %
165	-	1	0.0 %

Value	Label	Unweighted Frequency	%
188	-	3	0.0 %
193	-	1	0.0 %
197	-	6	0.0 %
198	-	1	0.0 %
216	-	2	0.0 %
220	-	1	0.0 %
227	-	1	0.0 %
308	-	1	0.0 %
352	-	1	0.0 %
358	-	3	0.0 %
372	-	1	0.0 %
381	-	1	0.0 %
404	-	1	0.0 %
411	-	1	0.0 %
413	-	1	0.0 %
630	-	1	0.0 %
635	-	1	0.0 %
685	-	2	0.0 %
738	-	1	0.0 %
768	-	4	0.0 %
858	-	1	0.0 %
892	-	1	0.0 %
910	-	2	0.0 %
974	-	1	0.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

Location: 136-138 (width: 3; decimal: 0)

Variable Type: character

---

## LSTPOP3: LAST POPULATION-3

This is the population of the agency in the previous census.

Value	Label	Unweighted Frequency	%
0	-	24620	100.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

- Mean: 0.00

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

*Location:* 139-139 (width: 1; decimal: 0)

*Variable Type:* numeric

## POP4: CURRENT POPULATION-4

This is the population for the agency or the population of the portion of the agency which is located in this county.

Value	Label	Unweighted Frequency	%
0	-	24613	100.0 %
1	-	1	0.0 %
9	-	1	0.0 %
71	-	1	0.0 %
138	-	1	0.0 %
200	-	1	0.0 %
1986	-	1	0.0 %
6581	-	1	0.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6581.00
- Standard Deviation: 43.84

*Location:* 140-143 (width: 4; decimal: 0)

*Variable Type:* numeric

## COUNTY4: UCR COUNTY CODE-4

This is the UCR county code for the agency or the UCR county code for that portion of the agency which is located in the county. These codes are specific to the FBI. They are not the same as FIPS codes. The FIPS county code equivalent is located in variable CFIPS4.

Value	Label	Unweighted Frequency	%
0 0	-	23109	93.9 %
0 7	-	1	0.0 %
00	-	1504	6.1 %
019	-	1	0.0 %
045	-	1	0.0 %

Value	Label	Unweighted Frequency	%
047	-	1	0.0 %
061	-	1	0.0 %
063	-	1	0.0 %
076	-	1	0.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

Location: 144-146 (width: 3; decimal: 0)

Variable Type: character

---

## MSA4: MSA CODE-4

This is the code of the metropolitan statistical area (MSA) in which the agency is located. These codes are specific to the FBI. They are not the same as FIPS codes.

Value	Label	Unweighted Frequency	%
00	-	24613	100.0 %
000	-	1	0.0 %
050	-	1	0.0 %
161	-	2	0.0 %
220	-	1	0.0 %
331	-	1	0.0 %
404	-	1	0.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

Location: 147-149 (width: 3; decimal: 0)

Variable Type: character

---

## LSTPOP4: LAST POPULATION-4

This is the population of the agency in the previous census.

Value	Label	Unweighted Frequency	%
0	-	24620	100.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00

- Standard Deviation: 0.00

*Location:* 150-150 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## POP5: CURRENT POPULATION-5

This is the population for the agency or the population of the portion of the agency which is located in this county.

Value	Label	Unweighted Frequency	%
0	-	24620	100.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

*Location:* 151-151 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## COUNTY5: UCR COUNTY CODE-5

This is the UCR county code for the agency or the UCR county code for that portion of the agency which is located in the county. These codes are specific to the FBI. They are not the same as FIPS codes. The FIPS county code equivalent is located in variable CFIPS5.

Value	Label	Unweighted Frequency	%
0 0	-	23116	93.9 %
00	-	1504	6.1 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

*Location:* 152-154 (width: 3; decimal: 0)

*Variable Type:* character

---

## MSA5: MSA CODE-5

This is the code of the metropolitan statistical area (MSA) in which the agency is located. These codes are specific to the FBI. They are not the same as FIPS codes.

Value	Label	Unweighted Frequency	%
00	-	24620	100.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

Location: 155-156 (width: 2; decimal: 0)

Variable Type: character

---

## LSTPOP5: LAST POPULATION-5

This is the population of the agency in the previous census.

Value	Label	Unweighted Frequency	%
0	-	24620	100.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 157-157 (width: 1; decimal: 0)

Variable Type: numeric

---

## MASTERYR: MASTER FILE YEAR

This is the year of the data records for the hate crime master file requested.

Value	Label	Unweighted Frequency	%
2020	-	24620	100.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

- Mean: 2020.00
- Median: 2020.00
- Mode: 2020.00
- Minimum: 2020.00
- Maximum: 2020.00
- Standard Deviation: 0.00

Location: 158-161 (width: 4; decimal: 0)

Variable Type: numeric

---

## QTR1ACT: STATE FIRST QUARTER ACTIVITY

Value	Label	Unweighted Frequency	%
	No HC info	9883	40.1 %
I	Incident report	962	3.9 %

Value	Label	Unweighted Frequency	%
Z	Zero report	13775	56.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

Location: 162-162 (width: 1; decimal: 0)

Variable Type: character

---

## QTR2ACT: STATE SECOND QUARTER ACTIVITY

Value	Label	Unweighted Frequency	%
	No HC info	10046	40.8 %
I	Incident report	1258	5.1 %
Z	Zero report	13316	54.1 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

Location: 163-163 (width: 1; decimal: 0)

Variable Type: character

---

## QTR3ACT: STATE THIRD QUARTER ACTIVITY

Value	Label	Unweighted Frequency	%
	No HC info	10345	42.0 %
I	Incident report	1443	5.9 %
Z	Zero report	12832	52.1 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

Location: 164-164 (width: 1; decimal: 0)

Variable Type: character

---

## QTR4ACT: STATE FOURTH QUARTER ACTIVITY

Value	Label	Unweighted Frequency	%
	No HC info	10778	43.8 %
I	Incident report	1156	4.7 %
Z	Zero report	12686	51.5 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

Location: 165-165 (width: 1; decimal: 0)

Variable Type: character

---

## F1QACT: FEDERAL FIRST QUARTER ACTIVITY

Value	Label	Unweighted Frequency	%
	No HC info	24620	100.0 %
I	Incident report	0	0.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

*Location:* 166-166 (width: 1; decimal: 0)

*Variable Type:* character

---

## F2QACT: FEDERAL SECOND QUARTER ACTIVITY

Value	Label	Unweighted Frequency	%
	No HC info	24620	100.0 %
I	Incident report	0	0.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

*Location:* 167-167 (width: 1; decimal: 0)

*Variable Type:* character

---

## F3QACT: FEDERAL THIRD QUARTER ACTIVITY

Value	Label	Unweighted Frequency	%
	No HC info	24620	100.0 %
I	Incident report	0	0.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

*Location:* 168-168 (width: 1; decimal: 0)

*Variable Type:* character

---

## F4QACT: FEDERAL FOURTH QUARTER ACTIVITY

Value	Label	Unweighted Frequency	%
	No HC info	24620	100.0 %
I	Incident report	0	0.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

*Location:* 169-169 (width: 1; decimal: 0)

*Variable Type:* character



---

## AGNAME: AGENCY NAME

This is the name of the agency.

Based upon 24,620 valid cases out of 24,620 total cases.

*Location:* 170-199 (width: 30; decimal: 0)

*Variable Type:* character

---

## CFIPS1: FIPS COUNTY CODE-1

This variable contains the FIPS county code corresponding to the UCR county code in variable COUNTY1.

Federal Information Processing Standards (FIPS) publication FIPS 55 lists FIPS county codes and names.

Value	Label	Unweighted Frequency	%
00	-	2489	10.1 %
001	-	390	1.6 %
003	-	571	2.3 %
005	-	414	1.7 %
006	-	3	0.0 %
007	-	379	1.5 %
009	-	402	1.6 %
010	-	3	0.0 %
011	-	414	1.7 %
012	-	3	0.0 %
013	-	414	1.7 %
014	-	1	0.0 %
015	-	350	1.4 %
016	-	2	0.0 %
017	-	390	1.6 %
019	-	373	1.5 %
020	-	3	0.0 %
021	-	365	1.5 %
023	-	278	1.1 %
025	-	351	1.4 %
027	-	382	1.6 %
028	-	2	0.0 %
029	-	376	1.5 %
031	-	441	1.8 %
033	-	279	1.1 %
035	-	316	1.3 %

Value	Label	Unweighted Frequency	%
036	-	2	0.0 %
037	-	419	1.7 %
039	-	268	1.1 %
041	-	239	1.0 %
043	-	264	1.1 %
045	-	277	1.1 %
047	-	247	1.0 %
049	-	312	1.3 %
050	-	2	0.0 %
051	-	240	1.0 %
053	-	247	1.0 %
055	-	223	0.9 %
057	-	212	0.9 %
059	-	286	1.2 %
060	-	1	0.0 %
061	-	261	1.1 %
063	-	216	0.9 %
065	-	220	0.9 %
067	-	234	1.0 %
069	-	222	0.9 %
070	-	2	0.0 %
071	-	323	1.3 %
073	-	263	1.1 %
075	-	208	0.8 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,620 valid cases out of 24,620 total cases.

*Location:* 200-202 (width: 3; decimal: 0)

*Variable Type:* character

---

## CFIPS2: FIPS COUNTY CODE-2

This variable contains the FIPS county code corresponding to the UCR county code in variable COUNTY2.

Federal Information Processing Standards (FIPS) publication FIPS 55 lists FIPS county codes and names.

Value	Label	Unweighted Frequency	%
00	-	23940	97.2 %

Value	Label	Unweighted Frequency	%
001	-	13	0.1 %
003	-	5	0.0 %
005	-	6	0.0 %
007	-	10	0.0 %
009	-	4	0.0 %
011	-	10	0.0 %
013	-	8	0.0 %
015	-	9	0.0 %
017	-	10	0.0 %
019	-	6	0.0 %
021	-	8	0.0 %
023	-	4	0.0 %
025	-	4	0.0 %
027	-	12	0.0 %
029	-	5	0.0 %
031	-	16	0.1 %
033	-	4	0.0 %
035	-	5	0.0 %
037	-	10	0.0 %
039	-	5	0.0 %
041	-	6	0.0 %
043	-	10	0.0 %
045	-	13	0.1 %
047	-	8	0.0 %
049	-	20	0.1 %
051	-	5	0.0 %
053	-	6	0.0 %
055	-	8	0.0 %
057	-	5	0.0 %
059	-	6	0.0 %
061	-	4	0.0 %
063	-	15	0.1 %
065	-	5	0.0 %
067	-	5	0.0 %
069	-	4	0.0 %
071	-	6	0.0 %
073	-	15	0.1 %
075	-	2	0.0 %
077	-	7	0.0 %

Value	Label	Unweighted Frequency	%
079	-	4	0.0 %
081	-	9	0.0 %
083	-	11	0.0 %
085	-	7	0.0 %
087	-	4	0.0 %
089	-	13	0.1 %
091	-	1	0.0 %
093	-	5	0.0 %
095	-	5	0.0 %
097	-	12	0.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,620 valid cases out of 24,620 total cases.

*Location:* 203-205 (width: 3; decimal: 0)

*Variable Type:* character

---

### CFIPS3: FIPS COUNTY CODE-3

This variable contains the FIPS county code corresponding to the UCR county code in variable COUNTY3.

Federal Information Processing Standards (FIPS) publication FIPS 55 lists FIPS county codes and names.

Value	Label	Unweighted Frequency	%
00	-	24560	99.8 %
001	-	1	0.0 %
005	-	1	0.0 %
009	-	1	0.0 %
017	-	1	0.0 %
019	-	1	0.0 %
027	-	1	0.0 %
029	-	3	0.0 %
035	-	2	0.0 %
041	-	2	0.0 %
043	-	1	0.0 %
045	-	1	0.0 %
051	-	1	0.0 %
065	-	1	0.0 %
067	-	3	0.0 %

Value	Label	Unweighted Frequency	%
079	-	1	0.0 %
085	-	1	0.0 %
091	-	3	0.0 %
093	-	1	0.0 %
097	-	1	0.0 %
113	-	1	0.0 %
117	-	2	0.0 %
121	-	2	0.0 %
129	-	1	0.0 %
135	-	2	0.0 %
139	-	5	0.0 %
145	-	2	0.0 %
157	-	1	0.0 %
159	-	1	0.0 %
163	-	1	0.0 %
165	-	2	0.0 %
173	-	3	0.0 %
181	-	1	0.0 %
189	-	2	0.0 %
195	-	1	0.0 %
197	-	1	0.0 %
231	-	1	0.0 %
339	-	1	0.0 %
355	-	1	0.0 %
367	-	1	0.0 %
473	-	1	0.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

*Location:* 206-208 (width: 3; decimal: 0)

*Variable Type:* character

---

## CFIPS4: FIPS COUNTY CODE-4

This variable contains the FIPS county code corresponding to the UCR county code in variable COUNTY4.

Federal Information Processing Standards (FIPS) publication FIPS 55 lists FIPS county codes and names.

Value	Label	Unweighted Frequency	%
00	-	24613	100.0 %
013	-	1	0.0 %
037	-	1	0.0 %
089	-	1	0.0 %
093	-	1	0.0 %
121	-	1	0.0 %
125	-	1	0.0 %
151	-	1	0.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

Location: 209-211 (width: 3; decimal: 0)

Variable Type: character

---

## CFIPS5: FIPS COUNTY CODE-5

This variable contains the FIPS county code corresponding to the UCR county code in variable COUNTY5.

Federal Information Processing Standards (FIPS) publication FIPS 55 lists FIPS county codes and names.

Value	Label	Unweighted Frequency	%
00	-	24620	100.0 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

Location: 212-213 (width: 2; decimal: 0)

Variable Type: character

---

## HC\_FLAG: HATE CRIME INCIDENT PRESENT FLAG

ICPSR added this variable to indicate whether at least one hate crime record is contained in the Incident Record File.

Value	Label	Unweighted Frequency	%
0	No hate crime incidents present	21741	88.3 %
1	One or more hate crime incidents present	2879	11.7 %
	<b>Total</b>	<b>24,620</b>	<b>100%</b>

Based upon 24,620 valid cases out of 24,620 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 214-214 (width: 1; decimal: 0)

*Variable Type:* numeric