

Project A20
FYS-MENA4111

Erlend Tiberg North & Alexandra Jahr Kolstad

21. november 2020
Week 44-

Abstract

Innhold

1	Introduction	3
2	Method	3
2.1	Energy convergence	3
2.2	K-points convergence	3
3	Results	3
3.1	Energy convergence	3
3.2	K-points convergence	4
4	Discussion	4
5	Conclusion	4
6	References	4
A	Convergence energy	4
B	Convergence k-points	5
C	Quinizarin-bilder	6
D	Y-bilder	12
E	Yb-bilder	17
F	Appendix 2	22

Ting å gjøre:

- lage en mappe på saga for begge
done
- skaffe POSCAR, jobfile og INCAR (de andre følger fra disse)
done
- sjekke at den konvergerer (decent ENCUT og KPOINTS)
done

The data shows that we should use 450eV for ENCUT as that is the 1st job with a difference less than 3meV.

For k-density we see that even the lowest value, 1.0, is within 3 meV (1.0 gives around 1.75 meV), so this can be used. However, the data shows that 3.0 is below 1 meV, with 4.0 being identical in energy to 5.0. This can possibly be discussed in group, but 1.0 should technically be enough for k-density.

- relaxe POSCAR og static etter relax POSCAR
done
- total og relativ energi (fra static etter relax)
done
- DOS (båndgap) og LDOS (båndstruktur)
done

- romlig elektronstruktur; 3D-plot av ladningstetthet (VESTA)
- bytte ut hydrogen i alkoholgruppen med lantanoidatomer (Yb, Nd, Tm og Y)
- relaxe POSCAR og static etter relax POSCAR
- total og relativ energi (fra static etter relax)
- DOS (båndgap) og LDOS (båndstruktur)
- romlig elektronstruktur; 3D-plot av ladningstetthet (VESTA)

Ting å ha i L^AT_EX:

- abstrakt
- kort introduksjon av materialet
- kort om metode, valg av paramtere (CUTOFF, etc)
- presentasjon av de viktigste resultatene
- diskusjon av hvordan resultatene kan tolkes, f.eks. sammenligne til eksperimenter eller tidligere beregninger i litteraturen
- konklusjon/oppsummering
- kilder
- appendix ?

OBS: husk å lagre bilder for rapporten og presentasjonen mens man gjør beregningene

1 Introduction

2 Method

2.1 Energy convergence

ENCUT: 300 to 900

2.2 K-points convergence

K-point density: 1.0 to 6.0

3 Results

3.1 Energy convergence

Started to convergence around 450 eV for ENCUT.

3.2 K-points convergence

4 Discussion

5 Conclusion

6 References

- [1] Ben G. Streetman & Sanjay Kumar Banerjee, 2016, *Solid State Electronic Devices seventh edition*, Pearson Education

A Convergence energy




Figure 1: Plot of energy convergence for Quinizarin, with ENCUT ranging from 300 eV to 900 eV.




Figure 2: Plot of the difference in energy convergence for Quinizarin, given by ENCUT.

B Convergence k-points




Figure 3: Plot of energy convergence for Quinizarin, with k-point density ranging from 1 to 6.




Figure 4: Plot of the difference in energy convergence for Quinizarin, given by k-point density.

C Quinizarin-bilder




Figure 5: Structure of Quinizarin for static VASP calculation.




Figure 6: Charge density of Quinizarin for static VASP calculation.




Figure 7: Structure of Quinizarin for relaxed VASP calculation.




Figure 8: Charge density of Quinizarin for relaxed VASP calculation.




Figure 9: Structure of Quinizarin for static VASP calculation after relaxed calculation.




Figure 10: Charge density of Quinizarin for static VASP calculation after relaxed calculation.




Figure 11: Structure of Quinizarin for DOS VASP calculation.




Figure 12: Charge density of Quinizarin for DOS VASP calculation.




Figure 13: Plot of total DOS for Quinizarin.




Figure 14: Plot of total DOS for Quinizarin, zoomed in for energies between 4.0 eV and 8.0 eV.




Figure 15: Plot of local DOS for atom number 25(H in alcohol-group) for Quinizarin.




Figure 16: Plot of local DOS for atom number 25(H in alcohol-group) for Quinizarin, zoomed in for energies between 4.0 eV and 8.0 eV.




Figure 17: Plot of local DOS for atom number 26(H in alcohol-group) for Quinizarin.




Figure 18: Plot of local DOS for atom number 26(H in alcohol-group) for Quinizarin, zoomed in for energies between 4.0 eV and 8.0 eV.

D Y-bilder




Figure 19: Structure of Quinizarin with Yttrium for static VASP calculation.




Figure 20: Charge density of Quinizarin with Yttrium for static VASP calculation.




Figure 21: Structure of Quinizarin with Yttrium for relaxed VASP calculation.






Figure 22: Charge density of Quinizarin with Yttrium for relaxed VASP calculation.



Figur 23: Structure of Quinizarin with Yttrium for static VASP calculation after relaxed calculation.



Figur 24: Charge density of Quinizarin with Yttrium for static VASP calculation after relaxed calculation.




Figure 25: Plot of total DOS for Quinizarin with Yttrium.




Figure 26: Plot of total DOS for Yttrium, zoomed in for energies between 0.0 eV and 4.5 eV.




Figure 27: Plot of local DOS of atom number 25(Y in lower alcohol-group) for Quinizarin with Yttrium.




Figure 28: Plot of local DOS of atom number 25(Y in lower alcohol-group) for Quinizarin with Yttrium, zoomed in for energies between 0.0 eV and 4.5 eV.




Figure 29: Plot of local DOS of atom number 26(Y in upper alcohol-group) for Quinizarin with Yttrium.




Figure 30: Plot of local DOS of atom number 26(Y in upper alcohol-group) for Quinizarin with Yttrium, zoomed in for energies between 0.0 eV and 4.5 eV.

E Yb-bilder







Figure 31: Structure of Quinizarin with Ytterbium for static VASP calculation.




Figur 32: Charge density of Quinizarin with Ytterbium for static VASP calculation.




Figur 33: Structure of Quinizarin with Ytterbium for relaxed VASP calculation.




Figur 34: Charge density of Quinizarin with Ytterbium for relaxed VASP calculation.




Figur 35: Structure of Quinizarin with Ytterbium for static VASP calculation after relaxed calculation.




Figur 36: Charge density of Quinizarin with Ytterbium for static VASP calculation after relaxed calculation.



Figur 37: Plot of total DOS for Ytterbium.



Figur 38: Plot of total DOS for Ytterbium, zoomed in for energies between 0.0 eV and 8.0 eV.



Figur 39: Plot of local DOS of atom number 25(Yb in lower alcohol-group) for Quinizarin with Ytterbium.




Figure 40: Plot of local DOS of atom number 25(Yb in lower alcohol-group) for Quinizarin with Ytterbium, zoomed in for energies between 0.0 eV and 8.0 eV.





Figure 41: Plot of local DOS of atom number 26(Yb in upper alcohol-group) for Quinizarin with Ytterbium.



Figur 42: Plot of local DOS of atom number 26(Yb in upper alcohol-group) for Quinizarin with Ytterbium, zoomed in for energies between 0.0 eV and 8.0 eV.

F Appendix 2