

THE STATE OF AGENT WALLET

Every AI agent wallet today puts a private key on a **server** and hopes nothing goes wrong.


That's not a security model. **That's a prayer.**

THE WEEKEND-SHAPED INSIGHT

The **chip in your card**
already produces the same
cryptographic output every
single time you tap it.

Nobody was using it as a signing key. Now someone is.

```
// EMV — APDU CHAIN
```



```
$ nfc.read()
→ PPSE → AID → PDOL → READ_RECORD
→ PAN: 4532...9821
→ UID: 04:A8:2B:C1:...
→ EXP: 12/29


$ argon2id(PAN + UID + EXP + SALT)

✓ KEY DERIVED — DETERMINISTIC, 32 BYTES
```


✓ LIVE	Structural cap via card-tap funding Session wallet only holds what was approved. Cap enforced at the wallet level — agent can't reach beyond it.
► PHASE 2	Programmable policy layer On-chain spend caps, program whitelists, auto-expiry — enforced by Solana, not the app.

ANCHOR

- Funds **never go to the session key** directly
- Funds stay in the PDA. Agent proposes, **program validates & signs**
- Card tap authorizes the **policy** — not a single transfer



Built solo. Shipped end-to-end. Real USDC moved on every step.

x402

Full agent payment loop. Self-documenting 402 endpoint.

3

Agent · Personal · Burner.
All card-tap funded.

< 500ms

Reconstruct, sign, wipe. Nothing persisted,
anywhere.

< 4_{WK}

Crypto, NFC, mobile, agent skill, signal server.

Full hardware wallet - SOL + USDC, Jupiter swap, QR scanner

Agent lifecycle - fund → task → return, on-chain confirmed

x402 signal server - independent on-chain tx verification


Keystore-backed session SK - TEE + biometric gate

EMV APDU chain - any contactless Visa or Mastercard

Telegram deep links - HMAC-SHA256, replay-protected

Python skill - OpenClaw, LangChain, CrewAI, Eliza compatible

ATA rent reclaim - ~\$0.17 recovered per session sweep



Full-stack, crypto, NFC, agent integration. One person.



Aleksandar Kolov

FOUNDER · BUILDER

FULL-STACK

CRYPTO

NFC / EMV

SOLANA

AI AGENTS

MOBILE

Open to the right cofounder for the accelerator phase.

tally.ill.mk/start.html



<https://www.youtube.com/watch?v=d2NVG9ldS38>



github.com/alexanxin/tally-vault



tally.ill.mk/screenshots.html



tally.lll.mk/api/signal



Try it now.

Everything is at tally.lll.mk/start.html

- The story - how a weekend reading the EMV spec became this
- App screenshots - full walkthrough of every screen
- Download APK - install and tap your card
- Live x402 endpoint - curl it right now, watch the 402 explain itself
- Integration guide - drop the folder, configure one .env, your agent is live